




FR1 n26 / 15MHz / DFT-s-OFDM / 256QAM / Full RB

Lowest Band Edge


Highest Band Edge



FR1 n26 / 15MHz / CP OFDM / QPSK / Full RB

Lowest Band Edge

Highest Band Edge







FR1 n26 / 20MHz / DFT-s-OFDM / PI/2 BPSK / Full RB

Lowest Band Edge



Highest Band Edge



FR1 n26 / 20MHz / DFT-s-OFDM / QPSK / Full RB

Lowest Band Edge


Highest Band Edge





FR1 n26 / 20MHz / DFT-s-OFDM / 16QAM / Full RB

Lowest Band Edge




Highest Band Edge



FR1 n26 / 20MHz / DFT-s-OFDM / 64QAM / Full RB

Lowest Band Edge



Highest Band Edge







FR1 n26 / 20MHz / DFT-s-OFDM / 256QAM / Full RB

Lowest Band Edge

Highest Band Edge



FR1 n26 / 20MHz / CP OFDM / QPSK / Full RB

Lowest Band Edge

Highest Band Edge





Conducted Spurious Emission

FR1 n26 / 5MHz / DFT-S OFDM / QPSK / 1RB1

Lowest Channel



Middle Channel



Highest Channel



**Frequency Stability**

Test Conditions		FR1 n26 (BPSK) / Middle Channel	Limit
Temperature (°C)	Voltage (Volt)	BW 20MHz	2.5 ppm
		Deviation (ppm)	Result
50	Normal Voltage	0.0030	PASS
40	Normal Voltage	0.0076	
30	Normal Voltage	0.0112	
20(Ref.)	Normal Voltage	0.0000	
10	Normal Voltage	0.0051	
0	Normal Voltage	0.0160	
-10	Normal Voltage	0.0161	
-20	Normal Voltage	0.0011	
-30	Normal Voltage	0.0035	
20	Maximum Voltage	0.0006	
20	Normal Voltage	0.0215	
20	Minimum Voltage	0.0099	

Note: Normal Voltage = 3.9 V. ; Battery End Point (BEP) = 3.6 V. ; Maximum Voltage = 4.5 V.


**FR1 n26_Part90S****Peak-to-Average Ratio**

Mode	FR1 n26 / 10MHz / DFT-S OFDM				
Mod.	PI/2 BPSK	QPSK	16QAM	64QAM	Limit: 13dB
RB Size	Full RB	Full RB	Full RB	Full RB	Result
Middle CH	4.42	5.78	6.60	6.80	PASS
Mode	FR1 n26 / 10MHz / DFT-S OFDM				
Mod.	256QAM				Limit: 13dB
RB Size	Full RB				Result
Middle CH	6.56				PASS




FR1 n26 / 10MHz / DFT-S OFDM / Middle Channel / Full RB


PI/2 BPSK




QPSK



16QAM



64QAM








256QAM



**26dB Bandwidth**

Mode	FR1 n26 : 26dB BW(MHz) / DFT-S OFDM							
BW	5MHz		10MHz					
Mod.	PI/2 BPSK		PI/2 BPSK					
Middle CH	5.30		10.03					


Mode	FR1 n26 : 26dB BW(MHz) / CP OFDM							
BW	5MHz		10MHz					
Mod.	QPSK	16QAM	QPSK	16QAM				
Middle CH	5.33	5.35	10.40	10.41				
Mod.	64QAM	256QAM	64QAM	256QAM				
Middle CH	5.41	5.36	10.40	10.33				

FR1 n26 / 5MHz / DFT-S OFDM / Middle Channel / Full RB
PI/2 BPSK

FR1 n26 / 5MHz / CP OFDM / Middle Channel / Full RB
QPSK

16QAM

64QAM

256QAM





FR1 n26 / 10MHz / DFT-S OFDM / Middle Channel / Full RB

PI/2 BPSK




FR1 n26 / 10MHz / CP OFDM / Middle Channel / Full RB


QPSK




16QAM



64QAM



256QAM



**Occupied Bandwidth**


Mode	FR1 n26 : 99%OBW(MHz) / DFT-S OFDM							
BW	5MHz		10MHz					
Mod.	PI/2 BPSK		PI/2 BPSK					
Middle CH	4.53		8.99					

Mode	FR1 n26 : 99%OBW (MHz) / CP OFDM							
BW	5MHz		10MHz					
Mod.	QPSK	16QAM	QPSK	16QAM				
Middle CH	4.53	4.50	9.35	9.37				
Mod.	64QAM	256QAM	64QAM	256QAM				
Middle CH	4.52	4.52	9.36	9.37				




FR1 n26 / 5MHz / DFT-S OFDM / Middle Channel / Full RB

PI/2 BPSK




FR1 n26 / 5MHz / CP OFDM / Middle Channel / Full RB


QPSK




16QAM



64QAM




256QAM






FR1 n26 / 10MHz / DFT-S OFDM / Middle Channel / Full RB

PI/2 BPSK




FR1 n26 / 10MHz / CP OFDM / Middle Channel / Full RB


QPSK




16QAM



64QAM




256QAM




**Emission masks – In-band emissions**

FR1 n26 / 5MHz / DFT-S OFDM / PI/2 BPSK

Lowest MASK / 1RB0



Highest MASK / 1RBmax



Lowest MASK / Full RB




Highest MASK / Full RB






FR1 n26 / 5MHz / DFT-S OFDM / QPSK


Lowest MASK / 1RB0



Highest MASK / 1RBmax



Lowest MASK / Full RB




Highest MASK / Full RB






FR1 n26 / 5MHz / DFT-S OFDM / 16QAM

Lowest MASK / 1RB0




04:01:31 PM 01/06/2025

Highest MASK / 1RBmax



04:09:47 PM 01/06/2025

Lowest MASK / Full RB



04:00:51 PM 01/06/2025

Highest MASK / Full RB




04:09:06 PM 01/06/2025




FR1 n26 / 5MHz / DFT-S OFDM / 64QAM


Lowest MASK / 1RB0




Highest MASK / 1RBmax



Lowest MASK / Full RB




Highest MASK / Full RB






FR1 n26 / 5MHz / DFT-S OFDM / 256QAM


Lowest MASK / 1RB0




Highest MASK / 1RBmax



Lowest MASK / Full RB




Highest MASK / Full RB





FR1 n26 / 5MHz / CP OFDM / QPSK / Full RB



Lowest MASK





Highest MASK






**FR1 n26 / 10MHz / DFT-s-OFDM / PI/2 BPSK****Middle MASK / Full RB****FR1 n26 / 10MHz / DFT-s-OFDM / QPSK****Lowest MASK / Full RB**

**FR1 n26 / 10MHz / DFT-s-OFDM / 16QAM****Middle MASK / Full RB****FR1 n26 / 10MHz / DFT-s-OFDM / 64QAM****Middle MASK / Full RB**

**FR1 n26 / 10MHz / DFT-s-OFDM / 256QAM****Middle MASK / Full RB****FR1 n26 / 10MHz / CP OFDM / QPSK / Full RB****Middle MASK**

**Emission masks – Out of band emissions**

FR1 n26 / 5MHz / DFT-S OFDM / QPSK / 1RB1

Lowest Channel**Middle Channel****Highest Channel**




**Frequency Stability**

Test Conditions		FR1 n26 (BPSK) / Middle Channel	Limit
Temperature (°C)	Voltage (Volt)	BW 10MHz	2.5ppm
		Deviation (ppm)	Result
50	Normal Voltage	0.0034	PASS
40	Normal Voltage	0.0065	
30	Normal Voltage	0.0110	
20(Ref.)	Normal Voltage	0.0000	
10	Normal Voltage	0.0167	
0	Normal Voltage	0.0233	
-10	Normal Voltage	0.0208	
-20	Normal Voltage	0.0098	
-30	Normal Voltage	0.0155	
20	Maximum Voltage	0.0057	
20	Normal Voltage	0.0249	
20	Minimum Voltage	0.0059	

Note: Normal Voltage = 3.9 V. ; Battery End Point (MASKP) = 3.6 V. ; Maximum Voltage = 4.5 V.

**FR1 n26 Part90s Straddle Channel****Peak-to-Average Ratio**

Mode	FR1 n26 / 20MHz / DFT-S OFDM				
Mod.	PI/2 BPSK	QPSK	16QAM	64QAM	Limit: 13dB
RB Size	Full RB	Full RB	Full RB	Full RB	Result
Middle CH	4.50	5.82	6.76	6.80	PASS
Mode	FR1 n26 / 20MHz / DFT-S OFDM				
Mod.	256QAM				Limit: 13dB
RB Size	Full RB				Result
Middle CH	6.58				PASS

**FR1 n26 / 20MHz / DFT-S OFDM / Middle Channel / Full RB****PI/2 BPSK****QPSK****16QAM****64QAM****256QAM**

**26dB Bandwidth**

Mode	FR1 n26 : 26dB BW(MHz) / DFT-S OFDM							
BW	5MHz		10MHz		15MHz		20MHz	
Mod.	PI/2 BPSK		PI/2 BPSK		PI/2 BPSK		PI/2 BPSK	
Middle CH	5.34		10.00		14.68		19.58	

Mode	FR1 n26 : 26dB BW(MHz) / CP OFDM							
BW	5MHz		10MHz		15MHz		20MHz	
Mod.	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM
Middle CH	5.61	5.37	10.38	10.39	15.39	16.68	21.36	21.33
Mod.	64QAM	256QAM	64QAM	256QAM	64QAM	256QAM	64QAM	256QAM
Middle CH	5.44	5.32	10.38	10.34	15.37	15.39	21.25	21.51



Rel Level: 30.00 dBm Offset: 2.10 dB BW: 100 kHz
 Att: 30 dB SWF: 10.1 ms VBW: 300 kHz Mode: Auto Sweep

1 Frequency Sweep

20 dBm
 10 dBm
 0 dBm
 -10 dBm
 -20 dBm
 -30 dBm
 -40 dBm
 -50 dBm
 -60 dBm



-11.18,504 dBm
 -12.74 dBm

1000000
 1000000



CF 824.0 MHz 1000100 4.0 MHz Span 40.0 MHz

05:00:13 PM 01/06/2025

16QAM




256QAM






FR1 n26 / 10MHz / DFT-S OFDM / Middle Channel / Full RB

PI/2 BPSK




FR1 n26 / 10MHz / CP OFDM / Middle Channel / Full RB


QPSK




16QAM



64QAM




256QAM






FR1 n26 / 15MHz / DFT-S OFDM / Middle Channel / Full RB

PI/2 BPSK




FR1 n26 / 15MHz / CP OFDM / Middle Channel / Full RB


QPSK




16QAM








64QAM



256QAM



FR1 n26 / 20MHz / DFT-S OFDM / Middle Channel / Full RB
PI/2 BPSK

FR1 n26 / 20MHz / CP OFDM / Middle Channel / Full RB
QPSK

16QAM

64QAM

256QAM


**Occupied Bandwidth**


Mode	FR1 n26 : 99%OBW(MHz) / DFT-S OFDM							
BW	5MHz		10MHz		15MHz		20MHz	
Mod.	PI/2 BPSK		PI/2 BPSK		PI/2 BPSK		PI/2 BPSK	
Middle CH	4.51		8.99		13.48		17.99	

Mode	FR1 n26 : 99%OBW (MHz) / CP OFDM							
BW	5MHz		10MHz		15MHz		20MHz	
Mod.	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM
Middle CH	4.53	4.52	9.34	9.35	14.14	14.16	19.04	19.03
Mod.	64QAM	256QAM	64QAM	256QAM	64QAM	256QAM	64QAM	256QAM
Middle CH	4.53	4.50	9.35	9.36	14.14	14.13	19.04	19.09




FR1 n26 / 5MHz / DFT-S OFDM / Middle Channel / Full RB

PI/2 BPSK




FR1 n26 / 5MHz / CP OFDM / Middle Channel / Full RB


QPSK




16QAM



64QAM



256QAM




FR1 n26 / 10MHz / DFT-S OFDM / Middle Channel / Full RB

PI/2 BPSK




FR1 n26 / 10MHz / CP OFDM / Middle Channel / Full RB


QPSK




16QAM



64QAM




256QAM




FR1 n26 / 15MHz / DFT-S OFDM / Middle Channel / Full RB

PI/2 BPSK




FR1 n26 / 15MHz / CP OFDM / Middle Channel / Full RB


QPSK




16QAM



64QAM




256QAM






FR1 n26 / 20MHz / DFT-S OFDM / Middle Channel / Full RB

PI/2 BPSK




FR1 n26 / 20MHz / CP OFDM / Middle Channel / Full RB


QPSK




16QAM



64QAM



256QAM



Frequency Stability

Test Conditions		FR1 n26 (BPSK) / Middle Channel	Limit
Temperature (°C)	Voltage (Volt)	BW 20MHz	2.5ppm
		Deviation (ppm)	Result
50	Normal Voltage	0.0171	PASS
40	Normal Voltage	0.0076	
30	Normal Voltage	0.0136	
20(Ref.)	Normal Voltage	0.0000	
10	Normal Voltage	0.0220	
0	Normal Voltage	0.0095	
-10	Normal Voltage	0.0086	
-20	Normal Voltage	0.0013	
-30	Normal Voltage	0.0030	
20	Maximum Voltage	0.0141	
20	Normal Voltage	0.0033	
20	Minimum Voltage	0.0107	

Note: Normal Voltage = 3.63.9 V. ; Minimum Voltage = 3.6 V. ; Maximum Voltage = 4.5 V.


**FR1 n30****Peak-to-Average Ratio**

Mode	FR1 n30 / 10MHz / DFT-S OFDM				
Mod.	PI/2 BPSK	QPSK	16QAM	64QAM	Limit: 13dB
RB Size	Full RB	Full RB	Full RB	Full RB	Result
Middle CH	4.64	5.76	6.74	6.80	PASS
Mode	FR1 n30 / 10MHz / DFT-S OFDM				
Mod.	256QAM				Limit: 13dB
RB Size	Full RB				Result
Middle CH	6.58				PASS




FR1 n30 / 10MHz / DFT-S OFDM / Middle Channel / Full RB


PI/2 BPSK




QPSK




16QAM



64QAM








256QAM



**26dB Bandwidth**

Mode	FR1 n30 : 26dB BW(MHz) / DFT-S OFDM							
BW	5MHz		10MHz					
Mod.	PI/2 BPSK		PI/2 BPSK					
Middle CH	5.29		9.98					


Mode	FR1 n30 : 26dB BW(MHz) / CP OFDM							
BW	5MHz		10MHz					
Mod.	QPSK	16QAM	QPSK	16QAM				
Middle CH	5.45	5.40	10.35	10.49				
Mod.	64QAM	256QAM	64QAM	256QAM				
Middle CH	5.28	5.31	10.38	10.34				

FR1 n30 / 5MHz / DFT-S OFDM / Middle Channel / Full RB
PI/2 BPSK

FR1 n30 / 5MHz / CP OFDM / Middle Channel / Full RB
QPSK

16QAM

64QAM

256QAM





FR1 n30 / 10MHz / DFT-S OFDM / Middle Channel / Full RB

PI/2 BPSK




FR1 n30 / 10MHz / CP OFDM / Middle Channel / Full RB


QPSK




16QAM



64QAM



256QAM



**Occupied Bandwidth**


Mode	FR1 n30 : 99%OBW(MHz) / DFT-S OFDM							
BW	5MHz		10MHz					
Mod.	PI/2 BPSK		PI/2 BPSK					
Middle CH	4.52		9.00					

Mode	FR1 n30 : 99%OBW (MHz) / CP OFDM							
BW	5MHz		10MHz					
Mod.	QPSK	16QAM	QPSK	16QAM				
Middle CH	4.53	4.51	9.33	9.37				
Mod.	64QAM	256QAM	64QAM	256QAM				
Middle CH	4.53	4.51	9.36	9.35				




FR1 n30 / 5MHz / DFT-S OFDM / Middle Channel / Full RB

PI/2 BPSK




FR1 n30 / 5MHz / CP OFDM / Middle Channel / Full RB


QPSK




16QAM



64QAM




256QAM






FR1 n30 / 10MHz / DFT-S OFDM / Middle Channel / Full RB

PI/2 BPSK




FR1 n30 / 10MHz / CP OFDM / Middle Channel / Full RB


QPSK




16QAM



64QAM



256QAM





**Conducted Band Edge**

FR1 n30 / 5MHz / DFT-S OFDM / PI/2 BPSK



Lowest Band Edge / 1RB0

Highest Band Edge / 1RBmax



Lowest Band Edge / 1 RB / Lower zoom in


Highest Band Edge / 1 RB / Lower zoom in






Lowest Band Edge / 1 RB / Upper zoom in

Highest Band Edge / 1 RB / Upper zoom in






Lowest Band Edge / Full RB




Highest Band Edge / Full RB



Lowest Band Edge / Full RB / Lower zoom in





Highest Band Edge / Full RB / Lower zoom in





Lowest Band Edge / Full RB / Upper zoom in

Highest Band Edge / Full RB / Upper zoom in







FR1 n30 / 5MHz / DFT-S OFDM / QPSK

Lowest Band Edge / 1RB0

Highest Band Edge / 1RBmax




01:53:39 PM 12/03/2024




01:59:35 PM 12/03/2024

Lowest Band Edge / 1 RB / Lower zoom in

Highest Band Edge / 1 RB / Lower zoom in



10:38:28 AM 01/08/2025





10:47:33 AM 01/08/2025




Lowest Band Edge / 1 RB / Upper zoom in

Highest Band Edge / 1 RB / Upper zoom in






Lowest Band Edge / Full RB




01:14:08 PM 12/03/2024

Highest Band Edge / Full RB




02:00:05 PM 12/03/2024

Lowest Band Edge / Full RB / Lower zoom in



10:39:17 AM 01/08/2025

Highest Band Edge / Full RB / Lower zoom in





10:48:22 AM 01/08/2025



Lowest Band Edge / Full RB / Upper zoom in

Highest Band Edge / Full RB / Upper zoom in







FR1 n30 / 5MHz / DFT-S OFDM / 16QAM

Lowest Band Edge / 1RB0

Highest Band Edge / 1RBmax




01:55:06 PM 12/03/2024




02:01:03 PM 12/03/2024

Lowest Band Edge / 1 RB / Lower zoom in

Highest Band Edge / 1 RB / Lower zoom in



10:40:06 AM 01/08/2025





10:49:11 AM 01/08/2025




Lowest Band Edge / 1 RB / Upper zoom in

Highest Band Edge / 1 RB / Upper zoom in







Lowest Band Edge / Full RB




Highest Band Edge / Full RB



Lowest Band Edge / Full RB / Lower zoom in





Highest Band Edge / Full RB / Lower zoom in





Lowest Band Edge / Full RB / Upper zoom in

Highest Band Edge / Full RB / Upper zoom in







FR1 n30 / 5MHz / DFT-S OFDM / 64QAM



Lowest Band Edge / 1RB0

Highest Band Edge / 1RBmax



Lowest Band Edge / 1 RB / Lower zoom in



Highest Band Edge / 1 RB / Lower zoom in






Lowest Band Edge / 1 RB / Upper zoom in

Highest Band Edge / 1 RB / Upper zoom in







Lowest Band Edge / Full RB




Highest Band Edge / Full RB



Lowest Band Edge / Full RB / Lower zoom in





Highest Band Edge / Full RB / Lower zoom in





Lowest Band Edge / Full RB / Upper zoom in

Highest Band Edge / Full RB / Upper zoom in







FR1 n30 / 5MHz / DFT-S OFDM / 256QAM

Lowest Band Edge / 1RB0

Highest Band Edge / 1RBmax




01:57:03 PM 12/03/2024




02:03:02 PM 12/03/2024

Lowest Band Edge / 1 RB / Lower zoom in

Highest Band Edge / 1 RB / Lower zoom in



11:04:31 AM 01/08/2025





10:52:28 AM 01/08/2025




Lowest Band Edge / 1 RB / Upper zoom in

Highest Band Edge / 1 RB / Upper zoom in







Lowest Band Edge / Full RB




Highest Band Edge / Full RB



Lowest Band Edge / Full RB / Lower zoom in





Highest Band Edge / Full RB / Lower zoom in





Lowest Band Edge / Full RB / Upper zoom in


Highest Band Edge / Full RB / Upper zoom in






FR1 n30 / 5MHz / CP OFDM / QPSK / Full RB


Lowest Band Edge




Highest Band Edge




Lowest Band Edge / Full RB / Lower zoom in



Highest Band Edge / Full RB / Lower zoom in









FR1 n30 / 10MHz / DFT-s-OFDM / PI/2 BPSK


Middle Band Edge / Full RB



Middle Band Edge / Full RB / Lower zoom in




Middle Band Edge / Full RB / Upper zoom in






FR1 n30 / 10MHz / DFT-s-OFDM / QPSK

Middle Band Edge / Full RB



Middle Band Edge / Full RB / Lower zoom in



Middle Band Edge / Full RB / Upper zoom in

