




In-Band Emissions (Channel Mask)

MIMO <Ant. 3+4(3)>

EUT Mode


802.11a

Plot on 5955 MHz




01:05:24 PM 02/18/2025

Plot on 6195 MHz




01:23:28 PM 02/18/2025

Plot on 6415 MHz



01:27:32 PM 02/18/2025


Plot on 6535 MHz




01:39:50 PM 02/18/2025



Plot on 6695 MHz



Plot on 6855 MHz






MIMO <Ant. 3+4(4)>


EUT Mode

802.11a


Plot on 5955 MHz




Plot on 6195 MHz



Plot on 6415 MHz




Plot on 6535 MHz






Plot on 6695 MHz



Plot on 6855 MHz






MIMO <Ant. 3+4(3)>

EUT Mode


802.11be EHT20 Full RU

Plot on 5955 MHz




02:49:27 PM 02/18/2025

Plot on 6195 MHz




02:45:51 PM 02/18/2025

Plot on 6415 MHz



04:00:49 PM 02/18/2025


Plot on 6535 MHz



05:02:48 PM 02/18/2025




Plot on 6695 MHz



06:10:57 PM 02/18/2025

Plot on 6855 MHz




07:16:57 PM 02/18/2025

EUT Mode


802.11be EHT20 26RU0

Plot on 5955 MHz



01:58:36 PM 02/18/2025

Plot on 6535 MHz




05:11:45 PM 02/18/2025




EUT Mode 802.11be EHT20 26RU4

Plot on 6195 MHz




Plot on 6695 MHz




EUT Mode 802.11be EHT20 26RU4

Plot on 6415 MHz



Plot on 6855 MHz






EUT Mode


802.11be EHT20 52RU37

Plot on 5955 MHz



02:09:45 PM 02/18/2025

Plot on 6535 MHz




05:24:07 PM 02/18/2025

EUT Mode


802.11be EHT20 52RU38

Plot on 6195 MHz



03:16:38 PM 02/18/2025


Plot on 6695 MHz




06:27:09 PM 02/18/2025

**EUT Mode** 802.11be EHT20 52RU40


Plot on 6415 MHz




Plot on 6855 MHz

**EUT Mode** 802.11be EHT20 52T+26T70

Plot on 5955 MHz



Plot on 6535 MHz







EUT Mode

802.11be EHT20 52T+26T71

Plot on 6195 MHz




Plot on 6695 MHz




EUT Mode

802.11be EHT20 52T+26T72

Plot on 6415 MHz



Plot on 6855 MHz







EUT Mode

802.11be EHT20 106RU53


Plot on 5955 MHz




Plot on 6195 MHz



Plot on 6535 MHz




Plot on 6695 MHz






EUT Mode 802.11be EHT20 106RU54

Plot on 6415 MHz




Plot on 6855 MHz




EUT Mode 802.11be EHT20 106T+26T82

Plot on 5955 MHz



Plot on 6535 MHz







EUT Mode

802.11be EHT20 106T+26T83


Plot on 6195 MHz




Plot on 6415 MHz



Plot on 6695 MHz



Plot on 6855 MHz






MIMO <Ant. 3+4(4)>


EUT Mode

802.11be EHT20 Full RU


Plot on 5955 MHz




Plot on 6195 MHz



Plot on 6415 MHz




Plot on 6535 MHz






Plot on 6695 MHz




Plot on 6855 MHz




EUT Mode

802.11be EHT20 26RU0

Plot on 5955 MHz




Plot on 6535 MHz






EUT Mode 802.11be EHT20 26RU4

Plot on 6195 MHz




Plot on 6695 MHz




EUT Mode 802.11be EHT20 26RU8

Plot on 6415 MHz



Plot on 6855 MHz







EUT Mode

802.11be EHT20 52RU37

Plot on 5955 MHz




Plot on 6535 MHz




EUT Mode

802.11be EHT20 52RU38

Plot on 6195 MHz



Plot on 6695 MHz







EUT Mode

802.11be EHT20 52RU40

Plot on 6415 MHz




Plot on 6855 MHz




EUT Mode

802.11be EHT20 52T+26T70

Plot on 5955 MHz




Plot on 6535 MHz






EUT Mode 802.11be EHT20 52T+26T71

Plot on 6195 MHz




Plot on 6695 MHz




EUT Mode 802.11be EHT20 52T+26T72

Plot on 6415 MHz



Plot on 6855 MHz







EUT Mode

802.11be EHT20 106RU53


Plot on 5955 MHz




Plot on 6195 MHz



Plot on 6535 MHz




Plot on 6695 MHz






EUT Mode 802.11be EHT20 106RU54

Plot on 6415 MHz



10:22:58 PM 02/18/2025


Plot on 6855 MHz



01:36:58 AM 02/19/2025


EUT Mode 802.11be EHT20 106T+26T82

Plot on 5955 MHz



08:39:10 PM 02/18/2025

Plot on 6535 MHz




12:04:00 AM 02/19/2025




EUT Mode 802.11be EHT20 106T+26T83

Plot on 6195 MHz




09:54:05 PM 02/18/2025

Plot on 6415 MHz




10:55:41 PM 02/18/2025

Plot on 6695 MHz



01:09:08 AM 02/19/2025

Plot on 6855 MHz



02:03:40 AM 02/19/2025




MIMO <Ant. 3+4(3)>


EUT Mode

802.11be EHT40 Full RU


Plot on 5965 MHz




Plot on 6205 MHz



Plot on 6405 MHz




Plot on 6565 MHz






Plot on 6685 MHz



Plot on 6845 MHz






MIMO <Ant. 3+4(4)>


EUT Mode

802.11be EHT40 Full RU


Plot on 5965 MHz




Plot on 6205 MHz



Plot on 6405 MHz




Plot on 6565 MHz






Plot on 6685 MHz



Plot on 6845 MHz






MIMO <Ant. 3+4(3)>


EUT Mode

802.11be EHT80 Full RU


Plot on 5985 MHz




Plot on 6225 MHz



Plot on 6385 MHz




Plot on 6625 MHz






Plot on 6705 MHz




Plot on 6785 MHz




EUT Mode

802.11be EHT80 Puncture20 1

Plot on 6385 MHz




Plot on 6785 MHz






EUT Mode 802.11be EHT80 Puncture20 2

Plot on 6225 MHz




Plot on 6705 MHz




EUT Mode 802.11be EHT80 Puncture20 4

Plot on 6225 MHz




Plot on 6705 MHz




**EUT Mode** 802.11be EHT80 Puncture20 8

Plot on 5985 MHz



Plot on 6625 MHz






MIMO <Ant. 3+4(4)>


EUT Mode

802.11be EHT80 Full RU


Plot on 5985 MHz




Plot on 6225 MHz



Plot on 6385 MHz




Plot on 6625 MHz






Plot on 6705 MHz




Plot on 6785 MHz




EUT Mode

802.11be EHT80 Puncture20 1

Plot on 6385 MHz



Plot on 6785 MHz






EUT Mode


802.11be EHT80 Puncture20 2

Plot on 6225 MHz

Plot on 6705 MHz



03:28:43 AM 02/19/2025




04:28:36 AM 02/19/2025

EUT Mode


802.11be EHT80 Puncture20 4

Plot on 6225 MHz

Plot on 6705 MHz



03:38:33 AM 02/19/2025



04:40:46 AM 02/19/2025





EUT Mode

802.11be EHT80 Puncture20 8

Plot on 5985 MHz

Plot on 6625 MHz






MIMO <Ant. 3+4(3)>

EUT Mode


802.11be EHT160 Full RU

Plot on 6025 MHz




11:08:19 PM 02/18/2025

Plot on 6185 MHz




11:23:07 PM 02/18/2025

Plot on 6345 MHz





11:59:56 PM 02/18/2025

Plot on 6665 MHz



12:16:09 AM 02/19/2025

**EUT Mode** 802.11be EHT160 Puncture20 1**Plot on 6345 MHz****EUT Mode** 802.11be EHT160 Puncture20 16**Plot on 6185 MHz**





EUT Mode

802.11be EHT160 Puncture20 128

Plot on 6025 MHz


Plot on 6665 MHz



EUT Mode


802.11be EHT160 Puncture40 3

Plot on 6345 MHz




**EUT Mode** 802.11be EHT160 Puncture40 48


Plot on 6185 MHz

**EUT Mode** 802.11be EHT160 Puncture40 192

Plot on 6025 MHz



Plot on 6665 MHz






MIMO <Ant. 3+4(4)>


EUT Mode

802.11be EHT160 Full RU


Plot on 6025 MHz




Plot on 6185 MHz



Plot on 6345 MHz




Plot on 6665 MHz






EUT Mode 802.11be EHT160 Puncture20 1

Plot on 6345 MHz



EUT Mode 802.11be EHT160 Puncture20 16



Plot on 6185 MHz




**EUT Mode** 802.11be EHT160 Puncture20 128

Plot on 6025 MHz

Plot on 6665 MHz


**EUT Mode** 802.11be EHT160 Puncture40 3

Plot on 6345 MHz




**EUT Mode** 802.11be EHT160 Puncture40 48


Plot on 6185 MHz

**EUT Mode** 802.11be EHT160 Puncture40 192

Plot on 6025 MHz



Plot on 6665 MHz






Appendix B. AC Conducted Emission Test Results

Test Engineer :	Louis Chung	Temperature :	16.1~22.7℃
		Relative Humidity :	45.9~48.9%

EUT Information

Report NO : 4N0917
 Test Mode : Mode 1
 Test Voltage : 120Vac/60Hz
 Phase : Line

Full Spectrum




Final Result

Frequency (MHz)	QuasiPeak (dBuV)	CAverage (dBuV)	Limit (dBuV)	Margin (dB)	Line	Filter	Corr. (dB)
0.152250	---	21.67	55.88	34.21	L1	OFF	19.8
0.152250	47.83	---	65.88	18.05	L1	OFF	19.8
0.172500	---	36.99	54.84	17.85	L1	OFF	19.8
0.172500	52.16	---	64.84	12.68	L1	OFF	19.8
0.183750	---	33.26	54.31	21.05	L1	OFF	19.8
0.183750	50.56	---	64.31	13.75	L1	OFF	19.8
0.219750	---	12.45	52.83	40.38	L1	OFF	19.8
0.219750	38.87	---	62.83	23.96	L1	OFF	19.8
0.276000	---	24.28	50.94	26.66	L1	OFF	19.8
0.276000	35.95	---	60.94	24.99	L1	OFF	19.8
22.497000	---	27.20	50.00	22.80	L1	OFF	20.7
22.497000	32.58	---	60.00	27.42	L1	OFF	20.7

EUT Information

Report NO : 4N0917
 Test Mode : Mode 1
 Test Voltage : 120Vac/60Hz
 Phase : Neutral

Full Spectrum



Final Result

Frequency (MHz)	QuasiPeak (dBuV)	CAverage (dBuV)	Limit (dBuV)	Margin (dB)	Line	Filter	Corr. (dB)
0.152430	---	21.02	55.87	34.85	N	OFF	19.8
0.152430	46.95	---	65.87	18.92	N	OFF	19.8
0.170475	---	35.29	54.94	19.65	N	OFF	19.8
0.170475	52.02	---	64.94	12.92	N	OFF	19.8
0.179250	---	38.25	54.52	16.27	N	OFF	19.8
0.179250	51.75	---	64.52	12.77	N	OFF	19.8
0.210750	---	12.52	53.18	40.66	N	OFF	19.8
0.210750	39.67	---	63.18	23.51	N	OFF	19.8
0.263760	---	27.03	51.31	24.28	N	OFF	19.8
0.263760	37.53	---	61.31	23.78	N	OFF	19.8
22.987635	---	23.49	50.00	26.51	N	OFF	20.8
22.987635	28.98	---	60.00	31.02	N	OFF	20.8



Appendix C. Radiated Spurious Emission Test Data

Test Engineer :	Rain Lee, Jacky Hong and White Hou	Temperature :	20~26°C
		Relative Humidity :	40~65%

C1. Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	U-NII-5	5.925-6.425	3+4	802.11a	1	5955	6Mbps	-	-
Mode 2	U-NII-5	5.925-6.425	3+4	802.11a	49	6195	6Mbps	-	-
Mode 3	U-NII-5	5.925-6.425	3+4	802.11a	93	6415	6Mbps	-	-
Mode 4	U-NII-5	5.925-6.425	3+4	802.11be EHT20	1	5955	MCS0	Full RU	-
Mode 5	U-NII-5	5.925-6.425	3+4	802.11be EHT20	1	5955	MCS0	Partial_26/0RU	-
Mode 6	U-NII-5	5.925-6.425	3+4	802.11be EHT20	1	5955	MCS0	Partial_52/37RU	-
Mode 7	U-NII-5	5.925-6.425	3+4	802.11be EHT20	1	5955	MCS0	Partial_106/53RU	-
Mode 8	U-NII-5	5.925-6.425	3+4	802.11be EHT20	49	6195	MCS0	Full RU	-
Mode 9	U-NII-5	5.925-6.425	3+4	802.11be EHT20	93	6415	MCS0	Full RU	-
Mode 10	U-NII-5	5.925-6.425	3+4	802.11be EHT40	3	5965	MCS0	Full RU	-
Mode 11	U-NII-5	5.925-6.425	3+4	802.11be EHT40	51	6205	MCS0	Full RU	-
Mode 12	U-NII-5	5.925-6.425	3+4	802.11be EHT40	91	6405	MCS0	Full RU	-
Mode 13	U-NII-5	5.925-6.425	3+4	802.11be EHT80	7	5985	MCS0	Full RU	-
Mode 14	U-NII-5	5.925-6.425	3+4	802.11be EHT80	55	6225	MCS0	Full RU	-
Mode 15	U-NII-5	5.925-6.425	3+4	802.11be EHT80	87	6385	MCS0	Full RU	-
Mode 16	U-NII-5	5.925-6.425	3+4	802.11be EHT160	15	6025	MCS0	Full RU	-
Mode 17	U-NII-5	5.925-6.425	3+4	802.11be EHT160	47	6185	MCS0	Full RU	-
Mode 18	U-NII-5	5.925-6.425	3+4	802.11be EHT160	79	6345	MCS0	Full RU	-
Mode 19	U-NII-7	6.525-6.875	3+4	802.11a	117	6535	6Mbps	-	-
Mode 20	U-NII-7	6.525-6.875	3+4	802.11a	149	6695	6Mbps	-	-
Mode 21	U-NII-7	6.525-6.875	3+4	802.11a	181	6855	6Mbps	-	-
Mode 22	U-NII-7	6.525-6.875	3+4	802.11be EHT20	117	6535	MCS0	Full RU	-
Mode 23	U-NII-7	6.525-6.875	3+4	802.11be EHT20	149	6695	MCS0	Full RU	-
Mode 24	U-NII-7	6.525-6.875	3+4	802.11be EHT20	181	6855	MCS0	Full RU	-
Mode 25	U-NII-7	6.525-6.875	3+4	802.11be EHT40	123	6565	MCS0	Full RU	-
Mode 26	U-NII-7	6.525-6.875	3+4	802.11be EHT40	147	6685	MCS0	Full RU	-



Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 27	U-NII-7	6.525-6.875	3+4	802.11be EHT40	179	6845	MCS0	Full RU	-
Mode 28	U-NII-7	6.525-6.875	3+4	802.11be EHT80	135	6625	MCS0	Full RU	-
Mode 29	U-NII-7	6.525-6.875	3+4	802.11be EHT80	151	6705	MCS0	Full RU	-
Mode 30	U-NII-7	6.525-6.875	3+4	802.11be EHT80	167	6785	MCS0	Full RU	-
Mode 31	U-NII-7	6.525-6.875	3+4	802.11be EHT160	143	6665	MCS0	Full RU	-
Mode 32	U-NII-5	5.925-6.425	3+4	802.11be EHT160	15	6025	MCS0	Full RU	LF
Mode 33	U-NII-5	5.925-6.425	3+4	802.11be EHT160	15	6025	MCS0	Full RU	SHF

C2. Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
1	802.11a	1	5924.97	47.50	68.20	-20.70	H	Avg.	Pass	-	Band Edge
	802.11a	1	17865.00	47.39	74.00	-26.61	V	Peak	Pass	-	Harmonic
2	802.11a	49	-	-	-	-	-	-	-	-	Band Edge
	802.11a	49	12390.00	47.50	74.00	-26.50	H	Peak	Pass	-	Harmonic
3	802.11a	93	-	-	-	-	-	-	-	-	Band Edge
	802.11a	93	19245.00	37.03	74.00	-36.97	V	Peak	Pass	-	Harmonic
4	802.11be EHT20	1	5924.45	48.50	68.20	-19.70	V	Avg.	Pass	Full RU	Band Edge
	802.11be EHT20	1	17865.00	47.73	74.00	-26.27	V	Peak	Pass	Full RU	Harmonic
5	802.11be EHT20	1	5912.23	55.67	68.20	-12.53	V	Avg.	Pass	Partial_26/0RU	Band Edge
	802.11be EHT20	1	-	-	-	-	-	-	-	Partial_26/0RU	Harmonic
6	802.11be EHT20	1	5918.73	56.02	68.20	-12.18	V	Avg.	Pass	Partial_52/37RU	Band Edge
	802.11be EHT20	1	-	-	-	-	-	-	-	Partial_52/37RU	Harmonic
7	802.11be EHT20	1	5924.19	54.37	68.20	-13.83	H	Avg.	Pass	Partial_106/53RU	Band Edge
	802.11be EHT20	1	-	-	-	-	-	-	-	Partial_106/53RU	Harmonic
8	802.11be EHT20	49	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11be EHT20	49	12390.00	47.94	74.00	-26.06	V	Peak	Pass	Full RU	Harmonic
9	802.11be EHT20	93	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11be EHT20	93	19245.00	36.74	74.00	-37.26	V	Peak	Pass	Full RU	Harmonic
10	802.11be EHT40	3	5924.96	54.59	68.20	-13.61	V	Avg.	Pass	Full RU	Band Edge
	802.11be EHT40	3	17895.00	47.53	74.00	-26.47	V	Peak	Pass	Full RU	Harmonic







Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
11	802.11be EHT40	51	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11be EHT40	51	12410.00	46.67	74.00	-27.33	H	Peak	Pass	Full RU	Harmonic
12	802.11be EHT40	91	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11be EHT40	91	19215.00	36.93	74.00	-37.07	V	Peak	Pass	Full RU	Harmonic
13	802.11be EHT80	7	5924.84	55.80	68.20	-12.40	V	Avg.	Pass	Full RU	Band Edge
	802.11be EHT80	7	17955.00	47.95	74.00	-26.05	H	Peak	Pass	Full RU	Harmonic
14	802.11be EHT80	55	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11be EHT80	55	12450.00	46.59	74.00	-27.41	V	Peak	Pass	Full RU	Harmonic
15	802.11be EHT80	87	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11be EHT80	87	19155.00	37.46	74.00	-36.54	V	Peak	Pass	Full RU	Harmonic
16	802.11be EHT160	15	5908.80	60.39	68.20	-7.81	H	Avg.	Pass	Full RU	Band Edge
	802.11be EHT160	15	12050.00	45.96	74.00	-28.04	V	Peak	Pass	Full RU	Harmonic
17	802.11be EHT160	47	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11be EHT160	47	12370.00	46.06	74.00	-27.94	V	Peak	Pass	Full RU	Harmonic
18	802.11be EHT160	79	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11be EHT160	79	12690.00	47.55	74.00	-26.45	V	Peak	Pass	Full RU	Harmonic
19	802.11a	117	-	-	-	-	-	-	-	-	Band Edge
	802.11a	117	19605.00	37.44	74.00	-36.56	V	Peak	Pass	-	Harmonic
20	802.11a	149	-	-	-	-	-	-	-	-	Band Edge
	802.11a	149	13390.00	48.32	74.00	-25.68	H	Peak	Pass	-	Harmonic
21	802.11a	181	-	-	-	-	-	-	-	-	Band Edge
	802.11a	181	13710.00	38.60	68.20	-29.60	V	Avg.	Pass	-	Harmonic
22	802.11be EHT20	117	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11be EHT20	117	19605.00	37.82	74.00	-36.18	V	Peak	Pass	Full RU	Harmonic
23	802.11be EHT20	149	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11be EHT20	149	13390.00	47.94	74.00	-26.06	V	Peak	Pass	Full RU	Harmonic
24	802.11be EHT20	181	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11be EHT20	181	13710.00	38.62	68.20	-29.58	H	Avg.	Pass	Full RU	Harmonic
25	802.11be EHT40	123	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11be EHT40	123	13130.00	37.63	68.20	-30.57	V	Avg.	Pass	Full RU	Harmonic
26	802.11be EHT40	147	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11be EHT40	147	13370.00	47.09	74.00	-26.91	V	Peak	Pass	Full RU	Harmonic







Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
27	802.11be EHT40	179	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11be EHT40	179	13690.00	39.90	68.20	-28.30	V	Avg.	Pass	Full RU	Harmonic
28	802.11be EHT80	135	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11be EHT80	135	13250.00	39.04	54.00	-14.96	V	Avg.	Pass	Full RU	Harmonic
29	802.11be EHT80	151	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11be EHT80	151	13410.00	39.32	68.20	-28.88	H	Avg.	Pass	Full RU	Harmonic
30	802.11be EHT80	167	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11be EHT80	167	13570.00	50.91	68.20	-17.29	H	Avg.	Pass	Full RU	Harmonic
31	802.11be EHT160	143	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11be EHT160	143	13330.00	38.44	54.00	-15.56	H	Avg.	Pass	Full RU	Harmonic
32	LF	15	46.49	35.03	40.00	-4.97	V	QP	Pass	-	LF
33	SHF	15	20821.00	39.51	74.00	-34.49	V	Peak	Pass	-	SHF





Mode	1																																																																																									
	Band Edge																																																																																									
	U-NII-5_5.925-6.425_802.11a_CH1_5955MHz																																																																																									
ANT	3+4																																																																																									
Pol.	Horizontal	Fundamental																																																																																								
Peak	 Site : 03CH13-HY Condition: PEAK_BE(UNII)_6E 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5924.97</td><td>56.99</td><td>88.20</td><td>-31.21</td><td>48.92</td><td>34.50</td><td>10.59</td><td>37.02</td><td>0.00</td><td>101</td><td>297</td><td>PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.97	56.99	88.20	-31.21	48.92	34.50	10.59	37.02	0.00	101	297	PEAK	 Site : 03CH13-HY Condition: PEAK(UNII)_6E 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>107.20</td><td>-----</td><td>-----</td><td>99.14</td><td>34.50</td><td>10.60</td><td>37.04</td><td>0.00</td><td>101</td><td>297</td><td>PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	107.20	-----	-----	99.14	34.50	10.60	37.04	0.00	101	297	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5924.97	56.99	88.20	-31.21	48.92	34.50	10.59	37.02	0.00	101	297	PEAK																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5955.00	107.20	-----	-----	99.14	34.50	10.60	37.04	0.00	101	297	PEAK																																																																														
Avg	 Site : 03CH13-HY Condition: AVG_BE(UNII)_6E 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000kHz VBN:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5924.97</td><td>47.50</td><td>68.20</td><td>-20.70</td><td>39.43</td><td>34.50</td><td>10.59</td><td>37.02</td><td>0.00</td><td>101</td><td>297</td><td>AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.97	47.50	68.20	-20.70	39.43	34.50	10.59	37.02	0.00	101	297	AVERAGE	 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000kHz VBN:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>101.25</td><td>-----</td><td>-----</td><td>93.19</td><td>34.50</td><td>10.60</td><td>37.04</td><td>0.00</td><td>101</td><td>297</td><td>AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	101.25	-----	-----	93.19	34.50	10.60	37.04	0.00	101	297	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5924.97	47.50	68.20	-20.70	39.43	34.50	10.59	37.02	0.00	101	297	AVERAGE																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5955.00	101.25	-----	-----	93.19	34.50	10.60	37.04	0.00	101	297	AVERAGE																																																																														







		1																																																																																																
Mode	Band Edge																																																																																																	
	U-NII-5_5.925-6.425_802.11a_CH1_5955MHz																																																																																																	
ANT	3+4																																																																																																	
Pol.	Vertical						Fundamental																																																																																											
Peak																																																																																																		
	Site : 03CH13-HY Condition: PEAK_BE(UNII)_6E 3m HORN_91200_1326 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5924.71</td><td>59.06</td><td>88.20</td><td>-29.14</td><td>50.99</td><td>34.50</td><td>10.59</td><td>37.02</td><td>0.00</td><td>320</td><td>130</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.71	59.06	88.20	-29.14	50.99	34.50	10.59	37.02	0.00	320	130	PEAK	Site : 03CH13-HY Condition: PEAK(UNII)_6E 3m HORN_91200_1326 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>107.18</td><td>-----</td><td>-----</td><td>99.12</td><td>34.50</td><td>10.60</td><td>37.04</td><td>0.00</td><td>320</td><td>130</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	107.18	-----	-----	99.12	34.50	10.60	37.04	0.00	320	130
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5924.71	59.06	88.20	-29.14	50.99	34.50	10.59	37.02	0.00	320	130	PEAK																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5955.00	107.18	-----	-----	99.12	34.50	10.60	37.04	0.00	320	130	PEAK																																																																																						
Avg																																																																																																		
	Site : 03CH13-HY Condition: AVG_BE(UNII)_6E 3m HORN_91200_1326 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5924.84</td><td>47.41</td><td>68.20</td><td>-20.79</td><td>39.34</td><td>34.50</td><td>10.59</td><td>37.02</td><td>0.00</td><td>320</td><td>130</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.84	47.41	68.20	-20.79	39.34	34.50	10.59	37.02	0.00	320	130	AVERAGE	Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>100.94</td><td>-----</td><td>-----</td><td>92.88</td><td>34.50</td><td>10.60</td><td>37.04</td><td>0.00</td><td>320</td><td>130</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	100.94	-----	-----	92.88	34.50	10.60	37.04	0.00	320	130
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5924.84	47.41	68.20	-20.79	39.34	34.50	10.59	37.02	0.00	320	130	AVERAGE																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5955.00	100.94	-----	-----	92.88	34.50	10.60	37.04	0.00	320	130	AVERAGE																																																																																						





Mode	1																																																																																																																			
	Harmonic																																																																																																																			
	U-NII-5_5.925-6.425_802.11a_CH1_5955MHz																																																																																																																			
ANT	3+4																																																																																																																			
Pol.	Horizontal	Vertical																																																																																																																		
Peak Avg	 Site : 03CH13-HY Condition: PEAK(UNII)_6E 1m SHF_1224 HORIZONTAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11910.00</td><td>45.12</td><td>74.00</td><td>-28.88</td><td>45.50</td><td>38.80</td><td>16.32</td><td>56.07</td><td>0.57</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>17865.00</td><td>47.34</td><td>74.00</td><td>-26.66</td><td>42.68</td><td>40.78</td><td>20.11</td><td>56.76</td><td>0.53</td><td>--</td><td>--</td><td>PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11910.00	45.12	74.00	-28.88	45.50	38.80	16.32	56.07	0.57	--	--	PEAK	2	17865.00	47.34	74.00	-26.66	42.68	40.78	20.11	56.76	0.53	--	--	PEAK	 Site : 03CH13-HY Condition: PEAK(UNII)_6E 1m SHF_1224 VERTICAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11910.00</td><td>45.17</td><td>74.00</td><td>-28.83</td><td>45.55</td><td>38.80</td><td>16.32</td><td>56.07</td><td>0.57</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>17865.00</td><td>47.39</td><td>74.00</td><td>-26.61</td><td>42.73</td><td>40.78</td><td>20.11</td><td>56.76</td><td>0.53</td><td>--</td><td>--</td><td>PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11910.00	45.17	74.00	-28.83	45.55	38.80	16.32	56.07	0.57	--	--	PEAK	2	17865.00	47.39	74.00	-26.61	42.73	40.78	20.11	56.76	0.53	--	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																										
1	11910.00	45.12	74.00	-28.88	45.50	38.80	16.32	56.07	0.57	--	--	PEAK																																																																																																								
2	17865.00	47.34	74.00	-26.66	42.68	40.78	20.11	56.76	0.53	--	--	PEAK																																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																										
1	11910.00	45.17	74.00	-28.83	45.55	38.80	16.32	56.07	0.57	--	--	PEAK																																																																																																								
2	17865.00	47.39	74.00	-26.61	42.73	40.78	20.11	56.76	0.53	--	--	PEAK																																																																																																								





Mode	1	
	Harmonic	
	U-NII-5_5.925-6.425_802.11a_CH1_5955MHz	
ANT	3+4	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 HORIZONTAL	 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 VERTICAL
	 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 HORIZONTAL	 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 VERTICAL





Mode	2																																													
	Band Edge																																													
	U-NII-5_5.925-6.425_802.11a_CH49_6195MHz																																													
ANT	3+4																																													
Pol.	Horizontal	Fundamental																																												
Peak	Blank	 Site : 03CH13-HY Condition: PEAK(UNII)_6E 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6195.00</td><td>111.31</td><td>-----</td><td>-----</td><td>102.88</td><td>34.40</td><td>11.01</td><td>36.98</td><td>0.00</td><td>100</td><td>284</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6195.00	111.31	-----	-----	102.88	34.40	11.01	36.98	0.00	100	284	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	6195.00	111.31	-----	-----	102.88	34.40	11.01	36.98	0.00	100	284	PEAK																																		
Avg	Blank	 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6195.00</td><td>104.23</td><td>-----</td><td>-----</td><td>95.80</td><td>34.40</td><td>11.01</td><td>36.98</td><td>0.00</td><td>100</td><td>284</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6195.00	104.23	-----	-----	95.80	34.40	11.01	36.98	0.00	100	284	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	6195.00	104.23	-----	-----	95.80	34.40	11.01	36.98	0.00	100	284	AVERAGE																																		







Mode	2																																													
	Band Edge																																													
	U-NII-5_5.925-6.425_802.11a_CH49_6195MHz																																													
ANT	3+4																																													
Pol.	Vertical	Fundamental																																												
Peak	Blank	 Site : 03CH13-HY Condition: PEAK(UNII)_6E 3m HORN_91200_1326 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6195.00</td><td>111.92</td><td>-----</td><td>-----</td><td>103.49</td><td>34.40</td><td>11.01</td><td>36.98</td><td>0.00</td><td>307</td><td>146</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6195.00	111.92	-----	-----	103.49	34.40	11.01	36.98	0.00	307	146	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	6195.00	111.92	-----	-----	103.49	34.40	11.01	36.98	0.00	307	146	PEAK																																		
Avg	Blank	 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6195.00</td><td>104.99</td><td>-----</td><td>-----</td><td>96.56</td><td>34.40</td><td>11.01</td><td>36.98</td><td>0.00</td><td>307</td><td>146</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6195.00	104.99	-----	-----	96.56	34.40	11.01	36.98	0.00	307	146	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	6195.00	104.99	-----	-----	96.56	34.40	11.01	36.98	0.00	307	146	AVERAGE																																		





Mode	2																																																																				
	Harmonic																																																																				
	U-NII-5_5.925-6.425_802.11a_CH49_6195MHz																																																																				
ANT	3+4																																																																				
Pol.	Horizontal						Vertical																																																														
Peak Avg																																																																					
	Site : 03CH13-HY Condition: PEAK(UNII)_6E 1m SHF_1224 HORIZONTAL						Site : 03CH13-HY Condition: PEAK(UNII)_6E 1m SHF_1224 VERTICAL																																																														
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12390.00</td><td>47.50</td><td>74.00</td><td>-26.50</td><td>47.58</td><td>39.20</td><td>16.64</td><td>56.60</td><td>0.68</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>18585.00</td><td>37.53</td><td>74.00</td><td>-36.47</td><td>56.82</td><td>37.93</td><td>6.00</td><td>53.68</td><td>-9.54</td><td>--</td><td>--</td><td>PEAK</td></tr></table>														Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12390.00	47.50	74.00	-26.50	47.58	39.20	16.64	56.60	0.68	--	--	PEAK	2	18585.00	37.53	74.00	-36.47	56.82	37.93	6.00	53.68	-9.54	--	--	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	12390.00	47.50	74.00	-26.50	47.58	39.20	16.64	56.60	0.68	--	--	PEAK																																																									
2	18585.00	37.53	74.00	-36.47	56.82	37.93	6.00	53.68	-9.54	--	--	PEAK																																																									





Mode	2	
	Harmonic	
	U-NII-5_5.925-6.425_802.11a_CH49_6195MHz	
ANT	3+4	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 HORIZONTAL	 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 VERTICAL
	 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 HORIZONTAL	 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 VERTICAL



Mode	3																																													
	Band Edge																																													
	U-NII-5_5.925-6.425_802.11a_CH93_6415MHz																																													
ANT	3+4																																													
Pol.	Horizontal	Fundamental																																												
Peak	Blank	 Site : 03CH13-HY Condition: PEAK(UNII)_6E 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6415.00</td><td>112.15</td><td>-----</td><td>-----</td><td>102.90</td><td>35.03</td><td>11.11</td><td>36.89</td><td>0.00</td><td>100</td><td>264</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6415.00	112.15	-----	-----	102.90	35.03	11.11	36.89	0.00	100	264	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	6415.00	112.15	-----	-----	102.90	35.03	11.11	36.89	0.00	100	264	PEAK																																		
Avg	Blank	 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6415.00</td><td>105.75</td><td>-----</td><td>-----</td><td>96.50</td><td>35.03</td><td>11.11</td><td>36.89</td><td>0.00</td><td>100</td><td>264</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6415.00	105.75	-----	-----	96.50	35.03	11.11	36.89	0.00	100	264	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	6415.00	105.75	-----	-----	96.50	35.03	11.11	36.89	0.00	100	264	AVERAGE																																		







Mode	3																																																						
	Band Edge																																																						
	U-NII-5_5.925-6.425_802.11a_CH93_6415MHz																																																						
ANT	3+4																																																						
Pol.	Vertical					Fundamental																																																	
Peak	Blank					 Site : 03CH13-HY Condition: PEAK(UNII)_6E 3m HORN_91200_1326 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6415.00</td><td>112.36</td><td>-----</td><td>-----</td><td>103.00</td><td>35.04</td><td>11.12</td><td>36.88</td><td>0.00</td><td>400</td><td>161</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6415.00	112.36	-----	-----	103.00	35.04	11.12	36.88	0.00	400	161	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	6415.00	112.36	-----	-----	103.00	35.04	11.12	36.88	0.00	400	161	PEAK																																											
Avg	Blank					 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6415.00</td><td>105.30</td><td>-----</td><td>-----</td><td>96.02</td><td>35.04</td><td>11.12</td><td>36.88</td><td>0.00</td><td>400</td><td>161</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6415.00	105.30	-----	-----	96.02	35.04	11.12	36.88	0.00	400	161	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	6415.00	105.30	-----	-----	96.02	35.04	11.12	36.88	0.00	400	161	AVERAGE																																											







Mode	3																																																																																																																												
	Harmonic																																																																																																																												
	U-NII-5_5.925-6.425_802.11a_CH93_6415MHz																																																																																																																												
ANT	3+4																																																																																																																												
Pol.	Horizontal						Vertical																																																																																																																						
Peak Avg																																																																																																																													
	Site : 03CH13-HY Condition: PEAK(UNII)_6E 1m SHF_1224 HORIZONTAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>12830.00</td><td>46.46</td><td>88.20</td><td>-41.74</td><td>45.83</td><td>39.90</td><td>17.11</td><td>57.17</td><td>0.79</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>19245.00</td><td>35.72</td><td>74.00</td><td>-38.28</td><td>56.63</td><td>37.72</td><td>6.11</td><td>55.20</td><td>-9.54</td><td>--</td><td>--</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12830.00	46.46	88.20	-41.74	45.83	39.90	17.11	57.17	0.79	--	--	PEAK	2	19245.00	35.72	74.00	-38.28	56.63	37.72	6.11	55.20	-9.54	--	--	PEAK	Site : 03CH13-HY Condition: PEAK(UNII)_6E 1m SHF_1224 VERTICAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>12830.00</td><td>46.54</td><td>88.20</td><td>-41.66</td><td>45.91</td><td>39.90</td><td>17.11</td><td>57.17</td><td>0.79</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>19245.00</td><td>37.03</td><td>74.00</td><td>-36.97</td><td>57.94</td><td>37.72</td><td>6.11</td><td>55.20</td><td>-9.54</td><td>--</td><td>--</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12830.00	46.54	88.20	-41.66	45.91	39.90	17.11	57.17	0.79	--	--	PEAK	2	19245.00	37.03	74.00	-36.97	57.94	37.72	6.11	55.20	-9.54	--	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	12830.00	46.46	88.20	-41.74	45.83	39.90	17.11	57.17	0.79	--	--	PEAK																																																																																																																	
2	19245.00	35.72	74.00	-38.28	56.63	37.72	6.11	55.20	-9.54	--	--	PEAK																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	12830.00	46.54	88.20	-41.66	45.91	39.90	17.11	57.17	0.79	--	--	PEAK																																																																																																																	
2	19245.00	37.03	74.00	-36.97	57.94	37.72	6.11	55.20	-9.54	--	--	PEAK																																																																																																																	







Mode	3	
	Harmonic	
	U-NII-5_5.925-6.425_802.11a_CH93_6415MHz	
ANT	3+4	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 HORIZONTAL	 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 VERTICAL
	 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 HORIZONTAL	 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 VERTICAL



Mode	4																																																																																																		
	Band Edge																																																																																																		
	U-NII-5_5.925-6.425_802.11be EHT20_CH1_Full RU_5955MHz																																																																																																		
ANT	3+4																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	Site : 03CH13-HY Condition: PEAK_BE(UNII)_6E 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5922.63</td><td>58.02</td><td>88.20</td><td>-30.18</td><td>49.95</td><td>34.50</td><td>10.59</td><td>37.02</td><td>0.00</td><td>100</td><td>306</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5922.63	58.02	88.20	-30.18	49.95	34.50	10.59	37.02	0.00	100	306	PEAK	Site : 03CH13-HY Condition: PEAK(UNII)_6E 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>100.39</td><td>-----</td><td>-----</td><td>100.32</td><td>34.50</td><td>10.60</td><td>37.03</td><td>0.00</td><td>100</td><td>306</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	100.39	-----	-----	100.32	34.50	10.60	37.03	0.00	100	306
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5922.63	58.02	88.20	-30.18	49.95	34.50	10.59	37.02	0.00	100	306	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5955.00	100.39	-----	-----	100.32	34.50	10.60	37.03	0.00	100	306	PEAK																																																																																							
Avg																																																																																																			
	Site : 03CH13-HY Condition: AVG_BE(UNII)_6E 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5924.97</td><td>48.11</td><td>68.20</td><td>-20.09</td><td>40.04</td><td>34.50</td><td>10.59</td><td>37.02</td><td>0.00</td><td>100</td><td>306</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.97	48.11	68.20	-20.09	40.04	34.50	10.59	37.02	0.00	100	306	AVERAGE	Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>100.43</td><td>-----</td><td>-----</td><td>92.37</td><td>34.50</td><td>10.60</td><td>37.04</td><td>0.00</td><td>100</td><td>306</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	100.43	-----	-----	92.37	34.50	10.60	37.04	0.00	100	306
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5924.97	48.11	68.20	-20.09	40.04	34.50	10.59	37.02	0.00	100	306	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5955.00	100.43	-----	-----	92.37	34.50	10.60	37.04	0.00	100	306	AVERAGE																																																																																							



Mode	4																																																																																																			
	Band Edge																																																																																																			
	U-NII-5_5.925-6.425_802.11be EHT20_CH1_Full RU_5955MHz																																																																																																			
ANT	3+4																																																																																																			
Pol.	Vertical						Fundamental																																																																																													
Peak	 Site : 03CH13-HY Condition: PEAK_BE(UNII)_6E 3m HORN_91200_1326 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5924.45</td><td>60.63</td><td>88.20</td><td>-27.57</td><td>52.56</td><td>34.50</td><td>10.59</td><td>37.02</td><td>0.00</td><td>354</td><td>145</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.45	60.63	88.20	-27.57	52.56	34.50	10.59	37.02	0.00	354	145	PEAK	 Site : 03CH13-HY Condition: PEAK(UNII)_6E 3m HORN_91200_1326 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>107.33</td><td>-----</td><td>-----</td><td>99.27</td><td>34.50</td><td>10.60</td><td>37.04</td><td>0.00</td><td>354</td><td>145</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	107.33	-----	-----	99.27	34.50	10.60	37.04	0.00	354	145	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5924.45	60.63	88.20	-27.57	52.56	34.50	10.59	37.02	0.00	354	145	PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5955.00	107.33	-----	-----	99.27	34.50	10.60	37.04	0.00	354	145	PEAK																																																																																								
Avg	 Site : 03CH13-HY Condition: AVG_BE(UNII)_6E 3m HORN_91200_1326 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5924.45</td><td>48.50</td><td>68.20</td><td>-19.70</td><td>40.43</td><td>34.50</td><td>10.59</td><td>37.02</td><td>0.00</td><td>354</td><td>145</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.45	48.50	68.20	-19.70	40.43	34.50	10.59	37.02	0.00	354	145	AVERAGE	 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>100.08</td><td>-----</td><td>-----</td><td>92.02</td><td>34.50</td><td>10.60</td><td>37.04</td><td>0.00</td><td>354</td><td>145</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	100.08	-----	-----	92.02	34.50	10.60	37.04	0.00	354	145	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5924.45	48.50	68.20	-19.70	40.43	34.50	10.59	37.02	0.00	354	145	AVERAGE																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5955.00	100.08	-----	-----	92.02	34.50	10.60	37.04	0.00	354	145	AVERAGE																																																																																								