



Report No.: FG4N0917F

FCC Part 96.47 TEST REPORT

FCC ID : A4RG4QUR

Equipment : Phone **G4QUR Model Name**

Applicant : Google LLC

> 1600 Amphitheatre Parkway, Mountain View, CA, 94043 USA

: FCC Part 96.47 **Standard**

RF Interface : LTE B48

The product was received on Dec. 09, 2024, and testing was performed from Feb. 26, 2025 to Feb. 26, 2025. We, Sporton International Inc. Wensan Laboratory, would like to declare that the tested sample has been evaluated in accordance with the test procedures and has been in compliance with the applicable technical standards.

The test results in this report apply exclusively to the tested model / sample. Without written approval from Sporton International Inc. Wensan Laboratory, the test report shall not be reproduced except in full.

Approved by: Jones Tsai

Sporton International Inc. Wensan Laboratory

No.58, Aly. 75, Ln. 564, Wenhua 3rd, Rd., Guishan Dist., Taoyuan City 333010, Taiwan (R.O.C)

TEL: 886-3-327-0868 : 1 of 11 Page Number FAX: 886-3-327-0855 : Apr. 22, 2025 Issue Date Report Version : 02

Report Template No.: BU5-FGLTE96.47 Version 2.0

Table of Contents

Report No. : FG4N0917F

Hi	story o	of this test report	3
		ry of Test Result	
		eral Description	
	1 1	Product Feature of Equipment Under Test	F
	1.1	Product Feature of Equipment Under Test	F.
	1.3	Testing Location	Ę
		Applicable Standards	
2		Configuration of Equipment Under Test	
		Connection Diagram of Test System	
3		User Device additional requirement	
		Test Requirement	
		Test Procedure	
		Test Result	
4	Meas	suring Equipment List	11
Ar	pendi	ix A. Setup Photographs	

TEL: 886-3-327-0868 Page Number : 2 of 11 FAX: 886-3-327-0855 Issue Date : Apr. 22, 2025 : 02

History of this test report

Report No. : FG4N0917F

Report No.	Version	Description	Issue Date
FG4N0917F	01	Initial issue of report	Mar. 13, 2025
FG4N0917F	02	Revise Measuring Equipment List This report is an updated version, replacing the report issued on Mar. 13, 2025.	Apr. 22, 2025

TEL: 886-3-327-0868 Page Number : 3 of 11
FAX: 886-3-327-0855 Issue Date : Apr. 22, 2025

Summary of Test Result

Report No.: FG4N0917F

Report Clause	Ref Std. Clause	Test Items	Result (PASS/FAIL)	Remark
3	96.47	End User Device additional requirement	Pass	-

Conformity Assessment Condition:

The test results (PASS/FAIL) with all measurement uncertainty excluded are presented against the regulation limits or in accordance with the requirements stipulated by the applicant/manufacturer who shall bear all the risks of non-compliance that may potentially occur if measurement uncertainty is taken into account.

Disclaimer:

The product specifications of the EUT presented in the test report that may affect the test assessments are declared by the manufacturer who shall take full responsibility for the authenticity.

Reviewed by: William Chen
Report Producer: Michelle Chen

TEL: 886-3-327-0868 Page Number : 4 of 11
FAX: 886-3-327-0855 Issue Date : Apr. 22, 2025

1 General Description

1.1 Product Feature of Equipment Under Test

Product Feature

Report No.: FG4N0917F

General Specs

GSM/WCDMA/LTE/5G NR/NTN , Bluetooth, BLE, BLE channel sounding, Thread, Wi-Fi 802.11be, NFC, WPC Rx, UWB and GNSS Rx.

Antenna Type

WWAN:

<Ant. 1>: ILA Antenna <Ant. 5>: IFA Antenna <Ant. 6>: IFA Antenna <Ant. 7>: IFA Antenna

Remark: The above EUT's information was declared by manufacturer. Please refer to Disclaimer in report summary.

EUT Information List			
S/N	Performed Test Item		
4B161FDCH00044	Conducted Measurement		

1.2 Modification of EUT

No modifications are made to the EUT during the entire test sessions.

1.3 Testing Location

Test Site	Sporton International Inc. Wensan Laboratory
Test Site Location	No.58, Aly. 75, Ln. 564, Wenhua 3rd, Rd., Guishan Dist., Taoyuan City 333010, Taiwan (R.O.C.) TEL: +886-3-327-0868 FAX: +886-3-327-0855
Test Site No.	Sporton Site No.
rest Site No.	TH05-HY
Test Engineer	Alston Tsai
Temperature	23 ~ 24 °C
Relative Humidity	41 ~ 44 %

FCC designation No.: TW3786

TEL: 886-3-327-0868 Page Number : 5 of 11
FAX: 886-3-327-0855 Issue Date : Apr. 22, 2025

1.4 Applicable Standards

- FCC Part 96.47
- FCC KDB 940660 D01 Part 96 CBRS Eqpt v03
- WINNF-TS-0122-V1.0.2 CBRS CBSD Test Specification

Remark:

1. All test items were verified and recorded according to the standards and without any deviation during the test.


Report No.: FG4N0917F

2. The TAF code is not including all the FCC KDB listed without accreditation.

TEL: 886-3-327-0868 Page Number : 6 of 11
FAX: 886-3-327-0855 Issue Date : Apr. 22, 2025

2 Test Configuration of Equipment Under Test

2.1 Connection Diagram of Test System



Report No.: FG4N0917F

: 02

The companion device is a certified CBSD (FCC ID: S9GQ710US02)

TEL: 886-3-327-0868 Page Number : 7 of 11
FAX: 886-3-327-0855 Issue Date : Apr. 22, 2025

3 End User Device additional requirement

3.1 Test Requirement

FCC Part 96.47

(a) End User Devices may operate only if they can positively receive and decode an authorization signal transmitted by a CBSD, including the frequencies and power limits for their operation.

Report No.: FG4N0917F

(1) An End User Device must discontinue operations, change frequencies, or change its operational power level within 10 seconds of receiving instructions from its associated CBSD.

3.2 Test Procedure

The following procedure is following in accordance with WINNF-TS-0122-V1.0.2 CBRS CBSD Test Specification, using the certified Ruckus CBSD (FCC ID: S9GQ710US02) as a companion device to present compliance with Part 96.47 requirement for End User Device (EUD):

- 1. Configure SAS granted CBSD to operate at frequency 3600-3620 MHz and power level 20 dBm/MHz
- 2. Enable AP service from Ruckus Cloud management
- 3. Check EUD Tx Frequency and power
- 4. Disable AP service from Ruckus Cloud management
 - a. Check if EUD stops transmission within 10 seconds.
- 5. Configure SAS granted CBSD to operate at frequency 3670-3690 MHz & power level 10 dBm/MHz
- 6. Enable AP service from Ruckus Cloud management
- 7. Check EUD Tx Frequency and power
- 8. Disable AP service from Ruckus Cloud management
 - a. Check if EUD stops transmission within 10 seconds.

TEL: 886-3-327-0868 Page Number : 8 of 11
FAX: 886-3-327-0855 Issue Date : Apr. 22, 2025


3.3 Test Result

[Step 1] Configure SAS granted CBSD to operate at frequency 3600-3620 MHz and power level 20 dBm/MHz

Report No.: FG4N0917F

: 02

[Step 3] Check EUD Tx Frequency and power



[Step 4.a.] EUD stops transmission within 10 seconds right after receiving instructions from its associated CBSD.




TEL: 886-3-327-0868 Page Number: 9 of 11
FAX: 886-3-327-0855 Issue Date: Apr. 22, 2025

[Step 5] Configure SAS granted CBSD to operate at frequency 3670-3690 MHz & power level 10 dBm/MHz

Report No.: FG4N0917F

[Step 7] Check EUD Tx Frequency and power



[Step 8.a.] After changing the frequency and power level,

The EUD discontinues operating, changes frequencies, or changes its operational power level within 10 seconds right after receiving instructions from its associated CBSD. Test result is a PASS.



TEL: 886-3-327-0868 Page Number : 10 of 11 FAX: 886-3-327-0855 Issue Date : Apr. 22, 2025

4 Measuring Equipment List

Instrument	Brand Name	Model No.	Serial No.	Characteristics	Calibration Date	Test Date	Due Date	Remark
Spectrum Analyzer	R&S	FSV3044	101433	10Hz~44GHz	Nov. 12, 2024	Feb. 26, 2025	Nov. 11, 2025	Conducted
7 that year								(TH05-HY)
Coupler	MVE	MVE-4816-10	A400024	N/A	Jun. 27. 2024	Feb. 26. 2025	Jun. 26, 2025	Conducted (TH05-HY)
Coup.c.		2 .010 10		// (2., 2021	. 52. 23, 2020	23 23, 2020	

Report No. : FG4N0917F



TEL: 886-3-327-0868 Page Number : 11 of 11 FAX: 886-3-327-0855 Issue Date : Apr. 22, 2025