




Ant. 1

Part 90R Mode 4

NR SA n14 10M Ch158600 1RB0 QPSK

M




Site : 03CH12-HY

Condition: 700 AC BAND 3m 9120D-02114-240711 Horizontal

NR SA n14 10M Ch158600 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1	1578.00	-68.29	RMS	25.48	-61.13	0.82	-95.23	61.77	-42.15	-26.14	Horizontal
2	2366.00	-67.28	RMS	27.40	-59.92	0.56	-95.23	59.91	-13.00	-54.28	Horizontal
3	3155.00	-64.31	RMS	29.88	-58.31	0.38	-95.23	58.97	-13.00	-51.31	Horizontal



Site : 03CH12-HY

Condition: 700 AC BAND 3m 9120D-02114-240711 Vertical

NR SA n14 10M Ch158600 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1	1578.00	-68.51	RMS	25.48	-61.13	0.82	-95.23	61.55	-42.15	-26.36	Vertical
2	2366.00	-65.87	RMS	27.40	-59.92	0.56	-95.23	61.32	-13.00	-52.87	Vertical
3	3155.00	-64.46	RMS	29.88	-58.31	0.38	-95.23	58.82	-13.00	-51.46	Vertical




Ant. 0

Part 90S Mode 1

NR SA n26 5M Ch163300 1RB1 BPSK

L




Site : 03CH12-HY

Condition: -13 3m 9120D-02114-240711 Horizontal

: NR SA n26 5M Ch163300 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dBuV	dBm	dB	
1	1629.00	-64.96	RMS	25.51	-61.03	0.76	-95.23	65.03	-13.00	-51.96	Horizontal
2	2444.00	-44.76	RMS	27.70	-59.81	0.52	-95.23	82.06	-13.00	-31.76	Horizontal
3	3258.00	-64.49	RMS	29.80	-58.18	0.39	-95.23	58.73	-13.00	-51.49	Horizontal
4	4072.00	-62.90	RMS	31.04	-57.60	0.51	-95.23	58.38	-13.00	-49.90	Horizontal



Site : 03CH12-HY

Condition: -13 3m 9120D-02114-240711 Vertical

: NR SA n26 5M Ch163300 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dBuV	dBm	dB	
1	1629.00	-59.22	RMS	25.51	-61.03	0.76	-95.23	70.77	-13.00	-46.22	Vertical
2	2444.00	-40.37	RMS	27.70	-59.81	0.52	-95.23	86.45	-13.00	-27.37	Vertical
3	3258.00	-65.17	RMS	29.80	-58.18	0.39	-95.23	58.05	-13.00	-52.17	Vertical
4	4072.00	-54.53	RMS	31.04	-57.60	0.51	-95.23	66.75	-13.00	-41.53	Vertical




Ant. 0


Part 90S Mode 1

NR SA n26 5M Ch163800 1RB1 BPSK

M



	Freq	Level	Detector	Ant	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
				Factor	1			g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1634.00	-54.77	RMS	25.46	-61.03	0.76	-95.23	75.27	-13.00	-41.77	Horizontal
2	2451.00	-33.75	RMS	27.70	-59.80	0.52	-95.23	93.06	-13.00	-20.75	Horizontal
3	3268.00	-58.82	RMS	29.80	-58.17	0.39	-95.23	64.39	-13.00	-45.82	Horizontal
4	4084.00	-42.63	RMS	31.07	-57.60	0.51	-95.23	78.62	-13.00	-29.63	Horizontal
5	5717.00	-54.55	RMS	33.67	-54.89	0.56	-95.23	61.34	-13.00	-41.55	Horizontal



	Freq	Level	Detector	Ant	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
				Factor	1			g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1634.00	-54.30	RMS	25.46	-61.03	0.76	-95.23	75.74	-13.00	-41.30	Vertical
2	2451.00	-39.45	RMS	27.70	-59.80	0.52	-95.23	87.36	-13.00	-26.45	Vertical
3	3268.00	-65.39	RMS	29.80	-58.17	0.39	-95.23	57.82	-13.00	-52.39	Vertical
4	4085.00	-48.93	RMS	31.07	-57.60	0.51	-95.23	72.32	-13.00	-35.93	Vertical




Ant. 0

Part 90S Mode 1

NR SA n26 5M Ch164300 1RB1 BPSK

H




Site : 03CH12-HY

Condition: -13 3m 9120D-02114-240711 Horizontal

: NR SA n26 5M Ch164300 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin g	Limit	Margin	Pol
				Factor	1						
				dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1639.00	-61.45	RMS	25.41	-61.02	0.76	-95.23	68.63	-13.00	-48.45	Horizontal
2	2459.00	-39.35	RMS	27.70	-59.79	0.52	-95.23	87.45	-13.00	-26.35	Horizontal
3	3278.00	-65.43	RMS	29.80	-58.16	0.39	-95.23	57.77	-13.00	-52.43	Horizontal
4	4097.00	-52.38	RMS	31.09	-57.59	0.50	-95.23	68.85	-13.00	-39.38	Horizontal



Site : 03CH12-HY

Condition: -13 3m 9120D-02114-240711 Vertical

: NR SA n26 5M Ch164300 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin g	Limit	Margin	Pol
				Factor	1						
				dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1639.00	-68.66	RMS	25.41	-61.02	0.76	-95.23	61.42	-13.00	-55.66	Vertical
2	2459.00	-67.75	RMS	27.70	-59.79	0.52	-95.23	59.05	-13.00	-54.75	Vertical
3	3278.00	-65.23	RMS	29.80	-58.16	0.39	-95.23	57.97	-13.00	-52.23	Vertical




Ant. 0

Part 90S Mode 3

NR SA n26 20M Ch164800 1RB1 BPSK

M




Site : 03CH12-HY

Condition: -13 3m 9120D-02114-240711 Horizontal

NR SA n26 20M Ch164800 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	1630.00	-61.58	RMS	25.50	-61.03	0.76	-95.23	68.42	-13.00	-48.58
2	2445.00	-48.04	RMS	27.70	-59.81	0.52	-95.23	78.78	-13.00	-35.04
3	3261.00	-65.05	RMS	29.80	-58.18	0.39	-95.23	58.17	-13.00	-52.05



Site : 03CH12-HY

Condition: -13 3m 9120D-02114-240711 Vertical

NR SA n26 20M Ch164800 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	1630.00	-67.98	RMS	25.50	-61.03	0.76	-95.23	62.02	-13.00	-54.98
2	2445.00	-54.64	RMS	27.70	-59.81	0.52	-95.23	72.18	-13.00	-41.64
3	3261.00	-65.43	RMS	29.80	-58.18	0.39	-95.23	57.79	-13.00	-52.43




Ant. 1

Part 90S Mode 2

NR SA n26 5M Ch163300 1RB1 BPSK

L




Site : 03CH12-HY

Condition: -13 3m 9120D-02114-240711 Horizontal

: NR SA n26 5M Ch163300 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1	1629.00	-69.06	RMS	25.51	-61.03	0.76	-95.23	60.93	-13.00	-56.06	Horizontal
2	2444.00	-67.24	RMS	27.70	-59.81	0.52	-95.23	59.58	-13.00	-54.24	Horizontal
3	3258.00	-65.30	RMS	29.80	-58.18	0.39	-95.23	57.92	-13.00	-52.30	Horizontal



Site : 03CH12-HY

Condition: -13 3m 9120D-02114-240711 Vertical

: NR SA n26 5M Ch163300 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1	1629.00	-69.37	RMS	25.51	-61.03	0.76	-95.23	60.62	-13.00	-56.37	Vertical
2	2444.00	-67.06	RMS	27.70	-59.81	0.52	-95.23	59.76	-13.00	-54.06	Vertical
3	3258.00	-65.29	RMS	29.80	-58.18	0.39	-95.23	57.93	-13.00	-52.29	Vertical




Ant. 1

Part 90S Mode 2

NR SA n26 5M Ch163800 1RB1 BPSK

M




Site : 03CH12-HY

Condition: -13 3m 9120D-02114-240711 Horizontal

: NR SA n26 5M Ch163800 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm				dB/m	dB	dB	dB	dB	
1	1634.00	-68.69	RMS	25.46	-61.03	0.76	-95.23	61.35	-13.00	-55.69	Horizontal
2	2451.00	-67.20	RMS	27.70	-59.80	0.52	-95.23	59.61	-13.00	-54.20	Horizontal
3	3268.00	-65.71	RMS	29.80	-58.17	0.39	-95.23	57.50	-13.00	-52.71	Horizontal



Site : 03CH12-HY

Condition: -13 3m 9120D-02114-240711 Vertical

: NR SA n26 5M Ch163800 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm				dB/m	dB	dB	dB	dB	
1	1634.00	-68.50	RMS	25.46	-61.03	0.76	-95.23	61.54	-13.00	-55.50	Vertical
2	2451.00	-65.79	RMS	27.70	-59.80	0.52	-95.23	61.02	-13.00	-52.79	Vertical
3	3268.00	-65.36	RMS	29.80	-58.17	0.39	-95.23	57.85	-13.00	-52.36	Vertical




Ant. 1

Part 90S Mode 2

NR SA n26 5M Ch164300 1RB1 BPSK

H




Site : 03CH12-HY

Condition: -13 3m 9120D-02114-240711 Horizontal

NR SA n26 5M Ch164300 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBm	dB	
1	1639.00	-68.68	RMS	25.41	-61.02	0.76	-95.23	61.40	-13.00	-55.68	Horizontal
2	2459.00	-67.34	RMS	27.70	-59.79	0.52	-95.23	59.46	-13.00	-54.34	Horizontal
3	3278.00	-65.43	RMS	29.80	-58.16	0.39	-95.23	57.77	-13.00	-52.43	Horizontal



Site : 03CH12-HY

Condition: -13 3m 9120D-02114-240711 Vertical

NR SA n26 5M Ch164300 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBm	dB	
1	1639.00	-68.66	RMS	25.41	-61.02	0.76	-95.23	61.42	-13.00	-55.66	Vertical
2	2459.00	-67.72	RMS	27.70	-59.79	0.52	-95.23	59.08	-13.00	-54.72	Vertical
3	3278.00	-65.30	RMS	29.80	-58.16	0.39	-95.23	57.90	-13.00	-52.30	Vertical




Ant. 1

Part 90S Mode 4

NR SA n26 20M Ch164800 1RB1 BPSK

M




Site : 03CH12-HY

Condition: -13 3m 9120D-02114-240711 Horizontal

NR SA n26 20M Ch164800 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
				Factor	1						
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1630.00	-68.73	RMS	25.50	-61.03	0.76	-95.23	61.27	-13.00	-55.73	Horizontal
2	2445.00	-68.00	RMS	27.70	-59.81	0.52	-95.23	58.82	-13.00	-55.00	Horizontal
3	3261.00	-65.05	RMS	29.80	-58.18	0.39	-95.23	58.17	-13.00	-52.05	Horizontal



Site : 03CH12-HY

Condition: -13 3m 9120D-02114-240711 Vertical

NR SA n26 20M Ch164800 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
				Factor	1						
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1630.00	-68.78	RMS	25.50	-61.03	0.76	-95.23	61.22	-13.00	-55.78	Vertical
2	2445.00	-67.63	RMS	27.70	-59.81	0.52	-95.23	59.19	-13.00	-54.63	Vertical
3	3261.00	-65.34	RMS	29.80	-58.18	0.39	-95.23	57.88	-13.00	-52.34	Vertical




MIMO < Ant. 6+0>

Part 90S Mode 5


EN-DC B48+n26 10M + 20M Ch55990 1RB0 QPSK + Ch164800 1RB1 BPSK

M



Site : 03CH12-HY
Condition: -13 3m 9120D-02114-240711 Horizontal
: LTE Band 48 10M Ch55990 1RB0 QPSK
: SA n26 20M Ch164800 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			dB	dB	dB	dBuV	dBm	dB	
1	1630.00	-68.52	RMS	25.50	-61.03	0.99	-95.23	61.25	-13.00	-55.52	Horizontal
2	2445.00	-66.55	RMS	27.70	-59.81	0.86	-95.23	59.93	-13.00	-53.55	Horizontal
3	3261.00	-63.30	RMS	29.80	-58.18	0.79	-95.23	59.52	-13.00	-50.30	Horizontal



Site : 03CH12-HY
Condition: -13 3m 9120D-02114-240711 Vertical
: LTE Band 48 10M Ch55990 1RB0 QPSK
: SA n26 20M Ch164800 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			dB	dB	dB	dBuV	dBm	dB	
1	1630.00	-63.33	RMS	25.50	-61.03	0.99	-95.23	66.44	-13.00	-50.33	Vertical
2	2445.00	-66.38	RMS	27.70	-59.81	0.86	-95.23	60.10	-13.00	-53.38	Vertical
3	3261.00	-64.92	RMS	29.80	-58.18	0.79	-95.23	57.90	-13.00	-51.92	Vertical




Ant. 0

Part 27M Mode 2

NR SA n7 20M Ch512000 1RB1 BPSK

H




Site : 03CH12-HY

Condition: -25 3m 9120D-02114-240711 Horizontal

: NR SA n7 20M Ch512000 1RB1 BPSK

: #1 is fundamental signal which can be ignored.

	Freq	Level	Detector	Ant Amp\Cb Filter			EIRPCF	Readin	Limit	Margin	Pol
				Factor	1						
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	2552.00	17.39	RMS	28.40	7.00	0.00	-95.23	77.22	-25.00	42.39	Horizontal



Site : 03CH12-HY

Condition: -25 3m 9120D-02114-240711 Vertical

: NR SA n7 20M Ch512000 1RB1 BPSK

: #1 is fundamental signal which can be ignored.

	Freq	Level	Detector	Ant Amp\Cb Filter			EIRPCF	Readin	Limit	Margin	Pol
				Factor	1						
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	2552.00	24.14	RMS	28.40	7.00	0.00	-95.23	83.97	-25.00	49.14	Vertical

Remark: #1 is fundamental signal which can be ignored.




Ant. 2

Part 27D Mode 5

NR SA n30 5M Ch461500 1RB1 BPSK

L




Site : 03CH21-HY

Condition: -40 1m BBHA9170_1223_240624 Horizontal

: SA n30 5M Ch461500 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	4611.00	-60.25	RMS	31.74	-21.68	0.30	-95.23	24.62	-40.00	-20.25
2	6917.00	-56.95	RMS	36.30	-20.93	0.34	-95.23	22.57	-40.00	-16.95
3	9222.00	-55.94	RMS	36.96	-21.12	0.23	-95.23	23.22	-40.00	-15.94



Site : 03CH21-HY

Condition: -40 1m BBHA9170_1223_240624 Vertical

: SA n30 5M Ch461500 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	4611.00	-60.40	RMS	31.74	-21.68	0.30	-95.23	24.47	-40.00	-20.40
2	6917.00	-56.69	RMS	36.30	-20.93	0.34	-95.23	22.83	-40.00	-16.69
3	9222.00	-56.13	RMS	36.96	-21.12	0.23	-95.23	23.03	-40.00	-16.13




Ant. 2

Part 27D Mode 5

NR SA n30 5M Ch462000 1RB1 BPSK

M




Site : 03CH21-HY

Condition: -40 1m BBHA9170_1223_240624 Horizontal

: SA n30 5M Ch462000 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit	Margin Pol	
				Factor	1				dB	dB
1	4616.00	-60.57	RMS	31.76	-21.68	0.30 -95.23	24.28	-40.00	-20.57	Horizontal
2	6924.00	-56.34	RMS	36.30	-20.93	0.34 -95.23	23.18	-40.00	-16.34	Horizontal
3	9232.00	-55.85	RMS	36.94	-21.12	0.22 -95.23	23.34	-40.00	-15.85	Horizontal



Site : 03CH21-HY

Condition: -40 1m BBHA9170_1223_240624 Vertical

: SA n30 5M Ch462000 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit	Margin Pol	
				Factor	1				dB	dB
1	4616.00	-60.62	RMS	31.76	-21.68	0.30 -95.23	24.23	-40.00	-20.62	Vertical
2	6924.00	-57.10	RMS	36.30	-20.93	0.34 -95.23	22.42	-40.00	-17.10	Vertical
3	9232.00	-56.03	RMS	36.94	-21.12	0.22 -95.23	23.16	-40.00	-16.03	Vertical




Ant. 2

Part 27D Mode 5

NR SA n30 5M Ch462500 1RB1 BPSK

H




Site : 03CH21-HY

Condition: -40 1m BBHA9170_1223_240624 Horizontal

: SA n30 5M Ch462500 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	4621.00	-60.15	RMS	31.78	-21.67	0.30	-95.23	24.67	-40.00	-20.15
2	6932.00	-56.57	RMS	36.30	-20.93	0.35	-95.23	22.94	-40.00	-16.57
3	9242.00	-55.95	RMS	36.92	-21.11	0.21	-95.23	23.26	-40.00	-15.95



Site : 03CH21-HY

Condition: -40 1m BBHA9170_1223_240624 Vertical

: SA n30 5M Ch462500 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	4621.00	-59.83	RMS	31.78	-21.67	0.30	-95.23	24.99	-40.00	-19.83
2	6932.00	-56.85	RMS	36.30	-20.93	0.35	-95.23	22.66	-40.00	-16.85
3	9242.00	-55.89	RMS	36.92	-21.11	0.21	-95.23	23.32	-40.00	-15.89




Ant. 2

Part 27D Mode 6

NR SA n30 10M Ch462000 1RB1 BPSK

M




Site : 03CH21-HY

Condition: -40 1m BBHA9170_1223_240624 Horizontal

: SA n30 10M Ch462000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	4612.00	-60.65	RMS	31.75	-21.68	0.30	-95.23	24.21	-40.00	-20.65
2	6917.00	-56.81	RMS	36.30	-20.93	0.34	-95.23	22.71	-40.00	-16.81
3	9223.00	-55.71	RMS	36.95	-21.12	0.23	-95.23	23.46	-40.00	-15.71



Site : 03CH21-HY

Condition: -40 1m BBHA9170_1223_240624 Vertical

: SA n30 10M Ch462000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	4612.00	-60.61	RMS	31.75	-21.68	0.30	-95.23	24.25	-40.00	-20.61
2	6917.00	-57.04	RMS	36.30	-20.93	0.34	-95.23	22.48	-40.00	-17.04
3	9223.00	-55.68	RMS	36.95	-21.12	0.23	-95.23	23.49	-40.00	-15.68




Ant. 0

Part 27D Mode 7

NR SA n30 5M Ch461500 1RB1 BPSK

L




Site : 03CH21-HY

Condition: -40 1m BBHA9170_1223_240624 Horizontal

: SA n30 5M Ch461500 1RB1 BPSK

	Freq	Level	Detector	Ant		Filter	EIRPCF		Readin	Limit	Margin	Pol
				Factor	Amp\Cb		1					
	MHz	dBm										
1	4611.00	-60.55	RMS	31.74	-21.68	0.30	-95.23	24.32	-40.00	-20.55	Horizontal	
2	6917.00	-57.06	RMS	36.30	-20.93	0.34	-95.23	22.46	-40.00	-17.06	Horizontal	
3	9222.00	-56.07	RMS	36.96	-21.12	0.23	-95.23	23.09	-40.00	-16.07	Horizontal	



Site : 03CH21-HY

Condition: -40 1m BBHA9170_1223_240624 Vertical

: SA n30 5M Ch461500 1RB1 BPSK

	Freq	Level	Detector	Ant		Filter	EIRPCF		Readin	Limit	Margin	Pol
				Factor	Amp\Cb		1					
	MHz	dBm										
1	4611.00	-59.37	RMS	31.74	-21.68	0.30	-95.23	25.50	-40.00	-19.37	Vertical	
2	6917.00	-56.46	RMS	36.30	-20.93	0.34	-95.23	23.06	-40.00	-16.46	Vertical	
3	9222.00	-55.98	RMS	36.96	-21.12	0.23	-95.23	23.18	-40.00	-15.98	Vertical	




Ant. 0

Part 27D Mode 7

NR SA n30 5M Ch462000 1RB1 BPSK

M




Site : 03CH21-HY

Condition: -40 1m BBHA9170_1223_240624 Horizontal

: SA n30 5M Ch462000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	4616.00	-60.55	RMS	31.76	-21.68	0.30	-95.23	24.30	-40.00	-20.55
2	6924.00	-57.04	RMS	36.30	-20.93	0.34	-95.23	22.48	-40.00	-17.04
3	9232.00	-56.12	RMS	36.94	-21.12	0.22	-95.23	23.07	-40.00	-16.12



Site : 03CH21-HY

Condition: -40 1m BBHA9170_1223_240624 Vertical

: SA n30 5M Ch462000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	4616.00	-58.85	RMS	31.76	-21.68	0.30	-95.23	26.00	-40.00	-18.85
2	6924.00	-57.15	RMS	36.30	-20.93	0.34	-95.23	22.37	-40.00	-17.15
3	9232.00	-55.83	RMS	36.94	-21.12	0.22	-95.23	23.36	-40.00	-15.83




Ant. 0

Part 27D Mode 7

NR SA n30 5M Ch462500 1RB1 BPSK

H




Site : 03CH21-HY

Condition: -40 1m BBHA9170_1223_240624 Horizontal

: SA n30 5M Ch462500 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	4621.00	-60.49	RMS	31.78	-21.67	0.30	-95.23	24.33	-40.00	-20.49	Horizontal
2	6932.00	-56.93	RMS	36.30	-20.93	0.35	-95.23	22.58	-40.00	-16.93	Horizontal
3	9242.00	-55.61	RMS	36.92	-21.11	0.21	-95.23	23.60	-40.00	-15.61	Horizontal



Site : 03CH21-HY

Condition: -40 1m BBHA9170_1223_240624 Vertical

: SA n30 5M Ch462500 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	4621.00	-59.61	RMS	31.78	-21.67	0.30	-95.23	25.21	-40.00	-19.61	Vertical
2	6932.00	-57.06	RMS	36.30	-20.93	0.35	-95.23	22.45	-40.00	-17.06	Vertical
3	9242.00	-55.51	RMS	36.92	-21.11	0.21	-95.23	23.70	-40.00	-15.51	Vertical




Ant. 0

Part 27D Mode 8

NR SA n30 10M Ch462000 1RB1 BPSK

M




Site : 03CH21-HY

Condition: -40 1m BBHA9170_1223_240624 Horizontal

: SA n30 10M Ch462000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	4612.00	-60.29	RMS	31.75	-21.68	0.30	-95.23	24.57	-40.00	-20.29
2	6917.00	-57.07	RMS	36.30	-20.93	0.34	-95.23	22.45	-40.00	-17.07
3	9223.00	-55.88	RMS	36.95	-21.12	0.23	-95.23	23.29	-40.00	-15.88



Site : 03CH21-HY

Condition: -40 1m BBHA9170_1223_240624 Vertical

: SA n30 10M Ch462000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	4612.00	-59.44	RMS	31.75	-21.68	0.30	-95.23	25.42	-40.00	-19.44
2	6917.00	-56.44	RMS	36.30	-20.93	0.34	-95.23	23.08	-40.00	-16.44
3	9223.00	-55.70	RMS	36.95	-21.12	0.23	-95.23	23.47	-40.00	-15.70




Ant. 0

Part 27D Mode 7


NR SA n30 5M Ch462500 1RB1 BPSK

H



Site : 03CH21-HY
Condition: -40 3m LF_63303&001_241217 Horizontal
: NR n30 5M Ch462500 1RB1 BPSK
: #1 is fundamental signal which can be ignored.

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
				Factor	1						
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	2313.00	-22.50	RMS	26.93	-24.29	0.46	-95.23	69.63	-40.00	17.50	Horizontal



Site : 03CH21-HY
Condition: -40 3m LF_63303&001_241217 Vertical
: NR n30 5M Ch462500 1RB1 BPSK
: #1 is fundamental signal which can be ignored.

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
				Factor	1						
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	2313.00	-25.52	RMS	26.93	-24.29	0.46	-95.23	66.61	-40.00	14.48	Vertical

Remark: #1 is fundamental signal which can be ignored.

—THE END—