



**EUT Mode :** 802.11be EHT160 Puncture 40RU3**Plot on Channel 6345 MHz****EUT Mode :** 802.11be EHT160 Puncture 40RU48**Plot on Channel 6185 MHz**

3.5 Unwanted Emissions Measurement

This section is to measure unwanted emissions through radiated measurement for band edge spurious emissions and out of band emissions measurement.

3.5.1 Limit of Unwanted Emissions

- (1) For transmitters operating within the 5.925-7.125 GHz band: Any emissions outside of the 5.925-7.125 GHz band must not exceed an e.i.r.p. of -27 dBm/MHz.

EIRP (dBm)	Field Strength at 3m (dBμV/m)
- 27 (RMS)	68.3
- 7 (Peak)	88.3

According 987594 D02 U-NII 6GHz EMC Measurement v01 section G:

Unwanted emissions outside of restricted bands are measured with a RMS detector.

In addition, 15.35(b) applies where the peak emissions must be limited to no more than 20 dB above the average limit

- (2) Unwanted spurious emissions fallen in restricted bands shall comply with the general field strength limits as below table:

Frequency (MHz)	Field Strength (microvolts/meter)	Measurement Distance (meters)
0.009 – 0.490	2400/F(kHz)	300
0.490 – 1.705	24000/F(kHz)	30
1.705 – 30.0	30	30
30 – 88	100	3
88 – 216	150	3
216 - 960	200	3
Above 960	500	3

Note: The following formula is used to convert the EIRP to field strength.

$$E = \frac{1000000\sqrt{30P}}{3} \mu\text{V/m, where P is the eirp (Watts)}$$

3.5.2 Measuring Instruments


Please refer to the measuring equipment list in this test report.

3.5.3 Test Procedures


1. The testing follows FCC KDB 789033 D02 General UNII Test Procedures New Rules v02r01. Section G) Unwanted emissions measurement.
 - (1) Procedure for Unwanted Emissions Measurements Below 1000MHz
 - RBW = 120 kHz
 - VBW = 300 kHz
 - Detector = Peak
 - Trace mode = max hold
 - (2) Procedure for Peak Unwanted Emissions Measurements Above 1000 MHz
 - RBW = 1 MHz
 - VBW $\geq$ 3 MHz
 - Detector = Peak
 - Sweep time = auto
 - Trace mode = max hold
 - (3) Procedures for Average Unwanted Emissions Measurements Above 1000MHz
 - RBW = 1 MHz
 - VBW = 10 Hz, when duty cycle is no less than 98 percent.
 - VBW $\geq$ 1/T, when duty cycle is less than 98 percent where T is the minimum transmission duration over which the transmitter is on and is transmitting at its maximum power control level for the tested mode of operation.
2. The EUT is placed on a turntable with 0.8 meter for frequency below 1 GHz and 1.5 meter for frequency above 1 GHz respectively above ground.
3. The EUT is set 3 meters away from the receiving antenna which is mounted on the top of a variable height antenna tower.
4. The antenna is a broadband antenna and its height is adjusted between one meter and four meters above ground to find the maximum value of the field strength for both horizontal polarization and vertical polarization of the antenna.
5. For each suspected emission, the EUT is arranged to its worst case and then adjust the antenna tower (from 1 m to 4 m) and turntable (from 0 degree to 360 degrees) to find the maximum reading.
6. Radiated testing below 1 GHz is performed by adjusting the antenna tower from 1 m to 4 m and by rotating the turn table from 0 degree to 360 degrees to find the peak maximum hold reading. When there is no suspected emission found and the emission level is with at least 6 dB margin against QP limit line, the position is marked as “-“.
7. Radiated testing above 1 GHz is performed by adjusting the antenna tower from 1 m to 4 m and by rotating the turn table from 0 degree to 360 degrees to find the peak maximum hold reading for scanning all frequencies. When there is no suspected emission found and the harmonic emission level is with at least 6 dB margin against average limit line, the position is marked as “-“..

3.5.4 Test Setup


For radiated emissions below 30MHz




For radiated emissions from 30MHz to 1GHz



For radiated test from 1GHz to 18GHz



For radiated test above 18GHz



3.5.5 Test Results of Radiated Spurious Emissions (9 kHz ~ 30 MHz)

The low frequency, which starts from 9 kHz to 30 MHz, is pre-scanned and the result which is 20 dB lower than the limit line is not reported.

There is adequate comparison measurement of both open-field test site and alternative test site - semi-Anechoic chamber according to 414788 D01 Radiated Test Site v01r01, and the result came out very similar.

3.5.6 Test Result of Radiated Spurious at Band Edges

Please refer to Appendix C and D.

3.5.7 Duty Cycle

Please refer to Appendix E.

3.5.8 Test Result of Radiated Spurious Emissions (30MHz ~ 10th Harmonic)

Please refer to Appendix C and D.

3.6 AC Conducted Emission Measurement

3.6.1 Limit of AC Conducted Emission

For equipment that is designed to be connected to the public utility (AC) power line, the radio frequency voltage that is conducted back onto the AC power line on any frequency or frequencies within the band 150 kHz to 30 MHz shall not exceed the limits in the following table.

Frequency of emission (MHz)	Conducted limit (dB μ V)	
	Quasi-peak	Average
0.15-0.5	66 to 56*	56 to 46*
0.5-5	56	46
5-30	60	50

*Decreases with the logarithm of the frequency.


3.6.2 Measuring Instruments

Please refer to the measuring equipment list in this test report.

3.6.3 Test Procedures

1. The EUT is placed 0.4 meter away from the conducting wall of the shielding room, and is kept at least 80 centimeters from any other grounded conducting surface.
2. Connect EUT to the power mains through a line impedance stabilization network (LISN).
3. All the support units are connecting to the other LISN.
4. The LISN provides 50 ohm coupling impedance for the measuring instrument.
5. The FCC states that a 50 ohm, 50 microhenry LISN should be used.
6. Both Line and Neutral shall be tested in order to find out the maximum conducted emission.
7. The frequency range from 150 kHz to 30 MHz is scanned.
8. Set the test-receiver system to Peak Detect Function and specified bandwidth with Maximum Hold Mode.

3.6.4 Test Setup



3.6.5 Test Result of AC Conducted Emission

Please refer to Appendix B.



3.7 Antenna Requirements

3.7.1 Standard Applicable

The use of a permanently attached antenna or of an antenna that uses a unique coupling to the intentional radiator shall be considered sufficient to comply with the rule.

3.7.2 Antenna Anti-Replacement Construction

An embedded-in antenna design is used.



4 List of Measuring Equipment

Instrument	Brand Name	Model No.	Serial No.	Characteristics	Calibration Date	Test Date	Due Date	Remark
Loop Antenna	Rohde & Schwarz	HFH2-Z2	100488	9 kHz~30 MHz	Sep. 20, 2022	Apr. 09, 2023~ Jun. 06, 2023	Sep. 19, 2023	Radiation (03CH15-HY)
Bilog Antenna	TESEQ	CBL 6111D & 00800N1D01N -06	41912 & 05	30MHz~1GHz	Feb. 05, 2023	Apr. 09, 2023~ Jun. 06, 2023	Feb. 04, 2024	Radiation (03CH15-HY)
Horn Antenna	SCHWARZBE CK	BBHA 9120 D	9120D-02294	1GHz~18GHz	Jun. 23, 2022	Apr. 09, 2023~ Jun. 06, 2023	Jun. 22, 2023	Radiation (03CH15-HY)
SHF-EHF Horn Antenna	SCHWARZBE CK	BBHA 9170	00993	18GHz~40GHz	Nov. 24, 2022	Apr. 09, 2023~ Jun. 06, 2023	Nov. 23, 2023	Radiation (03CH15-HY)
Amplifier	SONOMA	310N	363440	9kHz~1GHz	Dec. 26, 2022	Apr. 09, 2023~ Jun. 06, 2023	Dec. 25, 2023	Radiation (03CH15-HY)
Preamplifier	EMEC	EM01G18G	060837	1GHz~18GHz	Feb. 16, 2023	Apr. 09, 2023~ Jun. 06, 2023	Feb. 15, 2024	Radiation (03CH15-HY)
Preamplifier	EM Electronics	EM01G18G	060802	1GHz~18GHz	Mar. 03, 2023	Apr. 09, 2023~ Jun. 06, 2023	Mar. 02, 2024	Radiation (03CH15-HY)
Preamplifier	EMEC	EM18G40G	060801	18GHz~40GHz	Jun. 28, 2022	Apr. 09, 2023~ Jun. 06, 2023	Jun. 27, 2023	Radiation (03CH15-HY)
Spectrum Analyzer	Agilent	E4446A	MY50180136	3Hz~44GHz	May 11, 2022	Apr. 09, 2023~ May 09, 2023	May 10, 2023	Radiation (03CH15-HY)
EMI Test Receiver	Keysight	N9038A(MXE)	MY54130085	20MHz~8.4GHz	Oct. 18, 2022	Apr. 09, 2023~ Jun. 06, 2023	Oct. 17, 2023	Radiation (03CH15-HY)
Spectrum Analyzer	Keysight	N9010A	MY54200485	10Hz~44GHz	Mar. 19, 2023	May 09, 2023~ Jun. 06, 2023	Mar. 18, 2024	Radiation (03CH15-HY)
Antenna Mast	ChainTek	MBS-520-1	N/A	1m~4m	N/A	Apr. 09, 2023~ Jun. 06, 2023	N/A	Radiation (03CH15-HY)
Turn Table	ChainTek	T-200-S-1	N/A	0~360 Degree	N/A	Apr. 09, 2023~ Jun. 06, 2023	N/A	Radiation (03CH15-HY)
Software	Audix	E3 6.2009-8-24(k5)	RK-000451	N/A	N/A	Apr. 09, 2023~ Jun. 06, 2023	N/A	Radiation (03CH15-HY)
RF Cable	HUBER + SUHNER	SUCOFLEX 104, 102E	MY582185/4, MY9838/4PE, 519228/2	30MHz~18G	Jun. 21, 2022	Apr. 09, 2023~ Jun. 06, 2023	Jun. 20, 2023	Radiation (03CH15-HY)
RF Cable	HUBER + SUHNER	SUCOFLEX 102	804011/2,804 012/2	30MHz~40GHz	Jan. 03, 2023	Apr. 09, 2023~ Jun. 06, 2023	Jan. 02, 2024	Radiation (03CH15-HY)
RF Cable	HUBER + SUHNER	SUCOFLEX 102	803951/2	9kHz~30MHz	Mar. 07, 2023	Apr. 09, 2023~ Jun. 06, 2023	Mar. 06, 2024	Radiation (03CH15-HY)
Filter	Wainwright	Wainwright	SN6	6.75GHz High Pass Filter	Jul. 08, 2022	Apr. 09, 2023~ Jun. 06, 2023	Jul. 07, 2023	Radiation (03CH15-HY)
Filter	Wainwright	WHW2-7100-1 0000-18000-40 CC	SN2	10GHz High Pass Filter	Nov. 14, 2022	Apr. 09, 2023~ Jun. 06, 2023	Nov. 13, 2023	Radiation (03CH15-HY)
Notch Filter	Wainwright	WRCQV14-54 25-5825-6525- 6925-60SS	SN1	N/A	Jan. 07, 2023	Apr. 09, 2023~ Jun. 06, 2023	Jan. 06, 2024	Radiation (03CH15-HY)
Notch Filter	Wainwright	WRCQV14-60 25-6425-7125- 7525-60SS	SN1	N/A	Jan. 06, 2023	Apr. 09, 2023~ Jun. 06, 2023	Jan. 05, 2024	Radiation (03CH15-HY)



Instrument	Brand Name	Model No.	Serial No.	Characteristics	Calibration Date	Test Date	Due Date	Remark
AC Power Source	ChainTek	APC-1000W	N/A	N/A	N/A	Apr. 19, 2023	N/A	Conduction (CO05-HY)
EMI Test Receiver	Rohde & Schwarz	ESR3	102388	9kHz~3.6GHz	Dec. 01, 2022	Apr. 19, 2023	Nov. 30, 2023	Conduction (CO05-HY)
Hygrometer	Testo	608-H1	34913912	N/A	Nov. 17, 2022	Apr. 19, 2023	Nov. 16, 2023	Conduction (CO05-HY)
LISN	Rohde & Schwarz	ENV216	100081	9kHz~30MHz	Nov. 17, 2022	Apr. 19, 2023	Nov. 16, 2023	Conduction (CO05-HY)
Software	Rohde & Schwarz	EMC32	N/A	N/A	N/A	Apr. 19, 2023	N/A	Conduction (CO05-HY)
Pulse Limiter	SCHWARZBECK	VTSD 9561-FN	00691	N/A	Aug. 01, 2022	Apr. 19, 2023	Jul. 31, 2023	Conduction (CO05-HY)
LISN Cable	MVE	RG-400	260260	N/A	Dec. 29, 2022	Apr. 19, 2023	Dec. 28, 2023	Conduction (CO05-HY)
Hygrometer	TECPEL	DTM-303A	TP201996	N/A	Nov. 17, 2022	Mar. 24, 2023~Jun. 09, 2023	Nov. 16, 2023	Conducted (TH05-HY)
Power Sensor	DARE	RPR3008W	RPR8W-2101001 (NO:75)	10MHz~8GHz	Aug. 29, 2022	Mar. 24, 2023~Jun. 09, 2023	Aug. 28, 2023	Conducted (TH05-HY)
Signal Analyzer	Rohde & Schwarz	FSV40	101905	10Hz - 40GHz(amp)	Aug. 03, 2022	Mar. 24, 2023~Jun. 09, 2023	Aug. 02, 2023	Conducted (TH05-HY)

5 Measurement Uncertainty

Uncertainty of Conducted Emission Measurement (150 kHz ~ 30 MHz)

Measuring Uncertainty for a Level of Confidence of 95% ($U = 2Uc(y)$)	3.5 dB
--	--------

Uncertainty of Radiated Emission Measurement (30 MHz ~ 1000 MHz)

Measuring Uncertainty for a Level of Confidence of 95% ($U = 2Uc(y)$)	6.3 dB
--	--------

Uncertainty of Radiated Emission Measurement (1000 MHz ~ 6000 MHz)

Measuring Uncertainty for a Level of Confidence of 95% ($U = 2Uc(y)$)	4.2 dB
--	--------

Uncertainty of Radiated Emission Measurement (6000 MHz ~ 18000 MHz)

Measuring Uncertainty for a Level of Confidence of 95% ($U = 2Uc(y)$)	5.4 dB
--	--------

Uncertainty of Radiated Emission Measurement (18000 MHz ~ 40000 MHz)

Measuring Uncertainty for a Level of Confidence of 95% ($U = 2Uc(y)$)	5.2 dB
--	--------

Appendix A. Test Result of Conducted Test Items

Test Engineer:	Junyu Jhou and Willy Chang	Temperature:	21~25	°C
Test Date:	2023/3/24~2023/6/9	Relative Humidity:	51~54	%

TEST RESULTS DATA
26dB and 99% OBW

U-NII-5 MIMO										
Mod.	Data Rate	NTX	CH.	Freq. (MHz)	99% Bandwidth (MHz)		26 dB Bandwidth (MHz)		Emission Bandwidth Limit (MHz)	Pass /Fail
					Ant 3	Ant 4	Ant 3	Ant 4		
11a	6Mbps	2	001	5955	17.13	17.33	22.20	21.84	320.00	Pass
11a	6Mbps	2	049	6195	17.23	17.78	22.98	22.98	320.00	Pass
11a	6Mbps	2	093	6415	17.28	17.33	24.00	23.22	320.00	Pass

TEST RESULTS DATA
EIRP Power Table

U-NII-5 MIMO												
Mod.	Data Rate	NTX	CH.	Freq. (MHz)	Conducted Power (dBm)			DG (dBi)		EIRP Power (dBm)	EIRP Power Limit (dBm)	Pass /Fail
					Ant 3	Ant 4	SUM	Ant 3	Ant 4			
11a	6Mbps	2	001	5955	17.60	17.40	20.51	-2.70		17.81	30.00	Pass
11a	6Mbps	2	049	6195	19.30	19.50	22.41	-2.70		19.71	30.00	Pass
11a	6Mbps	2	093	6415	20.60	20.30	23.46	-2.70		20.76	30.00	Pass

TEST RESULTS DATA
EIRP Power Spectral Density

U-NII-5 MIMO														
Mod.	Data Rate	NTX	CH.	Freq. (MHz)	Duty Factor (dB)		Conducted Power Density with Duty Factor (dBm/MHz)			DG (dBi)		EIRP Power Density (dBm/MHz)	EIRP Power Density Limit (dBm/MHz)	Pass /Fail
					Ant 3	Ant 4	Ant 3	Ant 4	SUM	Ant 3	Ant 4	SUM		
11a	6Mbps	2	001	5955	0.27	0.27			8.77	-0.27		8.50	17.00	Pass
11a	6Mbps	2	049	6195	0.27	0.27			10.21	-0.27		9.95	17.00	Pass
11a	6Mbps	2	093	6415	0.27	0.27			11.61	-0.27		11.34	17.00	Pass

TEST RESULTS DATA
26dB and 99% OBW

U-NII-7 MIMO										
Mod.	Data Rate	NTX	CH.	Freq. (MHz)	99% Bandwidth (MHz)		26 dB Bandwidth (MHz)		Emission Bandwidth Limit (MHz)	Pass /Fail
					Ant 3	Ant 4	Ant 3	Ant 4		
11a	6Mbps	2	117	6535	17.98	17.53	24.36	25.02	320.00	Pass
11a	6Mbps	2	149	6695	17.98	17.48	23.34	26.04	320.00	Pass
11a	6Mbps	2	181	6855	18.08	19.13	25.20	23.82	320.00	Pass

TEST RESULTS DATA
EIRP Power Table

U-NII-7 MIMO												
Mod.	Data Rate	NTX	CH.	Freq. (MHz)	Conducted Power (dBm)			DG (dBi)		EIRP Power (dBm)	EIRP Power Limit (dBm)	Pass /Fail
					Ant 3	Ant 4	SUM	Ant 3	Ant 4			
11a	6Mbps	2	117	6535	19.30	19.00	22.16	-4.70		17.46	30.00	Pass
11a	6Mbps	2	149	6695	19.80	19.50	22.66	-4.70		17.96	30.00	Pass
11a	6Mbps	2	181	6855	19.70	20.70	23.24	-4.70		18.54	30.00	Pass

TEST RESULTS DATA
EIRP Power Spectral Density

U-NII-7 MIMO														
Mod.	Data Rate	NTX	CH.	Freq. (MHz)	Duty Factor (dB)		Conducted Power Density with Duty Factor (dBm/MHz)			DG (dBi)		EIRP Power Density (dBm/MHz)	EIRP Power Density Limit (dBm/MHz)	Pass /Fail
					Ant 3	Ant 4	Ant 3	Ant 4	SUM	Ant 3	Ant 4	SUM		
11a	6Mbps	2	117	6535	0.27	0.27			10.56	-3.18		7.38	17.00	Pass
11a	6Mbps	2	149	6695	0.27	0.27			10.31	-3.18		7.13	17.00	Pass
11a	6Mbps	2	181	6855	0.27	0.27			11.20	-3.18		8.01	17.00	Pass

TEST RESULTS DATA
EIRP Power Table

U-NII-5 MIMO													
Mod.	Data Rate	NTX	CH.	Freq. (MHz)	RU Config.	Conducted Power (dBm)			DG (dBi)		EIRP Power (dBm)	EIRP Power Limit (dBm)	Pass /Fail
						Ant 3	Ant 4	SUM	Ant 3	Ant 4	SUM		
HE20	MCS0	2	001	5955	Full	15.90	16.10	19.01	-2.70		16.31	30.00	Pass
HE20	MCS0	2	001	5955	26/0	5.30	6.30	8.84	-2.70		6.14	30.00	Pass
HE20	MCS0	2	001	5955	52/37	8.50	9.50	12.04	-2.70		9.34	30.00	Pass
HE20	MCS0	2	001	5955	106/53	12.10	12.80	15.47	-2.70		12.77	30.00	Pass
HE20	MCS0	2	049	6195	Full	19.20	19.20	22.21	-2.70		19.51	30.00	Pass
HE20	MCS0	2	049	6195	26/4	9.70	10.20	12.97	-2.70		10.27	30.00	Pass
HE20	MCS0	2	049	6195	52/38	12.70	12.10	15.42	-2.70		12.72	30.00	Pass
HE20	MCS0	2	049	6195	106/53	14.80	15.40	18.12	-2.70		15.42	30.00	Pass
HE20	MCS0	2	093	6415	Full	20.50	20.20	23.36	-2.70		20.66	30.00	Pass
HE20	MCS0	2	093	6415	26/8	9.80	10.40	13.12	-2.70		10.42	30.00	Pass
HE20	MCS0	2	093	6415	52/40	13.20	13.20	16.21	-2.70		13.51	30.00	Pass
HE20	MCS0	2	093	6415	106/54	5.70	15.70	16.11	-2.70		13.41	30.00	Pass
HE40	MCS0	2	003	5965	Full	18.90	18.60	21.76	-2.70		19.06	30.00	Pass
HE40	MCS0	2	051	6205	Full	19.60	19.70	22.66	-2.70		19.96	30.00	Pass
HE40	MCS0	2	091	6405	Full	19.20	18.80	22.01	-2.70		19.31	30.00	Pass
HE80	MCS0	2	007	5985	Full	18.90	18.50	21.71	-2.70		19.01	30.00	Pass
HE80	MCS0	2	055	6225	Full	19.80	19.70	22.76	-2.70		20.06	30.00	Pass
HE80	MCS0	2	087	6385	Full	19.70	19.70	22.71	-2.70		20.01	30.00	Pass
HE160	MCS0	2	015	6025	Full	19.50	19.10	22.31	-2.70		19.61	30.00	Pass
HE160	MCS0	2	047	6185	Full	19.40	19.00	22.21	-2.70		19.51	30.00	Pass
HE160	MCS0	2	079	6345	Full	18.90	18.90	21.91	-2.70		19.21	30.00	Pass

TEST RESULTS DATA
EIRP Power Table

U-NII-7 MIMO													
Mod.	Data Rate	NTX	CH.	Freq. (MHz)	RU Config.	Conducted Power (dBm)			DG (dBi)		EIRP Power (dBm)	EIRP Power Limit (dBm)	Pass /Fail
						Ant 3	Ant 4	SUM	Ant 3	Ant 4	SUM		
HE20	MCS0	2	117	6535	Full	20.20	19.60	22.92	-4.70		18.22	30.00	Pass
HE20	MCS0	2	117	6535	26/0	10.10	10.40	13.26	-4.70		8.56	30.00	Pass
HE20	MCS0	2	117	6535	52/37	13.00	12.90	15.96	-4.70		11.26	30.00	Pass
HE20	MCS0	2	117	6535	106/53	16.40	16.30	19.36	-4.70		14.66	30.00	Pass
HE20	MCS0	2	149	6695	Full	20.10	19.80	22.96	-4.70		18.26	30.00	Pass
HE20	MCS0	2	149	6695	26/4	11.50	12.30	14.93	-4.70		10.23	30.00	Pass
HE20	MCS0	2	149	6695	52/38	12.30	13.40	15.90	-4.70		11.20	30.00	Pass
HE20	MCS0	2	149	6695	106/53	15.20	15.90	18.57	-4.70		13.87	30.00	Pass
HE20	MCS0	2	181	6855	Full	18.60	19.90	22.31	-4.70		17.61	30.00	Pass
HE20	MCS0	2	181	6855	26/8	8.90	9.30	12.11	-4.70		7.41	30.00	Pass
HE20	MCS0	2	181	6855	52/40	11.00	12.30	14.71	-4.70		10.01	30.00	Pass
HE20	MCS0	2	181	6855	106/54	14.40	15.60	18.05	-4.70		13.35	30.00	Pass
HE40	MCS0	2	123	6565	Full	19.30	19.10	22.21	-4.70		17.51	30.00	Pass
HE40	MCS0	2	147	6685	Full	19.40	19.10	22.26	-4.70		17.56	30.00	Pass
HE40	MCS0	2	179	6845	Full	18.90	19.40	22.17	-4.70		17.47	30.00	Pass
HE80	MCS0	2	135	6625	Full	19.00	18.60	21.81	-4.70		17.11	30.00	Pass
HE80	MCS0	2	151	6705	Full	18.40	17.70	21.07	-4.70		16.37	30.00	Pass
HE80	MCS0	2	167	6785	Full	18.50	18.20	21.36	-4.70		16.66	30.00	Pass
HE160	MCS0	2	143	6665	Full	18.10	17.80	20.96	-4.70		16.26	30.00	Pass

TEST RESULTS DATA
26dB and 99% OBW

U-NII-5 MIMO											
Mod.	Data Rate	NTx	CH.	Freq. (MHz)	RU Config.	99% Bandwidth (MHz)		26 dB Bandwidth (MHz)		Emission Bandwidth Limit (MHz)	Pass /Fail
						Ant 3	Ant 4	Ant 3	Ant 4		
EHT20	MCS0	2	001	5955	Full	19.18	19.23	21.84	22.08	320.00	Pass
EHT20	MCS0	2	049	6195	Full	19.33	19.33	24.42	25.80	320.00	Pass
EHT20	MCS0	2	093	6415	Full	19.33	19.33	24.00	25.38	320.00	Pass
EHT40	MCS0	2	003	5965	Full	38.06	38.16	49.32	46.44	320.00	Pass
EHT40	MCS0	2	051	6205	Full	38.26	38.36	60.72	55.56	320.00	Pass
EHT40	MCS0	2	091	6405	Full	38.26	38.16	55.68	49.32	320.00	Pass
EHT80	MCS0	2	007	5985	Full	77.32	77.32	82.56	82.32	320.00	Pass
EHT80	MCS0	2	055	6225	Full	77.44	77.44	96.00	99.84	320.00	Pass
EHT80	MCS0	2	087	6385	Full	77.44	77.44	107.04	102.48	320.00	Pass
EHT160	MCS0	2	015	6025	Full	157.52	157.28	267.36	257.28	320.00	Pass
EHT160	MCS0	2	047	6185	Full	157.52	157.52	180.48	192.96	320.00	Pass
EHT160	MCS0	2	079	6345	Full	157.52	157.28	251.52	197.28	320.00	Pass

TEST RESULTS DATA
EIRP Power Table

U-NII-5 MIMO													
Mod.	Data Rate	NTX	CH.	Freq. (MHz)	RU Config.	Conducted Power (dBm)			DG (dBi)		EIRP Power (dBm)	EIRP Power Limit (dBm)	Pass /Fail
						Ant 3	Ant 4	SUM	Ant 3	Ant 4	SUM		
EHT20	MCS0	2	001	5955	Full	16.10	16.20	19.16	-2.70		16.46	30.00	Pass
EHT20	MCS0	2	001	5955	26/0	5.40	6.50	9.00	-2.70		6.30	30.00	Pass
EHT20	MCS0	2	001	5955	52/37	8.70	9.70	12.24	-2.70		9.54	30.00	Pass
EHT20	MCS0	2	001	5955	106/53	12.30	12.90	15.62	-2.70		12.92	30.00	Pass
EHT20	MCS0	2	049	5955	52T+26T/70	11.60	11.80	14.71	-2.70		12.01	30.00	Pass
EHT20	MCS0	2	049	5955	106T+26T/82	13.80	14.30	17.07	-2.70		14.37	30.00	Pass
EHT20	MCS0	2	049	6195	Full	19.40	19.30	22.36	-2.70		19.66	30.00	Pass
EHT20	MCS0	2	049	6195	26/4	9.90	10.40	13.17	-2.70		10.47	30.00	Pass
EHT20	MCS0	2	049	6195	52/38	12.90	12.20	15.57	-2.70		12.87	30.00	Pass
EHT20	MCS0	2	049	6195	106/53	14.90	15.50	18.22	-2.70		15.52	30.00	Pass
EHT20	MCS0	2	093	6195	52T+26T/71	14.70	14.80	17.76	-2.70		15.06	30.00	Pass
EHT20	MCS0	2	093	6195	106T+26T/83	16.70	16.80	19.76	-2.70		17.06	30.00	Pass
EHT20	MCS0	2	093	6415	Full	20.70	20.30	23.51	-2.70		20.81	30.00	Pass
EHT20	MCS0	2	093	6415	26/8	9.90	10.50	13.22	-2.70		10.52	30.00	Pass
EHT20	MCS0	2	093	6415	52/40	13.30	13.40	16.36	-2.70		13.66	30.00	Pass
EHT20	MCS0	2	093	6415	106/54	15.90	15.90	18.91	-2.70		16.21	30.00	Pass
EHT20	MCS0	2	091	6415	52T+26T/72	15.50	15.90	18.71	-2.70		16.01	30.00	Pass
EHT20	MCS0	2	091	6415	106T+26T/83	17.30	17.80	20.57	-2.70		17.87	30.00	Pass
EHT40	MCS0	2	003	5965	Full	19.00	18.70	21.86	-2.70		19.16	30.00	Pass
EHT40	MCS0	2	051	6205	Full	19.80	19.80	22.81	-2.70		20.11	30.00	Pass
EHT40	MCS0	2	091	6405	Full	19.30	19.00	22.16	-2.70		19.46	30.00	Pass
EHT80	MCS0	2	007	5985	Full	19.20	18.70	21.97	-2.70		19.27	30.00	Pass
EHT80	MCS0	2	007	5985	Puncture 20/8	17.50	17.90	20.71	-2.70		18.01	30.00	Pass
EHT80	MCS0	2	055	6225	Full	19.80	19.80	22.81	-2.70		20.11	30.00	Pass
EHT80	MCS0	2	055	6225	Puncture 20/4	18.80	18.80	21.81	-2.70		19.11	30.00	Pass
EHT80	MCS0	2	055	6225	Puncture 20/2	18.80	18.90	21.86	-2.70		19.16	30.00	Pass
EHT80	MCS0	2	087	6385	Full	19.80	19.70	22.76	-2.70		20.06	30.00	Pass
EHT80	MCS0	2	087	6385	Puncture 20/1	18.30	18.60	21.46	-2.70		18.76	30.00	Pass
EHT160	MCS0	2	015	6025	Full	19.60	19.10	22.37	-2.70		19.67	30.00	Pass
EHT160	MCS0	2	015	6025	Puncture 40/192	18.00	18.40	21.21	-2.70		18.51	30.00	Pass
EHT160	MCS0	2	015	6025	Puncture 20/128	18.40	18.80	21.61	-2.70		18.91	30.00	Pass
EHT160	MCS0	2	047	6185	Full	19.60	19.20	22.41	-2.70		19.71	30.00	Pass
EHT160	MCS0	2	047	6185	Puncture 40/48	17.80	18.30	21.07	-2.70		18.37	30.00	Pass
EHT160	MCS0	2	047	6185	Puncture 20/16	18.50	18.80	21.66	-2.70		18.96	30.00	Pass
EHT160	MCS0	2	079	6345	Full	19.00	19.10	22.06	-2.70		19.36	30.00	Pass
EHT160	MCS0	2	079	6345	Puncture 40/3	18.50	18.50	21.51	-2.70		18.81	30.00	Pass
EHT160	MCS0	2	079	6345	Puncture 20/1	18.90	19.00	21.96	-2.70		19.26	30.00	Pass

TEST RESULTS DATA
EIRP Power Spectral Density

U-NII-5 MIMO															
Mod.	Data Rate	N _{TX}	CH.	Freq. (MHz)	RU Config.	Duty Factor (dB)		Conducted Power Density with Duty Factor (dBm/MHz)			DG (dBi)		EIRP Power Density (dBm/MHz)	EIRP Power Density Limit (dBm/MHz)	Pass /Fail
						Ant 3	Ant 4	Ant 3	Ant 4	SUM	Ant 3	Ant 4	SUM		
EHT20	MCS0	2	001	5955	Full	0.36	0.40			6.98	-0.27	6.71	17.00	Pass	
EHT20	MCS0	2	001	5955	26/0	0.48	0.50			6.85	-0.27	6.58	17.00	Pass	
EHT20	MCS0	2	001	5955	52/37	0.53	0.52			6.69	-0.27	6.42	17.00	Pass	
EHT20	MCS0	2	001	5955	106/53	0.59	0.58			6.77	-0.27	6.51	17.00	Pass	
EHT20	MCS0	2	049	5955	52T+26T/70	0.24	0.23			6.70	-0.27	6.44	17.00	Pass	
EHT20	MCS0	2	049	5955	106T+26T/82	0.48	0.49			6.91	-0.27	6.64	17.00	Pass	
EHT20	MCS0	2	049	6195	Full	0.36	0.40			9.80	-0.27	9.53	17.00	Pass	
EHT20	MCS0	2	049	6195	26/4	0.48	0.50			9.60	-0.27	9.33	17.00	Pass	
EHT20	MCS0	2	049	6195	52/38	0.53	0.52			9.38	-0.27	9.12	17.00	Pass	
EHT20	MCS0	2	049	6195	106/53	0.59	0.58			9.48	-0.27	9.21	17.00	Pass	
EHT20	MCS0	2	093	6195	52T+26T/71	0.24	0.23			9.57	-0.27	9.31	17.00	Pass	
EHT20	MCS0	2	093	6195	106T+26T/83	0.48	0.49			9.50	-0.27	9.23	17.00	Pass	
EHT20	MCS0	2	093	6415	Full	0.36	0.40			11.17	-0.27	10.91	17.00	Pass	
EHT20	MCS0	2	093	6415	26/8	0.48	0.50			10.97	-0.27	10.71	17.00	Pass	
EHT20	MCS0	2	093	6415	52/40	0.53	0.52			11.15	-0.27	10.88	17.00	Pass	
EHT20	MCS0	2	093	6415	106/54	0.59	0.58			10.83	-0.27	10.56	17.00	Pass	
EHT20	MCS0	2	091	6415	52T+26T/72	0.24	0.23			11.05	-0.27	10.78	17.00	Pass	
EHT20	MCS0	2	091	6415	106T+26T/83	0.48	0.49			10.69	-0.27	10.42	17.00	Pass	
EHT40	MCS0	2	003	5965	Full	0.51	0.52			6.73	-0.27	6.46	17.00	Pass	
EHT40	MCS0	2	051	6205	Full	0.51	0.52			7.72	-0.27	7.45	17.00	Pass	
EHT40	MCS0	2	091	6405	Full	0.51	0.52			7.22	-0.27	6.95	17.00	Pass	
EHT80	MCS0	2	007	5985	Full	0.42	0.46			3.85	-0.27	3.58	17.00	Pass	
EHT80	MCS0	2	007	5985	Puncture 20/8	0.32	0.32			3.64	-0.27	3.37	17.00	Pass	
EHT80	MCS0	2	055	6225	Full	0.42	0.46			4.81	-0.27	4.54	17.00	Pass	
EHT80	MCS0	2	055	6225	Puncture 20/4	0.32	0.32			4.41	-0.27	4.14	17.00	Pass	
EHT80	MCS0	2	055	6225	Puncture 20/2	0.32	0.32			4.76	-0.27	4.49	17.00	Pass	
EHT80	MCS0	2	087	6385	Full	0.42	0.46			4.63	-0.27	4.37	17.00	Pass	
EHT80	MCS0	2	087	6385	Puncture 20/1	0.32	0.32			4.54	-0.27	4.27	17.00	Pass	
EHT160	MCS0	2	015	6025	Full	0.64	0.64			1.53	-0.27	1.26	17.00	Pass	
EHT160	MCS0	2	015	6025	Puncture 40/192	0.49	0.49			1.35	-0.27	1.09	17.00	Pass	
EHT160	MCS0	2	015	6025	Puncture 20/128	0.56	0.59			1.23	-0.27	0.96	17.00	Pass	
EHT160	MCS0	2	047	6185	Full	0.64	0.64			1.67	-0.27	1.40	17.00	Pass	
EHT160	MCS0	2	047	6185	Puncture 40/48	0.49	0.49	1.04	-0.27	0.77	17.00	Pass			
EHT160	MCS0	2	047	6185	Puncture 20/16	0.56	0.59	1.16	-0.27	0.89	17.00	Pass			
EHT160	MCS0	2	079	6345	Full	0.64	0.64	1.90	-0.27	1.63	17.00	Pass			
EHT160	MCS0	2	079	6345	Puncture 40/3	0.49	0.49	1.89	-0.27	1.63	17.00	Pass			
EHT160	MCS0	2	079	6345	Puncture 20/1	0.56	0.59	1.54	-0.27	1.27	17.00	Pass			

TEST RESULTS DATA
26dB and 99% OBW

U-NII-7 MIMO											
Mod.	Data Rate	NTx	CH.	Freq. (MHz)	RU Config.	99% Bandwidth (MHz)		26 dB Bandwidth (MHz)		Emission Bandwidth Limit (MHz)	Pass /Fail
						Ant 3	Ant 4	Ant 3	Ant 4		
EHT20	MCS0	2	117	6535	Full	19.28	19.43	27.36	26.82	320.00	Pass
EHT20	MCS0	2	149	6695	Full	19.38	19.28	28.32	25.62	320.00	Pass
EHT20	MCS0	2	181	6855	Full	19.28	19.33	26.82	25.50	320.00	Pass
EHT40	MCS0	2	123	6565	Full	38.36	38.36	60.60	65.52	320.00	Pass
EHT40	MCS0	2	147	6685	Full	38.36	38.26	66.84	60.60	320.00	Pass
EHT40	MCS0	2	179	6845	Full	38.46	38.66	67.56	67.68	320.00	Pass
EHT80	MCS0	2	135	6625	Full	77.44	77.44	106.56	105.60	320.00	Pass
EHT80	MCS0	2	151	6705	Full	77.44	77.44	90.96	85.68	320.00	Pass
EHT80	MCS0	2	167	6785	Full	77.44	77.32	104.88	99.36	320.00	Pass
EHT160	MCS0	2	143	6665	Full	157.52	157.52	271.20	268.80	320.00	Pass

TEST RESULTS DATA
EIRP Power Table

U-NII-7 MIMO													
Mod.	Data Rate	NTX	CH.	Freq. (MHz)	RU Config.	Conducted Power (dBm)			DG (dBi)		EIRP Power (dBm)	EIRP Power Limit (dBm)	Pass /Fail
						Ant 3	Ant 4	SUM	Ant 3	Ant 4			
EHT20	MCS0	2	117	6535	Full	20.30	19.80	23.07	-4.70		18.37	30.00	Pass
EHT20	MCS0	2	117	6535	26/0	10.20	10.50	13.36	-4.70		8.66	30.00	Pass
EHT20	MCS0	2	117	6535	52/37	13.20	13.00	16.11	-4.70		11.41	30.00	Pass
EHT20	MCS0	2	117	6535	106/53	16.50	16.50	19.51	-4.70		14.81	30.00	Pass
EHT20	MCS0	2	117	6535	52T+26T/70	15.90	16.20	19.06	-4.70		14.36	30.00	Pass
EHT20	MCS0	2	117	6535	106T+26T/82	17.80	18.10	20.96	-4.70		16.26	30.00	Pass
EHT20	MCS0	2	149	6695	Full	20.20	20.10	23.16	-4.70		18.46	30.00	Pass
EHT20	MCS0	2	149	6695	26/4	11.60	12.40	15.03	-4.70		10.33	30.00	Pass
EHT20	MCS0	2	149	6695	52/38	12.50	13.50	16.04	-4.70		11.34	30.00	Pass
EHT20	MCS0	2	149	6695	106/53	15.40	16.20	18.83	-4.70		14.13	30.00	Pass
EHT20	MCS0	2	149	6695	52T+26T/71	15.40	15.70	18.56	-4.70		13.86	30.00	Pass
EHT20	MCS0	2	149	6695	106T+26T/83	17.40	17.40	20.41	-4.70		15.71	30.00	Pass
EHT20	MCS0	2	181	6855	Full	18.70	20.00	22.41	-4.70		17.71	30.00	Pass
EHT20	MCS0	2	181	6855	26/8	9.00	9.50	12.27	-4.70		7.57	30.00	Pass
EHT20	MCS0	2	181	6855	52/40	11.10	12.50	14.87	-4.70		10.17	30.00	Pass
EHT20	MCS0	2	181	6855	106/54	14.60	15.70	18.20	-4.70		13.50	30.00	Pass
EHT20	MCS0	2	181	6855	52T+26T/72	14.90	14.60	17.76	-4.70		13.06	30.00	Pass
EHT20	MCS0	2	181	6855	106T+26T/83	16.60	16.50	19.56	-4.70		14.86	30.00	Pass
EHT40	MCS0	2	123	6565	Full	19.50	19.30	22.41	-4.70		17.71	30.00	Pass
EHT40	MCS0	2	147	6685	Full	19.50	19.20	22.36	-4.70		17.66	30.00	Pass
EHT40	MCS0	2	179	6845	Full	19.00	19.50	22.27	-4.70		17.57	30.00	Pass
EHT80	MCS0	2	135	6625	Full	19.10	18.70	21.91	-4.70		17.21	30.00	Pass
EHT80	MCS0	2	135	6625	Puncture 20/8	17.80	17.90	20.86	-4.70		16.16	30.00	Pass
EHT80	MCS0	2	151	6705	Full	18.50	17.90	21.22	-4.70		16.52	30.00	Pass
EHT80	MCS0	2	151	6705	Puncture 20/4	18.00	17.90	20.96	-4.70		16.26	30.00	Pass
EHT80	MCS0	2	151	6705	Puncture 20/2	17.40	17.60	20.51	-4.70		15.81	30.00	Pass
EHT80	MCS0	2	167	6785	Full	18.60	18.20	21.41	-4.70		16.71	30.00	Pass
EHT80	MCS0	2	167	6785	Puncture 20/1	17.60	17.80	20.71	-4.70		16.01	30.00	Pass
EHT160	MCS0	2	143	6665	Full	18.20	18.00	21.11	-4.70		16.41	30.00	Pass
EHT160	MCS0	2	143	6665	Puncture 40/192	16.80	16.70	19.76	-4.70		15.06	30.00	Pass
EHT160	MCS0	2	143	6665	Puncture 20/128	17.60	17.60	20.61	-4.70		15.91	30.00	Pass

TEST RESULTS DATA
EIRP Power Spectral Density

U-NII-7 MIMO															
Mod.	Data Rate	NTx	CH.	Freq. (MHz)	RU Config.	Duty Factor (dB)		Conducted Power Density with Duty Factor (dBm/MHz)			DG (dBi)		EIRP Power Density (dBm/MHz)	EIRP Power Density Limit (dBm/MHz)	Pass /Fail
						Ant 3	Ant 4	Ant 3	Ant 4	SUM	Ant 3	Ant 4			
EHT20	MCS0	2	117	6535	Full	0.36	0.40			11.21	-3.18	8.02	17.00	Pass	
EHT20	MCS0	2	117	6535	26/0	0.48	0.50			10.96	-3.18	7.77	17.00	Pass	
EHT20	MCS0	2	117	6535	52/37	0.53	0.52			11.03	-3.18	7.84	17.00	Pass	
EHT20	MCS0	2	117	6535	106/53	0.59	0.58			11.09	-3.18	7.91	17.00	Pass	
EHT20	MCS0	2	117	6535	52T+26T/70	0.24	0.23			11.06	-3.18	7.88	17.00	Pass	
EHT20	MCS0	2	117	6535	106T+26T/82	0.48	0.49			10.89	-3.18	7.71	17.00	Pass	
EHT20	MCS0	2	149	6695	Full	0.36	0.40			10.90	-3.18	7.72	17.00	Pass	
EHT20	MCS0	2	149	6695	26/4	0.48	0.50			10.87	-3.18	7.69	17.00	Pass	
EHT20	MCS0	2	149	6695	52/38	0.53	0.52			10.87	-3.18	7.69	17.00	Pass	
EHT20	MCS0	2	149	6695	106/53	0.59	0.58			10.35	-3.18	7.16	17.00	Pass	
EHT20	MCS0	2	149	6695	52T+26T/71	0.24	0.23			10.90	-3.18	7.71	17.00	Pass	
EHT20	MCS0	2	149	6695	106T+26T/83	0.48	0.49			10.63	-3.18	7.44	17.00	Pass	
EHT20	MCS0	2	181	6855	Full	0.36	0.40			9.84	-3.18	6.66	17.00	Pass	
EHT20	MCS0	2	181	6855	26/8	0.48	0.50			9.56	-3.18	6.38	17.00	Pass	
EHT20	MCS0	2	181	6855	52/40	0.53	0.52			9.74	-3.18	6.56	17.00	Pass	
EHT20	MCS0	2	181	6855	106/54	0.59	0.58			9.78	-3.18	6.60	17.00	Pass	
EHT20	MCS0	2	181	6855	52T+26T/72	0.24	0.23			9.83	-3.18	6.65	17.00	Pass	
EHT20	MCS0	2	181	6855	106T+26T/83	0.48	0.49			9.50	-3.18	6.31	17.00	Pass	
EHT40	MCS0	2	123	6565	Full	0.51	0.52			7.61	-3.18	4.43	17.00	Pass	
EHT40	MCS0	2	147	6685	Full	0.51	0.52			7.48	-3.18	4.29	17.00	Pass	
EHT40	MCS0	2	179	6845	Full	0.51	0.52			7.15	-3.18	3.97	17.00	Pass	
EHT80	MCS0	2	135	6625	Full	0.42	0.46			4.25	-3.18	1.07	17.00	Pass	
EHT80	MCS0	2	135	6625	Puncture 20/8	0.32	0.32			4.17	-3.18	0.98	17.00	Pass	
EHT80	MCS0	2	151	6705	Full	0.42	0.46			3.95	-3.18	0.77	17.00	Pass	
EHT80	MCS0	2	151	6705	Puncture 20/4	0.32	0.32			3.91	-3.18	0.73	17.00	Pass	
EHT80	MCS0	2	151	6705	Puncture 20/2	0.32	0.32			3.73	-3.18	0.54	17.00	Pass	
EHT80	MCS0	2	167	6785	Full	0.42	0.46			3.63	-3.18	0.44	17.00	Pass	
EHT80	MCS0	2	167	6785	Puncture 20/1	0.32	0.32			3.61	-3.18	0.43	17.00	Pass	
EHT160	MCS0	2	143	6665	Full	0.64	0.64			0.43	-3.18	-2.76	17.00	Pass	
EHT160	MCS0	2	143	6665	Puncture 40/192	0.49	0.49			0.05	-3.18	-3.13	17.00	Pass	
EHT160	MCS0	2	143	6665	Puncture 20/128	0.56	0.59			0.22	-3.18	-2.96	17.00	Pass	




Appendix B. AC Conducted Emission Test Results

Test Engineer :	Calvin Wang	Temperature :	23~26°C
		Relative Humidity :	45~55%

EUT Information

Report NO : 2D0206-03
 Test Mode : Mode 1
 Test Voltage : 120Vac/60Hz
 Phase : Line

Full Spectrum



Final Result


Frequency (MHz)	QuasiPeak (dBuV)	CAverage (dBuV)	Limit (dBuV)	Margin (dB)	Line	Filter	Corr. (dB)
0.170250	---	29.81	54.95	25.14	L1	OFF	19.9
0.170250	43.00	---	64.95	21.95	L1	OFF	19.9
0.181500	---	31.38	54.42	23.04	L1	OFF	19.9
0.181500	44.24	---	64.42	20.18	L1	OFF	19.9
1.104000	---	27.75	46.00	18.25	L1	OFF	19.9
1.104000	37.18	---	56.00	18.82	L1	OFF	19.9
1.200750	---	28.01	46.00	17.99	L1	OFF	19.9
1.200750	37.54	---	56.00	18.46	L1	OFF	19.9
1.293000	---	28.90	46.00	17.10	L1	OFF	19.9
1.293000	39.39	---	56.00	16.61	L1	OFF	19.9
1.401000	---	29.22	46.00	16.78	L1	OFF	19.9
1.401000	40.46	---	56.00	15.54	L1	OFF	19.9
1.533750	---	29.59	46.00	16.41	L1	OFF	19.9
1.533750	40.74	---	56.00	15.26	L1	OFF	19.9
1.657500	---	29.57	46.00	16.43	L1	OFF	19.9
1.657500	41.12	---	56.00	14.88	L1	OFF	19.9
1.810500	---	29.32	46.00	16.68	L1	OFF	19.9
1.810500	40.33	---	56.00	15.67	L1	OFF	19.9
1.898250	---	28.57	46.00	17.43	L1	OFF	19.9
1.898250	39.01	---	56.00	16.99	L1	OFF	19.9
2.087250	---	27.31	46.00	18.69	L1	OFF	19.9

2.087250	35.75	---	56.00	20.25	L1	OFF	19.9
10.023000	---	26.65	50.00	23.35	L1	OFF	20.2
10.023000	28.96	---	60.00	31.04	L1	OFF	20.2

EUT Information

Report NO : 2D0206-03
Test Mode : Mode 1
Test Voltage : 120Vac/60Hz
Phase : Neutral

Full Spectrum



Final_Result

Frequency (MHz)	QuasiPeak (dBuV)	CAverage (dBuV)	Limit (dBuV)	Margin (dB)	Line	Filter	Corr. (dB)
0.170250	---	28.73	54.95	26.22	N	OFF	19.9
0.170250	41.68	---	64.95	23.27	N	OFF	19.9
0.188250	---	31.45	54.11	22.66	N	OFF	19.9
0.188250	44.54	---	64.11	19.57	N	OFF	19.9
1.230000	---	27.46	46.00	18.54	N	OFF	19.9
1.230000	39.66	---	56.00	16.34	N	OFF	19.9
1.338000	---	28.38	46.00	17.62	N	OFF	19.9
1.338000	41.04	---	56.00	14.96	N	OFF	19.9
1.441500	---	28.76	46.00	17.24	N	OFF	19.9
1.441500	41.81	---	56.00	14.19	N	OFF	19.9
1.587750	---	29.56	46.00	16.44	N	OFF	19.9
1.587750	42.45	---	56.00	13.55	N	OFF	19.9
1.779000	---	28.86	46.00	17.14	N	OFF	19.9
1.779000	41.43	---	56.00	14.57	N	OFF	19.9
1.887000	---	28.51	46.00	17.49	N	OFF	19.9
1.887000	40.42	---	56.00	15.58	N	OFF	19.9
2.058000	---	27.15	46.00	18.85	N	OFF	19.9
2.058000	36.91	---	56.00	19.09	N	OFF	19.9
9.478500	---	26.18	50.00	23.82	N	OFF	20.2
9.478500	28.18	---	60.00	31.82	N	OFF	20.2



Appendix C. Radiated Spurious Emission

Test Engineer :	Bigshow Wang, Quentin Liu and Eric Xiao	Temperature :	21~26°C
		Relative Humidity :	45~60%

Band 5 - 5925~6425MHz

WIFI 802.11a (Band Edge @ 3m)

WIFI Ant.	Note	Frequency	Level	Margin	Limit Line	Read Level	Antenna Factor	Path Loss	Preamp Factor	Ant Pos	Table Pos	Peak Avg.	Pol.
3+4		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
802.11a CH 01 5955MHz		5919.35	57.09	-31.11	88.2	49.63	34.22	9.77	36.53	100	69	P	H
		5924.3	43.3	-24.9	68.2	35.85	34.2	9.78	36.53	100	69	A	H
	*	5955	104.16	-	-	96.77	34.1	9.82	36.53	100	69	P	H
	*	5955	96.76	-	-	89.37	34.1	9.82	36.53	100	69	A	H
													H
													H
		5924.15	55.67	-32.53	88.2	48.22	34.2	9.78	36.53	267	292	P	V
		5923.55	44.59	-23.61	68.2	37.13	34.21	9.78	36.53	267	292	A	V
	*	5955	106.97	-	-	99.58	34.1	9.82	36.53	267	292	P	V
	*	5955	99.59	-	-	92.2	34.1	9.82	36.53	267	292	A	V
													V
													V



802.11a CH 49 6195MHz	*	6195.6	104.84	-	-	97.04	34.2	10.04	36.44	100	92	P	H
	*	6195	98.04	-	-	90.24	34.2	10.04	36.44	100	92	A	H
													H
													H
													H
													H
	*	6195	107.83	-	-	100.03	34.2	10.04	36.44	288	294	P	V
	*	6195	100.69	-	-	92.89	34.2	10.04	36.44	288	294	A	V
													V
													V
													V
													V
802.11a CH 93 6415MHz	*	6415	107.19	-	-	98.68	34.8	10.06	36.35	100	72	P	H
	*	6415	98.02	-	-	89.51	34.8	10.06	36.35	100	72	A	H
													H
													H
													H
													H
	*	6415	108.21	-	-	99.7	34.8	10.06	36.35	283	292	P	V
	*	6415	101.19	-	-	92.68	34.8	10.06	36.35	283	292	A	V
													V
													V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												

**Band 5 5925~6425MHz****WIFI 802.11a (Harmonic @ 3m)**

WIFI Ant. 3+4	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11a CH 01 5955MHz		11910	51.83	-22.17	74	52.78	39.02	13.29	53.26	-	-	P	H
		11910	42.35	-11.65	54	43.3	39.02	13.29	53.26	-	-	A	H
		17865	57.47	-16.53	74	52.96	40.68	16.33	52.5	100	258	P	H
		17865	48.56	-5.44	54	44.05	40.68	16.33	52.5	100	258	A	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
		11910	51.53	-22.47	74	52.48	39.02	13.29	53.26	-	-	P	V
		11910	42.27	-11.73	54	43.22	39.02	13.29	53.26	-	-	A	V
		17865	59.77	-14.23	74	55.26	40.68	16.33	52.5	100	278	P	V
		17865	50.29	-3.71	54	45.78	40.68	16.33	52.5	100	278	A	V
													V
													V
													V
													V
													V
													V
													V
													V



WIFI Ant. 3+4	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11a CH 49 6195MHz		12390	48.35	-25.65	74	59	39.03	13.53	63.21	-	-	P	H
		12390	38.58	-15.42	54	49.23	39.03	13.53	63.21	-	-	A	H
		18585	63.25	-10.75	74	84.81	37.5	-3.51	55.55	150	251	P	H
		18585	47.28	-6.72	54	68.84	37.5	-3.51	55.55	150	251	A	H
													H
													H
													H
													H
													H
													H
													H
													H
		12390	48.01	-25.99	74	58.66	39.03	13.53	63.21	-	-	P	V
		12390	38.22	-15.78	54	48.87	39.03	13.53	63.21	-	-	A	V
		18585	62.9	-11.1	74	84.46	37.5	-3.51	55.55	150	279	P	V
		18585	50.59	-3.41	54	72.15	37.5	-3.51	55.55	150	279	A	V
													V
													V
													V
													V
													V
													V
													V
													V

[illegible]

**Band 5 5925~6425MHz****WIFI 802.11be EHT20 Full (Band Edge @ 3m)**

WIFI Ant. 3+4	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT20 Full CH 01 5955MHz		5915.15	55.68	-32.52	88.2	48.2	34.24	9.77	36.53	100	77	P	H
		5925	42.13	-26.07	68.2	34.68	34.2	9.78	36.53	100	77	A	H
	*	5955	102.79	-	-	95.4	34.1	9.82	36.53	100	77	P	H
	*	5955	92.28	-	-	84.89	34.1	9.82	36.53	100	77	A	H
													H
													H
		5924.3	55.1	-33.1	88.2	47.65	34.2	9.78	36.53	348	286	P	V
		5924.3	42.6	-25.6	68.2	35.15	34.2	9.78	36.53	348	286	A	V
	*	5955	104.09	-	-	96.7	34.1	9.82	36.53	348	286	P	V
	*	5955	94.21	-	-	86.82	34.1	9.82	36.53	348	286	A	V
													V
													V



802.11be EHT20 Full CH 49 6195MHz	*	6195	105.33	-	-	97.53	34.2	10.04	36.44	100	91	P	H
	*	6195	95.32	-	-	87.52	34.2	10.04	36.44	100	91	A	H
													H
													H
													H
													H
	*	6195	107.37	-	-	99.57	34.2	10.04	36.44	286	295	P	V
	*	6195	98.55	-	-	90.75	34.2	10.04	36.44	286	295	A	V
													V
													V
													V
													V
													V
													V
802.11be EHT20 Full CH 93 6415MHz	*	6415	105.28	-	-	96.77	34.8	10.06	36.35	100	71	P	H
	*	6415	96.32	-	-	87.81	34.8	10.06	36.35	100	71	A	H
													H
													H
													H
													H
	*	6415	106.95	-	-	98.44	34.8	10.06	36.35	280	292	P	V
	*	6415	98.37	-	-	89.86	34.8	10.06	36.35	280	292	A	V
													V
													V
													V
													V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



Band 5 5925~6425MHz

WIFI 802.11be EHT20 Full (Harmonic @ 3m)

WIFI Ant. 3+4	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT20 Full CH 01 5955MHz		11910	50.12	-23.88	74	51.07	39.02	13.29	53.26	-	-	P	H
		11910	41.34	-12.66	54	42.29	39.02	13.29	53.26	-	-	A	H
		17865	63.11	-10.89	74	58.6	40.68	16.33	52.5	100	256	P	H
		17865	44.71	-9.29	54	40.2	40.68	16.33	52.5	100	256	A	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
		11910	50.97	-23.03	74	51.92	39.02	13.29	53.26	-	-	P	V
		11910	41.14	-12.86	54	42.09	39.02	13.29	53.26	-	-	A	V
		17865	65.89	-8.11	74	61.38	40.68	16.33	52.5	100	278	P	V
		17865	50.4	-3.6	54	45.89	40.68	16.33	52.5	100	278	A	V
													V
													V
													V
													V
													V
													V
													V
													V



WIFI Ant. 3+4	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT20 Full CH 49 6195MHz		12390	48.03	-25.97	74	58.68	39.03	13.53	63.21	-	-	P	H
		12390	38.31	-15.69	54	48.96	39.03	13.53	63.21	-	-	A	H
		18585	62.34	-11.66	74	83.9	37.5	-3.51	55.55	150	252	P	H
		18585	49.11	-4.89	54	70.67	37.5	-3.51	55.55	150	252	A	H
													H
													H
													H
													H
													H
													H
													H
													H
		12390	46.84	-27.16	74	57.49	39.03	13.53	63.21	-	-	P	V
		12390	37.56	-16.44	54	48.21	39.03	13.53	63.21	-	-	A	V
		18585	63.91	-10.09	74	85.47	37.5	-3.51	55.55	150	275	P	V
		18585	49.94	-4.06	54	71.5	37.5	-3.51	55.55	150	275	A	V
													V
													V
													V
													V
													V
													V
													V

[illegible]



Band 5 5925~6425MHz

WIFI 802.11be EHT40 Full (Band Edge @ 3m)

WIFI Ant. 3+4	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT40 Full CH 03 5965MHz		5924.79	68.9	-19.3	88.2	61.45	34.2	9.78	36.53	100	75	P	H
		5920.3	54.17	-14.03	68.2	46.71	34.22	9.77	36.53	100	75	A	H
	*	5965	102.28	-	-	94.87	34.1	9.83	36.52	100	75	P	H
	*	5965	92.25	-	-	84.84	34.1	9.83	36.52	100	75	A	H
													H
													H
		5924.45	70.47	-17.73	88.2	63.02	34.2	9.78	36.53	328	285	P	V
		5924.6	56.23	-11.97	68.2	48.78	34.2	9.78	36.53	328	285	A	V
	*	5965	102.71	-	-	95.3	34.1	9.83	36.52	328	285	P	V
	*	5965	93.49	-	-	86.08	34.1	9.83	36.52	328	285	A	V
													V
													V



802.11be EHT40 Full CH 51 6205MHz	*	6205	102.13	13.93	88.2	94.31	34.21	10.04	36.43	100	92	P	H
	*	6205	92.81	24.61	68.2	84.99	34.21	10.04	36.43	100	92	A	H
													H
													H
													H
													H
	*	6205	104.7	16.5	88.2	96.88	34.21	10.04	36.43	284	294	P	V
	*	6205	96.6	28.4	68.2	88.78	34.21	10.04	36.43	284	294	A	V
													V
													V
													V
													V
													V
													V
802.11be EHT40 Full CH 91 6405MHz	*	6405	102.13	13.93	88.2	93.63	34.8	10.05	36.35	100	73	P	H
	*	6405	92.67	24.47	68.2	84.17	34.8	10.05	36.35	100	73	A	H
													H
													H
													H
													H
	*	6405	104.49	16.29	88.2	95.99	34.8	10.05	36.35	284	291	P	V
	*	6405	95.17	26.97	68.2	86.67	34.8	10.05	36.35	284	291	A	V
													V
													V
													V
													V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



Band 5 5925~6425MHz

WIFI 802.11be EHT40 Full (Harmonic @ 3m)

WIFI Ant. 3+4	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT40 Full CH 03 5965MHz		11930	50.14	-23.86	74	51.05	39.06	13.3	53.27	-	-	P	H
		11930	40.98	-13.02	54	41.89	39.06	13.3	53.27	-	-	A	H
		17895	61.99	-12.01	74	57.1	40.96	16.34	52.41	100	255	P	H
		17895	48.51	-5.49	54	43.62	40.96	16.34	52.41	100	255	A	H
													H
													H
													H
													H
													H
													H
													H
													H
		11930	49.71	-24.29	74	50.62	39.06	13.3	53.27	-	-	P	V
		11930	40.98	-13.02	54	41.89	39.06	13.3	53.27	-	-	A	V
		17895	66.58	-7.42	74	61.69	40.96	16.34	52.41	100	279	P	V
		17895	50.41	-3.59	54	45.52	40.96	16.34	52.41	100	279	A	V
													V
													V
													V
													V
													V
													V
													V



WIFI Ant. 3+4	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT40 Full CH 51 6205MHz		12410	46.72	-27.28	74	57.4	39.01	13.55	63.24	-	-	P	H
		12410	37.42	-16.58	54	48.1	39.01	13.55	63.24	-	-	A	H
		18615	61.66	-12.34	74	83.11	37.58	-3.5	55.53	150	252	P	H
		18615	46.86	-7.14	54	68.31	37.58	-3.5	55.53	150	252	A	H
													H
													H
													H
													H
													H
													H
													H
													H
		12410	46.89	-27.11	74	57.57	39.01	13.55	63.24	-	-	P	V
		12410	37.52	-16.48	54	48.2	39.01	13.55	63.24	-	-	A	V
		18615	62.77	-11.23	74	84.22	37.58	-3.5	55.53	150	277	P	V
		18615	49.98	-4.02	54	71.43	37.58	-3.5	55.53	150	277	A	V
													V
													V
													V
													V
													V
													V
													V

[illegible]



Band 5 5925~6425MHz

WIFI 802.11be EHT80 Full (Band Edge @ 3m)

WIFI Ant. 3+4	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT80 Full CH 07 5985MHz		5922.23	67.9	-20.3	88.2	60.44	34.21	9.78	36.53	268	246	P	H
		5924.82	56.43	-11.77	68.2	48.98	34.2	9.78	36.53	268	246	A	H
	*	5985	99.31	-	-	91.87	34.1	9.86	36.52	268	246	P	H
	*	5985	89.16	-	-	81.72	34.1	9.86	36.52	268	246	A	H
													H
													H
		5922.23	69.94	-18.26	88.2	62.48	34.21	9.78	36.53	269	294	P	V
		5922.16	59.53	-8.67	68.2	52.08	34.21	9.77	36.53	269	294	A	V
	*	5985	101.3	-	-	93.86	34.1	9.86	36.52	269	294	P	V
	*	5985	92.37	-	-	84.93	34.1	9.86	36.52	269	294	A	V
													V
													V



802.11be EHT80 Full CH 55 6225MHz	*	6225	98.68	10.48	88.2	90.82	34.25	10.04	36.43	100	91	P	H
	*	6225	90.17	21.97	68.2	82.31	34.25	10.04	36.43	100	91	A	H
													H
													H
													H
													H
	*	6225	101.53	13.33	88.2	93.67	34.25	10.04	36.43	287	294	P	V
	*	6225	93.83	25.63	68.2	85.97	34.25	10.04	36.43	287	294	A	V
													V
													V
													V
													V
													V
													V
802.11be EHT80 Full CH 87 6385MHz	*	6385	101.29	13.09	88.2	92.83	34.77	10.05	36.36	100	71	P	H
	*	6385	90.29	22.09	68.2	81.83	34.77	10.05	36.36	100	71	A	H
													H
													H
													H
													H
	*	6385	101.2	13	88.2	92.74	34.77	10.05	36.36	286	291	P	V
	*	6385	93.7	25.5	68.2	85.24	34.77	10.05	36.36	286	291	A	V
													V
													V
													V
													V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



Band 5 5925~6425MHz

WIFI 802.11be EHT80 Full (Harmonic @ 3m)

WIFI Ant. 3+4	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT80 Full CH 07 5985MHz		11970	50.97	-23.03	74	51.8	39.14	13.18	53.29	-	-	P	H
		11970	41.47	-12.53	54	42.3	39.14	13.18	53.29	-	-	A	H
		17960	62.68	-11.32	74	57.28	41.24	16.25	52.22	150	257	P	H
		17960	48.18	-5.82	54	42.78	41.24	16.25	52.22	150	257	A	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
		11970	51.53	-22.47	74	52.36	39.14	13.18	53.29	-	-	P	V
		11970	42.77	-11.23	54	43.6	39.14	13.18	53.29	-	-	A	V
		17955	65.6	-8.4	74	60.23	41.22	16.25	52.23	150	278	P	V
		17955	50.12	-3.88	54	44.75	41.22	16.25	52.23	150	278	A	V
													V
													V
													V
													V
													V
													V
													V
													V



WIFI Ant. 3+4	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT80 Full CH 55 6225MHz		12450	47.94	-26.06	74	58.64	39.05	13.56	63.31	-	-	P	H
		18675	51.62	-22.38	74	72.88	37.72	-3.49	55.49	150	189	P	H
		18675	45.02	-8.98	54	66.28	37.72	-3.49	55.49	150	189	A	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
		12450	46.14	-27.86	74	56.84	39.05	13.56	63.31	-	-	P	V
		18675	51.84	-22.16	74	73.1	37.72	-3.49	55.49	150	98	P	V
		18675	46.71	-7.29	54	67.97	37.72	-3.49	55.49	150	98	A	V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V

[illegible]



Band 5 5925~6425MHz

WIFI 802.11be EHT160 Full (Band Edge @ 3m)

WIFI Ant. 3+4	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT160 Full CH 15 6025MHz		5912.05	75.55	-12.65	88.2	68.07	34.25	9.76	36.53	266	245	P	H
		5907.43	64.74	-3.46	68.2	57.24	34.27	9.76	36.53	266	245	A	H
	*	6025	98.17	-	-	90.63	34.15	9.9	36.51	266	245	P	H
	*	6025	88.55	-	-	81.01	34.15	9.9	36.51	266	245	A	H
													H
													H
		5912.05	76.07	-12.13	88.2	68.59	34.25	9.76	36.53	257	293	P	V
		5912.05	66.1	-2.1	68.2	58.62	34.25	9.76	36.53	257	293	A	V
	*	6025	99.34	-	-	91.8	34.15	9.9	36.51	257	293	P	V
	*	6025	90.42	-	-	82.88	34.15	9.9	36.51	257	293	A	V
													V
													V
802.11be EHT160 Full CH 47 6185MHz	*	6185	97.57	-	-	89.78	34.2	10.03	36.44	260	246	P	H
	*	6185	88.58	-	-	80.79	34.2	10.03	36.44	260	246	A	H
													H
													H
													H
													H
	*	6185	99.8	-	-	92.01	34.2	10.03	36.44	299	290	P	V
	*	6185	91.49	-	-	83.7	34.2	10.03	36.44	299	290	A	V
													V
													V
													V
													V



802.11be EHT160 Full CH 79 6345MHz	*	6345	96.75	-	-	88.4	34.68	10.05	36.38	259	246	P	H
	*	6345	87.63	-	-	79.28	34.68	10.05	36.38	259	246	A	H
													H
													H
													H
													H
	*	6345	100.17	-	-	91.82	34.68	10.05	36.38	289	292	P	V
	*	6345	90.79	-	-	82.44	34.68	10.05	36.38	289	292	A	V
													V
													V
													V
													V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



Band 5 5925~6425MHz

WIFI 802.11be EHT80 Full (Harmonic @ 3m)

WIFI Ant. 3+4	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT160 Full CH 15 6025MHz		12050	47.72	-26.28	74	57.81	39.2	13.36	62.65	-	-	P	H
		18075	56.35	-17.65	74	78.67	37.25	-3.72	55.85	150	291	P	H
		18075	49.58	-4.42	54	71.9	37.25	-3.72	55.85	150	291	A	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
		12050	47.93	-26.07	74	58.02	39.2	13.36	62.65	-	-	P	V
		18075	52.98	-21.02	74	75.3	37.25	-3.72	55.85	150	86	P	V
		18075	45.79	-8.21	54	68.11	37.25	-3.72	55.85	150	86	A	V
													V
													V
													V
													V
													V
													V

[illegible]

WIFI Ant. 3+4	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT160 Full CH 79 6345MHz		12690	46.63	-27.37	74	56.49	39.49	13.69	63.04	-	-	P	H
		19035	45.28	-28.72	74	66.34	37.66	-3.43	55.29	-	-	P	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
				</									



Band 7 - 6525~6875MHz

WIFI 802.11a (Fundamental @ 3m)

WIFI	Note	Frequency	Level	Margin	Limit	Read	Antenna	Path	Preamp	Ant	Table	Peak	Pol.
Ant.					Line	Level	Factor	Loss	Factor	Pos	Pos	Avg.	
3+4		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
802.11a CH 117 6535MHz	*	6535	103.92	-	-	94.88	35.21	10.15	36.32	100	116	P	H
	*	6535	97.22	-	-	88.18	35.21	10.15	36.32	100	116	A	H
													H
													H
													H
													H
	*	6535	104.33	-	-	95.29	35.21	10.15	36.32	251	289	P	V
	*	6535	97.62	-	-	88.58	35.21	10.15	36.32	251	289	A	V
													V
													V
													V
													V
802.11a CH 149 6695MHz	*	6695	106.91	-	-	97.05	35.88	10.32	36.34	100	112	P	H
	*	6695	99.44	-	-	89.58	35.88	10.32	36.34	100	112	A	H
													H
													H
													H
													H
	*	6695	106.48	-	-	96.62	35.88	10.32	36.34	248	293	P	V
	*	6695	99	-	-	89.14	35.88	10.32	36.34	248	293	A	V
													V
													V
													V
													V



802.11a CH 181 6855MHz	*	6855	105.88	-	-	96.2	35.6	10.45	36.37	100	119	P	H
	*	6855	99.06	-	-	89.38	35.6	10.45	36.37	100	119	A	H
													H
													H
													H
													H
	*	6855	107.15	-	-	97.47	35.6	10.45	36.37	253	294	P	V
	*	6855	100.02	-	-	90.34	35.6	10.45	36.37	253	294	A	V
													V
													V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



Band 7 - 6525~6875MHz
WIFI 802.11a (Harmonic @ 3m)

WIFI Ant. 3+4	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11a CH 117 6535MHz		13070	47.98	-40.22	88.2	57	39.59	13.91	62.52	-	-	P	H
		19605	51.16	-22.84	74	71.95	37.54	-3.27	55.06	150	308	P	H
		19605	43.74	-10.26	54	64.53	37.54	-3.27	55.06	100	308	A	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
		13070	47.1	-41.1	88.2	56.12	39.59	13.91	62.52	-	-	P	V
		19605	55.72	-18.28	74	76.51	37.54	-3.27	55.06	150	190	P	V
		19605	50.18	-3.82	54	70.97	37.54	-3.27	55.06	150	190	A	V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V



WIFI Ant. 3+4	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11a CH 149 6695MHz		13390	49.35	-24.65	74	57.81	40.07	14.19	62.72	-	-	P	H
		13390	40.33	-13.67	54	48.79	40.07	14.19	62.72	-	-	A	H
		20085	57.09	-16.91	74	77.84	37.5	-3.35	54.9	150	178	P	H
		20085	50.27	-3.73	54	71.02	37.5	-3.35	54.9	150	178	A	H
													H
													H
													H
													H
													H
													H
													H
													H
		13390	49.18	-24.82	74	57.64	40.07	14.19	62.72	-	-	P	V
		13390	40.45	-13.55	54	48.91	40.07	14.19	62.72	-	-	A	V
		20085	55.88	-18.12	74	76.63	37.5	-3.35	54.9	150	175	P	V
		20085	50.66	-3.34	54	71.41	37.5	-3.35	54.9	150	175	A	V
													V
													V
													V
													V
													V
													V
													V
													V

[illegible]



Band 7 - 6525~6875MHz

WIFI 802.11be EHT20 Full (Fundamental @ 3m)

WIFI Ant. 3+4	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT20 Full CH 117 6535MHz	*	6535	103.14	-	-	94.1	35.21	10.15	36.32	100	106	P	H
	*	6535	94.92	-	-	85.88	35.21	10.15	36.32	100	106	A	H
													H
													H
													H
													H
	*	6535	100.81	-	-	91.77	35.21	10.15	36.32	243	301	P	V
	*	6535	92.78	-	-	83.74	35.21	10.15	36.32	243	301	A	V
													V
													V
													V
													V
802.11be EHT20 Full CH 149 6695MHz	*	6695	106.17	-	-	96.31	35.88	10.32	36.34	100	111	P	H
	*	6695	97.58	-	-	87.72	35.88	10.32	36.34	100	111	A	H
													H
													H
													H
													H
	*	6695	106.19	-	-	96.33	35.88	10.32	36.34	249	294	P	V
	*	6695	97.9	-	-	88.04	35.88	10.32	36.34	249	294	A	V
													V
													V
													V
													V



802.11be EHT20 Full CH 181 6855MHz	*	6535	103.92	-	-	94.88	35.21	10.15	36.32	100	116	P	H
	*	6535	97.22	-	-	88.18	35.21	10.15	36.32	100	116	A	H
													H
													H
													H
													H
	*	6535	104.33	-	-	95.29	35.21	10.15	36.32	251	289	P	V
	*	6535	97.62	-	-	88.58	35.21	10.15	36.32	251	289	A	V
													V
													V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												

Band 7 - 6525~6875MHz
WIFI 802.11be EHT20 Full (Harmonic @ 3m)

[illegible]



WIFI Ant. 3+4	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT20 Full CH 149 6695MHz		13390	47.91	-26.09	74	56.37	40.07	14.19	62.72	-	-	P	H
		20085	58.01	-15.99	74	78.76	37.5	-3.35	54.9	150	243	P	H
		20085	48	-6	54	68.75	37.5	-3.35	54.9	150	243	A	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
		13390	47.84	-26.16	74	56.3	40.07	14.19	62.72	-	-	P	V
		20085	60.45	-13.55	74	81.2	37.5	-3.35	54.9	150	327	P	V
		20085	50.85	-3.15	54	71.6	37.5	-3.35	54.9	150	327	A	V
													V
													V
													V
													V
													V
													V
													V

[illegible]



Band 7 - 6525~6875MHz

WIFI 802.11be EHT40 Full (Fundamental @ 3m)

WIFI Ant. 3+4	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT40 Full CH 123 6565MHz	*	6565	101.28	-	-	92.04	35.39	10.17	36.32	100	111	P	H
	*	6565	93.09	-	-	83.85	35.39	10.17	36.32	100	111	A	H
													H
													H
													H
													H
	*	6565	103.48	-	-	94.24	35.39	10.17	36.32	298	291	P	V
	*	6565	93.62	-	-	84.38	35.39	10.17	36.32	298	291	A	V
													V
													V
													V
													V
802.11be EHT40 Full CH 147 6685MHz	*	6685	101.87	-	-	92.06	35.84	10.31	36.34	100	116	P	H
	*	6685	94.14	-	-	84.33	35.84	10.31	36.34	100	116	A	H
													H
													H
													H
													H
	*	6685	103.83	-	-	94.02	35.84	10.31	36.34	251	289	P	V
	*	6685	95.04	-	-	85.23	35.84	10.31	36.34	251	289	A	V
													V
													V
													V
													V



802.11be EHT40 Full CH 179 6845MHz	*	6845	101	-	-	91.29	35.63	10.45	36.37	100	116	P	H
	*	6845	93.06	-	-	83.35	35.63	10.45	36.37	100	116	A	H
													H
													H
													H
													H
	*	6845	104.76	-	-	95.05	35.63	10.45	36.37	251	289	P	V
	*	6845	95.65	-	-	85.94	35.63	10.45	36.37	251	289	A	V
													V
													V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												

Band 7 - 6525~6875MHz
WIFI 802.11be EHT40 Full (Harmonic @ 3m)

[illegible]



WIFI Ant. 3+4	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT40 Full CH 147 6685MHz		13370	47.96	-26.04	74	56.49	40.01	14.17	62.71	-	-	P	H
		20055	56.53	-17.47	74	77.31	37.47	-3.35	54.9	150	242	P	H
		20055	44.63	-9.37	54	65.41	37.47	-3.35	54.9	150	242	A	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
		13370	47.92	-26.08	74	56.45	40.01	14.17	62.71	-	-	P	V
		20055	61.18	-12.82	74	81.96	37.47	-3.35	54.9	150	18	P	V
		20055	46.49	-7.51	54	67.27	37.47	-3.35	54.9	150	18	A	V
													V
													V
													V
													V
													V
													V
													V
													V
													V



WIFI Ant. 3+4	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT40 Full CH 179 6845MHz		13690	50.47	-37.73	88.2	58.96	40.01	14.45	62.95	-	-	P	H
		20535	47.87	-26.13	74	68.4	37.63	-3.27	54.89	150	244	P	H
		20535	39.04	-14.96	54	59.57	37.63	-3.27	54.89	150	244	A	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
		13690	50.08	-38.12	88.2	58.57	40.01	14.45	62.95	-	-	P	V
		20535	50.05	-23.95	74	70.58	37.63	-3.27	54.89	150	28	P	V
		20535	39.93	-14.07	54	60.46	37.63	-3.27	54.89	150	28	A	V
													V
													V
													V
													V
													V
													V
													V
Remark	1. No other spurious found.												
	2. All results are PASS against Peak and Average limit line.												
Remark	3. The emission position marked as "-" means no suspected emission found with sufficient margin against limit line or noise floor only.												



Band 7 - 6525~6875MHz

WIFI 802.11be EHT80 Full (Fundamental @ 3m)

WIFI Ant. 3+4	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT80 Full CH 135 6625MHz	*	6625	99.72	-	-	90.17	35.65	10.23	36.33	100	116	P	H
	*	6625	90.96	-	-	81.41	35.65	10.23	36.33	100	116	A	H
													H
													H
													H
													H
	*	6625	100.53	-	-	90.98	35.65	10.23	36.33	251	289	P	V
	*	6625	90.82	-	-	81.27	35.65	10.23	36.33	251	289	A	V
													V
													V
													V
													V
802.11be EHT80 Full CH 151 6705MHz	*	6705	99.27	-	-	89.37	35.91	10.33	36.34	100	116	P	H
	*	6705	89.92	-	-	80.02	35.91	10.33	36.34	100	116	A	H
													H
													H
													H
													H
	*	6705	101.13	-	-	91.23	35.91	10.33	36.34	251	289	P	V
	*	6705	91.38	-	-	81.48	35.91	10.33	36.34	251	289	A	V
													V
													V
													V
													V



802.11be EHT80 Full CH 167 6785MHz	*	6785	97.57	-	-	87.57	35.93	10.43	36.36	100	116	P	H
	*	6785	89.37	-	-	79.37	35.93	10.43	36.36	100	116	A	H
													H
													H
													H
													H
	*	6785	100.72	-	-	90.72	35.93	10.43	36.36	251	289	P	V
	*	6785	91.5	-	-	81.5	35.93	10.43	36.36	251	289	A	V
													V
													V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												

Band 7 - 6525~6875MHz
WIFI 802.11be EHT80 Full (Harmonic @ 3m)

[illegible]



WIFI Ant. 3+4	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT80 Full CH 151 6705MHz		13410	47.91	-40.29	88.2	56.35	40.09	14.2	62.73	-	-	P	H
		20115	52.9	-21.1	74	73.6	37.54	-3.34	54.9	150	243	P	H
		20115	40.55	-13.45	54	61.25	37.54	-3.34	54.9	150	243	A	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
		13410	47.55	-40.65	88.2	55.99	40.09	14.2	62.73	-	-	P	V
		20115	51.46	-22.54	74	72.16	37.54	-3.34	54.9	150	327	P	V
		20115	40.65	-13.35	54	61.35	37.54	-3.34	54.9	150	327	A	V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V

[illegible]



Band 7 - 6525~6875MHz

WIFI 802.11be EHT160 Full (Fundamental @ 3m)

WIFI Ant. 3+4	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT160 Full CH 143 6665MHz	*	6665	96.02	-	-	86.32	35.76	10.28	36.34	292	254	P	H
	*	6665	86.33	-	-	76.63	35.76	10.28	36.34	292	254	A	H
													H
													H
													H
													H
	*	6665	97.86	-	-	88.16	35.76	10.28	36.34	258	296	P	V
	*	6665	88.1	-	-	78.4	35.76	10.28	36.34	258	296	A	V
													V
													V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												

Band 7 - 6525~6875MHz

WIFI 802.11be EHT160 Full (Harmonic @ 3m)

WIFI Ant. 3+4	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT160		13330	46.37	-27.63	74	55.03	39.89	14.13	62.68	-	-	P	H
		19995	48.33	-25.67	74	69.19	37.4	-3.36	54.9	150	261	P	H
		19995	37.79	-16.21	54	58.65	37.4	-3.36	54.9	150	261	A	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
Full CH 143 6665MHz		13330	47.42	-26.58	74	56.08	39.89	14.13	62.68	-	-	P	V
		19995	51.27	-22.73	74	72.13	37.4	-3.36	54.9	150	195	P	V
		19995	42.24	-11.76	54	63.1	37.4	-3.36	54.9	150	195	A	V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line. 3. The emission position marked as "-" means no suspected emission found with sufficient margin against limit line or noise floor only.												

Emission below 1GHz

WIFI 802.11be EHT160 Full (LF @ 3m)

WIFI	Note	Frequency	Level	Margin	Limit	Read	Antenna	Path	Preamp	Ant	Table	Peak	Pol.
Ant.					Line	Level	Factor	Loss	Factor	Pos	Pos	Avg.	
3+4		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
802.11be EHT160 Full LF		30.54	23.58	-16.42	40	31.03	24.29	0.65	32.39	-	-	P	H
		49.98	20.61	-19.39	40	37.73	14.44	0.9	32.46	-	-	P	H
		91.02	24.16	-19.34	43.5	40.47	14.92	1.18	32.41	-	-	P	H
		111.36	21.11	-22.39	43.5	35.15	17.12	1.28	32.44	-	-	P	H
		733.6	36.75	-9.25	46	38.23	27.49	3.28	32.25	-	-	P	H
		892	38.06	-7.94	46	37.08	28.83	3.67	31.52	-	-	P	H
													H
													H
													H
													H
													H
													H
													H
		30.72	33.46	-6.54	40	40.95	24.24	0.66	32.39	-	-	P	V
		50.34	33.77	-6.23	40	51.05	14.28	0.9	32.46	-	-	P	V
		74.28	31.5	-8.5	40	50.09	12.75	1.07	32.41	-	-	P	V
		91.02	26.53	-16.97	43.5	42.84	14.92	1.18	32.41	-	-	P	V
		746.4	35.62	-10.38	46	36.67	27.87	3.31	32.23	-	-	P	V
		885.6	36.15	-9.85	46	35.3	28.76	3.65	31.56	-	-	P	V
													V
												V	
												V	
												V	
												V	
												V	
												V	
Remark	1. No other spurious found. 2. All results are PASS against limit line. 3. The emission position marked as “-” means no suspected emission found and emission level has at least 6dB margin against limit or emission is noise floor only.												



Note symbol

*	Fundamental Frequency which can be ignored. However, the level of any unwanted emissions shall not exceed the level of the fundamental frequency.
!	Test result is Margin line.
P/A	Peak or Average
H/V	Horizontal or Vertical

A calculation example for radiated spurious emission is shown as below:

WIFI	Note	Frequency	Level	Margin	Limit	Read	Antenna	Path	Preamp	Ant	Table	Peak	Pol.
Ant.					Line	Level	Factor	Loss	Factor	Pos	Pos	Avg.	
3+4		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
802.11a		5925	55.45	-32.75	88.2	54.51	32.22	4.58	35.86	103	308	P	H
CH 01													
5955MHz		5925	43.54	-24.66	68.2	42.6	32.22	4.58	35.86	103	308	A	H

1. Path Loss(dB) = Cable loss(dB) + Filter loss(dB) + Attenuator loss(dB)
2. Level(dBμV/m) = Antenna Factor(dB/m) + Path Loss(dB) + Read Level(dBμV) - Preamp Factor(dB)
3. Margin (dB) = Level(dBμV/m) – Limit Line(dBμV/m)

For Peak Limit @ 5925MHz:

1. Level(dBμV/m)
 = Antenna Factor(dB/m) + Path Loss(dB) + Read Level(dBμV) - Preamp Factor(dB)
 = 32.22(dB/m) + 4.58(dB) + 54.51(dBμV) – 35.86 (dB)
 = 55.45 (dBμV/m)
2. Margin (dB)
 = Level(dBμV/m) – Limit Line(dBμV/m)
 = 55.45(dBμV/m) – 88.2(dBμV/m)
 = -32.75(dB)

For Average Limit @ 5925MHz:

1. Level(dBμV/m)
 = Antenna Factor(dB/m) + Path Loss(dB) + Read Level(dBμV) - Preamp Factor(dB)
 = 32.22(dB/m) + 4.58(dB) + 42.6(dBμV) – 35.86 (dB)
 = 43.54(dBμV/m)
2. Margin (dB) = Level(dBμV/m) – Limit Line(dBμV/m)
 = 43.54 (dBμV/m) – 68.2(dBμV/m)
 = -24.66(dB)

Both peak and average measured complies with the limit line, so test result is “PASS”.







Appendix D. Radiated Spurious Emission Plots

Test Engineer :	Bigshow Wang, Quentin Liu and Eric Xiao	Temperature :	21~26°C
		Relative Humidity :	45~60%



Band 5 - 5925~6425MHz
WIFI 802.11a (Band Edge @ 3m)

WIFI	Band 5 5925~6425MHz Band Edge @ 3m	
ANT	802.11a CH01 5955MHz	
3+4	Horizontal	Fundamental
Peak	 Site : 03CH15-HY Condition : PEAK_BE(UNIT)_6E 3m 91200_02294_220623 HORIZONTAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH15-HY Condition : PEAK(UNIT)_6E 3m 91200_02294_220623 HORIZONTAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg.	 Site : 03CH15-HY Condition : AVG_BE(UNIT)_6E 3m 91200_02294_220623 HORIZONTAL RBW:1000.000KHz VBW:1000KHz SWT:Auto	 Site : 03CH15-HY Condition : AVG(UNIT)_6E 3m 91200_02294_220623 HORIZONTAL RBW:1000.000KHz VBW:1000KHz SWT:Auto







WIFI	Band 5 5925~6425MHz Band Edge @ 3m	
ANT	802.11a CH01 5955MHz	
3+4	Vertical	Fundamental
Peak	Site : 03CH15-HY Condition : PEAK_BE(UNIT)_6E 3m 91200_02294_220623 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	Site : 03CH15-HY Condition : PEAK(UNIT)_6E 3m 91200_02294_220623 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg.	Site : 03CH15-HY Condition : AVG_BE(UNIT)_6E 3m 91200_02294_220623 VERTICAL : RBW:1000.000KHz VBW:1000KHz SWT:Auto	Site : 03CH15-HY Condition : AVG(UNIT)_6E 3m 91200_02294_220623 VERTICAL : RBW:1000.000KHz VBW:1000KHz SWT:Auto



WIFI	Band 5 5925~6425MHz Fundamental @ 3m	
ANT	802.11a CH49 6195MHz	
3+4	Horizontal	Vertical
Peak Avg.	Level (dBuV/m) Frequency (MHz) Date: 2023-04-27 Site : 03CH15-HY Condition : PEAK(UNIT)_6E 3m 91200_02294_220623 HORIZONTAL :	Level (dBuV/m) Frequency (MHz) Date: 2023-04-27 Site : 03CH15-HY Condition : PEAK(UNIT)_6E 3m 91200_02294_220623 VERTICAL :
Avg.	Level (dBuV/m) Frequency (MHz) Date: 2023-04-27 Site : 03CH15-HY Condition : AVG(UNIT)_6E 3m 91200_02294_220623 HORIZONTAL :	Level (dBuV/m) Frequency (MHz) Date: 2023-04-27 Site : 03CH15-HY Condition : AVG(UNIT)_6E 3m 91200_02294_220623 VERTICAL :







WIFI	Band 5 5925~6425MHz Fundamental @ 3m	
ANT	802.11a CH93 6415MHz	
3+4	Horizontal	Vertical
Peak	 Level (dBuV/m) Frequency (MHz) Date: 2023-04-27 Site : 03CH15-HY Condition : PEAK(UNIT)_6E 3m 91200_02294_220623 HORIZONTAL	 Level (dBuV/m) Frequency (MHz) Date: 2023-04-27 Site : 03CH15-HY Condition : PEAK(UNIT)_6E 3m 91200_02294_220623 VERTICAL
Avg.	 Level (dBuV/m) Frequency (MHz) Date: 2023-04-27 Site : 03CH15-HY Condition : AVG(UNIT)_6E 3m 91200_02294_220623 HORIZONTAL	 Level (dBuV/m) Frequency (MHz) Date: 2023-04-27 Site : 03CH15-HY Condition : AVG(UNIT)_6E 3m 91200_02294_220623 VERTICAL







Band 5 5925~6425MHz

WIFI 802.11be EHT20 Full (Band Edge @ 3m)

WIFI	Band 5 5925~6425MHz Band Edge @ 3m	
ANT	802.11be EHT20 Full CH01 5955MHz	
3+4	Horizontal	Fundamental
Peak	 Site : 03CH15-HY Condition : PEAK_BE(UNIT)_6E 3m 91200_02294_220623 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH15-HY Condition : PEAK(UNIT)_6E 3m 91200_02294_220623 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg.	 Site : 03CH15-HY Condition : AVG_BE(UNIT)_6E 3m 91200_02294_220623 HORIZONTAL : RBW:1000.000KHz VBW:1000KHz SWT:Auto	 Site : 03CH15-HY Condition : AVG(UNIT)_6E 3m 91200_02294_220623 HORIZONTAL : RBW:1000.000KHz VBW:1000KHz SWT:Auto







WIFI	Band 5 5925~6425MHz Band Edge @ 3m	
ANT	802.11be EHT20 Full CH01 5955MHz	
3+4	Vertical	Fundamental
Peak	 Site : 03CH15-HY Condition : PEAK_BE(UNIT)_6E 3m 91200_02294_220623 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH15-HY Condition : PEAK(UNIT)_6E 3m 91200_02294_220623 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
	 Site : 03CH15-HY Condition : AVG_BE(UNIT)_6E 3m 91200_02294_220623 VERTICAL : RBW:1000.000KHz VBW:1000KHz SWT:Auto	 Site : 03CH15-HY Condition : AVG(UNIT)_6E 3m 91200_02294_220623 VERTICAL : RBW:1000.000KHz VBW:1000KHz SWT:Auto



WIFI	Band 5 5925~6425MHz Fundamental @ 3m	
ANT	802.11be EHT20 Full CH49 6195MHz	
3+4	Horizontal	Vertical
Peak	Horizontal Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot displays a red line representing the signal level and a blue line representing the noise floor. A sharp peak is visible at approximately 6195 MHz, labeled 'PEAK(UNIT)_6E'. The x-axis ranges from 1000 to 7200 MHz, and the y-axis ranges from 10.0 to 140.0 dBuV/m. Site : 03CH15-HY Condition : PEAK(UNIT)_6E 3m 91200_02294_220623 HORIZONTAL :	Vertical Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot displays a red line representing the signal level and a blue line representing the noise floor. A sharp peak is visible at approximately 6195 MHz, labeled 'PEAK(UNIT)_6E'. The x-axis ranges from 1000 to 7200 MHz, and the y-axis ranges from 10.0 to 140.0 dBuV/m. Site : 03CH15-HY Condition : PEAK(UNIT)_6E 3m 91200_02294_220623 VERTICAL :
	Horizontal Avg. Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot displays a red line representing the average signal level and a blue line representing the noise floor. A sharp peak is visible at approximately 6195 MHz, labeled 'AVG(UNIT)_6E'. The x-axis ranges from 1000 to 7200 MHz, and the y-axis ranges from 10.0 to 140.0 dBuV/m. Site : 03CH15-HY Condition : AVG(UNIT)_6E 3m 91200_02294_220623 HORIZONTAL :	Vertical Avg. Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot displays a red line representing the average signal level and a blue line representing the noise floor. A sharp peak is visible at approximately 6195 MHz, labeled 'AVG(UNIT)_6E'. The x-axis ranges from 1000 to 7200 MHz, and the y-axis ranges from 10.0 to 140.0 dBuV/m. Site : 03CH15-HY Condition : AVG(UNIT)_6E 3m 91200_02294_220623 VERTICAL :







WIFI	Band 5 5925~6425MHz Fundamental @ 3m	
ANT	802.11be EHT20 Full CH93 6415MHz	
3+4	Horizontal	Vertical
Peak	 Level (dBuV/m) Frequency (MHz) Date: 2023-04-27 Site : 03CH15-HY Condition : PEAK(UNIT)_6E 3m 91200_02294_220623 HORIZONTAL	 Level (dBuV/m) Frequency (MHz) Date: 2023-04-27 Site : 03CH15-HY Condition : PEAK(UNIT)_6E 3m 91200_02294_220623 VERTICAL
Avg.	 Level (dBuV/m) Frequency (MHz) Date: 2023-04-27 Site : 03CH15-HY Condition : AVG(UNIT)_6E 3m 91200_02294_220623 HORIZONTAL	 Level (dBuV/m) Frequency (MHz) Date: 2023-04-27 Site : 03CH15-HY Condition : AVG(UNIT)_6E 3m 91200_02294_220623 VERTICAL



Band 5 5925~6425MHz





WIFI 802.11be EHT40 Full (Band Edge @ 3m)

WIFI	Band 5 5925~6425MHz Band Edge @ 3m	
ANT	802.11be EHT40 Full CH03 5965MHz	
3+4	Horizontal	Fundamental
Peak	 Site : 03CH15-HY Condition : PEAK_BE(UNIT)_6E 3m 91200_02294_220623 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH15-HY Condition : PEAK(UNIT)_6E 3m 91200_02294_220623 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg.	 Site : 03CH15-HY Condition : AVG_BE(UNIT)_6E 3m 91200_02294_220623 HORIZONTAL : RBW:1000.000KHz VBW:1000KHz SWT:Auto	 Site : 03CH15-HY Condition : AVG(UNIT)_6E 3m 91200_02294_220623 HORIZONTAL : RBW:1000.000KHz VBW:1000KHz SWT:Auto







WIFI	Band 5 5925~6425MHz Band Edge @ 3m	
ANT	802.11be EHT40 Full CH03 5965MHz	
3+4	Vertical	Fundamental
Peak	Site : 03CH15-HY Condition : PEAK_BE(UNIT)_5E 3m 91200_02294_220623 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	Site : 03CH15-HY Condition : PEAK(UNIT)_5E 3m 91200_02294_220623 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg.	Site : 03CH15-HY Condition : AVG_BE(UNIT)_5E 3m 91200_02294_220623 VERTICAL : RBW:1000.000KHz VBW:1000KHz SWT:Auto	Site : 03CH15-HY Condition : AVG(UNIT)_5E 3m 91200_02294_220623 VERTICAL : RBW:1000.000KHz VBW:1000KHz SWT:Auto



WIFI	Band 5 5925~6425MHz Fundamental @ 3m	
ANT	802.11be EHT40 Full CH51 6205MHz	
3+4	Horizontal	Vertical
Peak	 Site : 03CH15-HY Condition : PEAK(UNIT)_6E 3m 91200_02294_220623 HORIZONTAL :	 Site : 03CH15-HY Condition : PEAK(UNIT)_6E 3m 91200_02294_220623 VERTICAL :
Avg.	 Site : 03CH15-HY Condition : AVG(UNIT)_6E 3m 91200_02294_220623 HORIZONTAL :	 Site : 03CH15-HY Condition : AVG(UNIT)_6E 3m 91200_02294_220623 VERTICAL :







WIFI	Band 5 5925~6425MHz Fundamental @ 3m	
ANT	802.11be EHT40 Full CH91 6405MHz	
3+4	Horizontal	Vertical
Peak	 Site : 03CH15-HY Condition : PEAK(UNIT)_6E 3m 91200_02294_220623 HORIZONTAL :	 Site : 03CH15-HY Condition : PEAK(UNIT)_6E 3m 91200_02294_220623 VERTICAL :
Avg	 Site : 03CH15-HY Condition : AVG(UNIT)_6E 3m 91200_02294_220623 HORIZONTAL :	 Site : 03CH15-HY Condition : AVG(UNIT)_6E 3m 91200_02294_220623 VERTICAL :







Band 5 5925~6425MHz

WIFI 802.11be EHT80 Full (Band Edge @ 3m)

WIFI	Band 5 5925~6425MHz Band Edge @ 3m	
ANT	802.11be EHT80 Full CH07 5985MHz	
3+4	Horizontal	Fundamental
Peak	 Site : 03CH15-HY Condition : PEAK_BE(UNIT)_6E 3m 91200_02294_220623 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH15-HY Condition : PEAK(UNIT)_6E 3m 91200_02294_220623 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg.	 Site : 03CH15-HY Condition : AVG_BE(UNIT)_6E 3m 91200_02294_220623 HORIZONTAL : RBW:1000.000KHz VBW:3.000KHz SWT:Auto	 Site : 03CH15-HY Condition : AVG(UNIT)_6E 3m 91200_02294_220623 HORIZONTAL : RBW:1000.000KHz VBW:3.000KHz SWT:Auto







WIFI	Band 5 5925~6425MHz Band Edge @ 3m	
ANT	802.11be EHT80 Full CH07 5985MHz	
3+4	Vertical	Fundamental
Peak	 Site : 03CH15-HY Condition : PEAK_BE(UNIT)_6E 3m 91200_02294_220623 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH15-HY Condition : PEAK(UNIT)_6E 3m 91200_02294_220623 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg.	 Site : 03CH15-HY Condition : AVG_BE(UNIT)_6E 3m 91200_02294_220623 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH15-HY Condition : AVG(UNIT)_6E 3m 91200_02294_220623 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto







WIFI	Band 5 5925~6425MHz Fundamental @ 3m	
ANT	802.11be EHT80 Full CH55 6225MHz	
3+4	Horizontal	Vertical
Peak	Level (dBuV/m) Frequency (MHz) Date: 2023-04-28 Site : 03CH15-HY Condition : PEAK(UNIT)_6E 3m 91200_02294_220623 HORIZONTAL :	Level (dBuV/m) Frequency (MHz) Date: 2023-04-28 Site : 03CH15-HY Condition : PEAK(UNIT)_6E 3m 91200_02294_220623 VERTICAL :
Avg.	Level (dBuV/m) Frequency (MHz) Date: 2023-04-28 Site : 03CH15-HY Condition : AVG(UNIT)_6E 3m 91200_02294_220623 HORIZONTAL :	Level (dBuV/m) Frequency (MHz) Date: 2023-04-28 Site : 03CH15-HY Condition : AVG(UNIT)_6E 3m 91200_02294_220623 VERTICAL :



WIFI	Band 5 5925~6425MHz Fundamental @ 3m	
ANT	802.11be EHT80 Full CH87 6385MHz	
3+4	Horizontal	Vertical
Peak	 Level (dBuV/m) Frequency (MHz) Date: 2023-04-28 Site : 03CH15-HY Condition : PEAK(UNIT)_6E 3m 91200_02294_220623 HORIZONTAL :	 Level (dBuV/m) Frequency (MHz) Date: 2023-04-28 Site : 03CH15-HY Condition : PEAK(UNIT)_6E 3m 91200_02294_220623 VERTICAL :
Avg.	 Level (dBuV/m) Frequency (MHz) Date: 2023-04-28 Site : 03CH15-HY Condition : AVG(UNIT)_6E 3m 91200_02294_220623 HORIZONTAL :	 Level (dBuV/m) Frequency (MHz) Date: 2023-04-28 Site : 03CH15-HY Condition : AVG(UNIT)_6E 3m 91200_02294_220623 VERTICAL :







Band 5 5925~6425MHz
WIFI 802.11be EHT160 Full (Band Edge @ 3m)

WIFI	Band 5 5925~6425MHz Band Edge @ 3m	
ANT	802.11be EHT160 Full CH15 6025MHz	
3+4	Horizontal	Fundamental
Peak	 Site : 03CH15-HY Condition : PEAK_BE(UNIT)_6E 3m 91200_02294_220623 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto	 Site : 03CH15-HY Condition : PEAK(UNIT)_6E 3m 91200_02294_220623 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto
Avg.	 Site : 03CH15-HY Condition : AVG_BE(UNIT)_6E 3m 91200_02294_220623 HORIZONTAL : RBW:1000.000kHz VBW:1600kHz SWT:Auto	 Site : 03CH15-HY Condition : AVG(UNIT)_6E 3m 91200_02294_220623 HORIZONTAL : RBW:1000.000kHz VBW:1600kHz SWT:Auto







WIFI	Band 5 5925~6425MHz Band Edge @ 3m	
ANT	802.11be EHT160 Full CH15 6025MHz	
3+4	Vertical	Fundamental
Peak	Level (dBuV/m) Frequency (MHz) Site : 03CH15-HY Condition : PEAK_BE(UNIT)_6E 3m 91200_02294_220623 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto	Level (dBuV/m) Frequency (MHz) Site : 03CH15-HY Condition : PEAK(UNIT)_6E 3m 91200_02294_220623 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto
Avg.	Level (dBuV/m) Frequency (MHz) Site : 03CH15-HY Condition : AVG_BE(UNIT)_6E 3m 91200_02294_220623 VERTICAL : RBW:1000.000kHz VBW:16000kHz SWT:Auto	Level (dBuV/m) Frequency (MHz) Site : 03CH15-HY Condition : AVG(UNIT)_6E 3m 91200_02294_220623 VERTICAL : RBW:1000.000kHz VBW:16000kHz SWT:Auto



WIFI	Band 5 5925~6425MHz Fundamental @ 3m	
ANT	802.11be EHT160 Full CH47 6185MHz	
3+4	Horizontal	Vertical
Peak	 Level (dBuV/m) Frequency (MHz) Date: 2023-04-28 Site : 03CH15-HY Condition : PEAK(UNIT)_6E 3m 91200_02294_220623 HORIZONTAL :	 Level (dBuV/m) Frequency (MHz) Date: 2023-06-06 Site : 03CH15-HY Condition : PEAK(UNIT)_6E 3m 91200_02294_220623 VERTICAL :
Avg.	 Level (dBuV/m) Frequency (MHz) Date: 2023-04-28 Site : 03CH15-HY Condition : AVG(UNIT)_6E 3m 91200_02294_220623 HORIZONTAL :	 Level (dBuV/m) Frequency (MHz) Date: 2023-04-28 Site : 03CH15-HY Condition : AVG(UNIT)_6E 3m 91200_02294_220623 VERTICAL :





WIFI	Band 5 5925~6425MHz Fundamental @ 3m	
ANT	802.11be EHT160 Full CH79 6345MHz	
3+4	Horizontal	Vertical
Peak	 Site : 03CH15-HY Condition : PEAK(UNIT)_6E 3m 91200_02294_220623 HORIZONTAL :	 Site : 03CH15-HY Condition : PEAK(UNIT)_6E 3m 91200_02294_220623 VERTICAL :
Avg.	 Site : 03CH15-HY Condition : AVG(UNIT)_6E 3m 91200_02294_220623 HORIZONTAL :	 Site : 03CH15-HY Condition : AVG(UNIT)_6E 3m 91200_02294_220623 VERTICAL :



Band 5 - 5925~6425MHz

WIFI 802.11a (Harmonic @ 3m)

WIFI	Band 5 5925~6425MHz Harmonic @ 3m	
ANT	802.11a CH01 5955MHz	
3+4	Horizontal	Vertical
Peak Avg.	 Site : 03CH15-HY Condition : PEAK[UNIT1]_6E 3m 91200_02294_220623 HORIZONTAL	 Site : 03CH15-HY Condition : PEAK[UNIT1]_6E 3m 91200_02294_220623 VERTICAL



WIFI	Band 5 5925~6425MHz Harmonic @ 3m	
ANT	802.11a CH01 5955MHz	
3+4	Horizontal	Vertical
14.47G ~14.5G Avg.	Level (dBuV/m) vs Frequency (MHz) for Horizontal polarization. The plot shows a flat line at approximately 40 dBuV/m across the frequency range 14470 to 14500 MHz. A red line labeled 'AVG_54' is at approximately 55 dBuV/m. The date is 2023-04-19. Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_220623 HORIZONTAL	Level (dBuV/m) vs Frequency (MHz) for Vertical polarization. The plot shows a flat line at approximately 40 dBuV/m across the frequency range 14470 to 14500 MHz. A red line labeled 'AVG_54' is at approximately 55 dBuV/m. The date is 2023-04-19. Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_220623 VERTICAL
	Level (dBuV/m) vs Frequency (MHz) for Horizontal polarization. The plot shows a flat line at approximately 40 dBuV/m across the frequency range 17700 to 18000 MHz. A red line labeled 'AVG_54' is at approximately 55 dBuV/m. The date is 2023-04-19. Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_220623 HORIZONTAL	Level (dBuV/m) vs Frequency (MHz) for Vertical polarization. The plot shows a flat line at approximately 40 dBuV/m across the frequency range 17700 to 18000 MHz. A red line labeled 'AVG_54' is at approximately 55 dBuV/m. The date is 2023-04-19. Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_220623 VERTICAL



WIFI	Band 5 5925~6425MHz Harmonic @ 3m	
ANT	802.11a CH49 6195MHz	
3+4	Horizontal	Vertical
Peak Avg.	Level (dBuV/m) Date: 2023-04-18 Frequency (MHz) Site : 03CH15-HY Condition : PEAK(UNIT)_6E 3m 91200_02294_220623 HORIZONTAL :	Level (dBuV/m) Date: 2023-04-18 Frequency (MHz) Site : 03CH15-HY Condition : PEAK(UNIT)_6E 3m 91200_02294_220623 VERTICAL :



WIFI	Band 5 5925~6425MHz Harmonic @ 3m	
ANT	802.11a CH49 6195MHz	
3+4	Horizontal	Vertical
14.47G ~14.5G Avg.	Level (dBuV/m) vs Frequency (MHz) for Horizontal polarization. The plot shows a red line at approximately 55 dBuV/m and a blue line at approximately 40 dBuV/m. The x-axis ranges from 14470 to 14500 MHz, and the y-axis ranges from 10.0 to 140.0 dBuV/m. The date is 2023-04-28. Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_220623 HORIZONTAL	Level (dBuV/m) vs Frequency (MHz) for Vertical polarization. The plot shows a red line at approximately 55 dBuV/m and a blue line at approximately 40 dBuV/m. The x-axis ranges from 14470 to 14500 MHz, and the y-axis ranges from 10.0 to 140.0 dBuV/m. The date is 2023-04-28. Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_220623 VERTICAL
	Level (dBuV/m) vs Frequency (MHz) for Horizontal polarization. The plot shows a red line at approximately 55 dBuV/m and a blue line at approximately 40 dBuV/m. The x-axis ranges from 17700 to 18000 MHz, and the y-axis ranges from 10.0 to 140.0 dBuV/m. The date is 2023-04-28. Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_220623 HORIZONTAL	Level (dBuV/m) vs Frequency (MHz) for Vertical polarization. The plot shows a red line at approximately 55 dBuV/m and a blue line at approximately 40 dBuV/m. The x-axis ranges from 17700 to 18000 MHz, and the y-axis ranges from 10.0 to 140.0 dBuV/m. The date is 2023-04-28. Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_220623 VERTICAL





WIFI	Band 5 5925~6425MHz Harmonic @ 3m	
ANT	802.11a CH93 6415MHz	
3+4	Horizontal	Vertical
Peak Avg.	Level (dBuV/m) Date: 2023-04-18 Frequency (MHz) Site : 03CH15-HY Condition : PEAK(UNIT)_6E 3m 91200_02294_220623 HORIZONTAL :	Level (dBuV/m) Date: 2023-04-18 Frequency (MHz) Site : 03CH15-HY Condition : PEAK(UNIT)_6E 3m 91200_02294_220623 VERTICAL :



WIFI	Band 5 5925~6425MHz Harmonic @ 3m	
ANT	802.11a CH93 6415MHz	
3+4	Horizontal	Vertical
14.47G ~14.5G Avg.	Level (dBuV/m) vs Frequency (MHz) for Horizontal polarization. The plot shows a blue line representing the signal level, which is relatively flat around 40 dBuV/m. A red line labeled 'AVG_54' is positioned at approximately 55 dBuV/m. The x-axis ranges from 14470 to 14500 MHz, and the y-axis ranges from 10.0 to 140.0 dBuV/m. Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_220623 HORIZONTAL	Level (dBuV/m) vs Frequency (MHz) for Vertical polarization. The plot shows a blue line representing the signal level, which is relatively flat around 40 dBuV/m. A red line labeled 'AVG_54' is positioned at approximately 55 dBuV/m. The x-axis ranges from 14470 to 14500 MHz, and the y-axis ranges from 10.0 to 140.0 dBuV/m. Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_220623 VERTICAL
	Level (dBuV/m) vs Frequency (MHz) for Horizontal polarization. The plot shows a blue line representing the signal level, which is relatively flat around 40 dBuV/m. A red line labeled 'AVG_54' is positioned at approximately 55 dBuV/m. The x-axis ranges from 17700 to 18000 MHz, and the y-axis ranges from 10.0 to 140.0 dBuV/m. Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_220623 HORIZONTAL	Level (dBuV/m) vs Frequency (MHz) for Vertical polarization. The plot shows a blue line representing the signal level, which is relatively flat around 40 dBuV/m. A red line labeled 'AVG_54' is positioned at approximately 55 dBuV/m. The x-axis ranges from 17700 to 18000 MHz, and the y-axis ranges from 10.0 to 140.0 dBuV/m. Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_220623 VERTICAL



Band 5 5925~6425MHz
WIFI 802.11be EHT20 Full (Harmonic @ 3m)

WIFI	Band 5 5925~6425MHz Harmonic @ 3m	
ANT	802.11be EHT20 Full CH01 5955MHz	
3+4	Horizontal	Vertical
Peak Avg.	 Site : 03CH15-HY Condition : PEAK(UNIT)_6E 3m 91200_02294_220623 HORIZONTAL :	 Site : 03CH15-HY Condition : PEAK(UNIT)_6E 3m 91200_02294_220623 VERTICAL :



WIFI	Band 5 5925~6425MHz Harmonic @ 3m	
ANT	802.11be EHT20 Full CH01 5955MHz	
3+4	Horizontal	Vertical
14.47G ~14.5G Avg.	Level (dBuV/m) vs Frequency (MHz) for Horizontal polarization. The plot shows a flat line at approximately 40 dBuV/m across the frequency range 14470 to 14500 MHz. A red line indicates the noise floor at approximately 55 dBuV/m. Site : 03CH15-HY Condition : AV6(UNIT)_6E 3m 91200_02294_220623 HORIZONTAL	Level (dBuV/m) vs Frequency (MHz) for Vertical polarization. The plot shows a flat line at approximately 40 dBuV/m across the frequency range 14470 to 14500 MHz. A red line indicates the noise floor at approximately 55 dBuV/m. Site : 03CH15-HY Condition : AV6(UNIT)_6E 3m 91200_02294_220623 VERTICAL
	Level (dBuV/m) vs Frequency (MHz) for Horizontal polarization. The plot shows a flat line at approximately 40 dBuV/m across the frequency range 17700 to 18000 MHz. A red line indicates the noise floor at approximately 55 dBuV/m. Site : 03CH15-HY Condition : AV6(UNIT)_6E 3m 91200_02294_220623 HORIZONTAL	Level (dBuV/m) vs Frequency (MHz) for Vertical polarization. The plot shows a flat line at approximately 40 dBuV/m across the frequency range 17700 to 18000 MHz. A red line indicates the noise floor at approximately 55 dBuV/m. Site : 03CH15-HY Condition : AV6(UNIT)_6E 3m 91200_02294_220623 VERTICAL



WIFI	Band 5 5925~6425MHz Harmonic @ 3m	
ANT	802.11be EHT20 Full CH49 6195MHz	
3+4	Horizontal	Vertical
Peak Avg.	Level (dBuV/m) Date: 2023-04-18 Site : 03CH15-HY Condition : PEAK(UNIT)_6E 3m 91200_02294_220623 HORIZONTAL :	Level (dBuV/m) Date: 2023-04-18 Site : 03CH15-HY Condition : PEAK(UNIT)_6E 3m 91200_02294_220623 VERTICAL :



WIFI	Band 5 5925~6425MHz Harmonic @ 3m	
ANT	802.11be EHT20 Full CH49 6195MHz	
3+4	Horizontal	Vertical
14.47G ~14.5G Avg.	Level (dBuV/m) vs Frequency (MHz) for Horizontal polarization. The plot shows a blue line representing the signal level and a red line labeled 'AVG_54' representing the average level. The signal level is relatively flat around 40 dBuV/m. The average level is around 55 dBuV/m. The x-axis ranges from 14470 to 14500 MHz, and the y-axis ranges from 10.0 to 140.0 dBuV/m. Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_220623 HORIZONTAL	Level (dBuV/m) vs Frequency (MHz) for Vertical polarization. The plot shows a blue line representing the signal level and a red line labeled 'AVG_54' representing the average level. The signal level is relatively flat around 40 dBuV/m. The average level is around 55 dBuV/m. The x-axis ranges from 14470 to 14500 MHz, and the y-axis ranges from 10.0 to 140.0 dBuV/m. Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_220623 VERTICAL
	Level (dBuV/m) vs Frequency (MHz) for Horizontal polarization. The plot shows a blue line representing the signal level and a red line labeled 'AVG_54' representing the average level. The signal level is relatively flat around 40 dBuV/m. The average level is around 55 dBuV/m. The x-axis ranges from 17700 to 18000 MHz, and the y-axis ranges from 10.0 to 140.0 dBuV/m. Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_220623 HORIZONTAL	Level (dBuV/m) vs Frequency (MHz) for Vertical polarization. The plot shows a blue line representing the signal level and a red line labeled 'AVG_54' representing the average level. The signal level is relatively flat around 40 dBuV/m. The average level is around 55 dBuV/m. The x-axis ranges from 17700 to 18000 MHz, and the y-axis ranges from 10.0 to 140.0 dBuV/m. Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_220623 VERTICAL





WIFI	Band 5 5925~6425MHz Harmonic @ 3m	
ANT	802.11be EHT20 Full CH93 6415MHz	
3+4	Horizontal	Vertical
Peak Avg.	Level (dBuV/m) Date: 2023-04-18 Site : 03CHI5-HY Condition : PEAK(UNIT)_6E 3m 91200_02294_220623 HORIZONTAL :	Level (dBuV/m) Date: 2023-04-18 Site : 03CHI5-HY Condition : PEAK(UNIT)_6E 3m 91200_02294_220623 VERTICAL :



WIFI	Band 5 5925~6425MHz Harmonic @ 3m	
ANT	802.11be EHT20 Full CH93 6415MHz	
3+4	Horizontal	Vertical
14.47G ~14.5G Avg.	Level (dBuV/m) vs Frequency (MHz) for Horizontal polarization. The plot shows a blue line representing the signal level and a red line labeled 'AVG_54' representing the average level. The signal level is relatively flat around 40 dBuV/m across the frequency range from 14470 to 14500 MHz. Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_220623 HORIZONTAL	Level (dBuV/m) vs Frequency (MHz) for Vertical polarization. The plot shows a blue line representing the signal level and a red line labeled 'AVG_54' representing the average level. The signal level is relatively flat around 40 dBuV/m across the frequency range from 14470 to 14500 MHz. Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_220623 VERTICAL
	Level (dBuV/m) vs Frequency (MHz) for Horizontal polarization. The plot shows a blue line representing the signal level and a red line labeled 'AVG_54' representing the average level. The signal level is relatively flat around 40 dBuV/m across the frequency range from 17700 to 18000 MHz. Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_220623 HORIZONTAL	Level (dBuV/m) vs Frequency (MHz) for Vertical polarization. The plot shows a blue line representing the signal level and a red line labeled 'AVG_54' representing the average level. The signal level is relatively flat around 40 dBuV/m across the frequency range from 17700 to 18000 MHz. Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_220623 VERTICAL



Band 5 5925~6425MHz
WIFI 802.11be EHT40 Full (Harmonic @ 3m)

WIFI	Band 5 5925~6425MHz Harmonic @ 3m	
ANT	802.11be EHT40 Full CH03 5965MHz	
3+4	Horizontal	Vertical
Peak Avg.	 Site : 03CH15-HY Condition : PEAK(UNIT)_6E 3m 91200_02294_220623 HORIZONTAL :	 Site : 03CH15-HY Condition : PEAK(UNIT)_6E 3m 91200_02294_220623 VERTICAL :



WIFI	Band 5 5925~6425MHz Harmonic @ 3m	
ANT	802.11be EHT40 Full CH03 5965MHz	
3+4	Horizontal	Vertical
14.47G ~14.5G Avg.	Level (dBuV/m) vs Frequency (MHz) for 14.47G. The plot shows a flat line at approximately 40 dBuV/m across the frequency range 14470 to 14500 MHz. A red line indicates the noise floor at approximately 55 dBuV/m. Site : 03CH15-HY Condition : AV6(UNIT)_6E 3m 91200_02294_220623 VERTICAL	Level (dBuV/m) vs Frequency (MHz) for 14.47G. The plot shows a flat line at approximately 40 dBuV/m across the frequency range 14470 to 14500 MHz. A red line indicates the noise floor at approximately 55 dBuV/m. Site : 03CH15-HY Condition : AV6(UNIT)_6E 3m 91200_02294_220623 HORIZONTAL
	Level (dBuV/m) vs Frequency (MHz) for 17.7G. The plot shows a flat line at approximately 40 dBuV/m across the frequency range 17700 to 18000 MHz. A red line indicates the noise floor at approximately 55 dBuV/m. Site : 03CH15-HY Condition : AV6(UNIT)_6E 3m 91200_02294_220623 VERTICAL	Level (dBuV/m) vs Frequency (MHz) for 17.7G. The plot shows a flat line at approximately 40 dBuV/m across the frequency range 17700 to 18000 MHz. A red line indicates the noise floor at approximately 55 dBuV/m. Site : 03CH15-HY Condition : AV6(UNIT)_6E 3m 91200_02294_220623 HORIZONTAL





WIFI	Band 5 5925~6425MHz Harmonic @ 3m	
ANT	802.11be EHT40 Full CH51 6205MHz	
3+4	Horizontal	Vertical
Peak Avg.	Level (dBuV/m) Date: 2023-04-18 Site : 03CH15-HY Condition : PEAK[UNIT]_6E 3m 91200_02294_220623 HORIZONTAL :	Level (dBuV/m) Date: 2023-04-18 Site : 03CH15-HY Condition : PEAK[UNIT]_6E 3m 91200_02294_220623 VERTICAL :



WIFI	Band 5 5925~6425MHz Harmonic @ 3m	
ANT	802.11be EHT40 Full CH51 6205MHz	
3+4	Horizontal	Vertical
14.47G ~14.5G Avg.	Level (dBuV/m) vs Frequency (MHz) for Horizontal polarization. The plot shows a blue line representing the signal level, which is relatively flat around 40 dBuV/m. A red line labeled 'AVG_54' is positioned at approximately 55 dBuV/m. The x-axis ranges from 14470 to 14500 MHz, and the y-axis ranges from 10.0 to 140.0 dBuV/m. Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_220623 HORIZONTAL	Level (dBuV/m) vs Frequency (MHz) for Vertical polarization. The plot shows a blue line representing the signal level, which is relatively flat around 40 dBuV/m. A red line labeled 'AVG_54' is positioned at approximately 55 dBuV/m. The x-axis ranges from 14470 to 14500 MHz, and the y-axis ranges from 10.0 to 140.0 dBuV/m. Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_220623 VERTICAL
	Level (dBuV/m) vs Frequency (MHz) for Horizontal polarization. The plot shows a blue line representing the signal level, which is relatively flat around 40 dBuV/m. A red line labeled 'AVG_54' is positioned at approximately 55 dBuV/m. The x-axis ranges from 17700 to 18000 MHz, and the y-axis ranges from 10.0 to 140.0 dBuV/m. Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_220623 HORIZONTAL	Level (dBuV/m) vs Frequency (MHz) for Vertical polarization. The plot shows a blue line representing the signal level, which is relatively flat around 40 dBuV/m. A red line labeled 'AVG_54' is positioned at approximately 55 dBuV/m. The x-axis ranges from 17700 to 18000 MHz, and the y-axis ranges from 10.0 to 140.0 dBuV/m. Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_220623 VERTICAL





WIFI	Band 5 5925~6425MHz Harmonic @ 3m	
ANT	802.11be EHT40 Full CH91 6405MHz	
3+4	Horizontal	Vertical
Peak Avg.	 Site : 03CHI1-HY Condition : PEAK[UNIT]_6E 1m SHF_00991_220514 HORIZONTAL :	 Site : 03CHI1-HY Condition : PEAK[UNIT]_6E 1m SHF_00991_220514 VERTICAL :



WIFI	Band 5 5925~6425MHz Harmonic @ 3m	
ANT	802.11be EHT40 Full CH91 6405MHz	
3+4	Horizontal	Vertical
14.47G ~14.5G Avg.	Level (dBuV/m) vs Frequency (MHz) for Horizontal polarization. The plot shows a blue line representing the signal level, which is relatively flat around 40 dBuV/m. A red line labeled 'AVG_54' is positioned at approximately 55 dBuV/m. The x-axis ranges from 14470 to 14500 MHz, and the y-axis ranges from 10.0 to 140.0 dBuV/m. Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_220623 HORIZONTAL	Level (dBuV/m) vs Frequency (MHz) for Vertical polarization. The plot shows a blue line representing the signal level, which is relatively flat around 40 dBuV/m. A red line labeled 'AVG_54' is positioned at approximately 55 dBuV/m. The x-axis ranges from 14470 to 14500 MHz, and the y-axis ranges from 10.0 to 140.0 dBuV/m. Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_220623 VERTICAL
	Level (dBuV/m) vs Frequency (MHz) for Horizontal polarization. The plot shows a blue line representing the signal level, which is relatively flat around 40 dBuV/m. A red line labeled 'AVG_54' is positioned at approximately 55 dBuV/m. The x-axis ranges from 17700 to 18000 MHz, and the y-axis ranges from 10.0 to 140.0 dBuV/m. Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_220623 HORIZONTAL	Level (dBuV/m) vs Frequency (MHz) for Vertical polarization. The plot shows a blue line representing the signal level, which is relatively flat around 40 dBuV/m. A red line labeled 'AVG_54' is positioned at approximately 55 dBuV/m. The x-axis ranges from 17700 to 18000 MHz, and the y-axis ranges from 10.0 to 140.0 dBuV/m. Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_220623 VERTICAL



Band 5 5925~6425MHz
WIFI 802.11be EHT80 Full (Harmonic @ 3m)

WIFI	Band 5 5925~6425MHz Harmonic @ 3m	
ANT	802.11be EHT80 Full CH07 5985MHz	
3+4	Horizontal	Vertical
Peak Avg.	 Site : 03CH15-HY Condition : PEAK(UNIT)_6E 3m 91200_02294_220623 HORIZONTAL :	 Site : 03CH15-HY Condition : PEAK(UNIT)_6E 3m 91200_02294_220623 VERTICAL :



WIFI	Band 5 5925~6425MHz Harmonic @ 3m	
ANT	802.11be EHT80 Full CH07 5985MHz	
3+4	Horizontal	Vertical
14.47G ~14.5G Avg.	Level (dBuV/m) vs Frequency (MHz) for Horizontal polarization. The plot shows a flat line at approximately 40 dBuV/m across the frequency range 14470 to 14500 MHz. A red line indicates the noise floor at approximately 55 dBuV/m. Site : 03CH15-HY Condition : AV6(UNIT)_6E 3m 91200_02294_220623 HORIZONTAL	Level (dBuV/m) vs Frequency (MHz) for Vertical polarization. The plot shows a flat line at approximately 40 dBuV/m across the frequency range 14470 to 14500 MHz. A red line indicates the noise floor at approximately 55 dBuV/m. Site : 03CH15-HY Condition : AV6(UNIT)_6E 3m 91200_02294_220623 VERTICAL
	Level (dBuV/m) vs Frequency (MHz) for Horizontal polarization. The plot shows a flat line at approximately 40 dBuV/m across the frequency range 17700 to 18000 MHz. A red line indicates the noise floor at approximately 55 dBuV/m. Site : 03CH15-HY Condition : AV6(UNIT)_6E 3m 91200_02294_220623 HORIZONTAL	Level (dBuV/m) vs Frequency (MHz) for Vertical polarization. The plot shows a flat line at approximately 40 dBuV/m across the frequency range 17700 to 18000 MHz. A red line indicates the noise floor at approximately 55 dBuV/m. Site : 03CH15-HY Condition : AV6(UNIT)_6E 3m 91200_02294_220623 VERTICAL



WIFI	Band 5 5925~6425MHz Harmonic @ 3m	
ANT	802.11be EHT80 Full CH55 6225MHz	
3+4	Horizontal	Vertical
Peak Avg.	Level (dBuV/m) Date: 2023-04-28 Site : 03CHI1-HY Condition : PEAK[UNIT]_6E 1m SHF_00991_220514 HORIZONTAL :	Level (dBuV/m) Date: 2023-04-19 Site : 03CHI1-HY Condition : PEAK[UNIT]_6E 1m SHF_00991_220514 VERTICAL :



WIFI	Band 5 5925~6425MHz Harmonic @ 3m	
ANT	802.11be EHT80 Full CH55 6225MHz	
3+4	Horizontal	Vertical
14.47G ~14.5G Avg.	Level (dBuV/m) vs Frequency (MHz) plot for Horizontal polarization. The y-axis ranges from 10.0 to 140.0 dBuV/m, and the x-axis ranges from 14470 to 14500 MHz. A red line labeled 'AVG_54' is at approximately 55 dBuV/m. The blue line shows the spectrum level, which is relatively flat around 40 dBuV/m. Site : 03CH15-HY Condition : AVG_54 3m 91200_02294_220623 HORIZONTAL	Level (dBuV/m) vs Frequency (MHz) plot for Vertical polarization. The y-axis ranges from 10.0 to 140.0 dBuV/m, and the x-axis ranges from 14470 to 14500 MHz. A red line labeled 'AVG_54' is at approximately 55 dBuV/m. The blue line shows the spectrum level, which is relatively flat around 40 dBuV/m. Site : 03CH15-HY Condition : AVG_54 3m 91200_02294_220623 VERTICAL
	Level (dBuV/m) vs Frequency (MHz) plot for Horizontal polarization. The y-axis ranges from 10.0 to 140.0 dBuV/m, and the x-axis ranges from 17700 to 18000 MHz. A red line labeled 'AVG_54' is at approximately 55 dBuV/m. The blue line shows the spectrum level, which is relatively flat around 40 dBuV/m. Site : 03CH15-HY Condition : AVG_54 3m 91200_02294_220623 HORIZONTAL	Level (dBuV/m) vs Frequency (MHz) plot for Vertical polarization. The y-axis ranges from 10.0 to 140.0 dBuV/m, and the x-axis ranges from 17700 to 18000 MHz. A red line labeled 'AVG_54' is at approximately 55 dBuV/m. The blue line shows the spectrum level, which is relatively flat around 40 dBuV/m. Site : 03CH15-HY Condition : AVG_54 3m 91200_02294_220623 VERTICAL



WIFI	Band 5 5925~6425MHz Harmonic @ 3m	
ANT	802.11be EHT80 Full CH87 6385MHz	
3+4	Horizontal	Vertical
Peak Avg.	Level (dBuV/m) Date: 2023-04-19 Frequency (MHz) Site : 03CHI1-HY Condition : PEAK[UNIT]_6E 1m SHF_00991_220514 HORIZONTAL :	Level (dBuV/m) Date: 2023-04-19 Frequency (MHz) Site : 03CHI1-HY Condition : PEAK[UNIT]_6E 1m SHF_00991_220514 VERTICAL :





WIFI	Band 5 5925~6425MHz Harmonic @ 3m	
ANT	802.11be EHT80 Full CH87 6385MHz	
3+4	Horizontal	Vertical
14.47G ~14.5G Avg.	Level (dBuV/m) Date: 2023-04-28 Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_220623 HORIZONTAL Frequency (MHz)	Level (dBuV/m) Date: 2023-04-28 Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_220623 VERTICAL Frequency (MHz)
	Level (dBuV/m) Date: 2023-04-28 Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_220623 HORIZONTAL Frequency (MHz)	Level (dBuV/m) Date: 2023-04-28 Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_220623 VERTICAL Frequency (MHz)



Band 5 5925~6425MHz

WIFI 802.11be EHT160 Full (Harmonic @ 3m)

WIFI	Band 5 5925~6425MHz Harmonic @ 3m	
ANT	802.11be EHT160 Full CH15 6025MHz	
3+4	Horizontal	Vertical
Peak Avg.	 Site : 03CHI1-HY Condition : PEAK(UNIT)_6E 1m SHF_00991_220514 HORIZONTAL :	 Site : 03CHI1-HY Condition : PEAK(UNIT)_6E 1m SHF_00991_220514 VERTICAL :



WIFI	Band 5 5925~6425MHz Harmonic @ 3m	
ANT	802.11be EHT160 Full CH15 6025MHz	
3+4	Horizontal	Vertical
14.47G ~14.5G Avg.	Level (dBuV/m) vs Frequency (MHz) for Horizontal polarization. The plot shows a blue line representing the signal level, which is relatively flat around 40 dBuV/m. A red line labeled 'AVG_54' is positioned at approximately 55 dBuV/m. The x-axis ranges from 14470 to 14500 MHz, and the y-axis ranges from 10.0 to 140.0 dBuV/m. Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_220623 HORIZONTAL	Level (dBuV/m) vs Frequency (MHz) for Vertical polarization. The plot shows a blue line representing the signal level, which is relatively flat around 40 dBuV/m. A red line labeled 'AVG_54' is positioned at approximately 55 dBuV/m. The x-axis ranges from 14470 to 14500 MHz, and the y-axis ranges from 10.0 to 140.0 dBuV/m. Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_220623 VERTICAL
	Level (dBuV/m) vs Frequency (MHz) for Horizontal polarization. The plot shows a blue line representing the signal level, which is relatively flat around 40 dBuV/m. A red line labeled 'AVG_54' is positioned at approximately 55 dBuV/m. The x-axis ranges from 17700 to 18000 MHz, and the y-axis ranges from 10.0 to 140.0 dBuV/m. Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_220623 HORIZONTAL	Level (dBuV/m) vs Frequency (MHz) for Vertical polarization. The plot shows a blue line representing the signal level, which is relatively flat around 40 dBuV/m. A red line labeled 'AVG_54' is positioned at approximately 55 dBuV/m. The x-axis ranges from 17700 to 18000 MHz, and the y-axis ranges from 10.0 to 140.0 dBuV/m. Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_220623 VERTICAL



WIFI	Band 5 5925~6425MHz Harmonic @ 3m	
ANT	802.11be EHT160 Full CH47 6185MHz	
3+4	Horizontal	Vertical
Peak Avg.	Level (dBuV/m) Date: 2023-04-19 Site : 03CH11-HY Condition : PEAK[UNIT1]_6E 1m SHF_00991_220514 HORIZONTAL	Level (dBuV/m) Date: 2023-04-19 Site : 03CH11-HY Condition : PEAK[UNIT1]_6E 1m SHF_00991_220514 VERTICAL



WIFI	Band 5 5925~6425MHz Harmonic @ 3m	
ANT	802.11be EHT160 Full CH47 6185MHz	
3+4	Horizontal	Vertical
14.47G ~14.5G Avg.	Level (dBuV/m) vs Frequency (MHz) for Horizontal polarization. The plot shows a flat line at approximately 40 dBuV/m across the frequency range 14470 to 14500 MHz. A red line labeled 'AVG_54' is at approximately 55 dBuV/m. The date is 2023-04-28. Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_220623 HORIZONTAL	Level (dBuV/m) vs Frequency (MHz) for Vertical polarization. The plot shows a flat line at approximately 40 dBuV/m across the frequency range 14470 to 14500 MHz. A red line labeled 'AVG_54' is at approximately 55 dBuV/m. The date is 2023-04-28. Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_220623 VERTICAL
	Level (dBuV/m) vs Frequency (MHz) for Horizontal polarization. The plot shows a flat line at approximately 40 dBuV/m across the frequency range 17700 to 18000 MHz. A red line labeled 'AVG_54' is at approximately 55 dBuV/m. The date is 2023-04-28. Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_220623 HORIZONTAL	Level (dBuV/m) vs Frequency (MHz) for Vertical polarization. The plot shows a flat line at approximately 40 dBuV/m across the frequency range 17700 to 18000 MHz. A red line labeled 'AVG_54' is at approximately 55 dBuV/m. The date is 2023-04-28. Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_220623 VERTICAL







WIFI	Band 5 5925~6425MHz Harmonic @ 3m	
ANT	802.11be EHT160 Full CH79 6345MHz	
3+4	Horizontal	Vertical
Peak Avg.	Level (dBuV/m) Date: 2023-04-19 Frequency (MHz) Site : 03CH11-HY Condition : PEAK[UNIT1]_6E 1m SHF_00991_220514 HORIZONTAL	Level (dBuV/m) Date: 2023-04-19 Frequency (MHz) Site : 03CH11-HY Condition : PEAK[UNIT1]_6E 1m SHF_00991_220514 VERTICAL



WIFI	Band 5 5925~6425MHz Harmonic @ 3m	
ANT	802.11be EHT160 Full CH79 6345MHz	
3+4	Horizontal	Vertical
14.47G ~14.5G Avg.	Level (dBuV/m) vs Frequency (MHz) for Horizontal polarization. The plot shows a blue line representing the signal level, which is relatively flat around 40 dBuV/m. A red line labeled 'AVG_54' is positioned at approximately 55 dBuV/m. The x-axis ranges from 14470 to 14500 MHz, and the y-axis ranges from 10.0 to 140.0 dBuV/m. Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_220623 HORIZONTAL	Level (dBuV/m) vs Frequency (MHz) for Vertical polarization. The plot shows a blue line representing the signal level, which is relatively flat around 40 dBuV/m. A red line labeled 'AVG_54' is positioned at approximately 55 dBuV/m. The x-axis ranges from 14470 to 14500 MHz, and the y-axis ranges from 10.0 to 140.0 dBuV/m. Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_220623 VERTICAL
	Level (dBuV/m) vs Frequency (MHz) for Horizontal polarization. The plot shows a blue line representing the signal level, which is relatively flat around 40 dBuV/m. A red line labeled 'AVG_54' is positioned at approximately 55 dBuV/m. The x-axis ranges from 17700 to 18000 MHz, and the y-axis ranges from 10.0 to 140.0 dBuV/m. Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_220623 HORIZONTAL	Level (dBuV/m) vs Frequency (MHz) for Vertical polarization. The plot shows a blue line representing the signal level, which is relatively flat around 40 dBuV/m. A red line labeled 'AVG_54' is positioned at approximately 55 dBuV/m. The x-axis ranges from 17700 to 18000 MHz, and the y-axis ranges from 10.0 to 140.0 dBuV/m. Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_220623 VERTICAL



Band 7 - 6525~6875MHz
WIFI 802.11a (Fundamental @ 3m)

WIFI	Band 7 6525~6875MHz Fundamental @ 3m	
ANT	802.11a CH117 6535MHz	
3+4	Horizontal	Vertical
Peak	 Site : 03CH15-HY Condition : PEAK(UNIT)_6E 3m 91200_02294_220623 HORIZONTAL :	 Site : 03CH15-HY Condition : PEAK(UNIT)_6E 3m 91200_02294_220623 VERTICAL :
Avg	 Site : 03CH15-HY Condition : AVG(UNIT)_6E 3m 91200_02294_220623 HORIZONTAL :	 Site : 03CH15-HY Condition : AVG(UNIT)_6E 3m 91200_02294_220623 VERTICAL :







WIFI	Band 7 6525~6875MHz Fundamental @ 3m	
ANT	802.11a CH149 6695MHz	
3+4	Horizontal	Vertical
Peak	Level (dBu/m) Date: 2023-04-28 Site : 03CH15-HY Condition : PEAK(UNIT)_6E 3m 91200_02294_220623 HORIZONTAL :	Level (dBu/m) Date: 2023-04-28 Site : 03CH15-HY Condition : PEAK(UNIT)_6E 3m 91200_02294_220623 VERTICAL :
	Level (dBu/m) Date: 2023-06-06 Site : 03CH15-HY Condition : AVG(UNIT)_6E 3m 91200_02294_220623 HORIZONTAL :	Level (dBu/m) Date: 2023-04-28 Site : 03CH15-HY Condition : AVG(UNIT)_6E 3m 91200_02294_220623 VERTICAL :







WIFI	Band 7 6525~6875MHz Fundamental @ 3m	
ANT	802.11a CH181 6855MHz	
3+4	Horizontal	Vertical
Peak	Horizontal Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) for 802.11a CH181 6855MHz. The plot shows a sharp peak at 6855 MHz. The Y-axis ranges from 10.0 to 140.0 dBuV/m, and the X-axis ranges from 1000 to 7200 MHz. The plot is labeled 'PEAK(UNIT)_6E'.	Vertical Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) for 802.11a CH181 6855MHz. The plot shows a sharp peak at 6855 MHz. The Y-axis ranges from 10.0 to 140.0 dBuV/m, and the X-axis ranges from 1000 to 7200 MHz. The plot is labeled 'PEAK(UNIT)_6E'.
Avg.	Horizontal Avg. Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) for 802.11a CH181 6855MHz. The plot shows a sharp peak at 6855 MHz. The Y-axis ranges from 10.0 to 140.0 dBuV/m, and the X-axis ranges from 1000 to 7200 MHz. The plot is labeled 'AVG(UNIT)_6E'.	Vertical Avg. Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) for 802.11a CH181 6855MHz. The plot shows a sharp peak at 6855 MHz. The Y-axis ranges from 10.0 to 140.0 dBuV/m, and the X-axis ranges from 1000 to 7200 MHz. The plot is labeled 'AVG(UNIT)_6E'.



Band 7 6525~6875MHz
WIFI 802.11be EHT20 Full (Fundamental @ 3m)

WIFI	Band 7 6525~6875MHz Fundamental @ 3m	
ANT	802.11be EHT20 Full CH117 6535MHz	
3+4	Horizontal	Vertical
Peak	 Site : 03CH15-HY Condition : PEAK(UNIT)_6E 3m 91200_02294_220623 HORIZONTAL :	 Site : 03CH15-HY Condition : PEAK(UNIT)_6E 3m 91200_02294_220623 VERTICAL :
Avg	 Site : 03CH15-HY Condition : AVG(UNIT)_6E 3m 91200_02294_220623 HORIZONTAL :	 Site : 03CH15-HY Condition : AVG(UNIT)_6E 3m 91200_02294_220623 VERTICAL :







WIFI	Band 7 6525~6875MHz Fundamental @ 3m	
ANT	802.11be EHT20 Full CH149 6695MHz	
3+4	Horizontal	Vertical
Peak	 Level (dBuV/m) Frequency (MHz) Date: 2023-04-28 Site : 03CH15-HY Condition : PEAK(UNIT)_6E 3m 91200_02294_220623 HORIZONTAL	 Level (dBuV/m) Frequency (MHz) Date: 2023-04-28 Site : 03CH15-HY Condition : PEAK(UNIT)_6E 3m 91200_02294_220623 VERTICAL
Avg	 Level (dBuV/m) Frequency (MHz) Date: 2023-04-28 Site : 03CH15-HY Condition : AVG(UNIT)_6E 3m 91200_02294_220623 HORIZONTAL	 Level (dBuV/m) Frequency (MHz) Date: 2023-04-28 Site : 03CH15-HY Condition : AVG(UNIT)_6E 3m 91200_02294_220623 VERTICAL







WIFI	Band 7 6525~6875MHz Fundamental @ 3m	
ANT	802.11be EHT20 Full CH181 6855MHz	
3+4	Horizontal	Vertical
Peak	Level (dBuV/m) Frequency (MHz) Date: 2023-04-28 Site : 03CH15-HY Condition : PEAK(UNIT)_6E 3m 91200_02294_220623 HORIZONTAL :	Level (dBuV/m) Frequency (MHz) Date: 2023-04-28 Site : 03CH15-HY Condition : PEAK(UNIT)_6E 3m 91200_02294_220623 VERTICAL :
	Level (dBuV/m) Frequency (MHz) Date: 2023-04-28 Site : 03CH15-HY Condition : AVG(UNIT)_6E 3m 91200_02294_220623 HORIZONTAL :	Level (dBuV/m) Frequency (MHz) Date: 2023-04-28 Site : 03CH15-HY Condition : AVG(UNIT)_6E 3m 91200_02294_220623 VERTICAL :
Avg		



Band 7 6525~6875MHz
WIFI 802.11be EHT40 Full (Fundamental @ 3m)

WIFI	Band 7 6525~6875MHz Fundamental @ 3m	
ANT	802.11be EHT40 Full CH123 6565MHz	
3+4	Horizontal	Vertical
Peak	 Site : 03CH15-HY Condition : PEAK(UNIT)_6E 3m 91200_02294_220623 HORIZONTAL :	 Site : 03CH15-HY Condition : PEAK(UNIT)_6E 3m 91200_02294_220623 VERTICAL :
Avg	 Site : 03CH15-HY Condition : AVG(UNIT)_6E 3m 91200_02294_220623 HORIZONTAL :	 Site : 03CH15-HY Condition : AVG(UNIT)_6E 3m 91200_02294_220623 VERTICAL :







WIFI	Band 7 6525~6875MHz Fundamental @ 3m	
ANT	802.11be EHT40 Full CH147 6685MHz	
3+4	Horizontal	Vertical
Peak	 Level (dBuV/m) Frequency (MHz) Date: 2023-04-28 Site : 03CH15-HY Condition : PEAK(UNIT)_6E 3m 91200_02294_220623 HORIZONTAL :	 Level (dBuV/m) Frequency (MHz) Date: 2023-04-28 Site : 03CH15-HY Condition : PEAK(UNIT)_6E 3m 91200_02294_220623 VERTICAL :
Avg	 Level (dBuV/m) Frequency (MHz) Date: 2023-04-28 Site : 03CH15-HY Condition : AVG(UNIT)_6E 3m 91200_02294_220623 HORIZONTAL :	 Level (dBuV/m) Frequency (MHz) Date: 2023-04-28 Site : 03CH15-HY Condition : AVG(UNIT)_6E 3m 91200_02294_220623 VERTICAL :







WIFI	Band 7 6525~6875MHz Fundamental @ 3m	
ANT	802.11be EHT40 Full CH179 6845MHz	
3+4	Horizontal	Vertical
Peak	Horizontal Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) for Horizontal polarization. The plot shows a red line representing the peak level and a blue line representing the average level. A sharp peak is visible at approximately 6845 MHz, labeled 'PEAK(UNIT)_6E'. The x-axis ranges from 1000 to 7200 MHz, and the y-axis ranges from 10.0 to 140.0 dBuV/m. The date is 2023-04-28. Site : 03CH15-HY Condition : PEAK(UNIT)_6E 3m 91200_02294_220623 HORIZONTAL :	Vertical Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) for Vertical polarization. The plot shows a red line representing the peak level and a blue line representing the average level. A sharp peak is visible at approximately 6845 MHz, labeled 'PEAK(UNIT)_6E'. The x-axis ranges from 1000 to 7200 MHz, and the y-axis ranges from 10.0 to 140.0 dBuV/m. The date is 2023-04-28. Site : 03CH15-HY Condition : PEAK(UNIT)_6E 3m 91200_02294_220623 VERTICAL :
Avg	Horizontal Avg Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) for Horizontal polarization. The plot shows a red line representing the average level and a blue line representing the peak level. A sharp peak is visible at approximately 6845 MHz, labeled 'AVG(UNIT)_6E'. The x-axis ranges from 1000 to 7200 MHz, and the y-axis ranges from 10.0 to 140.0 dBuV/m. The date is 2023-04-28. Site : 03CH15-HY Condition : AVG(UNIT)_6E 3m 91200_02294_220623 HORIZONTAL :	Vertical Avg Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) for Vertical polarization. The plot shows a red line representing the average level and a blue line representing the peak level. A sharp peak is visible at approximately 6845 MHz, labeled 'AVG(UNIT)_6E'. The x-axis ranges from 1000 to 7200 MHz, and the y-axis ranges from 10.0 to 140.0 dBuV/m. The date is 2023-04-28. Site : 03CH15-HY Condition : AVG(UNIT)_6E 3m 91200_02294_220623 VERTICAL :



Band 7 6525~6875MHz
WIFI 802.11be EHT80 Full (Fundamental @ 3m)

WIFI	Band 7 6525~6875MHz Fundamental @ 3m	
ANT	802.11be EHT80 Full CH135 6625MHz	
3+4	Horizontal	Vertical
Peak	 Site : 03CH15-HY Condition : PEAK(UNIT)_6E 3m 91200_02294_220623 HORIZONTAL :	 Site : 03CH15-HY Condition : PEAK(UNIT)_6E 3m 91200_02294_220623 VERTICAL :
Avg	 Site : 03CH15-HY Condition : AVG(UNIT)_6E 3m 91200_02294_220623 HORIZONTAL :	 Site : 03CH15-HY Condition : AVG(UNIT)_6E 3m 91200_02294_220623 VERTICAL :







WIFI	Band 7 6525~6875MHz Fundamental @ 3m	
ANT	802.11be EHT80 Full CH151 6705MHz	
3+4	Horizontal	Vertical
Peak	 Site : 03CH15-HY Condition : PEAK(UNIT)_6E 3m 91200_02294_220623 HORIZONTAL :	 Site : 03CH15-HY Condition : PEAK(UNIT)_6E 3m 91200_02294_220623 VERTICAL :
Avg	 Site : 03CH15-HY Condition : AVG(UNIT)_6E 3m 91200_02294_220623 HORIZONTAL :	 Site : 03CH15-HY Condition : AVG(UNIT)_6E 3m 91200_02294_220623 VERTICAL :



WIFI	Band 7 6525~6875MHz Fundamental @ 3m	
ANT	802.11be EHT80 Full CH167 6785MHz	
3+4	Horizontal	Vertical
Peak	Level (dBuV/m) Frequency (MHz) Date: 2023-04-28 Site : 03CH15-HY Condition : PEAK(UNIT)_6E 3m 91200_02294_220623 HORIZONTAL :	Level (dBuV/m) Frequency (MHz) Date: 2023-04-28 Site : 03CH15-HY Condition : PEAK(UNIT)_6E 3m 91200_02294_220623 VERTICAL :
Avg	Level (dBuV/m) Frequency (MHz) Date: 2023-04-28 Site : 03CH15-HY Condition : AVG(UNIT)_6E 3m 91200_02294_220623 HORIZONTAL :	Level (dBuV/m) Frequency (MHz) Date: 2023-04-28 Site : 03CH15-HY Condition : AVG(UNIT)_6E 3m 91200_02294_220623 VERTICAL :





Band 7 6525~6875MHz
WIFI 802.11be EHT160 Full (Fundamental @ 3m)

WIFI	Band 7 6525~6875MHz Fundamental @ 3m	
ANT	802.11be EHT160 Full CH143 6665MHz	
3+4	Horizontal	Vertical
Peak	 Site : 03CH15-HY Condition : PEAK(UNIT)_6E 3m 91200_02294_220623 HORIZONTAL :	 Site : 03CH15-HY Condition : PEAK(UNIT)_6E 3m 91200_02294_220623 VERTICAL :
Avg	 Site : 03CH15-HY Condition : AVG(UNIT)_6E 3m 91200_02294_220623 HORIZONTAL :	 Site : 03CH15-HY Condition : AVG(UNIT)_6E 3m 91200_02294_220623 VERTICAL :



Band 7 - 6525~6875MHz

WIFI 802.11a (Harmonic @ 3m)

WIFI	Band 7 6525~6875MHz Harmonic @ 3m	
ANT	802.11a CH117 6535MHz	
3+4	Horizontal	Vertical
Peak Avg.	 Site : 03CH11-HY Condition : PEAK[UNIT1]_6E 1m SHF_00991_220514 HORIZONTAL	 Site : 03CH11-HY Condition : PEAK[UNIT1]_6E 1m SHF_00991_220514 VERTICAL



WIFI	Band 7 6525~6875MHz Harmonic @ 3m	
ANT	802.11a CH117 6535MHz	
3+4	Horizontal	Vertical
14.47G ~14.5G Avg.	Level (dBuV/m) Date: 2023-04-28 Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_220623 HORIZONTAL Frequency (MHz)	Level (dBuV/m) Date: 2023-04-28 Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_220623 VERTICAL Frequency (MHz)
	Level (dBuV/m) Date: 2023-04-28 Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_220623 HORIZONTAL Frequency (MHz)	Level (dBuV/m) Date: 2023-04-28 Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_220623 VERTICAL Frequency (MHz)



WIFI	Band 7 6525~6875MHz Harmonic @ 3m	
ANT	802.11a CH149 6695MHz	
3+4	Horizontal	Vertical
Peak Avg.	Level (dBuV/m) Date: 2023-04-19 Frequency (MHz) Site : 03CH11-HY Condition : PEAK(UNIT)_6E 1m SHF_00991_220514 HORIZONTAL :	Level (dBuV/m) Date: 2023-04-19 Frequency (MHz) Site : 03CH11-HY Condition : PEAK(UNIT)_6E 1m SHF_00991_220514 VERTICAL :



WIFI	Band 7 6525~6875MHz Harmonic @ 3m	
ANT	802.11a CH149 6695MHz	
3+4	Horizontal	Vertical
14.47G ~14.5G Avg.	Level (dBuV/m) vs Frequency (MHz) for Horizontal polarization. The plot shows a blue line representing the signal level, which is relatively flat around 40 dBuV/m. A red line labeled 'AVG_54' is positioned at approximately 55 dBuV/m. The x-axis ranges from 14470 to 14500 MHz, and the y-axis ranges from 10.0 to 140.0 dBuV/m. Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_220623 HORIZONTAL	Level (dBuV/m) vs Frequency (MHz) for Vertical polarization. The plot shows a blue line representing the signal level, which is relatively flat around 40 dBuV/m. A red line labeled 'AVG_54' is positioned at approximately 55 dBuV/m. The x-axis ranges from 14470 to 14500 MHz, and the y-axis ranges from 10.0 to 140.0 dBuV/m. Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_220623 VERTICAL
	Level (dBuV/m) vs Frequency (MHz) for Horizontal polarization. The plot shows a blue line representing the signal level, which is relatively flat around 40 dBuV/m. A red line labeled 'AVG_54' is positioned at approximately 55 dBuV/m. The x-axis ranges from 17700 to 18000 MHz, and the y-axis ranges from 10.0 to 140.0 dBuV/m. Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_220623 HORIZONTAL	Level (dBuV/m) vs Frequency (MHz) for Vertical polarization. The plot shows a blue line representing the signal level, which is relatively flat around 40 dBuV/m. A red line labeled 'AVG_54' is positioned at approximately 55 dBuV/m. The x-axis ranges from 17700 to 18000 MHz, and the y-axis ranges from 10.0 to 140.0 dBuV/m. Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_220623 VERTICAL





WIFI	Band 7 6525~6875MHz Harmonic @ 3m	
ANT	802.11a CH181 6855MHz	
3+4	Horizontal	Vertical
Peak Avg.	Level (dBuV/m) Date: 2023-04-19 Site : 03CH11-HY Condition : PEAK[UNIT1]_6E 1m SHF_00991_220514 HORIZONTAL :	Level (dBuV/m) Date: 2023-04-19 Site : 03CH11-HY Condition : PEAK[UNIT1]_6E 1m SHF_00991_220514 VERTICAL :



WIFI	Band 7 6525~6875MHz Harmonic @ 3m	
ANT	802.11a CH181 6855MHz	
3+4	Horizontal	Vertical
14.47G ~14.5G Avg.	Level (dBuV/m) vs Frequency (MHz) for Horizontal polarization. The plot shows a blue line representing the signal level, which is relatively flat around 40 dBuV/m. A red line labeled 'AVG_54' is positioned at approximately 55 dBuV/m. The x-axis ranges from 14470 to 14500 MHz, and the y-axis ranges from 10.0 to 140.0 dBuV/m. Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_220623 HORIZONTAL	Level (dBuV/m) vs Frequency (MHz) for Vertical polarization. The plot shows a blue line representing the signal level, which is relatively flat around 40 dBuV/m. A red line labeled 'AVG_54' is positioned at approximately 55 dBuV/m. The x-axis ranges from 14470 to 14500 MHz, and the y-axis ranges from 10.0 to 140.0 dBuV/m. Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_220623 VERTICAL
	Level (dBuV/m) vs Frequency (MHz) for Horizontal polarization. The plot shows a blue line representing the signal level, which is relatively flat around 40 dBuV/m. A red line labeled 'AVG_54' is positioned at approximately 55 dBuV/m. The x-axis ranges from 17700 to 18000 MHz, and the y-axis ranges from 10.0 to 140.0 dBuV/m. Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_220623 HORIZONTAL	Level (dBuV/m) vs Frequency (MHz) for Vertical polarization. The plot shows a blue line representing the signal level, which is relatively flat around 40 dBuV/m. A red line labeled 'AVG_54' is positioned at approximately 55 dBuV/m. The x-axis ranges from 17700 to 18000 MHz, and the y-axis ranges from 10.0 to 140.0 dBuV/m. Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_220623 VERTICAL



Band 7 6525~6875MHz
WIFI 802.11be EHT20 Full (Harmonic @ 3m)

WIFI	Band 7 6525~6875MHz Harmonic @ 3m	
ANT	802.11be EHT20 Full CH117 6535MHz	
3+4	Horizontal	Vertical
Peak Avg.	 Site : 03CH11-HY Condition : PEAK(UNIT)_6E 1m SHF_00991_220514 HORIZONTAL :	 Site : 03CH11-HY Condition : PEAK(UNIT)_6E 1m SHF_00991_220514 VERTICAL :



WIFI	Band 7 6525~6875MHz Harmonic @ 3m	
ANT	802.11be EHT20 Full CH117 6535MHz	
3+4	Horizontal	Vertical
14.47G ~14.5G Avg.	Level (dBuV/m) Date: 2023-04-28 Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_220623 HORIZONTAL Frequency (MHz)	Level (dBuV/m) Date: 2023-04-28 Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_220623 VERTICAL Frequency (MHz)
	Level (dBuV/m) Date: 2023-04-28 Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_220623 HORIZONTAL Frequency (MHz)	Level (dBuV/m) Date: 2023-04-28 Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_220623 VERTICAL Frequency (MHz)



WIFI	Band 7 6525~6875MHz Harmonic @ 3m	
ANT	802.11be EHT20 Full CH149 6695MHz	
3+4	Horizontal	Vertical
Peak Avg.	Level (dBuV/m) Date: 2023-04-19 Site : 03CH11-HY Condition : PEAK[UNIT1]_6E 1m SHF_00991_220514 HORIZONTAL	Level (dBuV/m) Date: 2023-04-19 Site : 03CH11-HY Condition : PEAK[UNIT1]_6E 1m SHF_00991_220514 VERTICAL



WIFI	Band 7 6525~6875MHz Harmonic @ 3m	
ANT	802.11be EHT20 Full CH149 6695MHz	
3+4	Horizontal	Vertical
14.47G ~14.5G Avg.	Level (dBuV/m) vs Frequency (MHz) for Horizontal polarization. The plot shows a blue line representing the signal level, which is relatively flat around 40 dBuV/m. A red line labeled 'AVG_54' is positioned at approximately 55 dBuV/m. The x-axis ranges from 14470 to 14500 MHz, and the y-axis ranges from 10.0 to 140.0 dBuV/m. Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_220623 HORIZONTAL	Level (dBuV/m) vs Frequency (MHz) for Vertical polarization. The plot shows a blue line representing the signal level, which is relatively flat around 40 dBuV/m. A red line labeled 'AVG_54' is positioned at approximately 55 dBuV/m. The x-axis ranges from 14470 to 14500 MHz, and the y-axis ranges from 10.0 to 140.0 dBuV/m. Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_220623 VERTICAL
	Level (dBuV/m) vs Frequency (MHz) for Horizontal polarization. The plot shows a blue line representing the signal level, which is relatively flat around 40 dBuV/m. A red line labeled 'AVG_54' is positioned at approximately 55 dBuV/m. The x-axis ranges from 17700 to 18000 MHz, and the y-axis ranges from 10.0 to 140.0 dBuV/m. Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_220623 HORIZONTAL	Level (dBuV/m) vs Frequency (MHz) for Vertical polarization. The plot shows a blue line representing the signal level, which is relatively flat around 40 dBuV/m. A red line labeled 'AVG_54' is positioned at approximately 55 dBuV/m. The x-axis ranges from 17700 to 18000 MHz, and the y-axis ranges from 10.0 to 140.0 dBuV/m. Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_220623 VERTICAL





WIFI	Band 7 6525~6875MHz Harmonic @ 3m	
ANT	802.11be EHT20 Full CH181 6855MHz	
3+4	Horizontal	Vertical
Peak Avg.	Level (dBuV/m) Date: 2023-04-19 Frequency (MHz) Site : 03CH11-HY Condition : PEAK(UNIT)_6E 1m SHF_00991_220514 HORIZONTAL :	Level (dBuV/m) Date: 2023-04-19 Frequency (MHz) Site : 03CH11-HY Condition : PEAK(UNIT)_6E 1m SHF_00991_220514 VERTICAL :



WIFI	Band 7 6525~6875MHz Harmonic @ 3m	
ANT	802.11be EHT20 Full CH181 6855MHz	
3+4	Horizontal	Vertical
14.47G ~14.5G Avg.	Level (dBuV/m) vs Frequency (MHz) for Horizontal polarization. The plot shows a blue line representing the signal level, which is relatively flat around 40 dBuV/m. A red line labeled 'AVG_54' is positioned at approximately 55 dBuV/m. The x-axis ranges from 14470 to 14500 MHz, and the y-axis ranges from 10.0 to 140.0 dBuV/m. Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_220623 HORIZONTAL	Level (dBuV/m) vs Frequency (MHz) for Vertical polarization. The plot shows a blue line representing the signal level, which is relatively flat around 40 dBuV/m. A red line labeled 'AVG_54' is positioned at approximately 55 dBuV/m. The x-axis ranges from 14470 to 14500 MHz, and the y-axis ranges from 10.0 to 140.0 dBuV/m. Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_220623 VERTICAL
	Level (dBuV/m) vs Frequency (MHz) for Horizontal polarization. The plot shows a blue line representing the signal level, which is relatively flat around 40 dBuV/m. A red line labeled 'AVG_54' is positioned at approximately 55 dBuV/m. The x-axis ranges from 17700 to 18000 MHz, and the y-axis ranges from 10.0 to 140.0 dBuV/m. Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_220623 HORIZONTAL	Level (dBuV/m) vs Frequency (MHz) for Vertical polarization. The plot shows a blue line representing the signal level, which is relatively flat around 40 dBuV/m. A red line labeled 'AVG_54' is positioned at approximately 55 dBuV/m. The x-axis ranges from 17700 to 18000 MHz, and the y-axis ranges from 10.0 to 140.0 dBuV/m. Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_220623 VERTICAL



Band 7 6525~6875MHz
WIFI 802.11be EHT40 Full (Harmonic @ 3m)

WIFI	Band 7 6525~6875MHz Harmonic @ 3m	
ANT	802.11be EHT40 Full CH123 6565MHz	
3+4	Horizontal	Vertical
Peak Avg.	 Site : 03CHI1-HY Condition : PEAK(UNIT)_6E 1m SHF_00991_220514 HORIZONTAL :	 Site : 03CHI1-HY Condition : PEAK(UNIT)_6E 1m SHF_00991_220514 VERTICAL :



WIFI	Band 7 6525~6875MHz Harmonic @ 3m	
ANT	802.11be EHT40 Full CH123 6565MHz	
3+4	Horizontal	Vertical
14.47G ~14.5G Avg.	Level (dBuV/m) vs Frequency (MHz) for Horizontal polarization. The plot shows a flat line at approximately 40 dBuV/m across the frequency range 14470 to 14500 MHz. A red line labeled 'AVG_54' is at approximately 55 dBuV/m. The date is 2023-04-28. Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_220623 HORIZONTAL	Level (dBuV/m) vs Frequency (MHz) for Vertical polarization. The plot shows a flat line at approximately 40 dBuV/m across the frequency range 14470 to 14500 MHz. A red line labeled 'AVG_54' is at approximately 55 dBuV/m. The date is 2023-04-28. Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_220623 VERTICAL
	Level (dBuV/m) vs Frequency (MHz) for Horizontal polarization. The plot shows a flat line at approximately 40 dBuV/m across the frequency range 17700 to 18000 MHz. A red line labeled 'AVG_54' is at approximately 55 dBuV/m. The date is 2023-04-28. Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_220623 HORIZONTAL	Level (dBuV/m) vs Frequency (MHz) for Vertical polarization. The plot shows a flat line at approximately 40 dBuV/m across the frequency range 17700 to 18000 MHz. A red line labeled 'AVG_54' is at approximately 55 dBuV/m. The date is 2023-04-28. Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_220623 VERTICAL



WIFI	Band 7 6525~6875MHz Harmonic @ 3m	
ANT	802.11be EHT40 Full CH147 6685MHz	
3+4	Horizontal	Vertical
Peak Avg.	Level (dBuV/m) Date: 2023-04-19 Site : 03CH11-HY Condition : PEAK[UNIT1]_6E 1m SHF_00991_220514 HORIZONTAL :	Level (dBuV/m) Date: 2023-04-19 Site : 03CH11-HY Condition : PEAK[UNIT1]_6E 1m SHF_00991_220514 VERTICAL :



WIFI	Band 7 6525~6875MHz Harmonic @ 3m	
ANT	802.11be EHT40 Full CH147 6685MHz	
3+4	Horizontal	Vertical
14.47G ~14.5G Avg.	Level (dBuV/m) Date: 2023-04-28 Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_220623 HORIZONTAL Frequency (MHz)	Level (dBuV/m) Date: 2023-04-28 Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_220623 VERTICAL Frequency (MHz)
	Level (dBuV/m) Date: 2023-04-28 Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_220623 HORIZONTAL Frequency (MHz)	Level (dBuV/m) Date: 2023-04-28 Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_220623 VERTICAL Frequency (MHz)





WIFI	Band 7 6525~6875MHz Harmonic @ 3m	
ANT	802.11be EHT40 Full CH179 6845MHz	
3+4	Horizontal	Vertical
Peak Avg.	Level (dBuV/m) Date: 2023-04-19 Frequency (MHz) Site : 03CHI1-HY Condition : PEAK(UNIT)_6E 1m SHF_00991_220514 HORIZONTAL :	Level (dBuV/m) Date: 2023-04-19 Frequency (MHz) Site : 03CHI1-HY Condition : PEAK(UNIT)_6E 1m SHF_00991_220514 VERTICAL :



WIFI	Band 7 6525~6875MHz Harmonic @ 3m	
ANT	802.11be EHT40 Full CH179 6845MHz	
3+4	Horizontal	Vertical
14.47G ~14.5G Avg.	Level (dBuV/m) vs Frequency (MHz) for Horizontal polarization. The plot shows a blue line representing the signal level, which is relatively flat around 40 dBuV/m. A red line labeled 'AVG_54' is positioned at approximately 55 dBuV/m. The x-axis ranges from 14470 to 14500 MHz, and the y-axis ranges from 10.0 to 140.0 dBuV/m. Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_220623 HORIZONTAL	Level (dBuV/m) vs Frequency (MHz) for Vertical polarization. The plot shows a blue line representing the signal level, which is relatively flat around 40 dBuV/m. A red line labeled 'AVG_54' is positioned at approximately 55 dBuV/m. The x-axis ranges from 14470 to 14500 MHz, and the y-axis ranges from 10.0 to 140.0 dBuV/m. Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_220623 VERTICAL
	Level (dBuV/m) vs Frequency (MHz) for Horizontal polarization. The plot shows a blue line representing the signal level, which is relatively flat around 40 dBuV/m. A red line labeled 'AVG_54' is positioned at approximately 55 dBuV/m. The x-axis ranges from 17700 to 18000 MHz, and the y-axis ranges from 10.0 to 140.0 dBuV/m. Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_220623 HORIZONTAL	Level (dBuV/m) vs Frequency (MHz) for Vertical polarization. The plot shows a blue line representing the signal level, which is relatively flat around 40 dBuV/m. A red line labeled 'AVG_54' is positioned at approximately 55 dBuV/m. The x-axis ranges from 17700 to 18000 MHz, and the y-axis ranges from 10.0 to 140.0 dBuV/m. Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_220623 VERTICAL



Band 7 6525~6875MHz
WIFI 802.11be EHT80 Full (Harmonic @ 3m)

WIFI	Band 7 6525~6875MHz Harmonic @ 3m	
ANT	802.11be EHT80 Full CH135 6625MHz	
3+4	Horizontal	Vertical
Peak Avg.	 Site : 03CHI1-HY Condition : PEAK(UNIT)_6E 1m SHF_00991_220514 HORIZONTAL :	 Site : 03CHI1-HY Condition : PEAK(UNIT)_6E 1m SHF_00991_220514 VERTICAL :



WIFI	Band 7 6525~6875MHz Harmonic @ 3m	
ANT	802.11be EHT80 Full CH135 6625MHz	
3+4	Horizontal	Vertical
14.47G ~14.5G Avg.	Level (dBuV/m) vs Frequency (MHz) for Horizontal polarization. The plot shows a blue line representing the signal level, which is relatively flat around 40 dBuV/m. A red line labeled 'AVG_54' is positioned at approximately 55 dBuV/m. The x-axis ranges from 14470 to 14500 MHz, and the y-axis ranges from 10.0 to 140.0 dBuV/m. Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_220623 HORIZONTAL	Level (dBuV/m) vs Frequency (MHz) for Vertical polarization. The plot shows a blue line representing the signal level, which is relatively flat around 40 dBuV/m. A red line labeled 'AVG_54' is positioned at approximately 55 dBuV/m. The x-axis ranges from 14470 to 14500 MHz, and the y-axis ranges from 10.0 to 140.0 dBuV/m. Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_220623 VERTICAL
	Level (dBuV/m) vs Frequency (MHz) for Horizontal polarization. The plot shows a blue line representing the signal level, which is relatively flat around 40 dBuV/m. A red line labeled 'AVG_54' is positioned at approximately 55 dBuV/m. The x-axis ranges from 17700 to 18000 MHz, and the y-axis ranges from 10.0 to 140.0 dBuV/m. Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_220623 HORIZONTAL	Level (dBuV/m) vs Frequency (MHz) for Vertical polarization. The plot shows a blue line representing the signal level, which is relatively flat around 40 dBuV/m. A red line labeled 'AVG_54' is positioned at approximately 55 dBuV/m. The x-axis ranges from 17700 to 18000 MHz, and the y-axis ranges from 10.0 to 140.0 dBuV/m. Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_220623 VERTICAL



WIFI	Band 7 6525~6875MHz Harmonic @ 3m	
ANT	802.11be EHT80 Full CH151 6705MHz	
3+4	Horizontal	Vertical
Peak Avg.	Level (dBuV/m) Date: 2023-04-19 Frequency (MHz) Site : 03CHI1-HY Condition : PEAK(UNIT)_6E 1m SHF_00991_220514 HORIZONTAL :	Level (dBuV/m) Date: 2023-04-19 Frequency (MHz) Site : 03CHI1-HY Condition : PEAK(UNIT)_6E 1m SHF_00991_220514 VERTICAL :



WIFI	Band 7 6525~6875MHz Harmonic @ 3m	
ANT	802.11be EHT80 Full CH151 6705MHz	
3+4	Horizontal	Vertical
14.47G ~14.5G Avg.	Level (dBuV/m) Date: 2023-04-28 Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_220623 HORIZONTAL Frequency (MHz)	Level (dBuV/m) Date: 2023-04-28 Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_220623 VERTICAL Frequency (MHz)
	Level (dBuV/m) Date: 2023-04-28 Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_220623 HORIZONTAL Frequency (MHz)	Level (dBuV/m) Date: 2023-04-28 Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_220623 VERTICAL Frequency (MHz)



WIFI	Band 7 6525~6875MHz Harmonic @ 3m	
ANT	802.11be EHT80 Full CH167 6785MHz	
3+4	Horizontal	Vertical
Peak Avg.	Level (dBuV/m) Date: 2023-04-19 Site : 03CH11-HY Condition : PEAK[UNIT1]_6E 1m SHF_00991_220514 HORIZONTAL :	Level (dBuV/m) Date: 2023-04-19 Site : 03CH11-HY Condition : PEAK[UNIT1]_6E 1m SHF_00991_220514 VERTICAL :





WIFI	Band 7 6525~6875MHz Harmonic @ 3m	
ANT	802.11be EHT80 Full CH167 6785MHz	
3+4	Horizontal	Vertical
14.47G ~14.5G Avg.	Level (dBuV/m) vs Frequency (MHz) for Horizontal polarization. The plot shows a blue line representing the signal level and a red line labeled 'AVG_54' representing the average level. The signal level is relatively flat around 40 dBuV/m. The date is 2023-04-28. Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_220623 HORIZONTAL	Level (dBuV/m) vs Frequency (MHz) for Vertical polarization. The plot shows a blue line representing the signal level and a red line labeled 'AVG_54' representing the average level. The signal level is relatively flat around 40 dBuV/m. The date is 2023-04-28. Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_220623 VERTICAL
	Level (dBuV/m) vs Frequency (MHz) for Horizontal polarization. The plot shows a blue line representing the signal level and a red line labeled 'AVG_54' representing the average level. The signal level is relatively flat around 40 dBuV/m. The date is 2023-04-28. Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_220623 HORIZONTAL	Level (dBuV/m) vs Frequency (MHz) for Vertical polarization. The plot shows a blue line representing the signal level and a red line labeled 'AVG_54' representing the average level. The signal level is relatively flat around 40 dBuV/m. The date is 2023-04-28. Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_220623 VERTICAL



Band 7 6525~6875MHz

WIFI 802.11be EHT160 Full (Harmonic @ 3m)

WIFI	Band 7 6525~6875MHz Harmonic @ 3m	
ANT	802.11be EHT160 Full CH143 6665MHz	
3+4	Horizontal	Vertical
Peak Avg.	 Site : 03CHI1-HY Condition : PEAK(UNIT)_6E 1m SHF_00991_220514 HORIZONTAL :	 Site : 03CHI1-HY Condition : PEAK(UNIT)_6E 1m SHF_00991_220514 VERTICAL :





WIFI	Band 7 6525~6875MHz Harmonic @ 3m	
ANT	802.11be EHT160 Full CH143 6665MHz	
3+4	Horizontal	Vertical
14.47G ~14.5G Avg.	Level (dBuV/m) vs Frequency (MHz) for Horizontal polarization. The plot shows a blue line representing the signal level, which is relatively flat around 40 dBuV/m. A red line labeled 'AVG_54' is positioned at approximately 55 dBuV/m. The x-axis ranges from 14470 to 14500 MHz, and the y-axis ranges from 10.0 to 140.0 dBuV/m. Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_220623 HORIZONTAL	Level (dBuV/m) vs Frequency (MHz) for Vertical polarization. The plot shows a blue line representing the signal level, which is relatively flat around 40 dBuV/m. A red line labeled 'AVG_54' is positioned at approximately 55 dBuV/m. The x-axis ranges from 14470 to 14500 MHz, and the y-axis ranges from 10.0 to 140.0 dBuV/m. Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_220623 VERTICAL
	Level (dBuV/m) vs Frequency (MHz) for Horizontal polarization. The plot shows a blue line representing the signal level, which is relatively flat around 40 dBuV/m. A red line labeled 'AVG_54' is positioned at approximately 55 dBuV/m. The x-axis ranges from 17700 to 18000 MHz, and the y-axis ranges from 10.0 to 140.0 dBuV/m. Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_220623 HORIZONTAL	Level (dBuV/m) vs Frequency (MHz) for Vertical polarization. The plot shows a blue line representing the signal level, which is relatively flat around 40 dBuV/m. A red line labeled 'AVG_54' is positioned at approximately 55 dBuV/m. The x-axis ranges from 17700 to 18000 MHz, and the y-axis ranges from 10.0 to 140.0 dBuV/m. Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_220623 VERTICAL



Emission below 1GHz

6GHz WIFI 802.11be EHT160 Full (LF)

WIFI	6GHz WIFI	
ANT	802.11be EHT160 Full LF	
3+4	Horizontal	Vertical
QP / Peak	 Site : 03CH15-HY Condition : QP 3m 1581LO6_230318_210 HORIZONTAL :	 Site : 03CH15-HY Condition : QP 3m 1581LO6_230318_210 VERTICAL :





Appendix E. Duty Cycle Plots

<For Radiated Spurious Emission test>

Antenna	Band	Duty Cycle(%)	T(us)	1/T(kHz)	VBW Setting
3+4	6GHz 802.11a	93.44	1425	0.70	1kHz
3+4	6GHz 802.11be EHT20 Full RU	91.23	1040	0.96	1kHz
3+4	6GHz 802.11be EHT40 Full RU	92.57	1245	0.80	1kHz
3+4	6GHz 802.11be EHT80 Full RU	90.78	985	1.02	3kHz
3+4	6GHz 802.11be EHT160 Full RU	86.48	633	1.58	3kHz

MIMO <Ant. 3+4>





<For Conducted test>

Antenna	Band	Duty Cycle(%)	T(us)	Duty Factor(dB)
3+4	6GHz 802.11a for Ant 3	94.08	1430	0.27
3+4	6GHz 802.11a for Ant 4	94.04	1420	0.27
3+4	6GHz 802.11be EHT20 Full RU for Ant 3	92.11	1050	0.36
3+4	6GHz 802.11be EHT20 Full RU for Ant 4	91.23	1040	0.40
3+4	6GHz 802.11be EHT20 26 RU for Ant 3	89.50	852	0.48
3+4	6GHz 802.11be EHT20 26 RU for Ant 4	89.08	848	0.50
3+4	6GHz 802.11be EHT20 52 RU for Ant 3	88.58	776	0.53
3+4	6GHz 802.11be EHT20 52 RU for Ant 4	88.64	780	0.52
3+4	6GHz 802.11be EHT20 106 RU for Ant 3	87.37	692	0.59
3+4	6GHz 802.11be EHT20 106 RU for Ant 4	87.45	690	0.58
3+4	6GHz 802.11be EHT20 MRU 52T+26T70 for Ant 3	94.62	1760	0.24
3+4	6GHz 802.11be EHT20 MRU 52T+26T70 for Ant 4	94.95	1766	0.23
3+4	6GHz 802.11be EHT20 MRU 106T+26T82 for Ant 3	89.52	1025	0.48
3+4	6GHz 802.11be EHT20 MRU 106T+26T82 for Ant 4	89.43	1015	0.49
3+4	6GHz 802.11be EHT40 Full RU for Ant 3	88.89	800	0.51
3+4	6GHz 802.11be EHT40 Full RU for Ant 4	88.76	790	0.52
3+4	6GHz 802.11be EHT80 Full RU for Ant 3	90.74	980	0.42
3+4	6GHz 802.11be EHT80 Full RU for Ant 4	89.91	980	0.46
3+4	6GHz 802.11be EHT80 Puncture 20RU8 for Ant 3	92.96	1320	0.32
3+4	6GHz 802.11be EHT80 Puncture 20RU8 for Ant 4	92.96	1320	0.32
3+4	6GHz 802.11be EHT160 Full RU for Ant 3	86.30	630	0.64
3+4	6GHz 802.11be EHT160 Full RU for Ant 4	86.30	630	0.64
3+4	6GHz 802.11be EHT160 Puncture 20RU128 for Ant 3	87.88	725	0.56
3+4	6GHz 802.11be EHT160 Puncture 20RU128 for Ant 4	87.27	720	0.59
3+4	6GHz 802.11be EHT160 Puncture 40RU192 for Ant 3	89.25	830	0.49
3+4	6GHz 802.11be EHT160 Puncture 40RU192 for Ant 4	89.25	830	0.49



MIMO <Ant. 3>

