





Test Mode :	802.11g	Test Channel :	12
-------------	---------	----------------	----






Test Mode :	802.11g	Test Channel :	13
-------------	---------	----------------	----






Test Mode :	802.11be EHT20	Test Channel :	01 Full RU
-------------	----------------	----------------	------------






Test Mode :	802.11be EHT20	Test Channel :	06 Full RU
-------------	----------------	----------------	------------






Test Mode :	802.11be EHT20	Test Channel :	11 Full RU
-------------	----------------	----------------	------------






Test Mode :	802.11be EHT20	Test Channel :	12 Full RU
-------------	----------------	----------------	------------





Test Mode :	802.11be EHT20	Test Channel :	13 Full Ru
-------------	----------------	----------------	------------






Appendix B. AC Conducted Emission Test Results

Test Engineer :	Calvin Wang	Temperature :	23~26℃
		Relative Humidity :	45~55%

EUT Information

Report NO : 2D0206-03
 Test Mode : Mode 1
 Test Voltage : 120Vac/60Hz
 Phase : Line

Full Spectrum



Final Result


Frequency (MHz)	QuasiPeak (dBuV)	CAverage (dBuV)	Limit (dBuV)	Margin (dB)	Line	Filter	Corr. (dB)
0.172500	---	30.58	54.84	24.26	L1	OFF	19.9
0.172500	46.44	---	64.84	18.40	L1	OFF	19.9
0.183750	---	33.08	54.31	21.23	L1	OFF	19.9
0.183750	48.42	---	64.31	15.89	L1	OFF	19.9
0.197250	---	30.37	53.73	23.36	L1	OFF	19.9
0.197250	46.82	---	63.73	16.91	L1	OFF	19.9
0.366000	---	25.56	48.59	23.03	L1	OFF	19.9
0.366000	36.70	---	58.59	21.89	L1	OFF	19.9
1.277250	---	27.76	46.00	18.24	L1	OFF	19.9
1.277250	40.53	---	56.00	15.47	L1	OFF	19.9
1.437000	---	28.70	46.00	17.30	L1	OFF	19.9
1.437000	41.06	---	56.00	14.94	L1	OFF	19.9
1.569750	---	29.25	46.00	16.75	L1	OFF	19.9
1.569750	39.71	---	56.00	16.29	L1	OFF	19.9
1.698000	---	29.04	46.00	16.96	L1	OFF	19.9
1.698000	39.51	---	56.00	16.49	L1	OFF	19.9
1.799250	---	29.13	46.00	16.87	L1	OFF	19.9
1.799250	39.40	---	56.00	16.60	L1	OFF	19.9
1.936500	---	27.99	46.00	18.01	L1	OFF	19.9
1.936500	37.83	---	56.00	18.17	L1	OFF	19.9
2.069250	---	27.40	46.00	18.60	L1	OFF	19.9

2.069250	35.63	---	56.00	20.37	L1	OFF	19.9
11.562000	---	26.50	50.00	23.50	L1	OFF	20.3
11.562000	28.74	---	60.00	31.26	L1	OFF	20.3

EUT Information

Report NO : 2D0206-03
 Test Mode : Mode 1
 Test Voltage : 120Vac/60Hz
 Phase : Neutral

Full Spectrum



Final_Result

Frequency (MHz)	QuasiPeak (dBuV)	CAverage (dBuV)	Limit (dBuV)	Margin (dB)	Line	Filter	Corr. (dB)
0.170250	---	29.86	54.95	25.09	N	OFF	19.9
0.170250	42.63	---	64.95	22.32	N	OFF	19.9
0.188250	---	30.16	54.11	23.95	N	OFF	19.9
0.188250	43.03	---	64.11	21.08	N	OFF	19.9
1.416750	---	28.47	46.00	17.53	N	OFF	19.9
1.416750	39.57	---	56.00	16.43	N	OFF	19.9
1.520250	---	28.70	46.00	17.30	N	OFF	19.9
1.520250	39.49	---	56.00	16.51	N	OFF	19.9
1.637250	---	28.97	46.00	17.03	N	OFF	19.9
1.637250	39.94	---	56.00	16.06	N	OFF	19.9
1.736250	---	28.86	46.00	17.14	N	OFF	19.9
1.736250	39.50	---	56.00	16.50	N	OFF	19.9
1.844250	---	28.32	46.00	17.68	N	OFF	19.9
1.844250	39.00	---	56.00	17.00	N	OFF	19.9
1.988250	---	27.84	46.00	18.16	N	OFF	19.9
1.988250	37.43	---	56.00	18.57	N	OFF	19.9
9.183750	---	26.31	50.00	23.69	N	OFF	20.2
9.183750	28.28	---	60.00	31.72	N	OFF	20.2



Appendix C. Radiated Spurious Emission

Test Engineer :	Bigshow Wang, Quentin Liu and Eric Xiao	Temperature :	21~26°C
		Relative Humidity :	45~60%



2.4GHz 2400~2483.5MHz

WIFI 802.11b (Band Edge @ 3m)

WIFI	Note	Frequency	Level	Margin	Limit	Read	Antenna	Path	Preamp	Ant	Table	Peak	Pol.
Ant.					Line	Level	Factor	Loss	Factor	Pos	Pos	Avg.	
3		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
802.11b CH 01 2412MHz		2386.616	51.48	-22.52	74	44.93	27.29	16.03	36.77	295	214	P	H
		2388.202	40.68	-13.32	54	34.11	27.31	16.03	36.77	295	214	A	H
	*	2412	104.81	-	-	98.04	27.47	16.07	36.77	295	214	P	H
	*	2412	101.58	-	-	94.81	27.47	16.07	36.77	295	214	A	H
													H
													H
		2387.348	51.79	-22.21	74	45.23	27.3	16.03	36.77	115	257	P	V
		2388.08	41.16	-12.84	54	34.6	27.3	16.03	36.77	115	257	A	V
	*	2412	107.81	-	-	101.04	27.47	16.07	36.77	115	257	P	V
	*	2412	104.7	-	-	97.93	27.47	16.07	36.77	115	257	A	V
													V
													V
802.11b CH 06 2437MHz		2382.912	51.2	-22.8	74	44.69	27.26	16.02	36.77	100	154	P	H
		2388.351	39.8	-14.2	54	33.23	27.31	16.03	36.77	100	154	A	H
	*	2437	107.91	-	-	100.95	27.62	16.11	36.77	100	154	P	H
	*	2437	104.95	-	-	97.99	27.62	16.11	36.77	100	154	A	H
		2485.06	52.67	-21.33	74	45.42	27.84	16.18	36.77	100	154	P	H
		2488.961	41.73	-12.27	54	34.45	27.86	16.19	36.77	100	154	A	H
		2317.644	50.63	-23.37	74	44.51	27	15.9	36.78	100	245	P	V
		2388.351	39.97	-14.03	54	33.4	27.31	16.03	36.77	100	245	A	V
	*	2437	108.52	-	-	101.56	27.62	16.11	36.77	100	245	P	V
	*	2437	105.45	-	-	98.49	27.62	16.11	36.77	100	245	A	V
		2485.89	52.69	-21.31	74	45.44	27.84	16.18	36.77	100	245	P	V
		2488.961	41.87	-12.13	54	34.59	27.86	16.19	36.77	100	245	A	V



WIFI Ant. 3	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11b CH 11 2462MHz	*	2462	107.8	-	-	100.67	27.75	16.15	36.77	348	213	P	H
	*	2462	105.04	-	-	97.91	27.75	16.15	36.77	348	213	A	H
		2483.702	58.64	-15.36	74	51.4	27.83	16.18	36.77	348	213	P	H
		2483.644	47.5	-6.5	54	40.26	27.83	16.18	36.77	348	213	A	H
													H
													H
	*	2462	110.42	-	-	103.29	27.75	16.15	36.77	119	248	P	V
	*	2462	107.89	-	-	100.76	27.75	16.15	36.77	119	248	A	V
		2483.644	59.67	-14.33	74	52.43	27.83	16.18	36.77	119	248	P	V
		2483.528	49.1	-4.9	54	41.86	27.83	16.18	36.77	119	248	A	V
													V
													V
													V



WIFI Ant. 3	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11b CH 12 2467MHz	*	2467	107.48	-	-	100.33	27.77	16.15	36.77	108	154	P	H
	*	2467	104.42	-	-	97.27	27.77	16.15	36.77	108	154	A	H
		2484.789	59.53	-14.47	74	52.28	27.84	16.18	36.77	108	154	P	H
		2485.054	49.48	-4.52	54	42.23	27.84	16.18	36.77	108	154	A	H
													H
													H
	*	2467	109.73	-	-	102.58	27.77	16.15	36.77	120	248	P	V
	*	2467	106.64	-	-	99.49	27.77	16.15	36.77	120	248	A	V
		2483.57	62.47	-11.53	74	55.23	27.83	16.18	36.77	120	248	P	V
		2483.517	50.96	-3.04	54	43.72	27.83	16.18	36.77	120	248	A	V
													V
													V
802.11b CH 13 2472MHz	*	2472	105.38	-	-	98.2	27.79	16.16	36.77	150	154	P	H
	*	2472	102.69	-	-	95.51	27.79	16.16	36.77	150	154	A	H
		2483.536	59.69	-14.31	74	52.45	27.83	16.18	36.77	150	154	P	H
		2483.5	48.16	-5.84	54	40.92	27.83	16.18	36.77	150	154	A	H
													H
													H
	*	2472	107.91	-	-	100.73	27.79	16.16	36.77	123	246	P	V
	*	2472	104.4	-	-	97.22	27.79	16.16	36.77	123	246	A	V
		2483.728	61.74	-12.26	74	54.5	27.83	16.18	36.77	123	246	P	V
		2483.5	49.99	-4.01	54	42.75	27.83	16.18	36.77	123	246	A	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												

**2.4GHz 2400~2483.5MHz****WIFI 802.11b (Harmonic @ 3m)**

WIFI Ant. 3	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11b CH 01 2412MHz		4824	46.2	-27.8	74	54.71	32.44	9.41	50.36	-	-	P	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
		4824	47.46	-26.54	74	55.97	32.44	9.41	50.36	-	-	P	V
													V
													V
													V
													V
													V
													V
													V
													V
													V



WIFI Ant. 3	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11b CH 06 2437MHz		4874	46	-28	74	54.37	32.6	9.4	50.37	-	-	P	H
		7311	48.45	-25.55	74	53.18	36.66	10.85	52.24	-	-	P	H
		7311	38.93	-15.07	54	43.66	36.66	10.85	52.24	-	-	A	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
		4874	51.53	-22.47	74	59.9	32.6	9.4	50.37	138	79	P	V
		4874	43.36	-10.64	54	51.73	32.6	9.4	50.37	138	79	A	V
		7311	48.27	-25.73	74	53	36.66	10.85	52.24	-	-	P	V
		7311	38.83	-15.17	54	43.56	36.66	10.85	52.24	-	-	A	V
													V
													V
													V
													V
													V
													V
													V
													V
													V



WIFI Ant. 3	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11b CH 11 2462MHz		4924	50.41	-23.59	74	58.67	32.74	9.38	50.38	155	60	P	H
		4924	42.31	-11.69	54	50.57	32.74	9.38	50.38	155	60	A	H
		7386	48.71	-25.29	74	53.52	36.5	10.91	52.22	-	-	P	H
		7386	39.85	-14.15	54	44.66	36.5	10.91	52.22	-	-	A	H
													H
													H
													H
													H
													H
													H
													H
													H
		4924	51.22	-22.78	74	59.48	32.74	9.38	50.38	177	121	P	V
		4924	43.25	-10.75	54	51.51	32.74	9.38	50.38	177	121	A	V
		7386	50.72	-23.28	74	55.53	36.5	10.91	52.22	-	-	P	V
		7386	41.4	-12.6	54	46.21	36.5	10.91	52.22	-	-	A	V
													V
													V
													V
													V
													V
													V
													V
													V



WIFI Ant. 3	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11b CH 12 2467MHz		4934	47.61	-26.39	74	55.82	32.8	9.38	50.39	-	-	P	H
		7401	49.76	-24.24	74	54.55	36.5	10.93	52.22	-	-	P	H
		7401	40.13	-13.87	54	44.92	36.5	10.93	52.22	-	-	A	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
		4934	52.59	-21.41	74	60.8	32.8	9.38	50.39	177	90	P	V
		4934	44.64	-9.36	54	52.85	32.8	9.38	50.39	177	90	A	V
		7401	50.37	-23.63	74	55.16	36.5	10.93	52.22	-	-	P	V
		7401	40.53	-13.47	54	45.32	36.5	10.93	52.22	-	-	A	V
													V
													V
													V
													V
													V
													V
													V
													V
													V

[illegible]

Emission above 18GHz

2.4GHz WIFI 802.11b (SHF)

WIFI	Note	Frequency	Level	Margin	Limit	Read	Antenna	Path	Preamp	Ant	Table	Peak	Pol.
Ant.					Line	Level	Factor	Loss	Factor	Pos	Pos	Avg.	
3		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
2.4GHz 802.11b SHF		24864	43.31	-30.69	74	59.98	39.08	-2.57	53.18	-	-	P	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
		24996	42.2	-31.8	74	58.61	39.29	-2.6	53.1	-	-	P	V
													V
													V
													V
													V
													V
													V
													V
													V
													V
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	

Emission below 1GHz

2.4GHz WIFI 802.11b (LF)

[illegible]



2.4GHz 2400~2483.5MHz

WIFI 802.11b (Band Edge @ 3m)

WIFI	Note	Frequency	Level	Margin	Limit	Read	Antenna	Path	Preamp	Ant	Table	Peak	Pol.
Ant.					Line	Level	Factor	Loss	Factor	Pos	Pos	Avg.	
4		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
802.11b CH 01 2412MHz		2389.91	53.49	-20.51	74	46.91	27.32	16.03	36.77	272	212	P	H
		2390	41.07	-12.93	54	34.49	27.32	16.03	36.77	272	212	A	H
	*	2412	111.52	-	-	104.75	27.47	16.07	36.77	272	212	P	H
	*	2412	108.45	-	-	101.68	27.47	16.07	36.77	272	212	A	H
													H
													H
		2389.422	51.37	-22.63	74	44.79	27.32	16.03	36.77	198	265	P	V
		2390	40.93	-13.07	54	34.35	27.32	16.03	36.77	198	265	A	V
	*	2412	111.09	-	-	104.32	27.47	16.07	36.77	198	265	P	V
	*	2412	108.11	-	-	101.34	27.47	16.07	36.77	198	265	A	V
													V
													V
802.11b CH 06 2437MHz		2383.353	51.25	-22.75	74	44.73	27.27	16.02	36.77	301	213	P	H
		2389.968	40.48	-13.52	54	33.9	27.32	16.03	36.77	301	213	A	H
	*	2437	112.33	-	-	105.37	27.62	16.11	36.77	301	213	P	H
	*	2437	109.26	-	-	102.3	27.62	16.11	36.77	301	213	A	H
		2487.135	52.48	-21.52	74	45.21	27.85	16.19	36.77	301	213	P	H
		2484.977	43.12	-10.88	54	35.87	27.84	16.18	36.77	301	213	A	H
		2347.191	51.18	-22.82	74	45.01	27	15.95	36.78	184	265	P	V
		2389.968	40.51	-13.49	54	33.93	27.32	16.03	36.77	184	265	A	V
	*	2437	111.38	-	-	104.42	27.62	16.11	36.77	184	265	P	V
	*	2437	108.34	-	-	101.38	27.62	16.11	36.77	184	265	A	V
		2485.309	52.33	-21.67	74	45.08	27.84	16.18	36.77	184	265	P	V
		2485.06	42.7	-11.3	54	35.45	27.84	16.18	36.77	184	265	A	V



WIFI Ant. 4	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11b CH 11 2462MHz	*	2462	112.94	-	-	105.81	27.75	16.15	36.77	283	214	P	H
	*	2462	109.86	-	-	102.73	27.75	16.15	36.77	283	214	A	H
		2484.34	60.05	-13.95	74	52.8	27.84	16.18	36.77	283	214	P	H
		2486.776	48.47	-5.53	54	41.21	27.85	16.18	36.77	283	214	A	H
													H
													H
	*	2462	112.58	-	-	105.45	27.75	16.15	36.77	194	268	P	V
	*	2462	109.49	-	-	102.36	27.75	16.15	36.77	194	268	A	V
		2483.76	58.12	-15.88	74	50.87	27.84	16.18	36.77	194	268	P	V
		2486.834	47.49	-6.51	54	40.23	27.85	16.18	36.77	194	268	A	V
													V
													V
													V



WIFI Ant. 4	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11b CH 12 2467MHz	*	2467	112.49	-	-	105.34	27.77	16.15	36.77	285	213	P	H
	*	2467	109.39	-	-	102.24	27.77	16.15	36.77	285	213	A	H
		2483.782	62.13	-11.87	74	54.88	27.84	16.18	36.77	285	213	P	H
		2484.842	51.15	-2.85	54	43.9	27.84	16.18	36.77	285	213	A	H
													H
													H
	*	2467	111.75	-	-	104.6	27.77	16.15	36.77	199	268	P	V
	*	2467	108.68	-	-	101.53	27.77	16.15	36.77	199	268	A	V
		2484.524	60.33	-13.67	74	53.08	27.84	16.18	36.77	199	268	P	V
		2484.842	50.08	-3.92	54	42.83	27.84	16.18	36.77	199	268	A	V
													V
													V
802.11b CH 13 2472MHz	*	2472	109.27	-	-	102.09	27.79	16.16	36.77	319	214	P	H
	*	2472	106.18	-	-	99	27.79	16.16	36.77	319	214	A	H
		2483.824	63.63	-10.37	74	56.38	27.84	16.18	36.77	319	214	P	H
		2483.5	50.76	-3.24	54	43.52	27.83	16.18	36.77	319	214	A	H
													H
													H
	*	2472	107.7	-	-	100.52	27.79	16.16	36.77	169	267	P	V
	*	2472	104.71	-	-	97.53	27.79	16.16	36.77	169	267	A	V
		2483.536	62.11	-11.89	74	54.87	27.83	16.18	36.77	169	267	P	V
		2483.5	49.57	-4.43	54	42.33	27.83	16.18	36.77	169	267	A	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												

2.4GHz 2400~2483.5MHz

WIFI 802.11b (Harmonic @ 3m)

[illegible]

[illegible]



WIFI Ant. 4	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11b CH 11 2462MHz		4924	45.43	-28.57	74	53.69	32.74	9.38	50.38	-	-	P	H
		7366	48.34	-25.66	74	53.17	36.5	10.9	52.23	-	-	P	H
		7366	39.01	-14.99	54	43.84	36.5	10.9	52.23	-	-	A	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
		4924	45.5	-28.5	74	53.76	32.74	9.38	50.38	-	-	P	V
		7366	48.11	-25.89	74	52.94	36.5	10.9	52.23	-	-	P	V
		7366	38.94	-15.06	54	43.77	36.5	10.9	52.23	-	-	A	V
													V
													V
													V
													V
													V
													V
													V



WIFI Ant. 4	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11b CH 12 2467MHz		4934	47.11	-26.89	74	55.32	32.8	9.38	50.39	-	-	P	H
		7401	52.27	-21.73	74	57.06	36.5	10.93	52.22	-	-	P	H
		7401	40.07	-13.93	54	44.86	36.5	10.93	52.22	-	-	A	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
		4934	46.51	-27.49	74	54.72	32.8	9.38	50.39	-	-	P	V
		7401	52.43	-21.57	74	57.22	36.5	10.93	52.22	-	-	P	V
		7401	40.23	-13.77	54	45.02	36.5	10.93	52.22	-	-	A	V
													V
													V
													V
													V
													V
													V
													V

[illegible]

Emission above 18GHz

2.4GHz WIFI 802.11b (SHF)

[illegible]


Emission below 1GHz
2.4GHz WIFI 802.11b (LF)

WIFI Ant. 4	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
2.4GHz 802.11b LF		30.54	23.72	-16.28	40	31.17	24.29	0.65	32.39	-	-	P	H
		51.24	20.77	-19.23	40	38.45	13.88	0.9	32.46	-	-	P	H
		74.28	25.71	-14.29	40	44.3	12.75	1.07	32.41	-	-	P	H
		123.6	23.24	-20.26	43.5	36.81	17.55	1.33	32.45	-	-	P	H
		736.8	39.33	-6.67	46	40.66	27.63	3.29	32.25	-	-	P	H
		899.2	35.53	-10.47	46	34.52	28.79	3.69	31.47	-	-	P	H
													H
													H
													H
													H
													H
		30	31.58	-8.42	40	38.92	24.41	0.64	32.39	-	-	P	V
		50.34	32.3	-7.7	40	49.58	14.28	0.9	32.46	-	-	P	V
		64.38	32.09	-7.91	40	51.67	11.86	0.98	32.42	-	-	P	V
		112.08	27.85	-15.65	43.5	41.84	17.17	1.28	32.44	-	-	P	V
		746.4	34.98	-11.02	46	36.03	27.87	3.31	32.23	-	-	P	V
		902.4	35.19	-10.81	46	34.15	28.79	3.69	31.44	-	-	P	V
													V
													V
													V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against limit line. 3. The emission position marked as “-” means no suspected emission found and emission level has at least 6dB margin against limit or emission is noise floor only.												



2.4GHz 2400~2483.5MHz

WIFI 802.11g (Band Edge @ 3m)

WIFI	Note	Frequency	Level	Margin	Limit	Read	Antenna	Path	Preamp	Ant	Table	Peak	Pol.
Ant.					Line	Level	Factor	Loss	Factor	Pos	Pos	Avg.	
3+4		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
802.11g CH 01 2412MHz		2389.485	59.61	-14.39	74	53.03	27.32	16.03	36.77	115	131	P	H
		2389.485	49.47	-4.53	54	42.89	27.32	16.03	36.77	115	131	A	H
	*	2412	113.34	-	-	106.57	27.47	16.07	36.77	115	131	P	H
	*	2412	106.2	-	-	99.43	27.47	16.07	36.77	115	131	A	H
													H
													H
		2390	61.63	-12.37	74	55.05	27.32	16.03	36.77	100	93	P	V
		2390	49	-5	54	42.42	27.32	16.03	36.77	100	93	A	V
	*	2412	113.23	-	-	106.46	27.47	16.07	36.77	100	93	P	V
	*	2412	105.89	-	-	99.12	27.47	16.07	36.77	100	93	A	V
													V
													V
802.11g CH 06 2437MHz		2389.674	55.79	-18.21	74	49.21	27.32	16.03	36.77	158	135	P	H
		2389.821	42.21	-11.79	54	35.63	27.32	16.03	36.77	158	135	A	H
	*	2437	114.5	-	-	107.54	27.62	16.11	36.77	158	135	P	H
	*	2437	107.23	-	-	100.27	27.62	16.11	36.77	158	135	A	H
		2484.064	57.31	-16.69	74	50.06	27.84	16.18	36.77	158	135	P	H
		2484.147	43.98	-10.02	54	36.73	27.84	16.18	36.77	158	135	A	H
		2349.396	51.32	-22.68	74	45.14	27	15.96	36.78	100	96	P	V
		2389.968	41.75	-12.25	54	35.17	27.32	16.03	36.77	100	96	A	V
	*	2437	114.35	-	-	107.39	27.62	16.11	36.77	100	96	P	V
	*	2437	106.8	-	-	99.84	27.62	16.11	36.77	100	96	A	V
		2487.55	57.17	-16.83	74	49.9	27.85	16.19	36.77	100	96	P	V
		2483.5	44.34	-9.66	54	37.1	27.83	16.18	36.77	100	96	A	V



WIFI Ant. 3+4	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11g CH 11 2462MHz	*	2462	113.47	-	-	106.34	27.75	16.15	36.77	100	133	P	H
	*	2462	104.85	-	-	97.72	27.75	16.15	36.77	100	133	A	H
		2484.08	64.41	-9.59	74	57.16	27.84	16.18	36.77	100	133	P	H
		2483.52	51.94	-2.06	54	44.7	27.83	16.18	36.77	100	133	A	H
													H
													H
	*	2462	110.56	-	-	103.43	27.75	16.15	36.77	151	88	P	V
	*	2462	103.16	-	-	96.03	27.75	16.15	36.77	151	88	A	V
		2483.56	62.77	-11.23	74	55.53	27.83	16.18	36.77	151	88	P	V
		2483.52	49.56	-4.44	54	42.32	27.83	16.18	36.77	151	88	A	V
													V
													V
													V



WIFI Ant. 3+4	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11g CH 12 2467MHz	*	2467	109.84	-	-	102.69	27.77	16.15	36.77	100	131	P	H
	*	2467	101.06	-	-	93.91	27.77	16.15	36.77	100	131	A	H
		2483.52	61.92	-12.08	74	54.68	27.83	16.18	36.77	100	131	P	H
		2483.84	52.04	-1.96	54	44.79	27.84	16.18	36.77	100	131	A	H
													H
													H
	*	2467	107.11	-	-	99.96	27.77	16.15	36.77	151	88	P	V
	*	2467	99.91	-	-	92.76	27.77	16.15	36.77	151	88	A	V
		2483.52	59.5	-14.5	74	52.26	27.83	16.18	36.77	151	88	P	V
		2483.52	50.93	-3.07	54	43.69	27.83	16.18	36.77	151	88	A	V
													V
													V
802.11g CH 13 2472MHz	*	2472	106.11	-	-	98.93	27.79	16.16	36.77	100	135	P	H
	*	2472	98.88	-	-	91.7	27.79	16.16	36.77	100	135	A	H
		2483.96	61.43	-12.57	74	54.18	27.84	16.18	36.77	100	135	P	H
		2483.52	51.64	-2.36	54	44.4	27.83	16.18	36.77	100	135	A	H
													H
													H
	*	2472	103.62	-	-	96.44	27.79	16.16	36.77	152	88	P	V
	*	2472	96.66	-	-	89.48	27.79	16.16	36.77	152	88	A	V
		2483.6	60.06	-13.94	74	52.82	27.83	16.18	36.77	152	88	P	V
		2483.52	50.64	-3.36	54	43.4	27.83	16.18	36.77	152	88	A	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



2.4GHz 2400~2483.5MHz

[illegible]



WIFI Ant. 3+4	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11g CH 06 2437MHz		4874	45.55	-28.45	74	53.92	32.6	9.4	50.37	-	-	P	H
		7311	50.36	-23.64	74	55.09	36.66	10.85	52.24	-	-	P	H
		7311	41.15	-12.85	54	45.88	36.66	10.85	52.24	-	-	A	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
		4874	45.25	-28.75	74	53.62	32.6	9.4	50.37	-	-	P	V
		7311	50.29	-23.71	74	55.02	36.66	10.85	52.24	-	-	P	V
		7311	41.08	-12.92	54	45.81	36.66	10.85	52.24	-	-	A	V
													V
													V
													V
													V
													V
													V
													V



WIFI Ant. 3+4	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11g CH 11 2462MHz		4924	47.05	-26.95	74	55.31	32.74	9.38	50.38	-	-	P	H
		7386	49.79	-24.21	74	54.6	36.5	10.91	52.22	-	-	P	H
		7386	40.86	-13.14	54	45.67	36.5	10.91	52.22	-	-	A	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
		4924	47.06	-26.94	74	55.32	32.74	9.38	50.38	-	-	P	V
		7386	50.37	-23.63	74	55.18	36.5	10.91	52.22	-	-	P	V
		7386	41.42	-12.58	54	46.23	36.5	10.91	52.22	-	-	A	V
													V
													V
													V
													V
													V
													V
													V



WIFI Ant. 3+4	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
i802.11g CH 12 2467MHz		4934	47.47	-26.53	74	55.68	32.8	9.38	50.39	-	-	P	H
		7401	49.86	-24.14	74	54.65	36.5	10.93	52.22	-	-	P	H
		7401	40.89	-13.11	54	45.68	36.5	10.93	52.22	-	-	A	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
		4934	47.51	-26.49	74	55.72	32.8	9.38	50.39	-	-	P	V
		7401	50.15	-23.85	74	54.94	36.5	10.93	52.22	-	-	P	V
		7401	41.35	-12.65	54	46.14	36.5	10.93	52.22	-	-	A	V
													V
													V
													V
													V
													V
													V
													V

[illegible]



2.4GHz 2400~2483.5MHz

WIFI 802.11be EHT20 Full (Band Edge @ 3m)

WIFI Ant. 3+4	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT20 Full CH 01 2412MHz		2389.695	62.35	-11.65	74	55.77	27.32	16.03	36.77	100	133	P	H
		2389.905	51.14	-2.86	54	44.56	27.32	16.03	36.77	100	133	A	H
	*	2412	112.18	-	-	105.41	27.47	16.07	36.77	100	133	P	H
	*	2412	103.88	-	-	97.11	27.47	16.07	36.77	100	133	A	H
													H
													H
		2389.17	62.2	-11.8	74	55.63	27.31	16.03	36.77	100	103	P	V
		2390	51.69	-2.31	54	45.11	27.32	16.03	36.77	100	103	A	V
	*	2412	111.89	-	-	105.12	27.47	16.07	36.77	100	103	P	V
	*	2412	102.87	-	-	96.1	27.47	16.07	36.77	100	103	A	V
													V
													V
802.11be EHT20 Full CH 06 2437MHz		2387.91	55.14	-18.86	74	48.58	27.3	16.03	36.77	158	135	P	H
		2388.645	42.83	-11.17	54	36.26	27.31	16.03	36.77	158	135	A	H
	*	2437	113.76	-	-	106.8	27.62	16.11	36.77	158	135	P	H
	*	2437	104.47	-	-	97.51	27.62	16.11	36.77	158	135	A	H
		2483.815	56.26	-17.74	74	49.01	27.84	16.18	36.77	158	135	P	H
		2484.562	44.53	-9.47	54	37.28	27.84	16.18	36.77	158	135	A	H
		2386.734	52.99	-21.01	74	46.44	27.29	16.03	36.77	100	91	P	V
		2389.968	42.05	-11.95	54	35.47	27.32	16.03	36.77	100	91	A	V
	*	2437	113.7	-	-	106.74	27.62	16.11	36.77	100	91	P	V
	*	2437	104.1	-	-	97.14	27.62	16.11	36.77	100	91	A	V
		2484.313	56.06	-17.94	74	48.81	27.84	16.18	36.77	100	91	P	V
		2483.649	44.57	-9.43	54	37.33	27.83	16.18	36.77	100	91	A	V



WIFI Ant. 3+4	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT20 Full CH 11 2462MHz	*	2462	111.12	-	-	103.99	27.75	16.15	36.77	100	212	P	H
	*	2462	102.15	-	-	95.02	27.75	16.15	36.77	100	212	A	H
		2483.92	62.29	-11.71	74	55.04	27.84	16.18	36.77	100	212	P	H
		2483.584	51.87	-2.13	54	44.63	27.83	16.18	36.77	100	212	A	H
													H
													H
	*	2462	111.21	-	-	104.08	27.75	16.15	36.77	144	262	P	V
	*	2462	101.22	-	-	94.09	27.75	16.15	36.77	144	262	A	V
		2483.68	62.82	-11.18	74	55.58	27.83	16.18	36.77	144	262	P	V
		2483.872	52.27	-1.73	54	45.02	27.84	16.18	36.77	144	262	A	V
													V
													V



WIFI Ant. 3+4	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT20 Full	*	2467	107.19	-	-	100.04	27.77	16.15	36.77	122	170	P	H
	*	2467	98.24	-	-	91.09	27.77	16.15	36.77	122	170	A	H
		2484.112	61.71	-12.29	74	54.46	27.84	16.18	36.77	122	170	P	H
		2483.5	52.11	-1.89	54	44.87	27.83	16.18	36.77	122	170	A	H
													H
													H
	*	2467	107.32	-	-	100.17	27.77	16.15	36.77	158	90	P	V
	*	2467	97.77	-	-	90.62	27.77	16.15	36.77	158	90	A	V
		2484.16	61.1	-12.9	74	53.85	27.84	16.18	36.77	158	90	P	V
		2483.536	51.69	-2.31	54	44.45	27.83	16.18	36.77	158	90	A	V
802.11be EHT20 Full													V
													V
	*	2472	104.63	-	-	97.45	27.79	16.16	36.77	100	170	P	H
	*	2472	95.7	-	-	88.52	27.79	16.16	36.77	100	170	A	H
		2483.5	61.31	-12.69	74	54.07	27.83	16.18	36.77	100	170	P	H
		2483.5	51.93	-2.07	54	44.69	27.83	16.18	36.77	100	170	A	H
													H
													H
	*	2472	104.5	-	-	97.32	27.79	16.16	36.77	141	88	P	V
	*	2472	95.37	-	-	88.19	27.79	16.16	36.77	141	88	A	V
CH 13 2472MHz		2483.632	61.89	-12.11	74	54.65	27.83	16.18	36.77	141	88	P	V
		2483.5	52.48	-1.52	54	45.24	27.83	16.18	36.77	141	88	A	V
													V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												

2.4GHz 2400~2483.5MHz

WIFI 802.11 be EHT20 Full (Harmonic @ 3m)

[illegible]



WIFI Ant. 3+4	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT20 Full CH 06 2437MHz		4874	47.29	-26.71	74	55.66	32.6	9.4	50.37	-	-	P	H
		7311	52.12	-21.88	74	56.85	36.66	10.85	52.24	201	7	P	H
		7311	42.59	-11.41	54	47.32	36.66	10.85	52.24	201	7	A	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
		4874	45.49	-28.51	74	53.86	32.6	9.4	50.37	-	-	P	V
		7311	50.31	-23.69	74	55.04	36.66	10.85	52.24	-	-	P	V
		7311	41.5	-12.5	54	46.23	36.66	10.85	52.24	-	-	A	V
													V
													V
													V
													V
													V
													V
													V
													V
													V



WIFI Ant. 3+4	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT20 Full CH 11 2462MHz		4924	46.7	-27.3	74	54.96	32.74	9.38	50.38	-	-	P	H
		7386	51.66	-22.34	74	56.47	36.5	10.91	52.22	-	-	P	H
		7386	42.45	-11.55	54	47.26	36.5	10.91	52.22	-	-	A	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
		4924	47.8	-26.2	74	56.06	32.74	9.38	50.38	-	-	P	V
		7386	50.67	-23.33	74	55.48	36.5	10.91	52.22	-	-	P	V
		7386	41.46	-12.54	54	46.27	36.5	10.91	52.22	-	-	A	V
													V
													V
													V
													V
													V
													V
													V



WIFI Ant. 3+4	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT20 Full CH 12 2467MHz		4934	46.89	-27.11	74	55.1	32.8	9.38	50.39	-	-	P	H
		7401	50.19	-23.81	74	54.98	36.5	10.93	52.22	-	-	P	H
		7401	40.98	-13.02	54	45.77	36.5	10.93	52.22	-	-	A	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
		4934	46.62	-27.38	74	54.83	32.8	9.38	50.39	-	-	P	V
		7401	50.63	-23.37	74	55.42	36.5	10.93	52.22	-	-	P	V
		7401	41.42	-12.58	54	46.21	36.5	10.93	52.22	-	-	A	V
													V
													V
													V
													V
													V
													V
													V

[illegible]

Emission above 18GHz

2.4GHz WIFI 802.11be EHT20 (SHF)

WIFI	Note	Frequency	Level	Margin	Limit	Read	Antenna	Path	Preamp	Ant	Table	Peak	Pol.
Ant.					Line	Level	Factor	Loss	Factor	Pos	Pos	Avg.	
3+4		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
2.4GHz 802.11be EHT20 SHF		24732	42.01	-31.99	74	58.95	38.86	-2.54	53.26	-	-	P	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	

Emission below 1GHz

2.4GHz WIFI 802.11be EHT20 (LF)

[illegible]



Note symbol

*	Fundamental Frequency which can be ignored. However, the level of any unwanted emissions shall not exceed the level of the fundamental frequency.
!	Test result is over limit line.
P/A	P eak or A verage
H/V	H orizontal or V ertical



A calculation example for radiated spurious emission is shown as below:

WIFI	Note	Frequency	Level	Margin	Limit	Read	Antenna	Path	Preamp	Ant	Table	Peak	Pol.
					Line	Level	Factor	Loss	Factor	Pos	Pos	Avg.	
		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
802.11b CH 01 2412MHz		2390	55.45	-18.55	74	54.51	32.22	4.58	35.86	103	308	P	H
		2390	43.54	-10.46	54	42.6	32.22	4.58	35.86	103	308	A	H

1. Path Loss(dB) = Cable loss(dB) + Filter loss(dB) + Attenuator loss(dB)
2. Level(dBμV/m) =
Antenna Factor(dB/m) + Path Loss(dB) + Read Level(dBμV) - Preamp Factor(dB)
3. Margin(dB) = Level(dBμV/m) – Limit Line(dBμV/m)

For Peak Limit @ 2390MHz:

1. Level(dBμV/m)
= Antenna Factor(dB/m) + Path Loss(dB) + Read Level(dBμV) - Preamp Factor(dB)
= 32.22(dB/m) + 4.58(dB) + 54.51(dBμV) – 35.86 (dB)
= 55.45 (dBμV/m)
2. Margin(dB)
= Level(dBμV/m) – Limit Line(dBμV/m)
= 55.45(dBμV/m) – 74(dBμV/m)
= -18.55(dB)

For Average Limit @ 2390MHz:

1. Level(dBμV/m)
= Antenna Factor(dB/m) + Path Loss(dB) + Read Level(dBμV) - Preamp Factor(dB)
= 32.22(dB/m) + 4.58(dB) + 42.6(dBμV) – 35.86 (dB)
= 43.54 (dBμV/m)
2. Margin(dB)
= Level(dBμV/m) – Limit Line(dBμV/m)
= 43.54(dBμV/m) – 54(dBμV/m)
= -10.46(dB)

Both peak and average measured complies with the limit line, so test result is “PASS”.



Appendix D. Radiated Spurious Emission Plots

Test Engineer :	Bigshow Wang, Quentin Liu and Eric Xiao	Temperature :	21~26°C
		Relative Humidity :	45~60%





Note symbol





-L	Low channel location
-R	High channel location



2.4GHz 2400~2483.5MHz

WIFI 802.11b (Band Edge @ 3m)



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH01 2412MHz	
3	Horizontal	Fundamental
Peak	 Site : 03CH15-HY Condition : PEAK_BE_74 3m 91200_02294_220623 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH15-HY Condition : PEAK_74 3m 91200_02294_220623 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg.	 Site : 03CH15-HY Condition : AVG_BE_54 3m 91200_02294_220623 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto	 Site : 03CH15-HY Condition : AVG_54 3m 91200_02294_220623 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH01 2412MHz	
3	Vertical	Fundamental
Peak	 Site : 03CH15-HY Condition : PEAK_BE_74 3m 91200_02294_220623 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH15-HY Condition : PEAK_74 3m 91200_02294_220623 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
	 Site : 03CH15-HY Condition : AVG_BE_54 3m 91200_02294_220623 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto	 Site : 03CH15-HY Condition : AVG_54 3m 91200_02294_220623 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto
Avg.		



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH06 2437MHz - L	
3	Horizontal	Fundamental
Peak	Site : 03CH15-HY Condition : PEAK_BE_74 3m 91200_02294_220623 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	Site : 03CH15-HY Condition : PEAK_74 3m 91200_02294_220623 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg.	Site : 03CH15-HY Condition : AVG_BE_54 3m 91200_02294_220623 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto	Site : 03CH15-HY Condition : AVG_54 3m 91200_02294_220623 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto





WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH06 2437MHz - R	
3	Horizontal	Fundamental
Peak	 Site : 03CH15-HY Condition : PEAK_BE_74 3m 91200_02294_220623 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	Left blank
Avg.	 Site : 03CH15-HY Condition : AVG_BE_54 3m 91200_02294_220623 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto	Left blank







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH06 2437MHz - L	
3	Vertical	Fundamental
Peak	Site : 03CH15-HY Condition : PEAK_BE_74 3m 91200_02294_220623 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	Site : 03CH15-HY Condition : PEAK_74 3m 91200_02294_220623 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg.	Site : 03CH15-HY Condition : AVG_BE_54 3m 91200_02294_220623 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto	Site : 03CH15-HY Condition : AVG_54 3m 91200_02294_220623 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH06 2437MHz - R	
3	Vertical	Fundamental
Peak	 Site : 03CH15-HY Condition : PEAK_BE_74 3m 91200_02294_220623 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	Left blank
Avg.	 Site : 03CH15-HY Condition : AVG_BE_54 3m 91200_02294_220623 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto	Left blank







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH11 2462MHz	
3	Horizontal	Fundamental
Peak	 Site : 03CH15-HY Condition : PEAK_BE_74 3m 91200_02294_220623 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH15-HY Condition : PEAK_74 3m 91200_02294_220623 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
	 Site : 03CH15-HY Condition : AVG_BE_54 3m 91200_02294_220623 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto	 Site : 03CH15-HY Condition : AVG_54 3m 91200_02294_220623 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH11 2462MHz	
3	Vertical	Fundamental
Peak	 Level (dBuV/m) Frequency (MHz) Date: 2023-04-09 PEAK_BE_74 Site : 03CH15-HY Condition : PEAK_BE_74 3m 91200_02294_220623 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Level (dBuV/m) Frequency (MHz) Date: 2023-04-09 PEAK_F4 Site : 03CH15-HY Condition : PEAK_F4 3m 91200_02294_220623 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
	 Level (dBuV/m) Frequency (MHz) Date: 2023-04-09 AVG_BE_54 Site : 03CH15-HY Condition : AVG_BE_54 3m 91200_02294_220623 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto	 Level (dBuV/m) Frequency (MHz) Date: 2023-04-09 AVG_F4 Site : 03CH15-HY Condition : AVG_F4 3m 91200_02294_220623 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto
Avg.		







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH12 2467MHz	
3	Horizontal	Fundamental
Peak	 Site : 03CH15-HY Condition : PEAK_BE_74 3m 91200_02294_220623 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH15-HY Condition : PEAK_74 3m 91200_02294_220623 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg.	 Site : 03CH15-HY Condition : AVG_BE_54 3m 91200_02294_220623 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto	 Site : 03CH15-HY Condition : AVG_54 3m 91200_02294_220623 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH12 2467MHz	
3	Vertical	Fundamental
Peak	Site : 03CH15-HY Condition : PEAK_BE_74 3m 91200_02294_220623 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	Site : 03CH15-HY Condition : PEAK_74 3m 91200_02294_220623 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
	Site : 03CH15-HY Condition : AVG_BE_54 3m 91200_02294_220623 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto	Site : 03CH15-HY Condition : AVG_54 3m 91200_02294_220623 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH13 2472MHz	
3	Horizontal	Fundamental
Peak	 Site : 03CH15-HY Condition : PEAK_BE_74 3m 91200_02294_220623 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH15-HY Condition : PEAK_74 3m 91200_02294_220623 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
	 Site : 03CH15-HY Condition : AVG_BE_54 3m 91200_02294_220623 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto	 Site : 03CH15-HY Condition : AVG_54 3m 91200_02294_220623 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto
Avg.		



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH13 2472MHz	
3	Vertical	Fundamental
Peak	 Site : 03CH15-HY Condition : PEAK_BE_74 3m 91200_02294_220623 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH15-HY Condition : PEAK_74 3m 91200_02294_220623 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
	 Site : 03CH15-HY Condition : AVG_BE_54 3m 91200_02294_220623 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto	 Site : 03CH15-HY Condition : AVG_54 3m 91200_02294_220623 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto







2.4GHz 2400~2483.5MHz

WIFI 802.11b (Harmonic @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11b CH01 2412MHz	
3	Horizontal	Vertical
Peak Avg.	Level (dBuV/m) Date: 2023-04-10 Site : 03CH15-HY Condition : PEAK_74 3m 9120D_02294_Z20623 HORIZONTAL	Level (dBuV/m) Date: 2023-04-10 Site : 03CH15-HY Condition : PEAK_74 3m 9120D_02294_Z20623 VERTICAL



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11b CH01 2412MHz	
3	Horizontal	Vertical
14.47G ~14.5G Avg.	 Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_220623 HORIZONTAL :	 Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_220623 VERTICAL :
	 Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_220623 HORIZONTAL :	 Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_220623 VERTICAL :
17.7G ~18G Avg		



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11b CH06 2437MHz	
3	Horizontal	Vertical
Peak Avg.	Level (dBuV/m) Date: 2023-04-10 Site : 03CH15-HY Condition : PEAK_74 3m 91200_02294_220623 HORIZONTAL :	Level (dBuV/m) Date: 2023-04-10 Site : 03CH15-HY Condition : PEAK_74 3m 91200_02294_220623 VERTICAL :



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11b CH06 2437MHz	
3	Horizontal	Vertical
14.47G ~14.5G Avg.	Level (dBuV/m) vs Frequency (MHz) plot for Horizontal polarization. The y-axis ranges from 10.0 to 140.0 dBuV/m, and the x-axis ranges from 14470 to 14500 MHz. A red line labeled 'AVG_54' is at approximately 55 dBuV/m. The plot shows a flat spectrum with a slight rise around 14475 MHz. Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_220623 HORIZONTAL	Level (dBuV/m) vs Frequency (MHz) plot for Vertical polarization. The y-axis ranges from 10.0 to 140.0 dBuV/m, and the x-axis ranges from 14470 to 14500 MHz. A red line labeled 'AVG_54' is at approximately 55 dBuV/m. The plot shows a flat spectrum with a slight rise around 14475 MHz. Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_220623 VERTICAL
	Level (dBuV/m) vs Frequency (MHz) plot for Horizontal polarization. The y-axis ranges from 10.0 to 140.0 dBuV/m, and the x-axis ranges from 17700 to 18000 MHz. A red line labeled 'AVG_54' is at approximately 55 dBuV/m. The plot shows a flat spectrum with a slight rise around 17750 MHz. Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_220623 HORIZONTAL	Level (dBuV/m) vs Frequency (MHz) plot for Vertical polarization. The y-axis ranges from 10.0 to 140.0 dBuV/m, and the x-axis ranges from 17700 to 18000 MHz. A red line labeled 'AVG_54' is at approximately 55 dBuV/m. The plot shows a flat spectrum with a slight rise around 17750 MHz. Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_220623 VERTICAL



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11b CH11 2462MHz	
3	Horizontal	Vertical
Peak Avg.	Level (dBuV/m) Date: 2023-04-10 Site : 03CH15-HY Condition : PEAK_74 3m 91200_02294_220623 HORIZONTAL :	Level (dBuV/m) Date: 2023-04-10 Site : 03CH15-HY Condition : PEAK_74 3m 91200_02294_220623 VERTICAL :







WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11b CH11 2462MHz	
3	Horizontal	Vertical
14.47G ~14.5G Avg.	Level (dBuV/m) vs Frequency (MHz) plot for Horizontal polarization. The plot shows a flat line at approximately 45 dBuV/m across the frequency range 14470 to 14500 MHz. The date is 2023-04-10. Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_220623 HORIZONTAL	Level (dBuV/m) vs Frequency (MHz) plot for Vertical polarization. The plot shows a flat line at approximately 45 dBuV/m across the frequency range 14470 to 14500 MHz. The date is 2023-04-10. Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_220623 VERTICAL
	Level (dBuV/m) vs Frequency (MHz) plot for Horizontal polarization. The plot shows a flat line at approximately 45 dBuV/m across the frequency range 17700 to 18000 MHz. The date is 2023-04-10. Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_220623 HORIZONTAL	Level (dBuV/m) vs Frequency (MHz) plot for Vertical polarization. The plot shows a flat line at approximately 45 dBuV/m across the frequency range 17700 to 18000 MHz. The date is 2023-04-10. Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_220623 VERTICAL



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11b CH12 2467MHz	
3	Horizontal	Vertical
Peak Avg.	Level (dBuV/m) Date: 2023-04-10 Site : 03CH15-HY Condition : PEAK_74 3m 91200_02294_220623 HORIZONTAL :	Level (dBuV/m) Date: 2023-04-10 Site : 03CH15-HY Condition : PEAK_74 3m 91200_02294_220623 VERTICAL :







WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11b CH12 2467MHz	
3	Horizontal	Vertical
14.47G ~14.5G Avg.	 Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_220623 HORIZONTAL :	 Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_220623 VERTICAL :
	 Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_220623 HORIZONTAL :	 Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_220623 VERTICAL :

17.7G
~18G
Avg



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11b CH13 2472MHz	
3	Horizontal	Vertical
Peak Avg.	Level (dBuV/m) Date: 2023-04-10 Site : 03CH15-HY Condition : PEAK_74 3m 91200_02294_220623 HORIZONTAL :	Level (dBuV/m) Date: 2023-04-10 Site : 03CH15-HY Condition : PEAK_74 3m 91200_02294_220623 VERTICAL :



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11b CH13 2472MHz	
3	Horizontal	Vertical
14.47G ~14.5G Avg.	 Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_220623 HORIZONTAL :	 Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_220623 VERTICAL :
	 Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_220623 HORIZONTAL :	 Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_220623 VERTICAL :
17.7G ~18G Avg		





Emission above 18GHz





2.4GHz WIFI 802.11b (SHF @ 1m)

WIFI	2.4GHz 2400~2483.5MHz	
ANT	802.11b SHF	
3	Horizontal	Vertical
Peak Avg.	Level (dBuV/m) Date: 2023-06-13 Site : 03CH13-HY Condition : PEAK_74 1m SHF_00991_Z20514 HORIZONTAL :	Level (dBuV/m) Date: 2023-06-13 Site : 03CH15-HY Condition : PEAK_74 1m SHF_00991_Z20514 VERTICAL :

Emission below 1GHz
2.4GHz WIFI 802.11b (LF)

WIFI	2.4GHz 2400~2483.5MHz	
ANT	802.11b LF	
3	Horizontal	Vertical
QP / Peak	 Site : 03CH15-HY Condition : QP 3m 1581LO6_Z30318_Z10 HORIZONTAL	 Site : 03CH15-HY Condition : QP 3m 1581LO6_Z30318_Z10 VERTICAL





2.4GHz 2400~2483.5MHz
WIFI 802.11b (Band Edge @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH01 2412MHz	
4	Horizontal	Fundamental
Peak	 Site : 03CH15-HY Condition : PEAK_BE_74 3m 91200_02294_220623 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH15-HY Condition : PEAK_74 3m 91200_02294_220623 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg.	 Site : 03CH15-HY Condition : AVG_BE_54 3m 91200_02294_220623 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto	 Site : 03CH15-HY Condition : AVG_54 3m 91200_02294_220623 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto





WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH01 2412MHz	
4	Vertical	Fundamental
Peak	Site : 03CH15-HY Condition : PEAK_BE_74 3m 91200_02294_220623 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	Site : 03CH15-HY Condition : PEAK_74 3m 91200_02294_220623 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg.	Site : 03CH15-HY Condition : AVG_BE_54 3m 91200_02294_220623 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto	Site : 03CH15-HY Condition : AVG_54 3m 91200_02294_220623 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH06 2437MHz - L	
4	Horizontal	Fundamental
Peak	 Site : 03CH15-HY Condition : PEAK_BE_74 3m 91200_02294_220623 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH15-HY Condition : PEAK_74 3m 91200_02294_220623 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg.	 Site : 03CH15-HY Condition : AVG_BE_54 3m 91200_02294_220623 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto	 Site : 03CH15-HY Condition : AVG_54 3m 91200_02294_220623 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto





WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH06 2437MHz - R	
4	Horizontal	Fundamental
Peak	 Site : 03CH15-HY Condition : PEAK_BE_74 3m 91200_02294_220623 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	Left blank
Avg.	 Site : 03CH15-HY Condition : AVG_BE_54 3m 91200_02294_220623 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto	Left blank







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH06 2437MHz - L	
4	Vertical	Fundamental
Peak	 Site : 03CH15-HY Condition : PEAK_BE_74 3m 91200_02294_220623 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH15-HY Condition : PEAK_74 3m 91200_02294_220623 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg.	 Site : 03CH15-HY Condition : AVG_BE_54 3m 91200_02294_220623 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto	 Site : 03CH15-HY Condition : AVG_54 3m 91200_02294_220623 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH06 2437MHz - R	
4	Vertical	Fundamental
Peak	 Site : 03CH15-HY Condition : PEAK_BE_74 3m 91200_02294_220623 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	Left blank
Avg.	 Site : 03CH15-HY Condition : AVG_BE_54 3m 91200_02294_220623 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto	Left blank







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH11 2462MHz	
4	Horizontal	Fundamental
Peak	 Site : 03CH15-HY Condition : PEAK_BE_74 3m 91200_02294_220623 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH15-HY Condition : PEAK_74 3m 91200_02294_220623 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
	 Site : 03CH15-HY Condition : AVG_BE_54 3m 91200_02294_220623 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto	 Site : 03CH15-HY Condition : AVG_54 3m 91200_02294_220623 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH11 2462MHz	
4	Vertical	Fundamental
Peak	 Site : 03CH15-HY Condition : PEAK_BE_74 3m 91200_02294_220623 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH15-HY Condition : PEAK_74 3m 91200_02294_220623 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
	 Site : 03CH15-HY Condition : AVG_BE_54 3m 91200_02294_220623 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto	 Site : 03CH15-HY Condition : AVG_54 3m 91200_02294_220623 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH12 2467MHz	
4	Horizontal	Fundamental
Peak	 Level (dBuV/m) Frequency (MHz) Date: 2023-04-09 PEAK_BE_74 Site : 03CH15-HY Condition : PEAK_BE_74 3m 91200_02294_220623 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Level (dBuV/m) Frequency (MHz) Date: 2023-04-09 PEAK_74 Site : 03CH15-HY Condition : PEAK_74 3m 91200_02294_220623 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
	 Level (dBuV/m) Frequency (MHz) Date: 2023-04-09 AVG_BE_54 Site : 03CH15-HY Condition : AVG_BE_54 3m 91200_02294_220623 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto	 Level (dBuV/m) Frequency (MHz) Date: 2023-04-09 AVG_54 Site : 03CH15-HY Condition : AVG_54 3m 91200_02294_220623 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto
Avg.		







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH12 2467MHz	
4	Vertical	Fundamental
Peak	Site : 03CH15-HY Condition : PEAK_BE_74 3m 91200_02294_220623 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	Site : 03CH15-HY Condition : PEAK_74 3m 91200_02294_220623 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
	Site : 03CH15-HY Condition : AVG_BE_54 3m 91200_02294_220623 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto	Site : 03CH15-HY Condition : AVG_54 3m 91200_02294_220623 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH13 2472MHz	
4	Horizontal	Fundamental
Peak	 Site : 03CH15-HY Condition : PEAK_BE_74 3m 91200_02294_220623 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH15-HY Condition : PEAK_74 3m 91200_02294_220623 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
	 Site : 03CH15-HY Condition : AVG_BE_54 3m 91200_02294_220623 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto	 Site : 03CH15-HY Condition : AVG_54 3m 91200_02294_220623 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto
Avg.		



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH13 2472MHz	
4	Vertical	Fundamental
Peak	 Level (dBuV/m) Frequency (MHz) Site : 03CH15-HY Condition : PEAK_BE_74 3m 91200_02294_220623 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Level (dBuV/m) Frequency (MHz) Site : 03CH15-HY Condition : PEAK_74 3m 91200_02294_220623 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
	 Level (dBuV/m) Frequency (MHz) Site : 03CH15-HY Condition : AVG_BE_54 3m 91200_02294_220623 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto	 Level (dBuV/m) Frequency (MHz) Site : 03CH15-HY Condition : AVG_54 3m 91200_02294_220623 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto
Avg.		



2.4GHz 2400~2483.5MHz

WIFI 802.11b (Harmonic @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11b CH01 2412MHz	
4	Horizontal	Vertical
Peak Avg.	Level (dBuV/m) Date: 2023-04-10 Site : 03CH15-HY Condition : PEAK_74 3m 9120D_02294_Z20623 HORIZONTAL	Level (dBuV/m) Date: 2023-04-10 Site : 03CH15-HY Condition : PEAK_74 3m 9120D_02294_Z20623 VERTICAL







WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11b CH01 2412MHz	
4	Horizontal	Vertical
14.47G ~14.5G Avg.	Level (dBuV/m) vs Frequency (MHz) plot for Horizontal polarization. The plot shows a flat line at approximately 40 dBuV/m across the frequency range 14470 to 14500 MHz. A red line labeled 'AVG_54' is at approximately 55 dBuV/m. The date is 2023-04-10. Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_220623 HORIZONTAL	Level (dBuV/m) vs Frequency (MHz) plot for Vertical polarization. The plot shows a flat line at approximately 40 dBuV/m across the frequency range 14470 to 14500 MHz. A red line labeled 'AVG_54' is at approximately 55 dBuV/m. The date is 2023-04-10. Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_220623 VERTICAL
	Level (dBuV/m) vs Frequency (MHz) plot for Horizontal polarization. The plot shows a flat line at approximately 40 dBuV/m across the frequency range 17700 to 18000 MHz. A red line labeled 'AVG_54' is at approximately 55 dBuV/m. The date is 2023-04-10. Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_220623 HORIZONTAL	Level (dBuV/m) vs Frequency (MHz) plot for Vertical polarization. The plot shows a flat line at approximately 40 dBuV/m across the frequency range 17700 to 18000 MHz. A red line labeled 'AVG_54' is at approximately 55 dBuV/m. The date is 2023-04-10. Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_220623 VERTICAL



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11b CH06 2437MHz	
4	Horizontal	Vertical
Peak Avg.	Level (dBuV/m) Date: 2023-04-10 Site : 03CH15-HY Condition : PEAK_74 3m 91200_02294_220623 HORIZONTAL :	Level (dBuV/m) Date: 2023-04-10 Site : 03CH15-HY Condition : PEAK_74 3m 91200_02294_220623 VERTICAL :



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11b CH06 2437MHz	
4	Horizontal	Vertical
14.47G ~14.5G Avg.	 Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_220623 HORIZONTAL :	 Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_220623 VERTICAL :
	 Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_220623 HORIZONTAL :	 Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_220623 VERTICAL :
17.7G ~18G Avg		



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11b CH11 2462MHz	
4	Horizontal	Vertical
Peak Avg.	Level (dBuV/m) Date: 2023-04-10 Site : 03CH15-HY Condition : PEAK_74 3m 91200_02294_220623 HORIZONTAL :	Level (dBuV/m) Date: 2023-04-10 Site : 03CH15-HY Condition : PEAK_74 3m 91200_02294_220623 VERTICAL :







WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11b CH11 2462MHz	
4	Horizontal	Vertical
14.47G ~14.5G Avg.	Level (dBuV/m) vs Frequency (MHz) plot for Horizontal polarization. The plot shows a flat line at approximately 40 dBuV/m across the frequency range 14470 to 14500 MHz. The date is 2023-04-10. Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_220623 HORIZONTAL	Level (dBuV/m) vs Frequency (MHz) plot for Vertical polarization. The plot shows a flat line at approximately 40 dBuV/m across the frequency range 14470 to 14500 MHz. The date is 2023-04-10. Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_220623 VERTICAL
	Level (dBuV/m) vs Frequency (MHz) plot for Horizontal polarization. The plot shows a flat line at approximately 40 dBuV/m across the frequency range 17700 to 18000 MHz. The date is 2023-04-10. Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_220623 HORIZONTAL	Level (dBuV/m) vs Frequency (MHz) plot for Vertical polarization. The plot shows a flat line at approximately 40 dBuV/m across the frequency range 17700 to 18000 MHz. The date is 2023-04-10. Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_220623 VERTICAL



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11b CH12 2467MHz	
4	Horizontal	Vertical
Peak Avg.	Level (dBuV/m) Date: 2023-04-17 Site : 03CH15-HY Condition : PEAK_74 3m 9120D_02294_220623 HORIZONTAL :	Level (dBuV/m) Date: 2023-04-17 Site : 03CH15-HY Condition : PEAK_74 3m 9120D_02294_220623 VERTICAL :



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11b CH12 2467MHz	
4	Horizontal	Vertical
14.47G ~14.5G Avg.	 Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_220623 HORIZONTAL :	 Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_220623 VERTICAL :
	 Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_220623 HORIZONTAL :	 Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_220623 VERTICAL :



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11b CH13 2472MHz	
4	Horizontal	Vertical
Peak Avg.	Level (dBuV/m) Date: 2023-04-17 Site : 03CH15-HY Condition : PEAK_74 3m 91200_02294_220623 HORIZONTAL :	Level (dBuV/m) Date: 2023-04-17 Site : 03CH15-HY Condition : PEAK_74 3m 91200_02294_220623 VERTICAL :



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11b CH13 2472MHz	
4	Horizontal	Vertical
14.47G ~14.5G Avg.	Level (dBuV/m) vs Frequency (MHz) plot for Horizontal polarization. The y-axis ranges from 10.0 to 140.0 dBuV/m, and the x-axis ranges from 14470 to 14500 MHz. A red line labeled 'AVG_54' is at approximately 55 dBuV/m. The plot shows a flat spectrum with a slight rise around 14472 MHz. Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_220623 HORIZONTAL	Level (dBuV/m) vs Frequency (MHz) plot for Vertical polarization. The y-axis ranges from 10.0 to 140.0 dBuV/m, and the x-axis ranges from 14470 to 14500 MHz. A red line labeled 'AVG_54' is at approximately 55 dBuV/m. The plot shows a flat spectrum with a slight rise around 14472 MHz. Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_220623 VERTICAL
	Level (dBuV/m) vs Frequency (MHz) plot for Horizontal polarization. The y-axis ranges from 10.0 to 140.0 dBuV/m, and the x-axis ranges from 17700 to 18000 MHz. A red line labeled 'AVG_54' is at approximately 55 dBuV/m. The plot shows a flat spectrum with a slight rise around 17730 MHz. Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_220623 HORIZONTAL	Level (dBuV/m) vs Frequency (MHz) plot for Vertical polarization. The y-axis ranges from 10.0 to 140.0 dBuV/m, and the x-axis ranges from 17700 to 18000 MHz. A red line labeled 'AVG_54' is at approximately 55 dBuV/m. The plot shows a flat spectrum with a slight rise around 17730 MHz. Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_220623 VERTICAL





Emission above 18GHz

2.4GHz WIFI 802.11b (SHF @ 1m)





WIFI	2.4GHz 2400~2483.5MHz	
ANT	802.11b SHF	
4	Horizontal	Vertical
Peak Avg.	Level (dBuV/m) Date: 2023-06-13 PEAK_74 AVG_54 Site : 03CH15-HY Condition : PEAK_74 1m SHF_00991_220514 HORIZONTAL	Level (dBuV/m) Date: 2023-06-13 PEAK_74 AVG_54 Site : 03CH15-HY Condition : PEAK_74 1m SHF_00991_220514 VERTICAL

Emission below 1GHz
2.4GHz WIFI 802.11b (LF)





WIFI	2.4GHz 2400~2483.5MHz	
ANT	802.11b LF	
4	Horizontal	Vertical
QP / Peak	 Site : 03CH15-HY Condition : QP 3m 1581LO6_Z30318_Z10 HORIZONTAL	 Site : 03CH15-HY Condition : QP 3m 1581LO6_Z30318_Z10 VERTICAL







2.4GHz 2400~2483.5MHz
WIFI 802.11g (Band Edge @ 3m)



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH01 2412MHz	
3+4	Horizontal	Fundamental
Peak	 Site : 03CH15-HY Condition : PEAK_BE_74 3m 91200_02294_220623 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH15-HY Condition : PEAK_74 3m 91200_02294_220623 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg.	 Site : 03CH15-HY Condition : AVG_BE_54 3m 91200_02294_220623 HORIZONTAL : RBW:1000.000KHz VBW:1000KHz SWT:Auto	 Site : 03CH15-HY Condition : AVG_54 3m 91200_02294_220623 HORIZONTAL : RBW:1000.000KHz VBW:1000KHz SWT:Auto







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH01 2412MHz	
3+4	Vertical	Fundamental
Peak	 Site : 03CH15-HY Condition : PEAK_BE_74 3m 91200_02294_220623 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH15-HY Condition : PEAK_74 3m 91200_02294_220623 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
	 Site : 03CH15-HY Condition : AVG_BE_54 3m 91200_02294_220623 VERTICAL : RBW:1000.000KHz VBW:1000KHz SWT:Auto	 Site : 03CH15-HY Condition : AVG_54 3m 91200_02294_220623 VERTICAL : RBW:1000.000KHz VBW:1000KHz SWT:Auto



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH06 2437MHz - L	
3+4	Horizontal	Fundamental
Peak	 Site : 03CH15-HY Condition : PEAK_BE_74 3m 91200_02294_220623 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH15-HY Condition : PEAK_74 3m 91200_02294_220623 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg.	 Site : 03CH15-HY Condition : AVG_BE_54 3m 91200_02294_220623 HORIZONTAL : RBW:1000.000KHz VBW:1000KHz SWT:Auto	 Site : 03CH15-HY Condition : AVG_54 3m 91200_02294_220623 HORIZONTAL : RBW:1000.000KHz VBW:1000KHz SWT:Auto







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH06 2437MHz - R	
3+4	Horizontal	Fundamental
Peak	 Site : 03CH15-HY Condition : PEAK_BE_74 3m 91200_02294_220623 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	Left blank
Avg.	 Site : 03CH15-HY Condition : AVG_BE_54 3m 91200_02294_220623 HORIZONTAL : RBW:1000.000KHz VBW:1000KHz SWT:Auto	Left blank





WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH06 2437MHz - L	
3+4	Vertical	Fundamental
Peak	 Site : 03CH15-HY Condition : PEAK_BE_74 3m 91200_02294_220623 VERTICAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH15-HY Condition : PEAK_74 3m 91200_02294_220623 VERTICAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
	 Site : 03CH15-HY Condition : AVG_BE_54 3m 91200_02294_220623 VERTICAL RBW:1000.000KHz VBW:1000KHz SWT:Auto	 Site : 03CH15-HY Condition : AVG_54 3m 91200_02294_220623 VERTICAL RBW:1000.000KHz VBW:1000KHz SWT:Auto
Avg.		



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH06 2437MHz - R	
3+4	Vertical	Fundamental
Peak	 Site : 03CH15-HY Condition : PEAK_BE_74 3m 91200_02294_220623 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	Left Blank
Avg.	 Site : 03CH15-HY Condition : AVG_BE_54 3m 91200_02294_220623 VERTICAL : RBW:1000.000KHz VBW:1000KHz SWT:Auto	Left Blank







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH11 2462MHz	
3+4	Horizontal	Fundamental
Peak	 Site : 03CH15-HY Condition : PEAK_BE_74 3m 91200_02294_220623 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH15-HY Condition : PEAK_74 3m 91200_02294_220623 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg.	 Site : 03CH15-HY Condition : AVG_BE_54 3m 91200_02294_220623 HORIZONTAL : RBW:1000.000KHz VBW:1000KHz SWT:Auto	 Site : 03CH15-HY Condition : AVG_54 3m 91200_02294_220623 HORIZONTAL : RBW:1000.000KHz VBW:1000KHz SWT:Auto

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH11 2462MHz	
3+4	Vertical	Fundamental
Peak	 Site : 03CH15-HY Condition : PEAK_BE_74 3m 91200_02294_220623 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH15-HY Condition : PEAK_74 3m 91200_02294_220623 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
	 Site : 03CH15-HY Condition : AVG_BE_54 3m 91200_02294_220623 VERTICAL : RBW:1000.000KHz VBW:1000KHz SWT:Auto	 Site : 03CH15-HY Condition : AVG_54 3m 91200_02294_220623 VERTICAL : RBW:1000.000KHz VBW:1000KHz SWT:Auto
Avg.		







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH12 2467MHz	
3+4	Horizontal	Fundamental
Peak	Site : 03CH15-HY Condition : PEAK_BE_74 3m 91200_02294_220623 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	Site : 03CH15-HY Condition : PEAK_74 3m 91200_02294_220623 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg.	Site : 03CH15-HY Condition : AVG_BE_54 3m 91200_02294_220623 HORIZONTAL : RBW:1000.000KHz VBW:1000KHz SWT:Auto	Site : 03CH15-HY Condition : AVG_54 3m 91200_02294_220623 HORIZONTAL : RBW:1000.000KHz VBW:1000KHz SWT:Auto







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH12 2467MHz	
3+4	Vertical	Fundamental
Peak	 Site : 03CH15-HY Condition : PEAK_BE_74 3m 91200_02294_220623 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH15-HY Condition : PEAK_74 3m 91200_02294_220623 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
	 Site : 03CH15-HY Condition : AVG_BE_54 3m 91200_02294_220623 VERTICAL : RBW:1000.000KHz VBW:1000KHz SWT:Auto	 Site : 03CH15-HY Condition : AVG_54 3m 91200_02294_220623 VERTICAL : RBW:1000.000KHz VBW:1000KHz SWT:Auto
Avg.		







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH13 2472MHz	
3+4	Horizontal	Fundamental
Peak	 Site : 03CH15-HY Condition : PEAK_BE_74 3m 91200_02294_220623 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH15-HY Condition : PEAK_74 3m 91200_02294_220623 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg.	 Site : 03CH15-HY Condition : AVG_BE_54 3m 91200_02294_220623 HORIZONTAL : RBW:1000.000KHz VBW:1000KHz SWT:Auto	 Site : 03CH15-HY Condition : AVG_54 3m 91200_02294_220623 HORIZONTAL : RBW:1000.000KHz VBW:1000KHz SWT:Auto







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH13 2472MHz	
3+4	Vertical	Fundamental
Peak	 Site : 03CH15-HY Condition : PEAK_BE_74 3m 91200_02294_220623 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH15-HY Condition : PEAK_74 3m 91200_02294_220623 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
	 Site : 03CH15-HY Condition : AVG_BE_54 3m 91200_02294_220623 VERTICAL : RBW:1000.000KHz VBW:1000KHz SWT:Auto	 Site : 03CH15-HY Condition : AVG_54 3m 91200_02294_220623 VERTICAL : RBW:1000.000KHz VBW:1000KHz SWT:Auto
Avg.		





2.4GHz 2400~2483.5MHz
WIFI 802.11be EHT20 Full (Band Edge @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11be EHT20 Full CH01 2412MHz	
3+4	Horizontal	Fundamental
Peak	 Site : 03CH15-HY Condition : PEAK_BE_74 3m 91200_02294_220623 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH15-HY Condition : PEAK_74 3m 91200_02294_220623 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg.	 Site : 03CH15-HY Condition : AVG_BE_54 3m 91200_02294_220623 HORIZONTAL : RBW:1000.000KHz VBW:1800KHz SWT:Auto	 Site : 03CH15-HY Condition : AVG_54 3m 91200_02294_220623 HORIZONTAL : RBW:1000.000KHz VBW:1800KHz SWT:Auto



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11be EHT20 Full CH01 2412MHz	
3+4	Vertical	Fundamental
Peak	 Site : 03CH15-HY Condition : PEAK_BE_74 3m 91200_02294_220623 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH15-HY Condition : PEAK_74 3m 91200_02294_220623 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
	 Site : 03CH15-HY Condition : AVG_BE_54 3m 91200_02294_220623 VERTICAL : RBW:1000.000KHz VBW:1800KHz SWT:Auto	 Site : 03CH15-HY Condition : AVG_54 3m 91200_02294_220623 VERTICAL : RBW:1000.000KHz VBW:1800KHz SWT:Auto







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11be EHT20 Full CH06 2437MHz - L	
3+4	Horizontal	Fundamental
Peak	 Site : 03CH15-HY Condition : PEAK_BE_74 3m 91200_02294_220623 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH15-HY Condition : PEAK_74 3m 91200_02294_220623 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg.	 Site : 03CH15-HY Condition : AVG_BE_54 3m 91200_02294_220623 HORIZONTAL : RBW:1000.000KHz VBW:1800KHz SWT:Auto	 Site : 03CH15-HY Condition : AVG_54 3m 91200_02294_220623 HORIZONTAL : RBW:1000.000KHz VBW:1800KHz SWT:Auto





WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11be EHT20 Full CH06 2437MHz - R	
3+4	Horizontal	Fundamental
Peak	Site : 03CH15-HY Condition : PEAK_BE_74 3m 91200_02294_220623 HORIZONTAL RBW:1000.000kHz VBW:3000.000kHz SWT:Auto	Left blank
Avg.	Site : 03CH15-HY Condition : AVG_BE_54 3m 91200_02294_220623 HORIZONTAL RBW:1000.000kHz VBW:1800kHz SWT:Auto	Left blank



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11be EHT20 Full CH06 2437MHz - L	
3+4	Vertical	Fundamental
Peak	 Site : 03CH15-HY Condition : PEAK_BE_74 3m 91200_02294_220623 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH15-HY Condition : PEAK_74 3m 91200_02294_220623 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
	 Site : 03CH15-HY Condition : AVG_BE_54 3m 91200_02294_220623 VERTICAL : RBW:1000.000KHz VBW:1800KHz SWT:Auto	 Site : 03CH15-HY Condition : AVG_54 3m 91200_02294_220623 VERTICAL : RBW:1000.000KHz VBW:1800KHz SWT:Auto



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11be EHT20 Full CH06 2437MHz - R	
3+4	Vertical	Fundamental
Peak	 Site : 03CH15-HY Condition : PEAK_BE_74 3m 91200_02294_220623 VERTICAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	Left blank
Avg.	 Site : 03CH15-HY Condition : AVG_BE_54 3m 91200_02294_220623 VERTICAL RBW:1000.000KHz VBW:1800KHz SWT:Auto	Left blank



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11be EHT20 Full CH11 2462MHz	
3+4	Horizontal	Fundamental
Peak	Site : 03CH15-HY Condition : PEAK_BE_74 3m 91200_02294_220623 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	Site : 03CH15-HY Condition : PEAK_74 3m 91200_02294_220623 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg.	Site : 03CH15-HY Condition : AVG_BE_54 3m 91200_02294_220623 HORIZONTAL : RBW:1000.000KHz VBW:1800KHz SWT:Auto	Site : 03CH15-HY Condition : AVG_54 3m 91200_02294_220623 HORIZONTAL : RBW:1000.000KHz VBW:1800KHz SWT:Auto







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11be EHT20 Full CH11 2462MHz	
3+4	Vertical	Fundamental
Peak	Site : 03CH15-HY Condition : PEAK_BE_74 3m 91200_02294_220623 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	Site : 03CH15-HY Condition : PEAK_74 3m 91200_02294_220623 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg.	Site : 03CH15-HY Condition : AVG_BE_54 3m 91200_02294_220623 VERTICAL : RBW:1000.000KHz VBW:1800KHz SWT:Auto	Site : 03CH15-HY Condition : AVG_54 3m 91200_02294_220623 VERTICAL : RBW:1000.000KHz VBW:1800KHz SWT:Auto







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11be EHT20 Full CH12 2467MHz	
3+4	Horizontal	Fundamental
Peak	Site : 03CH15-HY Condition : PEAK_BE_74 3m 91200_02294_220623 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	Site : 03CH15-HY Condition : PEAK_74 3m 91200_02294_220623 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg.	Site : 03CH15-HY Condition : AVG_BE_54 3m 91200_02294_220623 HORIZONTAL : RBW:1000.000KHz VBW:1800KHz SWT:Auto	Site : 03CH15-HY Condition : AVG_54 3m 91200_02294_220623 HORIZONTAL : RBW:1000.000KHz VBW:1800KHz SWT:Auto



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11be EHT20 Full CH12 2467MHz	
3+4	Vertical	Fundamental
Peak	 Level (dBuV/m) Frequency (MHz) Site : 03CH15-HY Condition : PEAK_BE_74 3m 91200_02294_220623 VERTICAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Level (dBuV/m) Frequency (MHz) Site : 03CH15-HY Condition : PEAK_74 3m 91200_02294_220623 VERTICAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg.	 Level (dBuV/m) Frequency (MHz) Site : 03CH15-HY Condition : AVG_BE_54 3m 91200_02294_220623 VERTICAL RBW:1000.000KHz VBW:1800KHz SWT:Auto	 Level (dBuV/m) Frequency (MHz) Site : 03CH15-HY Condition : AVG_54 3m 91200_02294_220623 VERTICAL RBW:1000.000KHz VBW:1800KHz SWT:Auto



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11be EHT20 Full CH13 2472MHz	
3+4	Horizontal	Fundamental
Peak	 Site : 03CH15-HY Condition : PEAK_BE_74 3m 91200_02294_220623 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH15-HY Condition : PEAK_74 3m 91200_02294_220623 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
	 Site : 03CH15-HY Condition : AVG_BE_54 3m 91200_02294_220623 HORIZONTAL : RBW:1000.000KHz VBW:1800KHz SWT:Auto	 Site : 03CH15-HY Condition : AVG_54 3m 91200_02294_220623 HORIZONTAL : RBW:1000.000KHz VBW:1800KHz SWT:Auto





WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11be EHT20 Full CH13 2472MHz	
3+4	Vertical	Fundamental
Peak	Site : 03CH15-HY Condition : PEAK_BE_74 3m 91200_02294_220623 VERTICAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	Site : 03CH15-HY Condition : PEAK_74 3m 91200_02294_220623 VERTICAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg.	Site : 03CH15-HY Condition : AVG_BE_54 3m 91200_02294_220623 VERTICAL RBW:1000.000KHz VBW:1800KHz SWT:Auto	Site : 03CH15-HY Condition : AVG_54 3m 91200_02294_220623 VERTICAL RBW:1000.000KHz VBW:1800KHz SWT:Auto



2.4GHz 2400~2483.5MHz

WIFI 802.11g (Harmonic @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11g CH01 2412MHz	
3+4	Horizontal	Vertical
Peak Avg.	 Site : 03CH15-HY Condition : PEAK_74 3m 9120D_02294_Z20623 HORIZONTAL :	 Site : 03CH15-HY Condition : PEAK_74 3m 9120D_02294_Z20623 VERTICAL :



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11g CH01 2412MHz	
3+4	Horizontal	Vertical
14.47G ~14.5G Avg.	Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_220623 HORIZONTAL :	Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_220623 VERTICAL :
	Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_220623 HORIZONTAL :	Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_220623 VERTICAL :



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11g CH06 2437MHz	
3+4	Horizontal	Vertical
Peak Avg.	Level (dBuV/m) Date: 2023-04-08 Site : 03CH15-HY Condition : PEAK_74 3m 9120D_02294_220623 HORIZONTAL :	Level (dBuV/m) Date: 2023-04-08 Site : 03CH15-HY Condition : PEAK_74 3m 9120D_02294_220623 VERTICAL :



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11g CH06 2437MHz	
3+4	Horizontal	Vertical
14.47G ~14.5G Avg.	Level (dBuV/m) vs Frequency (MHz) graph. The y-axis ranges from 10.0 to 140.0 dBuV/m. The x-axis ranges from 14470 to 14500 MHz. A red line labeled 'AVG_54' is at approximately 55 dBuV/m. The blue line shows the spectrum with a peak around 14473 MHz. Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_220623 HORIZONTAL	Level (dBuV/m) vs Frequency (MHz) graph. The y-axis ranges from 10.0 to 140.0 dBuV/m. The x-axis ranges from 14470 to 14500 MHz. A red line labeled 'AVG_54' is at approximately 55 dBuV/m. The blue line shows the spectrum with a peak around 14473 MHz. Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_220623 VERTICAL
	Level (dBuV/m) vs Frequency (MHz) graph. The y-axis ranges from 10.0 to 140.0 dBuV/m. The x-axis ranges from 17700 to 18000 MHz. A red line labeled 'AVG_54' is at approximately 55 dBuV/m. The blue line shows the spectrum with a peak around 17730 MHz. Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_220623 HORIZONTAL	Level (dBuV/m) vs Frequency (MHz) graph. The y-axis ranges from 10.0 to 140.0 dBuV/m. The x-axis ranges from 17700 to 18000 MHz. A red line labeled 'AVG_54' is at approximately 55 dBuV/m. The blue line shows the spectrum with a peak around 17730 MHz. Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_220623 VERTICAL



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11g CH11 2462MHz	
3+4	Horizontal	Vertical
Peak Avg.	Level (dBuV/m) Date: 2023-04-09 Site : 03CH15-HY Condition : PEAK_74 3m 9120D_02294_220623 HORIZONTAL :	Level (dBuV/m) Date: 2023-04-09 Site : 03CH15-HY Condition : PEAK_74 3m 9120D_02294_220623 VERTICAL :







WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11g CH11 2462MHz	
3+4	Horizontal	Vertical
14.47G ~14.5G Avg.	Level (dBuV/m) Date: 2023-04-09 Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_220623 HORIZONTAL Frequency (MHz)	Level (dBuV/m) Date: 2023-04-09 Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_220623 VERTICAL Frequency (MHz)
	Level (dBuV/m) Date: 2023-04-09 Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_220623 HORIZONTAL Frequency (MHz)	Level (dBuV/m) Date: 2023-04-09 Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_220623 VERTICAL Frequency (MHz)



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11g CH12 2467MHz	
3+4	Horizontal	Vertical
Peak Avg.	Level (dBuV/m) Date: 2023-04-09 Site : 03CH15-HY Condition : PEAK_74 3m 9120D_02294_220623 HORIZONTAL :	Level (dBuV/m) Date: 2023-04-09 Site : 03CH15-HY Condition : PEAK_74 3m 9120D_02294_220623 VERTICAL :







WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11g CH12 2467MHz	
3+4	Horizontal	Vertical
14.47G ~14.5G Avg.	 Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_220623 HORIZONTAL :	 Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_220623 VERTICAL :
	 Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_220623 HORIZONTAL :	 Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_220623 VERTICAL :





WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11g CH13 2472MHz	
3+4	Horizontal	Vertical
Peak Avg.	Level (dBuV/m) Date: 2023-04-09 Site : 03CH15-HY Condition : PEAK_74 3m 9120D_02294_220623 HORIZONTAL :	Level (dBuV/m) Date: 2023-04-09 Site : 03CH15-HY Condition : PEAK_74 3m 9120D_02294_220623 VERTICAL :



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11g CH13 2472MHz	
3+4	Horizontal	Vertical
14.47G ~14.5G Avg.	 Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_220623 HORIZONTAL :	 Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_220623 VERTICAL :
	 Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_220623 HORIZONTAL :	 Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_220623 VERTICAL :
17.7G ~18G Avg		

2.4GHz 2400~2483.5MHz
WIFI 802.11 be EHT20 Full (Harmonic @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11 be EHT20 Full CH01 2412MHz	
3+4	Horizontal	Vertical
Peak Avg.	 Site : 03CH15-HY Condition : PEAK_74 3m 91200_02294_220623 HORIZONTAL	 Site : 03CH15-HY Condition : PEAK_74 3m 91200_02294_220623 VERTICAL



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11 be EHT20 Full CH01 2412MHz	
3+4	Horizontal	Vertical
14.47G ~14.5G Avg.	Level (dBuV/m) Date: 2023-04-08 Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_220623 HORIZONTAL Frequency (MHz)	Level (dBuV/m) Date: 2023-04-08 Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_220623 VERTICAL Frequency (MHz)
	Level (dBuV/m) Date: 2023-04-08 Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_220623 HORIZONTAL Frequency (MHz)	Level (dBuV/m) Date: 2023-04-08 Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_220623 VERTICAL Frequency (MHz)



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11 be EHT20 Full CH06 2437MHz	
3+4	Horizontal	Vertical
Peak Avg.	Level (dBuV/m) Date: 2023-04-08 Site : 03CH15-HY Condition : PEAK_74 3m 9120D_02294_220623 HORIZONTAL :	Level (dBuV/m) Date: 2023-04-08 Site : 03CH15-HY Condition : PEAK_74 3m 9120D_02294_220623 VERTICAL :



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11 be EHT20 Full CH06 2437MHz	
3+4	Horizontal	Vertical
14.47G ~14.5G Avg.	Level (dBuV/m) vs Frequency (MHz) plot for Horizontal polarization. The y-axis ranges from 10.0 to 140.0 dBuV/m, and the x-axis ranges from 14470 to 14500 MHz. A red line indicates the average level (AVG_54) at approximately 55 dBuV/m. The plot shows a flat spectrum with minor noise. Date: 2023-04-08. Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_220623 HORIZONTAL :	Level (dBuV/m) vs Frequency (MHz) plot for Vertical polarization. The y-axis ranges from 10.0 to 140.0 dBuV/m, and the x-axis ranges from 14470 to 14500 MHz. A red line indicates the average level (AVG_54) at approximately 55 dBuV/m. The plot shows a flat spectrum with minor noise. Date: 2023-04-08. Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_220623 VERTICAL :
	Level (dBuV/m) vs Frequency (MHz) plot for Horizontal polarization. The y-axis ranges from 10.0 to 140.0 dBuV/m, and the x-axis ranges from 17700 to 18000 MHz. A red line indicates the average level (AVG_54) at approximately 55 dBuV/m. The plot shows a flat spectrum with minor noise. Date: 2023-04-08. Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_220623 HORIZONTAL :	Level (dBuV/m) vs Frequency (MHz) plot for Vertical polarization. The y-axis ranges from 10.0 to 140.0 dBuV/m, and the x-axis ranges from 17700 to 18000 MHz. A red line indicates the average level (AVG_54) at approximately 55 dBuV/m. The plot shows a flat spectrum with minor noise. Date: 2023-04-08. Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_220623 VERTICAL :



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11 be EHT20 Full CH11 2462MHz	
3+4	Horizontal	Vertical
Peak Avg.	Level (dBuV/m) Date: 2023-04-08 Site : 03CH15-HY Condition : PEAK_74 3m 9120D_02294_220623 HORIZONTAL :	Level (dBuV/m) Date: 2023-04-08 Site : 03CH15-HY Condition : PEAK_74 3m 9120D_02294_220623 VERTICAL :



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11 be EHT20 Full CH11 2462MHz	
3+4	Horizontal	Vertical
14.47G ~14.5G Avg.	Level (dBuV/m) vs Frequency (MHz) plot for Horizontal polarization. The y-axis ranges from 10.0 to 140.0 dBuV/m, and the x-axis ranges from 14470 to 14500 MHz. A red line labeled 'AVG_54' is at approximately 55 dBuV/m. The plot shows a flat spectrum with noise floor around 40 dBuV/m. Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_220623 HORIZONTAL	Level (dBuV/m) vs Frequency (MHz) plot for Vertical polarization. The y-axis ranges from 10.0 to 140.0 dBuV/m, and the x-axis ranges from 14470 to 14500 MHz. A red line labeled 'AVG_54' is at approximately 55 dBuV/m. The plot shows a flat spectrum with noise floor around 40 dBuV/m. Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_220623 VERTICAL
	Level (dBuV/m) vs Frequency (MHz) plot for Horizontal polarization. The y-axis ranges from 10.0 to 140.0 dBuV/m, and the x-axis ranges from 17700 to 18000 MHz. A red line labeled 'AVG_54' is at approximately 55 dBuV/m. The plot shows a flat spectrum with noise floor around 40 dBuV/m. Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_220623 HORIZONTAL	Level (dBuV/m) vs Frequency (MHz) plot for Vertical polarization. The y-axis ranges from 10.0 to 140.0 dBuV/m, and the x-axis ranges from 17700 to 18000 MHz. A red line labeled 'AVG_54' is at approximately 55 dBuV/m. The plot shows a flat spectrum with noise floor around 40 dBuV/m. Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_220623 VERTICAL



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11 be EHT20 Full CH12 2467MHz	
3+4	Horizontal	Vertical
Peak Avg.	Level (dBuV/m) Date: 2023-04-29 Site : 03CH15-HY Condition : PEAK_74 3m 9120D_02294_220623 HORIZONTAL :	Level (dBuV/m) Date: 2023-04-29 Site : 03CH15-HY Condition : PEAK_74 3m 9120D_02294_220623 VERTICAL :







WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11 be EHT20 Full CH12 2467MHz	
3+4	Horizontal	Vertical
14.47G ~14.5G Avg.	Level (dBuV/m) vs Frequency (MHz) plot for Horizontal polarization. The y-axis ranges from 10.0 to 140.0 dBuV/m, and the x-axis ranges from 14470 to 14500 MHz. A red line labeled 'AVG_54' is at approximately 55 dBuV/m. The plot shows a flat line with minor noise. Date: 2023-04-29. Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_220623 HORIZONTAL :	Level (dBuV/m) vs Frequency (MHz) plot for Vertical polarization. The y-axis ranges from 10.0 to 140.0 dBuV/m, and the x-axis ranges from 14470 to 14500 MHz. A red line labeled 'AVG_54' is at approximately 55 dBuV/m. The plot shows a flat line with minor noise. Date: 2023-04-29. Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_220623 VERTICAL :
	Level (dBuV/m) vs Frequency (MHz) plot for Horizontal polarization. The y-axis ranges from 10.0 to 140.0 dBuV/m, and the x-axis ranges from 17700 to 18000 MHz. A red line labeled 'AVG_54' is at approximately 55 dBuV/m. The plot shows a flat line with minor noise. Date: 2023-04-29. Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_220623 HORIZONTAL :	Level (dBuV/m) vs Frequency (MHz) plot for Vertical polarization. The y-axis ranges from 10.0 to 140.0 dBuV/m, and the x-axis ranges from 17700 to 18000 MHz. A red line labeled 'AVG_54' is at approximately 55 dBuV/m. The plot shows a flat line with minor noise. Date: 2023-04-29. Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_220623 VERTICAL :



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11 be EHT20 Full CH13 2472MHz	
3+4	Horizontal	Vertical
Peak Avg.	Level (dBuV/m) Date: 2023-04-29 Site : 03CH15-HY Condition : PEAK_74 3m 9120D_02294_220623 HORIZONTAL :	Level (dBuV/m) Date: 2023-04-29 Site : 03CH15-HY Condition : PEAK_74 3m 9120D_02294_220623 VERTICAL :





WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11 be EHT20 Full CH13 2472MHz	
3+4	Horizontal	Vertical
14.47G ~14.5G Avg.	 Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_220623 HORIZONTAL :	 Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_220623 VERTICAL :
	 Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_220623 HORIZONTAL :	 Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_220623 VERTICAL :
17.7G ~18G Avg		





Emission above 18GHz

2.4GHz WIFI 802.11be EHT20 Full (SHF @ 1m)

WIFI	2.4GHz 2400~2483.5MHz	
ANT	802.11be EHT20 Full SHF	
3+4	Horizontal	Vertical
Peak Avg.	 Site : 03CH13-HY Condition : PEAK_74 1m SHF_00991_Z20514 HORIZONTAL :	 Site : 03CH13-HY Condition : PEAK_74 1m SHF_00991_Z20514 VERTICAL :

Emission below 1GHz
2.4GHz WIFI 802.11be EHT20 Full (LF)


WIFI	2.4GHz 2400~2483.5MHz	
ANT	802.11be EHT20 Full LF	
3+4	Horizontal	Vertical
QP / Peak	 Site : 03CH15-HY Condition : QP 3m 1581LO6_230318_210 HORIZONTAL :	 Site : 03CH15-HY Condition : QP 3m 1581LO6_230318_210 VERTICAL :




Appendix E. Duty Cycle Plots

Antenna	Band	Duty Cycle(%)	T(us)	1/T(kHz)	VBW Setting
3	802.11b	98.97	-	-	10Hz
4	802.11b	98.63	-	-	10Hz
3+4	802.11g	93.46	1430	0.70	1kHz
3+4	2.4GHz 802.11be EHT20 Full RU	84.94	564	1.77	3kHz

<Ant. 3>




<Ant. 4>





MIMO <Ant. 3+4>



—THE END—