













Mode	4																																																																																																																												
	Harmonic																																																																																																																												
	U-NII-5_5.925-6.425_802.11be EHT20_CH1_Full RU_5955MHz																																																																																																																												
ANT	3+4																																																																																																																												
Pol.	Horizontal						Vertical																																																																																																																						
Peak Avg																																																																																																																													
	Site : 03CH13-HY Condition: PEAK(UNII)_6E 1m SHF_1224 HORIZONTAL Mode : 4 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11910.00</td><td>45.42</td><td>74.00</td><td>-28.58</td><td>45.80</td><td>38.80</td><td>16.32</td><td>56.07</td><td>0.57</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>17865.00</td><td>47.32</td><td>74.00</td><td>-26.68</td><td>42.66</td><td>40.78</td><td>20.11</td><td>56.76</td><td>0.53</td><td>--</td><td>--</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11910.00	45.42	74.00	-28.58	45.80	38.80	16.32	56.07	0.57	--	--	PEAK	2	17865.00	47.32	74.00	-26.68	42.66	40.78	20.11	56.76	0.53	--	--	PEAK	Site : 03CH13-HY Condition: PEAK(UNII)_6E 1m SHF_1224 VERTICAL Mode : 4 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11910.00</td><td>45.29</td><td>74.00</td><td>-28.71</td><td>45.67</td><td>38.80</td><td>16.32</td><td>56.07</td><td>0.57</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>17865.00</td><td>47.73</td><td>74.00</td><td>-26.27</td><td>43.07</td><td>40.78</td><td>20.11</td><td>56.76</td><td>0.53</td><td>--</td><td>--</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11910.00	45.29	74.00	-28.71	45.67	38.80	16.32	56.07	0.57	--	--	PEAK	2	17865.00	47.73	74.00	-26.27	43.07	40.78	20.11	56.76	0.53	--	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	11910.00	45.42	74.00	-28.58	45.80	38.80	16.32	56.07	0.57	--	--	PEAK																																																																																																																	
2	17865.00	47.32	74.00	-26.68	42.66	40.78	20.11	56.76	0.53	--	--	PEAK																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	11910.00	45.29	74.00	-28.71	45.67	38.80	16.32	56.07	0.57	--	--	PEAK																																																																																																																	
2	17865.00	47.73	74.00	-26.27	43.07	40.78	20.11	56.76	0.53	--	--	PEAK																																																																																																																	







Mode	4	
	Harmonic	
	U-NII-5_5.925-6.425_802.11be EHT20_CH1_Full RU_5955MHz	
ANT	3+4	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 HORIZONTAL Mode : 4	 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 VERTICAL Mode : 4
	 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 HORIZONTAL Mode : 4	 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 VERTICAL Mode : 4



		5																																																																																																
Mode	Band Edge																																																																																																	
	U-NII-5_5.925-6.425_802.11be EHT20_CH1_Partial_26/0RU_5955MHz																																																																																																	
ANT	3+4																																																																																																	
Pol.	Horizontal						Fundamental																																																																																											
Peak																																																																																																		
	Site : 03CH13-HY Condition: PEAK_BE(UNII)_6E 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5913.27</td><td>68.19</td><td>88.20</td><td>-20.01</td><td>60.11</td><td>34.50</td><td>10.59</td><td>37.01</td><td>0.00</td><td>100</td><td>320</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5913.27	68.19	88.20	-20.01	60.11	34.50	10.59	37.01	0.00	100	320	PEAK	Site : 03CH13-HY Condition: PEAK(UNII)_6E 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>116.72</td><td>-----</td><td>-----</td><td>100.65</td><td>34.50</td><td>10.60</td><td>37.03</td><td>0.00</td><td>100</td><td>320</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	116.72	-----	-----	100.65	34.50	10.60	37.03	0.00	100	320
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5913.27	68.19	88.20	-20.01	60.11	34.50	10.59	37.01	0.00	100	320	PEAK																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5955.00	116.72	-----	-----	100.65	34.50	10.60	37.03	0.00	100	320	PEAK																																																																																						
Avg																																																																																																		
	Site : 03CH13-HY Condition: AVG_BE(UNII)_6E 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000kHz VBN:0.600kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5913.53</td><td>55.46</td><td>68.20</td><td>-12.74</td><td>47.38</td><td>34.50</td><td>10.59</td><td>37.01</td><td>0.00</td><td>100</td><td>320</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5913.53	55.46	68.20	-12.74	47.38	34.50	10.59	37.01	0.00	100	320	AVERAGE	Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000kHz VBN:0.600kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>110.91</td><td>-----</td><td>-----</td><td>102.84</td><td>34.50</td><td>10.60</td><td>37.03</td><td>0.00</td><td>100</td><td>320</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	110.91	-----	-----	102.84	34.50	10.60	37.03	0.00	100	320
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5913.53	55.46	68.20	-12.74	47.38	34.50	10.59	37.01	0.00	100	320	AVERAGE																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5955.00	110.91	-----	-----	102.84	34.50	10.60	37.03	0.00	100	320	AVERAGE																																																																																						







		5																																																																																								
Mode	Band Edge																																																																																									
	U-NII-5_5.925-6.425_802.11be EHT20_CH1_Partial_26/0RU_5955MHz																																																																																									
ANT	3+4																																																																																									
Pol.	Vertical						Fundamental																																																																																			
Peak																																																																																										
	Site : 03CH13-HY Condition: PEAK_BE(UNII)_6E 3m HORN_91200_1326 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 5912.49</td><td>70.41</td><td>88.20</td><td>-17.79</td><td>62.33</td><td>34.50</td><td>10.59</td><td>37.01</td><td>0.00</td><td>338 145 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 5912.49	70.41	88.20	-17.79	62.33	34.50	10.59	37.01	0.00	338 145 PEAK	Site : 03CH13-HY Condition: PEAK(UNII)_6E 3m HORN_91200_1326 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 5955.00</td><td>118.64</td><td>-----</td><td>-----</td><td>110.57</td><td>34.50</td><td>10.60</td><td>37.03</td><td>0.00</td><td>338 145 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 5955.00	118.64	-----	-----	110.57	34.50	10.60	37.03	0.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																	
1 5912.49	70.41	88.20	-17.79	62.33	34.50	10.59	37.01	0.00	338 145 PEAK																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																	
1 5955.00	118.64	-----	-----	110.57	34.50	10.60	37.03	0.00	338 145 PEAK																																																																																	
Avg																																																																																										
	Site : 03CH13-HY Condition: AVG_BE(UNII)_6E 3m HORN_91200_1326 VERTICAL : RBW:1000.000kHz VBW:0.600kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 5912.23</td><td>55.67</td><td>68.20</td><td>-12.53</td><td>47.60</td><td>34.50</td><td>10.58</td><td>37.01</td><td>0.00</td><td>338 145 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 5912.23	55.67	68.20	-12.53	47.60	34.50	10.58	37.01	0.00	338 145 AVERAGE	Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 VERTICAL : RBW:1000.000kHz VBW:0.600kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 5955.00</td><td>113.03</td><td>-----</td><td>-----</td><td>104.96</td><td>34.50</td><td>10.60</td><td>37.03</td><td>0.00</td><td>338 145 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 5955.00	113.03	-----	-----	104.96	34.50	10.60	37.03	0.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																	
1 5912.23	55.67	68.20	-12.53	47.60	34.50	10.58	37.01	0.00	338 145 AVERAGE																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																	
1 5955.00	113.03	-----	-----	104.96	34.50	10.60	37.03	0.00	338 145 AVERAGE																																																																																	



Mode	6																																																																																																			
	Band Edge																																																																																																			
	U-NII-5_5.925-6.425_802.11be EHT20_CH1_Partial_52/37RU_5955MHz																																																																																																			
ANT	3+4																																																																																																			
Pol.	Horizontal						Fundamental																																																																																													
Peak	Site : 03CH13-HY Condition: PEAK_BE(UNII)_6E 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.97</td><td>68.35</td><td>88.20</td><td>-19.85</td><td>60.28</td><td>34.50</td><td>10.59</td><td>37.02</td><td>0.00</td><td>100</td><td>296</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.97	68.35	88.20	-19.85	60.28	34.50	10.59	37.02	0.00	100	296	PEAK	Site : 03CH13-HY Condition: PEAK(UNII)_6E 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>116.32</td><td>-----</td><td>-----</td><td>100.25</td><td>34.50</td><td>10.60</td><td>37.03</td><td>0.00</td><td>100</td><td>296</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	116.32	-----	-----	100.25	34.50	10.60	37.03	0.00	100	296	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5924.97	68.35	88.20	-19.85	60.28	34.50	10.59	37.02	0.00	100	296	PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5955.00	116.32	-----	-----	100.25	34.50	10.60	37.03	0.00	100	296	PEAK																																																																																								
Avg	Site : 03CH13-HY Condition: AVG_BE(UNII)_6E 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000kHz VBW:0.750kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5919.64</td><td>54.13</td><td>68.20</td><td>-14.07</td><td>46.06</td><td>34.50</td><td>10.59</td><td>37.02</td><td>0.00</td><td>100</td><td>296</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5919.64	54.13	68.20	-14.07	46.06	34.50	10.59	37.02	0.00	100	296	AVERAGE	Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000kHz VBW:0.750kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>109.50</td><td>-----</td><td>-----</td><td>101.43</td><td>34.50</td><td>10.60</td><td>37.03</td><td>0.00</td><td>100</td><td>296</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	109.50	-----	-----	101.43	34.50	10.60	37.03	0.00	100	296	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5919.64	54.13	68.20	-14.07	46.06	34.50	10.59	37.02	0.00	100	296	AVERAGE																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5955.00	109.50	-----	-----	101.43	34.50	10.60	37.03	0.00	100	296	AVERAGE																																																																																								







		6																																																																																																	
Mode	Band Edge																																																																																																		
	U-NII-5_5.925-6.425_802.11be EHT20_CH1_Partial_52/37RU_5955MHz																																																																																																		
ANT	3+4																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak	 Site : 03CH13-HY Condition: PEAK_BE(UNII)_6E 3m HORN_91200_1326 VERTICAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5914.31</td><td>72.72</td><td>88.20</td><td>-15.48</td><td>64.64</td><td>34.50</td><td>10.59</td><td>37.01</td><td>0.00</td><td>392</td><td>152</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5914.31	72.72	88.20	-15.48	64.64	34.50	10.59	37.01	0.00	392	152	PEAK	 Site : 03CH13-HY Condition: PEAK(UNII)_6E 3m HORN_91200_1326 VERTICAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>116.13</td><td>-----</td><td>-----</td><td>100.06</td><td>34.50</td><td>10.60</td><td>37.03</td><td>0.00</td><td>392</td><td>152</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	116.13	-----	-----	100.06	34.50	10.60	37.03	0.00	392	152	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5914.31	72.72	88.20	-15.48	64.64	34.50	10.59	37.01	0.00	392	152	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5955.00	116.13	-----	-----	100.06	34.50	10.60	37.03	0.00	392	152	PEAK																																																																																							
Avg	 Site : 03CH13-HY Condition: AVG_BE(UNII)_6E 3m HORN_91200_1326 VERTICAL : RBW:1000.000kHz VBN:0.750kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5918.73</td><td>56.02</td><td>68.20</td><td>-12.18</td><td>47.95</td><td>34.50</td><td>10.59</td><td>37.02</td><td>0.00</td><td>392</td><td>152</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5918.73	56.02	68.20	-12.18	47.95	34.50	10.59	37.02	0.00	392	152	AVERAGE	 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 VERTICAL : RBW:1000.000kHz VBN:0.750kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>109.52</td><td>-----</td><td>-----</td><td>101.45</td><td>34.50</td><td>10.60</td><td>37.03</td><td>0.00</td><td>392</td><td>152</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	109.52	-----	-----	101.45	34.50	10.60	37.03	0.00	392	152	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5918.73	56.02	68.20	-12.18	47.95	34.50	10.59	37.02	0.00	392	152	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5955.00	109.52	-----	-----	101.45	34.50	10.60	37.03	0.00	392	152	AVERAGE																																																																																							





		7																																																																																																				
Mode	Band Edge																																																																																																					
	U-NII-5_5.925-6.425_802.11be EHT20_CH1_Partial_106/53RU_5955MHz																																																																																																					
ANT	3+4																																																																																																					
Pol.	Horizontal																																																																																																					
Peak	Fundamental																																																																																																					
	Fundamental																																																																																																					
Peak	Site : 03CH13-HY Condition: PEAK_BE(UNII)_6E 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5924.71</td><td>67.65</td><td>88.20 -20.55</td><td>59.58</td><td>34.50</td><td>10.59</td><td>37.02</td><td>0.00</td><td>102</td><td>298 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor		MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5924.71	67.65	88.20 -20.55	59.58	34.50	10.59	37.02	0.00	102	298 PEAK	Site : 03CH13-HY Condition: PEAK(UNII)_6E 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5955.00</td><td>114.63</td><td>-----</td><td>106.57</td><td>34.50</td><td>10.60</td><td>37.04</td><td>0.00</td><td>102</td><td>298 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor		MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5955.00	114.63	-----	106.57	34.50	10.60	37.04	0.00	102	298 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																														
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1 5924.71	67.65	88.20 -20.55	59.58	34.50	10.59	37.02	0.00	102	298 PEAK																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																														
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1 5955.00	114.63	-----	106.57	34.50	10.60	37.04	0.00	102	298 PEAK																																																																																													
Avg	Site : 03CH13-HY Condition: AVG_BE(UNII)_6E 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000kHz VBN:0.820kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5924.19</td><td>54.37</td><td>68.20 -13.83</td><td>46.30</td><td>34.50</td><td>10.59</td><td>37.02</td><td>0.00</td><td>102</td><td>298 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor		MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5924.19	54.37	68.20 -13.83	46.30	34.50	10.59	37.02	0.00	102	298 AVERAGE	Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000kHz VBN:0.820kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5955.00</td><td>107.39</td><td>-----</td><td>99.33</td><td>34.50</td><td>10.60</td><td>37.04</td><td>0.00</td><td>102</td><td>298 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor		MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5955.00	107.39	-----	99.33	34.50	10.60	37.04	0.00	102	298 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																														
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1 5924.19	54.37	68.20 -13.83	46.30	34.50	10.59	37.02	0.00	102	298 AVERAGE																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																														
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1 5955.00	107.39	-----	99.33	34.50	10.60	37.04	0.00	102	298 AVERAGE																																																																																													





		7																																																																																																	
Mode	Band Edge																																																																																																		
	U-NII-5_5.925-6.425_802.11be EHT20_CH1_Partial_106/53RU_5955MHz																																																																																																		
ANT	3+4																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	Site : 03CH13-HY Condition: PEAK_BE(UNII)_6E 3m HORN_91200_1326 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5920.68</td><td>69.13</td><td>88.20</td><td>-19.07</td><td>61.06</td><td>34.50</td><td>10.59</td><td>37.02</td><td>0.00</td><td>339</td><td>146</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5920.68	69.13	88.20	-19.07	61.06	34.50	10.59	37.02	0.00	339	146	PEAK	Site : 03CH13-HY Condition: PEAK(UNII)_6E 3m HORN_91200_1326 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>114.72</td><td>-----</td><td>-----</td><td>106.65</td><td>34.50</td><td>10.60</td><td>37.03</td><td>0.00</td><td>339</td><td>146</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	114.72	-----	-----	106.65	34.50	10.60	37.03	0.00	339	146
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5920.68	69.13	88.20	-19.07	61.06	34.50	10.59	37.02	0.00	339	146	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5955.00	114.72	-----	-----	106.65	34.50	10.60	37.03	0.00	339	146	PEAK																																																																																							
Avg																																																																																																			
	Site : 03CH13-HY Condition: AVG_BE(UNII)_6E 3m HORN_91200_1326 VERTICAL : RBW:1000.000kHz VBW:0.820kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5924.97</td><td>53.72</td><td>68.20</td><td>-14.48</td><td>45.65</td><td>34.50</td><td>10.59</td><td>37.02</td><td>0.00</td><td>339</td><td>146</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.97	53.72	68.20	-14.48	45.65	34.50	10.59	37.02	0.00	339	146	AVERAGE	Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 VERTICAL : RBW:1000.000kHz VBW:0.820kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>106.52</td><td>-----</td><td>-----</td><td>98.45</td><td>34.50</td><td>10.60</td><td>37.03</td><td>0.00</td><td>339</td><td>146</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	106.52	-----	-----	98.45	34.50	10.60	37.03	0.00	339	146
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5924.97	53.72	68.20	-14.48	45.65	34.50	10.59	37.02	0.00	339	146	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5955.00	106.52	-----	-----	98.45	34.50	10.60	37.03	0.00	339	146	AVERAGE																																																																																							





Mode	8																																													
	Band Edge																																													
	U-NII-5_5.925-6.425_802.11be EHT20_CH49_Full RU_6195MHz																																													
ANT	3+4																																													
Pol.	Horizontal	Fundamental																																												
Peak	Blank	 Site : 03CH13-HY Condition: PEAK(UNII)_6E 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6195.00</td><td>110.18</td><td>-----</td><td>-----</td><td>101.75</td><td>34.40</td><td>11.01</td><td>36.98</td><td>0.00</td><td>100</td><td>284</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6195.00	110.18	-----	-----	101.75	34.40	11.01	36.98	0.00	100	284	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	6195.00	110.18	-----	-----	101.75	34.40	11.01	36.98	0.00	100	284	PEAK																																		
Avg	Blank	 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6195.00</td><td>102.89</td><td>-----</td><td>-----</td><td>94.46</td><td>34.40</td><td>11.01</td><td>36.98</td><td>0.00</td><td>100</td><td>284</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6195.00	102.89	-----	-----	94.46	34.40	11.01	36.98	0.00	100	284	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	6195.00	102.89	-----	-----	94.46	34.40	11.01	36.98	0.00	100	284	AVERAGE																																		







Mode	8																																													
	Band Edge																																													
	U-NII-5_5.925-6.425_802.11be EHT20_CH49_Full RU_6195MHz																																													
ANT	3+4																																													
Pol.	Vertical	Fundamental																																												
Peak	Blank	 Site : 03CH13-HY Condition: PEAK(UNII)_6E 3m HORN_91200_1326 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6195.00</td><td>111.79</td><td>-----</td><td>-----</td><td>103.36</td><td>34.40</td><td>11.01</td><td>36.98</td><td>0.00</td><td>309</td><td>146</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6195.00	111.79	-----	-----	103.36	34.40	11.01	36.98	0.00	309	146	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	6195.00	111.79	-----	-----	103.36	34.40	11.01	36.98	0.00	309	146	PEAK																																		
Avg	Blank	 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6195.00</td><td>103.75</td><td>-----</td><td>-----</td><td>95.32</td><td>34.40</td><td>11.01</td><td>36.98</td><td>0.00</td><td>309</td><td>146</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6195.00	103.75	-----	-----	95.32	34.40	11.01	36.98	0.00	309	146	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	6195.00	103.75	-----	-----	95.32	34.40	11.01	36.98	0.00	309	146	AVERAGE																																		





Mode	8																																																																																																																												
	Harmonic																																																																																																																												
	U-NII-5_5.925-6.425_802.11be EHT20_CH49_Full RU_6195MHz																																																																																																																												
ANT	3+4																																																																																																																												
Pol.	Horizontal						Vertical																																																																																																																						
Peak Avg																																																																																																																													
	Site : 03CH13-HY Condition: PEAK(UNII)_6E 1m SHF_1224 HORIZONTAL Mode : 8 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12390.00</td><td>47.78</td><td>74.00</td><td>-26.22</td><td>47.86</td><td>39.20</td><td>16.64</td><td>56.60</td><td>0.68</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>18585.00</td><td>38.28</td><td>74.00</td><td>-35.72</td><td>57.57</td><td>37.93</td><td>6.00</td><td>53.68</td><td>-9.54</td><td>--</td><td>--</td><td>PEAK</td></tr></table> Site : 03CH13-HY Condition: PEAK(UNII)_6E 1m SHF_1224 VERTICAL Mode : 8 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12390.00</td><td>47.94</td><td>74.00</td><td>-26.06</td><td>48.02</td><td>39.20</td><td>16.64</td><td>56.60</td><td>0.68</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>18585.00</td><td>37.43</td><td>74.00</td><td>-36.57</td><td>56.72</td><td>37.93</td><td>6.00</td><td>53.68</td><td>-9.54</td><td>--</td><td>--</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12390.00	47.78	74.00	-26.22	47.86	39.20	16.64	56.60	0.68	--	--	PEAK	2	18585.00	38.28	74.00	-35.72	57.57	37.93	6.00	53.68	-9.54	--	--	PEAK		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12390.00	47.94	74.00	-26.06	48.02	39.20	16.64	56.60	0.68	--	--	PEAK	2	18585.00	37.43	74.00	-36.57	56.72	37.93	6.00	53.68	-9.54	--	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	12390.00	47.78	74.00	-26.22	47.86	39.20	16.64	56.60	0.68	--	--	PEAK																																																																																																																	
2	18585.00	38.28	74.00	-35.72	57.57	37.93	6.00	53.68	-9.54	--	--	PEAK																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	12390.00	47.94	74.00	-26.06	48.02	39.20	16.64	56.60	0.68	--	--	PEAK																																																																																																																	
2	18585.00	37.43	74.00	-36.57	56.72	37.93	6.00	53.68	-9.54	--	--	PEAK																																																																																																																	





Mode	8	
	Harmonic	
	U-NII-5_5.925-6.425_802.11be EHT20_CH49_Full RU_6195MHz	
ANT	3+4	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 HORIZONTAL Mode : 8	 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 VERTICAL Mode : 8
	 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 HORIZONTAL Mode : 8	 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 VERTICAL Mode : 8





Mode	9																																																						
	Band Edge																																																						
	U-NII-5_5.925-6.425_802.11be EHT20_CH93_Full RU_6415MHz																																																						
ANT	3+4																																																						
Pol.	Horizontal					Fundamental																																																	
Peak	Blank					 Site : 03CH13-HY Condition: PEAK(UNII)_6E 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6415.00</td><td>112.61</td><td>-----</td><td>-----</td><td>103.33</td><td>35.04</td><td>11.12</td><td>36.88</td><td>0.00</td><td>100</td><td>267</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6415.00	112.61	-----	-----	103.33	35.04	11.12	36.88	0.00	100	267	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	6415.00	112.61	-----	-----	103.33	35.04	11.12	36.88	0.00	100	267	PEAK																																											
Avg	Blank					 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6415.00</td><td>105.74</td><td>-----</td><td>-----</td><td>96.46</td><td>35.04</td><td>11.12</td><td>36.88</td><td>0.00</td><td>100</td><td>267</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6415.00	105.74	-----	-----	96.46	35.04	11.12	36.88	0.00	100	267	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	6415.00	105.74	-----	-----	96.46	35.04	11.12	36.88	0.00	100	267	AVERAGE																																											







Mode	9																																													
	Band Edge																																													
	U-NII-5_5.925-6.425_802.11be EHT20_CH93_Full RU_6415MHz																																													
ANT	3+4																																													
Pol.	Vertical	Fundamental																																												
Peak	Blank	 Site : 03CH13-HY Condition: PEAK(UNII)_6E 3m HORN_91200_1326 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6415.00</td><td>112.92</td><td>-----</td><td>-----</td><td>103.64</td><td>35.04</td><td>11.12</td><td>36.88</td><td>0.00</td><td>397</td><td>169</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6415.00	112.92	-----	-----	103.64	35.04	11.12	36.88	0.00	397	169	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	6415.00	112.92	-----	-----	103.64	35.04	11.12	36.88	0.00	397	169	PEAK																																		
Avg	Blank	 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6415.00</td><td>105.01</td><td>-----</td><td>-----</td><td>95.76</td><td>35.03</td><td>11.11</td><td>36.89</td><td>0.00</td><td>397</td><td>169</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6415.00	105.01	-----	-----	95.76	35.03	11.11	36.89	0.00	397	169	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	6415.00	105.01	-----	-----	95.76	35.03	11.11	36.89	0.00	397	169	AVERAGE																																		







Mode	9																																																																																																																								
	Harmonic																																																																																																																								
	U-NII-5_5.925-6.425_802.11be EHT20_CH93_Full RU_6415MHz																																																																																																																								
ANT	3+4																																																																																																																								
Pol.	Horizontal						Vertical																																																																																																																		
Peak Avg																																																																																																																									
	Site : 03CH13-HY Condition: PEAK(UNII)_6E 1m SHF_1224 HORIZONTAL Mode : 9 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>12830.00</td><td>47.22</td><td>88.20</td><td>-40.98</td><td>46.59</td><td>39.90</td><td>17.11</td><td>57.17</td><td>0.79</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>19245.00</td><td>35.69</td><td>74.00</td><td>-38.31</td><td>56.60</td><td>37.72</td><td>6.11</td><td>55.20</td><td>-9.54</td><td>--</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12830.00	47.22	88.20	-40.98	46.59	39.90	17.11	57.17	0.79	--	PEAK	2	19245.00	35.69	74.00	-38.31	56.60	37.72	6.11	55.20	-9.54	--	PEAK	Site : 03CH13-HY Condition: PEAK(UNII)_6E 1m SHF_1224 VERTICAL Mode : 9 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>12830.00</td><td>46.94</td><td>88.20</td><td>-41.26</td><td>46.31</td><td>39.90</td><td>17.11</td><td>57.17</td><td>0.79</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>19245.00</td><td>36.74</td><td>74.00</td><td>-37.26</td><td>57.65</td><td>37.72</td><td>6.11</td><td>55.20</td><td>-9.54</td><td>--</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12830.00	46.94	88.20	-41.26	46.31	39.90	17.11	57.17	0.79	--	PEAK	2	19245.00	36.74	74.00	-37.26	57.65	37.72	6.11	55.20	-9.54	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	12830.00	47.22	88.20	-40.98	46.59	39.90	17.11	57.17	0.79	--	PEAK																																																																																																														
2	19245.00	35.69	74.00	-38.31	56.60	37.72	6.11	55.20	-9.54	--	PEAK																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	12830.00	46.94	88.20	-41.26	46.31	39.90	17.11	57.17	0.79	--	PEAK																																																																																																														
2	19245.00	36.74	74.00	-37.26	57.65	37.72	6.11	55.20	-9.54	--	PEAK																																																																																																														



Mode	9	
	Harmonic	
	U-NII-5_5.925-6.425_802.11be EHT20_CH93_Full RU_6415MHz	
ANT	3+4	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 HORIZONTAL Mode : 9	 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 VERTICAL Mode : 9
	 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 HORIZONTAL Mode : 9	 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 VERTICAL Mode : 9



Mode	10																																																																																																		
	Band Edge																																																																																																		
	U-NII-5_5.925-6.425_802.11be EHT40_CH3_Full RU_5965MHz																																																																																																		
ANT	3+4																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	Site : 03CH13-HY Condition: PEAK_BE(UNII)_6E 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.12</td><td>65.60</td><td>88.20</td><td>-22.60</td><td>57.53</td><td>34.50</td><td>10.59</td><td>37.02</td><td>0.00</td><td>100</td><td>320</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.12	65.60	88.20	-22.60	57.53	34.50	10.59	37.02	0.00	100	320	PEAK	Site : 03CH13-HY Condition: PEAK(UNII)_6E 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>103.45</td><td>-----</td><td>-----</td><td>95.39</td><td>34.50</td><td>10.61</td><td>37.05</td><td>0.00</td><td>100</td><td>320</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	103.45	-----	-----	95.39	34.50	10.61	37.05	0.00	100	320
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5924.12	65.60	88.20	-22.60	57.53	34.50	10.59	37.02	0.00	100	320	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5965.00	103.45	-----	-----	95.39	34.50	10.61	37.05	0.00	100	320	PEAK																																																																																							
Avg																																																																																																			
	Site : 03CH13-HY Condition: AVG_BE(UNII)_6E 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000kHz VBN:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.54</td><td>52.96</td><td>68.20</td><td>-15.24</td><td>44.89</td><td>34.50</td><td>10.59</td><td>37.02</td><td>0.00</td><td>100</td><td>320</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.54	52.96	68.20	-15.24	44.89	34.50	10.59	37.02	0.00	100	320	AVERAGE	Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000kHz VBN:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>96.17</td><td>-----</td><td>-----</td><td>88.11</td><td>34.50</td><td>10.60</td><td>37.04</td><td>0.00</td><td>100</td><td>320</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	96.17	-----	-----	88.11	34.50	10.60	37.04	0.00	100	320
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5924.54	52.96	68.20	-15.24	44.89	34.50	10.59	37.02	0.00	100	320	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5965.00	96.17	-----	-----	88.11	34.50	10.60	37.04	0.00	100	320	AVERAGE																																																																																							







Mode	10																																																																																																				
	Band Edge																																																																																																				
	U-NII-5_5.925-6.425_802.11be EHT40_CH3_Full RU_5965MHz																																																																																																				
ANT	3+4																																																																																																				
Pol.	Vertical											Fundamental																																																																																									
Peak	Site : 03CH13-HY Condition: PEAK_BE(UNII)_6E 3m HORN_91200_1326 VERTICAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5924.40</td><td>68.08</td><td>88.20</td><td>-20.12</td><td>60.01</td><td>34.50</td><td>10.59</td><td>37.02</td><td>0.00</td><td>322</td><td>143</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.40	68.08	88.20	-20.12	60.01	34.50	10.59	37.02	0.00	322	143	PEAK	Site : 03CH13-HY Condition: PEAK(UNII)_6E 3m HORN_91200_1326 VERTICAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5965.00</td><td>104.19</td><td>-----</td><td>-----</td><td>96.13</td><td>34.50</td><td>10.60</td><td>37.04</td><td>0.00</td><td>322</td><td>143</td><td>PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	104.19	-----	-----	96.13	34.50	10.60	37.04	0.00	322	143	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5924.40	68.08	88.20	-20.12	60.01	34.50	10.59	37.02	0.00	322	143	PEAK																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5965.00	104.19	-----	-----	96.13	34.50	10.60	37.04	0.00	322	143	PEAK																																																																																									
Avg	Site : 03CH13-HY Condition: AVG_BE(UNII)_6E 3m HORN_91200_1326 VERTICAL : RBW:1000.000kHz VBN:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5924.96</td><td>54.59</td><td>68.20</td><td>-13.61</td><td>46.52</td><td>34.50</td><td>10.59</td><td>37.02</td><td>0.00</td><td>322</td><td>143</td><td>AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.96	54.59	68.20	-13.61	46.52	34.50	10.59	37.02	0.00	322	143	AVERAGE	Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 VERTICAL : RBW:1000.000kHz VBN:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5965.00</td><td>96.65</td><td>-----</td><td>-----</td><td>88.59</td><td>34.50</td><td>10.60</td><td>37.04</td><td>0.00</td><td>322</td><td>143</td><td>AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	96.65	-----	-----	88.59	34.50	10.60	37.04	0.00	322	143	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5924.96	54.59	68.20	-13.61	46.52	34.50	10.59	37.02	0.00	322	143	AVERAGE																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5965.00	96.65	-----	-----	88.59	34.50	10.60	37.04	0.00	322	143	AVERAGE																																																																																									





Mode	10																																																																																																																												
	Harmonic																																																																																																																												
	U-NII-5_5.925-6.425_802.11be EHT40_CH3_Full RU_5965MHz																																																																																																																												
ANT	3+4																																																																																																																												
Pol.	Horizontal						Vertical																																																																																																																						
Peak Avg																																																																																																																													
	Site : 03CH13-HY Condition: PEAK(UNII)_6E 1m SHF_1224 HORIZONTAL Mode : 10 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11930.00</td><td>45.75</td><td>74.00</td><td>-28.25</td><td>46.12</td><td>38.80</td><td>16.33</td><td>56.07</td><td>0.57</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>17895.00</td><td>46.80</td><td>74.00</td><td>-27.20</td><td>41.75</td><td>41.14</td><td>20.12</td><td>56.74</td><td>0.53</td><td>--</td><td>--</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11930.00	45.75	74.00	-28.25	46.12	38.80	16.33	56.07	0.57	--	--	PEAK	2	17895.00	46.80	74.00	-27.20	41.75	41.14	20.12	56.74	0.53	--	--	Peak	Site : 03CH13-HY Condition: PEAK(UNII)_6E 1m SHF_1224 VERTICAL Mode : 10 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11930.00</td><td>46.08</td><td>74.00</td><td>-27.92</td><td>46.45</td><td>38.80</td><td>16.33</td><td>56.07</td><td>0.57</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>17895.00</td><td>47.53</td><td>74.00</td><td>-26.47</td><td>42.48</td><td>41.14</td><td>20.12</td><td>56.74</td><td>0.53</td><td>--</td><td>--</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11930.00	46.08	74.00	-27.92	46.45	38.80	16.33	56.07	0.57	--	--	PEAK	2	17895.00	47.53	74.00	-26.47	42.48	41.14	20.12	56.74	0.53	--	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	11930.00	45.75	74.00	-28.25	46.12	38.80	16.33	56.07	0.57	--	--	PEAK																																																																																																																	
2	17895.00	46.80	74.00	-27.20	41.75	41.14	20.12	56.74	0.53	--	--	Peak																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	11930.00	46.08	74.00	-27.92	46.45	38.80	16.33	56.07	0.57	--	--	PEAK																																																																																																																	
2	17895.00	47.53	74.00	-26.47	42.48	41.14	20.12	56.74	0.53	--	--	Peak																																																																																																																	





Mode	10	
	Harmonic	
	U-NII-5_5.925-6.425_802.11be EHT40_CH3_Full RU_5965MHz	
ANT	3+4	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 HORIZONTAL Mode : 10	 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 VERTICAL Mode : 10
	 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 HORIZONTAL Mode : 10	 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 VERTICAL Mode : 10





Mode	11																																																						
	Band Edge																																																						
	U-NII-5_5.925-6.425_802.11be EHT40_CH51_Full RU_6205MHz																																																						
ANT	3+4																																																						
Pol.	Horizontal					Fundamental																																																	
Peak	Blank					 Site : 03CH13-HY Condition: PEAK(UNII)_6E 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6205.00</td><td>107.97</td><td>-----</td><td>-----</td><td>99.53</td><td>34.40</td><td>11.02</td><td>36.98</td><td>0.00</td><td>100</td><td>280</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6205.00	107.97	-----	-----	99.53	34.40	11.02	36.98	0.00	100	280	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	6205.00	107.97	-----	-----	99.53	34.40	11.02	36.98	0.00	100	280	PEAK																																											
Avg	Blank					 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6205.00</td><td>100.29</td><td>-----</td><td>-----</td><td>91.85</td><td>34.40</td><td>11.02</td><td>36.98</td><td>0.00</td><td>100</td><td>280</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6205.00	100.29	-----	-----	91.85	34.40	11.02	36.98	0.00	100	280	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	6205.00	100.29	-----	-----	91.85	34.40	11.02	36.98	0.00	100	280	AVERAGE																																											







Mode	11																																													
	Band Edge																																													
	U-NII-5_5.925-6.425_802.11be EHT40_CH51_Full RU_6205MHz																																													
ANT	3+4																																													
Pol.	Vertical	Fundamental																																												
Peak	Blank	 Site : 03CH13-HY Condition: PEAK(UNII)_6E 3m HORN_91200_1326 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6205.00</td><td>109.64</td><td>-----</td><td>-----</td><td>101.20</td><td>34.40</td><td>11.02</td><td>36.98</td><td>0.00</td><td>307</td><td>147</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6205.00	109.64	-----	-----	101.20	34.40	11.02	36.98	0.00	307	147	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	6205.00	109.64	-----	-----	101.20	34.40	11.02	36.98	0.00	307	147	PEAK																																		
Avg	Blank	 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6205.00</td><td>101.38</td><td>-----</td><td>-----</td><td>92.94</td><td>34.40</td><td>11.02</td><td>36.98</td><td>0.00</td><td>307</td><td>147</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6205.00	101.38	-----	-----	92.94	34.40	11.02	36.98	0.00	307	147	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	6205.00	101.38	-----	-----	92.94	34.40	11.02	36.98	0.00	307	147	AVERAGE																																		





Mode	11																																																																																																																													
	Harmonic																																																																																																																													
	U-NII-5_5.925-6.425_802.11be EHT40_CH51_Full RU_6205MHz																																																																																																																													
ANT	3+4																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																							
Peak Avg																																																																																																																														
	Site : 03CH13-HY Condition: PEAK(UNII)_6E 1m SHF_1224 HORIZONTAL Mode : 11 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>12410.00</td><td>46.67</td><td>74.00</td><td>-27.33</td><td>46.68</td><td>39.20</td><td>16.74</td><td>56.63</td><td>0.68</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>18615.00</td><td>37.45</td><td>74.00</td><td>-36.55</td><td>58.69</td><td>37.90</td><td>6.01</td><td>55.61</td><td>-9.54</td><td>--</td><td>--</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12410.00	46.67	74.00	-27.33	46.68	39.20	16.74	56.63	0.68	--	--	PEAK	2	18615.00	37.45	74.00	-36.55	58.69	37.90	6.01	55.61	-9.54	--	--	PEAK	Site : 03CH13-HY Condition: PEAK(UNII)_6E 1m SHF_1224 VERTICAL Mode : 11 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>12410.00</td><td>46.35</td><td>74.00</td><td>-27.65</td><td>46.36</td><td>39.20</td><td>16.74</td><td>56.63</td><td>0.68</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>18615.00</td><td>36.63</td><td>74.00</td><td>-37.37</td><td>57.87</td><td>37.90</td><td>6.01</td><td>55.61</td><td>-9.54</td><td>--</td><td>--</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	12410.00	46.35	74.00	-27.65	46.36	39.20	16.74	56.63	0.68	--	--	PEAK	2	18615.00	36.63	74.00	-37.37	57.87	37.90	6.01	55.61	-9.54	--	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	12410.00	46.67	74.00	-27.33	46.68	39.20	16.74	56.63	0.68	--	--	PEAK																																																																																																																		
2	18615.00	37.45	74.00	-36.55	58.69	37.90	6.01	55.61	-9.54	--	--	PEAK																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																			
1	12410.00	46.35	74.00	-27.65	46.36	39.20	16.74	56.63	0.68	--	--	PEAK																																																																																																																		
2	18615.00	36.63	74.00	-37.37	57.87	37.90	6.01	55.61	-9.54	--	--	PEAK																																																																																																																		





Mode	11	
	Harmonic	
	U-NII-5_5.925-6.425_802.11be EHT40_CH51_Full RU_6205MHz	
ANT	3+4	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 HORIZONTAL Mode : 11	 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 VERTICAL Mode : 11
	 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 HORIZONTAL Mode : 11	 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 VERTICAL Mode : 11



Mode	12																																													
	Band Edge																																													
	U-NII-5_5.925-6.425_802.11be EHT40_CH91_Full RU_6405MHz																																													
ANT	3+4																																													
Pol.	Horizontal	Fundamental																																												
Peak	Blank	 Site : 03CH13-HY Condition: PEAK(UNII)_6E 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6405.00</td><td>110.58</td><td>-----</td><td>-----</td><td>101.36</td><td>35.01</td><td>11.10</td><td>36.89</td><td>0.00</td><td>100</td><td>267</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6405.00	110.58	-----	-----	101.36	35.01	11.10	36.89	0.00	100	267	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	6405.00	110.58	-----	-----	101.36	35.01	11.10	36.89	0.00	100	267	PEAK																																		
Avg	Blank	 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6405.00</td><td>103.55</td><td>-----</td><td>-----</td><td>94.33</td><td>35.01</td><td>11.10</td><td>36.89</td><td>0.00</td><td>100</td><td>267</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6405.00	103.55	-----	-----	94.33	35.01	11.10	36.89	0.00	100	267	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	6405.00	103.55	-----	-----	94.33	35.01	11.10	36.89	0.00	100	267	AVERAGE																																		







Mode	12																																																							
	Band Edge																																																							
	U-NII-5_5.925-6.425_802.11be EHT40_CH91_Full RU_6405MHz																																																							
ANT	3+4																																																							
Pol.	Vertical						Fundamental																																																	
Peak	Blank						 Site : 03CH13-HY Condition: PEAK(UNII)_6E 3m HORN_91200_1326 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6405.00</td><td>110.92</td><td>-----</td><td>-----</td><td>101.70</td><td>35.01</td><td>11.10</td><td>36.89</td><td>0.00</td><td>330</td><td>170</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6405.00	110.92	-----	-----	101.70	35.01	11.10	36.89	0.00	330	170	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	6405.00	110.92	-----	-----	101.70	35.01	11.10	36.89	0.00	330	170	PEAK																																												
Avg	Blank						 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6405.00</td><td>103.07</td><td>-----</td><td>-----</td><td>93.87</td><td>35.00</td><td>11.09</td><td>36.89</td><td>0.00</td><td>330</td><td>170</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6405.00	103.07	-----	-----	93.87	35.00	11.09	36.89	0.00	330	170	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	6405.00	103.07	-----	-----	93.87	35.00	11.09	36.89	0.00	330	170	AVERAGE																																												







		12																																																																					
Mode		Harmonic																																																																					
		U-NII-5_5.925-6.425_802.11be EHT40_CH91_Full RU_6405MHz																																																																					
ANT		3+4																																																																					
Pol.		Horizontal						Vertical																																																															
Peak Avg																																																																							
	Site : 03CH13-HY Condition: PEAK(UNII)_6E 1m SHF_1224 HORIZONTAL Mode : 12 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>12810.00</td><td>47.42</td><td>88.20</td><td>-40.78</td><td>46.78</td><td>39.90</td><td>17.09</td><td>57.14</td><td>0.79</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>19215.00</td><td>36.62</td><td>74.00</td><td>-37.38</td><td>57.42</td><td>37.84</td><td>6.11</td><td>55.21</td><td>-9.54</td><td>--</td><td>--</td><td>PEAK</td></tr></tbody></table>															Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	12810.00	47.42	88.20	-40.78	46.78	39.90	17.09	57.14	0.79	--	--	PEAK	2	19215.00	36.62	74.00	-37.38	57.42	37.84	6.11	55.21	-9.54	--	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																												
1	12810.00	47.42	88.20	-40.78	46.78	39.90	17.09	57.14	0.79	--	--	PEAK																																																											
2	19215.00	36.62	74.00	-37.38	57.42	37.84	6.11	55.21	-9.54	--	--	PEAK																																																											
Peak Avg																																																																							
	Site : 03CH13-HY Condition: PEAK(UNII)_6E 1m SHF_1224 VERTICAL Mode : 12 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>12810.00</td><td>46.92</td><td>88.20</td><td>-41.28</td><td>46.28</td><td>39.90</td><td>17.09</td><td>57.14</td><td>0.79</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>19215.00</td><td>36.93</td><td>74.00</td><td>-37.07</td><td>57.73</td><td>37.84</td><td>6.11</td><td>55.21</td><td>-9.54</td><td>--</td><td>--</td><td>PEAK</td></tr></tbody></table>															Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	12810.00	46.92	88.20	-41.28	46.28	39.90	17.09	57.14	0.79	--	--	PEAK	2	19215.00	36.93	74.00	-37.07	57.73	37.84	6.11	55.21	-9.54	--	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																												
1	12810.00	46.92	88.20	-41.28	46.28	39.90	17.09	57.14	0.79	--	--	PEAK																																																											
2	19215.00	36.93	74.00	-37.07	57.73	37.84	6.11	55.21	-9.54	--	--	PEAK																																																											







Mode	12	
	Harmonic	
	U-NII-5_5.925-6.425_802.11be EHT40_CH91_Full RU_6405MHz	
ANT	3+4	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 HORIZONTAL Mode : 12	 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 VERTICAL Mode : 12
	 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 HORIZONTAL Mode : 12	 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 VERTICAL Mode : 12





		13																																																																																																	
Mode	Band Edge																																																																																																		
	U-NII-5_5.925-6.425_802.11be EHT80_CH7_Full RU_5985MHz																																																																																																		
ANT	3+4																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	Site : 03CH13-HY Condition: PEAK_BE(UNII)_6E 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.36</td><td>69.37</td><td>88.20</td><td>-18.83</td><td>61.30</td><td>34.50</td><td>10.59</td><td>37.02</td><td>0.00</td><td>100</td><td>315</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.36	69.37	88.20	-18.83	61.30	34.50	10.59	37.02	0.00	100	315	PEAK	Site : 03CH13-HY Condition: PEAK(UNII)_6E 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5985.00</td><td>100.87</td><td>-----</td><td>-----</td><td>92.81</td><td>34.50</td><td>10.61</td><td>37.05</td><td>0.00</td><td>100</td><td>315</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	100.87	-----	-----	92.81	34.50	10.61	37.05	0.00	100	315
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5924.36	69.37	88.20	-18.83	61.30	34.50	10.59	37.02	0.00	100	315	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5985.00	100.87	-----	-----	92.81	34.50	10.61	37.05	0.00	100	315	PEAK																																																																																							
Avg																																																																																																			
	Site : 03CH13-HY Condition: AVG_BE(UNII)_6E 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000kHz VBW:1.500kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.04</td><td>55.76</td><td>68.20</td><td>-12.44</td><td>47.69</td><td>34.50</td><td>10.59</td><td>37.02</td><td>0.00</td><td>100</td><td>315</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.04	55.76	68.20	-12.44	47.69	34.50	10.59	37.02	0.00	100	315	AVERAGE	Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000kHz VBW:1.500kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5985.00</td><td>93.38</td><td>-----</td><td>-----</td><td>85.32</td><td>34.50</td><td>10.61</td><td>37.05</td><td>0.00</td><td>100</td><td>315</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	93.38	-----	-----	85.32	34.50	10.61	37.05	0.00	100	315
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5924.04	55.76	68.20	-12.44	47.69	34.50	10.59	37.02	0.00	100	315	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5985.00	93.38	-----	-----	85.32	34.50	10.61	37.05	0.00	100	315	AVERAGE																																																																																							







Mode	13																																																																																																		
	Band Edge																																																																																																		
	U-NII-5_5.925-6.425_802.11be EHT80_CH7_Full RU_5985MHz																																																																																																		
ANT	3+4																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	Site : 03CH13-HY Condition: PEAK_BE(UNII)_6E 3m HORN_91200_1326 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5920.84</td><td>68.48</td><td>88.20</td><td>-19.72</td><td>60.41</td><td>34.50</td><td>10.59</td><td>37.02</td><td>0.00</td><td>316</td><td>145</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5920.84	68.48	88.20	-19.72	60.41	34.50	10.59	37.02	0.00	316	145	PEAK	Site : 03CH13-HY Condition: PEAK(UNII)_6E 3m HORN_91200_1326 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5985.00</td><td>102.12</td><td>-----</td><td>-----</td><td>94.06</td><td>34.50</td><td>10.62</td><td>37.06</td><td>0.00</td><td>316</td><td>145</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	102.12	-----	-----	94.06	34.50	10.62	37.06	0.00	316	145
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5920.84	68.48	88.20	-19.72	60.41	34.50	10.59	37.02	0.00	316	145	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5985.00	102.12	-----	-----	94.06	34.50	10.62	37.06	0.00	316	145	PEAK																																																																																							
Avg																																																																																																			
	Site : 03CH13-HY Condition: AVG_BE(UNII)_6E 3m HORN_91200_1326 VERTICAL : RBW:1000.000kHz VBW:1.500kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5924.84</td><td>55.80</td><td>68.20</td><td>-12.40</td><td>47.73</td><td>34.50</td><td>10.59</td><td>37.02</td><td>0.00</td><td>316</td><td>145</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.84	55.80	68.20	-12.40	47.73	34.50	10.59	37.02	0.00	316	145	AVERAGE	Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 VERTICAL : RBW:1000.000kHz VBW:1.500kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5985.00</td><td>94.94</td><td>-----</td><td>-----</td><td>86.88</td><td>34.50</td><td>10.61</td><td>37.05</td><td>0.00</td><td>316</td><td>145</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	94.94	-----	-----	86.88	34.50	10.61	37.05	0.00	316	145
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5924.84	55.80	68.20	-12.40	47.73	34.50	10.59	37.02	0.00	316	145	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5985.00	94.94	-----	-----	86.88	34.50	10.61	37.05	0.00	316	145	AVERAGE																																																																																							





		13																																																																																																																																									
Mode		Harmonic																																																																																																																																									
		U-NII-5_5.925-6.425_802.11be EHT80_CH7_Full RU_5985MHz																																																																																																																																									
ANT		3+4																																																																																																																																									
Pol.		Horizontal						Vertical																																																																																																																																			
Peak Avg																																																																																																																																											
	Site : 03CH13-HY Condition: PEAK(UNII)_6E 1m SHF_1224 HORIZONTAL Mode : 13														Site : 03CH13-HY Condition: PEAK(UNII)_6E 1m SHF_1224 VERTICAL Mode : 13																																																																																																																												
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11970.00</td><td>45.37</td><td>74.00</td><td>-28.63</td><td>45.64</td><td>38.88</td><td>16.36</td><td>56.08</td><td>0.57</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>17955.00</td><td>47.95</td><td>74.00</td><td>-26.05</td><td>42.47</td><td>41.51</td><td>20.14</td><td>56.71</td><td>0.54</td><td>--</td><td>--</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11970.00	45.37	74.00	-28.63	45.64	38.88	16.36	56.08	0.57	--	--	PEAK	2	17955.00	47.95	74.00	-26.05	42.47	41.51	20.14	56.71	0.54	--	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11970.00</td><td>45.63</td><td>74.00</td><td>-28.37</td><td>45.90</td><td>38.88</td><td>16.36</td><td>56.08</td><td>0.57</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>17955.00</td><td>47.44</td><td>74.00</td><td>-26.56</td><td>41.96</td><td>41.51</td><td>20.14</td><td>56.71</td><td>0.54</td><td>--</td><td>--</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11970.00	45.63	74.00	-28.37	45.90	38.88	16.36	56.08	0.57	--	--	PEAK	2	17955.00	47.44	74.00	-26.56	41.96	41.51	20.14	56.71	0.54	--	--	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	11970.00	45.37	74.00	-28.63	45.64	38.88	16.36	56.08	0.57	--	--	PEAK																																																																																																																															
2	17955.00	47.95	74.00	-26.05	42.47	41.51	20.14	56.71	0.54	--	--	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	11970.00	45.63	74.00	-28.37	45.90	38.88	16.36	56.08	0.57	--	--	PEAK																																																																																																																															
2	17955.00	47.44	74.00	-26.56	41.96	41.51	20.14	56.71	0.54	--	--	PEAK																																																																																																																															





Mode	13	
	Harmonic	
	U-NII-5_5.925-6.425_802.11be EHT80_CH7_Full RU_5985MHz	
ANT	3+4	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 HORIZONTAL Mode : 13	 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 VERTICAL Mode : 13
	 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 HORIZONTAL Mode : 13	 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 VERTICAL Mode : 13





Mode	14																																													
	Band Edge																																													
	U-NII-5_5.925-6.425_802.11be EHT80_CH55_Full RU_6225MHz																																													
ANT	3+4																																													
Pol.	Horizontal	Fundamental																																												
Peak	Blank	 Site : 03CH13-HY Condition: PEAK(UNII)_6E 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6225.00</td><td>107.38</td><td>-----</td><td>-----</td><td>98.84</td><td>34.47</td><td>11.03</td><td>36.96</td><td>0.00</td><td>100</td><td>280</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6225.00	107.38	-----	-----	98.84	34.47	11.03	36.96	0.00	100	280	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	6225.00	107.38	-----	-----	98.84	34.47	11.03	36.96	0.00	100	280	PEAK																																		
Avg	Blank	 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000kHz VBW:1.500kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6225.00</td><td>97.51</td><td>-----</td><td>-----</td><td>89.03</td><td>34.43</td><td>11.02</td><td>36.97</td><td>0.00</td><td>100</td><td>280</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6225.00	97.51	-----	-----	89.03	34.43	11.02	36.97	0.00	100	280	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	6225.00	97.51	-----	-----	89.03	34.43	11.02	36.97	0.00	100	280	AVERAGE																																		







Mode	14																																													
	Band Edge																																													
	U-NII-5_5.925-6.425_802.11be EHT80_CH55_Full RU_6225MHz																																													
ANT	3+4																																													
Pol.	Vertical	Fundamental																																												
Peak	Blank	 Site : 03CH13-HY Condition: PEAK(UNII)_6E 3m HORN_91200_1326 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6225.00</td><td>105.43</td><td>-----</td><td>-----</td><td>96.93</td><td>34.44</td><td>11.03</td><td>36.97</td><td>0.00</td><td>307</td><td>146</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6225.00	105.43	-----	-----	96.93	34.44	11.03	36.97	0.00	307	146	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	6225.00	105.43	-----	-----	96.93	34.44	11.03	36.97	0.00	307	146	PEAK																																		
Avg	Blank	 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 VERTICAL : RBW:1000.000kHz VBW:1.500kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6225.00</td><td>97.95</td><td>-----</td><td>-----</td><td>89.47</td><td>34.43</td><td>11.02</td><td>36.97</td><td>0.00</td><td>307</td><td>146</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6225.00	97.95	-----	-----	89.47	34.43	11.02	36.97	0.00	307	146	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	6225.00	97.95	-----	-----	89.47	34.43	11.02	36.97	0.00	307	146	AVERAGE																																		





Mode	14																																																																																																																			
	Harmonic																																																																																																																			
	U-NII-5_5.925-6.425_802.11be EHT80_CH55_Full RU_6225MHz																																																																																																																			
ANT	3+4																																																																																																																			
Pol.	Horizontal	Vertical																																																																																																																		
Peak Avg	 Site : 03CH13-HY Condition: PEAK(UNII)_6E 1m SHF_1224 HORIZONTAL Mode : 14 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>12450.00</td><td>45.88</td><td>74.00</td><td>-28.12</td><td>45.89</td><td>39.20</td><td>16.78</td><td>56.68</td><td>0.69</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>18675.00</td><td>37.16</td><td>74.00</td><td>-36.84</td><td>58.39</td><td>37.85</td><td>6.02</td><td>55.56</td><td>-9.54</td><td>--</td><td>--</td><td>PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12450.00	45.88	74.00	-28.12	45.89	39.20	16.78	56.68	0.69	--	--	PEAK	2	18675.00	37.16	74.00	-36.84	58.39	37.85	6.02	55.56	-9.54	--	--	PEAK	 Site : 03CH13-HY Condition: PEAK(UNII)_6E 1m SHF_1224 VERTICAL Mode : 14 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>12450.00</td><td>46.59</td><td>74.00</td><td>-27.41</td><td>46.60</td><td>39.20</td><td>16.78</td><td>56.68</td><td>0.69</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>18675.00</td><td>37.67</td><td>74.00</td><td>-36.33</td><td>58.90</td><td>37.85</td><td>6.02</td><td>55.56</td><td>-9.54</td><td>--</td><td>--</td><td>PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12450.00	46.59	74.00	-27.41	46.60	39.20	16.78	56.68	0.69	--	--	PEAK	2	18675.00	37.67	74.00	-36.33	58.90	37.85	6.02	55.56	-9.54	--	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																										
1	12450.00	45.88	74.00	-28.12	45.89	39.20	16.78	56.68	0.69	--	--	PEAK																																																																																																								
2	18675.00	37.16	74.00	-36.84	58.39	37.85	6.02	55.56	-9.54	--	--	PEAK																																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																										
1	12450.00	46.59	74.00	-27.41	46.60	39.20	16.78	56.68	0.69	--	--	PEAK																																																																																																								
2	18675.00	37.67	74.00	-36.33	58.90	37.85	6.02	55.56	-9.54	--	--	PEAK																																																																																																								





Mode	14	
	Harmonic	
	U-NII-5_5.925-6.425_802.11be EHT80_CH55_Full RU_6225MHz	
ANT	3+4	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 HORIZONTAL Mode : 14	 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 VERTICAL Mode : 14
	 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 HORIZONTAL Mode : 14	 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 VERTICAL Mode : 14





Mode	15																																													
	Band Edge																																													
	U-NII-5_5.925-6.425_802.11be EHT80_CH87_Full RU_6385MHz																																													
ANT	3+4																																													
Pol.	Horizontal	Fundamental																																												
Peak	Blank	 Site : 03CH13-HY Condition: PEAK(UNII)_6E 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6385.00</td><td>107.51</td><td>-----</td><td>-----</td><td>98.33</td><td>34.98</td><td>11.09</td><td>36.89</td><td>0.00</td><td>100</td><td>276</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6385.00	107.51	-----	-----	98.33	34.98	11.09	36.89	0.00	100	276	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	6385.00	107.51	-----	-----	98.33	34.98	11.09	36.89	0.00	100	276	PEAK																																		
Avg	Blank	 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000kHz VBW:1.500kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6385.00</td><td>100.18</td><td>-----</td><td>-----</td><td>91.00</td><td>34.98</td><td>11.09</td><td>36.89</td><td>0.00</td><td>100</td><td>276</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6385.00	100.18	-----	-----	91.00	34.98	11.09	36.89	0.00	100	276	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	6385.00	100.18	-----	-----	91.00	34.98	11.09	36.89	0.00	100	276	AVERAGE																																		







Mode	15																																																									
	Band Edge																																																									
	U-NII-5_5.925-6.425_802.11be EHT80_CH87_Full RU_6385MHz																																																									
ANT	3+4																																																									
Pol.	Vertical					Fundamental																																																				
Peak	Blank					 Site : 03CH13-HY Condition: PEAK(UNII)_6E 3m HORN_91200_1326 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>6385.00</td><td>107.62</td><td>-----</td><td>98.51</td><td>34.93</td><td>11.08</td><td>36.90</td><td>0.00</td><td>400</td><td>173</td><td>PEAK</td></tr></table>								Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	6385.00	107.62	-----	98.51	34.93	11.08	36.90	0.00	400	173	PEAK
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																
1	6385.00	107.62	-----	98.51	34.93	11.08	36.90	0.00	400	173	PEAK																																															
Avg	Blank					 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 VERTICAL : RBW:1000.000kHz VBW:1.500kHz SMT:Auto <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>6385.00</td><td>99.11</td><td>-----</td><td>89.93</td><td>34.98</td><td>11.09</td><td>36.89</td><td>0.00</td><td>400</td><td>173</td><td>AVERAGE</td></tr></table>								Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	6385.00	99.11	-----	89.93	34.98	11.09	36.89	0.00	400	173	AVERAGE
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																
1	6385.00	99.11	-----	89.93	34.98	11.09	36.89	0.00	400	173	AVERAGE																																															







Mode	15																																																																																																																								
	Harmonic																																																																																																																								
	U-NII-5_5.925-6.425_802.11be EHT80_CH87_Full RU_6385MHz																																																																																																																								
ANT	3+4																																																																																																																								
Pol.	Horizontal						Vertical																																																																																																																		
Peak Avg																																																																																																																									
	Site : 03CH13-HY Condition: PEAK(UNII)_6E 1m SHF_1224 HORIZONTAL Mode : 15 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12770.00</td><td>46.89</td><td>88.20</td><td>-41.31</td><td>46.36</td><td>39.78</td><td>17.06</td><td>57.09</td><td>0.78</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>19155.00</td><td>36.92</td><td>74.00</td><td>-37.08</td><td>57.51</td><td>38.08</td><td>6.11</td><td>55.24</td><td>-9.54</td><td>--</td><td>PEAK</td></tr></table> Site : 03CH13-HY Condition: PEAK(UNII)_6E 1m SHF_1224 VERTICAL Mode : 15 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12770.00</td><td>47.18</td><td>88.20</td><td>-41.02</td><td>46.65</td><td>39.78</td><td>17.06</td><td>57.09</td><td>0.78</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>19155.00</td><td>37.46</td><td>74.00</td><td>-36.54</td><td>58.05</td><td>38.08</td><td>6.11</td><td>55.24</td><td>-9.54</td><td>--</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12770.00	46.89	88.20	-41.31	46.36	39.78	17.06	57.09	0.78	--	PEAK	2	19155.00	36.92	74.00	-37.08	57.51	38.08	6.11	55.24	-9.54	--	PEAK		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12770.00	47.18	88.20	-41.02	46.65	39.78	17.06	57.09	0.78	--	PEAK	2	19155.00	37.46	74.00	-36.54	58.05	38.08	6.11	55.24	-9.54	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	12770.00	46.89	88.20	-41.31	46.36	39.78	17.06	57.09	0.78	--	PEAK																																																																																																														
2	19155.00	36.92	74.00	-37.08	57.51	38.08	6.11	55.24	-9.54	--	PEAK																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	12770.00	47.18	88.20	-41.02	46.65	39.78	17.06	57.09	0.78	--	PEAK																																																																																																														
2	19155.00	37.46	74.00	-36.54	58.05	38.08	6.11	55.24	-9.54	--	PEAK																																																																																																														







Mode	15	
	Harmonic	
	U-NII-5_5.925-6.425_802.11be EHT80_CH87_Full RU_6385MHz	
ANT	3+4	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 HORIZONTAL Mode : 15	 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 VERTICAL Mode : 15
	 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 HORIZONTAL Mode : 15	 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 VERTICAL Mode : 15





		16																																																																																																		
Mode	Band Edge																																																																																																			
	U-NII-5_5.925-6.425_802.11be EHT160_CH15_Full RU_6025MHz																																																																																																			
ANT	3+4																																																																																																			
Pol.	Horizontal						Fundamental																																																																																													
Peak	 Site : 03CH13-HY Condition: PEAK_BE(UNII)_6E 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5903.40</td><td>73.37</td><td>88.20</td><td>-14.83</td><td>65.30</td><td>34.50</td><td>10.58</td><td>37.01</td><td>0.00</td><td>100</td><td>303</td><td>PEAK</td></tr></tbody></table>  Site : 03CH13-HY Condition: PEAK(UNII)_6E 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6025.00</td><td>99.30</td><td>-----</td><td>-----</td><td>91.24</td><td>34.48</td><td>10.64</td><td>37.06</td><td>0.00</td><td>100</td><td>303</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5903.40	73.37	88.20	-14.83	65.30	34.50	10.58	37.01	0.00	100	303	PEAK		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	99.30	-----	-----	91.24	34.48	10.64	37.06	0.00	100	303	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5903.40	73.37	88.20	-14.83	65.30	34.50	10.58	37.01	0.00	100	303	PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	6025.00	99.30	-----	-----	91.24	34.48	10.64	37.06	0.00	100	303	PEAK																																																																																								
Avg	 Site : 03CH13-HY Condition: AVG_BE(UNII)_6E 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000kHz VBW:2.700kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5908.00</td><td>60.39</td><td>68.20</td><td>-7.81</td><td>52.32</td><td>34.50</td><td>10.58</td><td>37.01</td><td>0.00</td><td>100</td><td>303</td><td>AVERAGE</td></tr></tbody></table>  Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000kHz VBW:2.700kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6025.00</td><td>90.93</td><td>-----</td><td>-----</td><td>82.87</td><td>34.49</td><td>10.63</td><td>37.06</td><td>0.00</td><td>100</td><td>303</td><td>AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5908.00	60.39	68.20	-7.81	52.32	34.50	10.58	37.01	0.00	100	303	AVERAGE		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	90.93	-----	-----	82.87	34.49	10.63	37.06	0.00	100	303	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5908.00	60.39	68.20	-7.81	52.32	34.50	10.58	37.01	0.00	100	303	AVERAGE																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	6025.00	90.93	-----	-----	82.87	34.49	10.63	37.06	0.00	100	303	AVERAGE																																																																																								







		16																																																																																																		
Mode	Band Edge																																																																																																			
	U-NII-5_5.925-6.425_802.11be EHT160_CH15_Full RU_6025MHz																																																																																																			
ANT	3+4																																																																																																			
Pol.	Vertical						Fundamental																																																																																													
Peak																																																																																																				
	Site : 03CH13-HY Condition: PEAK_BE(UNII)_6E 3m HORN_91200_1326 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5900.00</td><td>71.56</td><td>88.20</td><td>-16.64</td><td>63.49</td><td>34.50</td><td>10.58</td><td>37.01</td><td>0.00</td><td>400</td><td>156</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5900.00	71.56	88.20	-16.64	63.49	34.50	10.58	37.01	0.00	400	156	PEAK	Site : 03CH13-HY Condition: PEAK(UNII)_6E 3m HORN_91200_1326 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6025.00</td><td>101.13</td><td>-----</td><td>-----</td><td>93.06</td><td>34.46</td><td>10.66</td><td>37.05</td><td>0.00</td><td>400</td><td>156</td><td>PEAK</td></tr></table>								Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	101.13	-----	-----	93.06	34.46	10.66	37.05	0.00	400	156
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5900.00	71.56	88.20	-16.64	63.49	34.50	10.58	37.01	0.00	400	156	PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	6025.00	101.13	-----	-----	93.06	34.46	10.66	37.05	0.00	400	156	PEAK																																																																																								
Avg																																																																																																				
	Site : 03CH13-HY Condition: AVG_BE(UNII)_6E 3m HORN_91200_1326 VERTICAL : RBW:1000.000kHz VBW:2.700kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5870.20</td><td>58.47</td><td>68.20</td><td>-9.73</td><td>50.51</td><td>34.38</td><td>10.57</td><td>36.99</td><td>0.00</td><td>400</td><td>156</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5870.20	58.47	68.20	-9.73	50.51	34.38	10.57	36.99	0.00	400	156	AVERAGE	Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 VERTICAL : RBW:1000.000kHz VBW:2.700kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6025.00</td><td>92.34</td><td>-----</td><td>-----</td><td>84.28</td><td>34.48</td><td>10.64</td><td>37.06</td><td>0.00</td><td>400</td><td>156</td><td>AVERAGE</td></tr></table>								Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	92.34	-----	-----	84.28	34.48	10.64	37.06	0.00	400	156
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5870.20	58.47	68.20	-9.73	50.51	34.38	10.57	36.99	0.00	400	156	AVERAGE																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	6025.00	92.34	-----	-----	84.28	34.48	10.64	37.06	0.00	400	156	AVERAGE																																																																																								





Mode	16																																																																																																																												
	Harmonic																																																																																																																												
	U-NII-5_5.925-6.425_802.11be EHT160_CH15_Full RU_6025MHz																																																																																																																												
ANT	3+4																																																																																																																												
Pol.	Horizontal						Vertical																																																																																																																						
Peak Avg																																																																																																																													
	Site : 03CH13-HY Condition: PEAK(UNII)_6E 1m SHF_1224 HORIZONTAL Mode : 16 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>12050.00</td><td>45.52</td><td>74.00</td><td>-28.48</td><td>45.57</td><td>39.10</td><td>16.42</td><td>56.15</td><td>0.58</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>18075.00</td><td>36.42</td><td>74.00</td><td>-37.58</td><td>58.66</td><td>37.50</td><td>5.76</td><td>55.96</td><td>-9.54</td><td>--</td><td>--</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12050.00	45.52	74.00	-28.48	45.57	39.10	16.42	56.15	0.58	--	--	PEAK	2	18075.00	36.42	74.00	-37.58	58.66	37.50	5.76	55.96	-9.54	--	--	PEAK	Site : 03CH13-HY Condition: PEAK(UNII)_6E 1m SHF_1224 VERTICAL Mode : 16 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>12050.00</td><td>45.96</td><td>74.00</td><td>-28.04</td><td>46.01</td><td>39.10</td><td>16.42</td><td>56.15</td><td>0.58</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>18075.00</td><td>36.06</td><td>74.00</td><td>-37.94</td><td>58.30</td><td>37.50</td><td>5.76</td><td>55.96</td><td>-9.54</td><td>--</td><td>--</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12050.00	45.96	74.00	-28.04	46.01	39.10	16.42	56.15	0.58	--	--	PEAK	2	18075.00	36.06	74.00	-37.94	58.30	37.50	5.76	55.96	-9.54	--	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	12050.00	45.52	74.00	-28.48	45.57	39.10	16.42	56.15	0.58	--	--	PEAK																																																																																																																	
2	18075.00	36.42	74.00	-37.58	58.66	37.50	5.76	55.96	-9.54	--	--	PEAK																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	12050.00	45.96	74.00	-28.04	46.01	39.10	16.42	56.15	0.58	--	--	PEAK																																																																																																																	
2	18075.00	36.06	74.00	-37.94	58.30	37.50	5.76	55.96	-9.54	--	--	PEAK																																																																																																																	





Mode	16	
	Harmonic	
	U-NII-5_5.925-6.425_802.11be EHT160_CH15_Full RU_6025MHz	
ANT	3+4	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 HORIZONTAL Mode : 16	 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 VERTICAL Mode : 16
	 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 HORIZONTAL Mode : 16	 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 VERTICAL Mode : 16



Mode	17																																													
	Band Edge																																													
	U-NII-5_5.925-6.425_802.11be EHT160_CH47_Full RU_6185MHz																																													
ANT	3+4																																													
Pol.	Horizontal	Fundamental																																												
Peak	Blank	 Site : 03CH13-HY Condition: PEAK(UNII)_6E 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6185.00</td><td>103.40</td><td>-----</td><td>-----</td><td>94.93</td><td>34.42</td><td>11.02</td><td>36.97</td><td>0.00</td><td>101</td><td>277</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6185.00	103.40	-----	-----	94.93	34.42	11.02	36.97	0.00	101	277	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	6185.00	103.40	-----	-----	94.93	34.42	11.02	36.97	0.00	101	277	PEAK																																		
Avg	Blank	 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000kHz VBW:2.700kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6185.00</td><td>94.49</td><td>-----</td><td>-----</td><td>86.02</td><td>34.42</td><td>11.02</td><td>36.97</td><td>0.00</td><td>101</td><td>277</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6185.00	94.49	-----	-----	86.02	34.42	11.02	36.97	0.00	101	277	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	6185.00	94.49	-----	-----	86.02	34.42	11.02	36.97	0.00	101	277	AVERAGE																																		







Mode	17																																													
	Band Edge																																													
	U-NII-5_5.925-6.425_802.11be EHT160_CH47_Full RU_6185MHz																																													
ANT	3+4																																													
Pol.	Vertical	Fundamental																																												
Peak	Blank	 Site : 03CH13-HY Condition: PEAK(UNII)_6E 3m HORN_91200_1326 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6185.00</td><td>104.99</td><td>-----</td><td>-----</td><td>96.57</td><td>34.40</td><td>11.00</td><td>36.98</td><td>0.00</td><td>307</td><td>147</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6185.00	104.99	-----	-----	96.57	34.40	11.00	36.98	0.00	307	147	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	6185.00	104.99	-----	-----	96.57	34.40	11.00	36.98	0.00	307	147	PEAK																																		
Avg	Blank	 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 VERTICAL : RBW:1000.000kHz VBW:2.700kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6185.00</td><td>95.40</td><td>-----</td><td>-----</td><td>86.96</td><td>34.40</td><td>11.02</td><td>36.98</td><td>0.00</td><td>307</td><td>147</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6185.00	95.40	-----	-----	86.96	34.40	11.02	36.98	0.00	307	147	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	6185.00	95.40	-----	-----	86.96	34.40	11.02	36.98	0.00	307	147	AVERAGE																																		





Mode	17																																																																																																																												
	Harmonic																																																																																																																												
	U-NII-5_5.925-6.425_802.11be EHT160_CH47_Full RU_6185MHz																																																																																																																												
ANT	3+4																																																																																																																												
Pol.	Horizontal						Vertical																																																																																																																						
Peak Avg																																																																																																																													
	Site : 03CH13-HY Condition: PEAK(UNII)_6E 1m SHF_1224 HORIZONTAL Mode : 17 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12370.00</td><td>45.86</td><td>74.00</td><td>-28.14</td><td>45.86</td><td>39.20</td><td>16.71</td><td>56.58</td><td>0.67</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>18555.00</td><td>37.62</td><td>74.00</td><td>-36.38</td><td>58.84</td><td>37.99</td><td>5.99</td><td>55.66</td><td>-9.54</td><td>--</td><td>--</td><td>PEAK</td></tr></table> Site : 03CH13-HY Condition: PEAK(UNII)_6E 1m SHF_1224 VERTICAL Mode : 17 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12370.00</td><td>46.06</td><td>74.00</td><td>-27.94</td><td>46.06</td><td>39.20</td><td>16.71</td><td>56.58</td><td>0.67</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>18555.00</td><td>37.60</td><td>74.00</td><td>-36.40</td><td>58.82</td><td>37.99</td><td>5.99</td><td>55.66</td><td>-9.54</td><td>--</td><td>--</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12370.00	45.86	74.00	-28.14	45.86	39.20	16.71	56.58	0.67	--	--	PEAK	2	18555.00	37.62	74.00	-36.38	58.84	37.99	5.99	55.66	-9.54	--	--	PEAK		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12370.00	46.06	74.00	-27.94	46.06	39.20	16.71	56.58	0.67	--	--	PEAK	2	18555.00	37.60	74.00	-36.40	58.82	37.99	5.99	55.66	-9.54	--	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	12370.00	45.86	74.00	-28.14	45.86	39.20	16.71	56.58	0.67	--	--	PEAK																																																																																																																	
2	18555.00	37.62	74.00	-36.38	58.84	37.99	5.99	55.66	-9.54	--	--	PEAK																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	12370.00	46.06	74.00	-27.94	46.06	39.20	16.71	56.58	0.67	--	--	PEAK																																																																																																																	
2	18555.00	37.60	74.00	-36.40	58.82	37.99	5.99	55.66	-9.54	--	--	PEAK																																																																																																																	





Mode	17	
	Harmonic	
	U-NII-5_5.925-6.425_802.11be EHT160_CH47_Full RU_6185MHz	
ANT	3+4	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 HORIZONTAL Mode : 17	 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 VERTICAL Mode : 17
	 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 HORIZONTAL Mode : 17	 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 VERTICAL Mode : 17





Mode	18																																													
	Band Edge																																													
	U-NII-5_5.925-6.425_802.11be EHT160_CH79_Full RU_6345MHz																																													
ANT	3+4																																													
Pol.	Horizontal	Fundamental																																												
Peak	Blank	 Site : 03CH13-HY Condition: PEAK(UNII)_6E 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6345.00</td><td>104.07</td><td>-----</td><td>-----</td><td>95.32</td><td>34.62</td><td>11.06</td><td>36.93</td><td>0.00</td><td>100</td><td>274</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6345.00	104.07	-----	-----	95.32	34.62	11.06	36.93	0.00	100	274	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	6345.00	104.07	-----	-----	95.32	34.62	11.06	36.93	0.00	100	274	PEAK																																		
Avg	Blank	 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000kHz VBW:2.700kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6345.00</td><td>96.45</td><td>-----</td><td>-----</td><td>87.43</td><td>34.85</td><td>11.08</td><td>36.91</td><td>0.00</td><td>100</td><td>274</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6345.00	96.45	-----	-----	87.43	34.85	11.08	36.91	0.00	100	274	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	6345.00	96.45	-----	-----	87.43	34.85	11.08	36.91	0.00	100	274	AVERAGE																																		







Mode	18																																													
	Band Edge																																													
	U-NII-5_5.925-6.425_802.11be EHT160_CH79_Full RU_6345MHz																																													
ANT	3+4																																													
Pol.	Vertical	Fundamental																																												
Peak	Blank	 Site : 03CH13-HY Condition: PEAK(UNII)_6E 3m HORN_91200_1326 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6345.00</td><td>103.96</td><td>-----</td><td>-----</td><td>95.00</td><td>34.80</td><td>11.07</td><td>36.91</td><td>0.00</td><td>300</td><td>210</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6345.00	103.96	-----	-----	95.00	34.80	11.07	36.91	0.00	300	210	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	6345.00	103.96	-----	-----	95.00	34.80	11.07	36.91	0.00	300	210	PEAK																																		
Avg	Blank	 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 VERTICAL : RBW:1000.000kHz VBW:2.700kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6345.00</td><td>96.44</td><td>-----</td><td>-----</td><td>87.42</td><td>34.85</td><td>11.08</td><td>36.91</td><td>0.00</td><td>300</td><td>210</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6345.00	96.44	-----	-----	87.42	34.85	11.08	36.91	0.00	300	210	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	6345.00	96.44	-----	-----	87.42	34.85	11.08	36.91	0.00	300	210	AVERAGE																																		





Mode	18																																																																																																																														
	Harmonic																																																																																																																														
	U-NII-5_5.925-6.425_802.11be EHT160_CH79_Full RU_6345MHz																																																																																																																														
ANT	3+4																																																																																																																														
Pol.	Horizontal						Vertical																																																																																																																								
Peak Avg																																																																																																																															
	Site : 03CH13-HY Condition: PEAK(UNII)_6E 1m SHF_1224 HORIZONTAL Mode : 18 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>12690.00</td><td>47.29</td><td>74.00</td><td>-26.71</td><td>46.83</td><td>39.70</td><td>16.99</td><td>56.99</td><td>0.76</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>19035.00</td><td>36.67</td><td>74.00</td><td>-37.33</td><td>57.57</td><td>37.84</td><td>6.09</td><td>55.29</td><td>-9.54</td><td>--</td><td>--</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	12690.00	47.29	74.00	-26.71	46.83	39.70	16.99	56.99	0.76	--	--	PEAK	2	19035.00	36.67	74.00	-37.33	57.57	37.84	6.09	55.29	-9.54	--	--	PEAK	Site : 03CH13-HY Condition: PEAK(UNII)_6E 1m SHF_1224 VERTICAL Mode : 18 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>12690.00</td><td>47.55</td><td>74.00</td><td>-26.45</td><td>47.09</td><td>39.70</td><td>16.99</td><td>56.99</td><td>0.76</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>19035.00</td><td>36.83</td><td>74.00</td><td>-37.17</td><td>57.73</td><td>37.84</td><td>6.09</td><td>55.29</td><td>-9.54</td><td>--</td><td>--</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	12690.00	47.55	74.00	-26.45	47.09	39.70	16.99	56.99	0.76	--	--	PEAK	2	19035.00	36.83	74.00	-37.17	57.73	37.84	6.09	55.29	-9.54	--	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1	12690.00	47.29	74.00	-26.71	46.83	39.70	16.99	56.99	0.76	--	--	PEAK																																																																																																																			
2	19035.00	36.67	74.00	-37.33	57.57	37.84	6.09	55.29	-9.54	--	--	PEAK																																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1	12690.00	47.55	74.00	-26.45	47.09	39.70	16.99	56.99	0.76	--	--	PEAK																																																																																																																			
2	19035.00	36.83	74.00	-37.17	57.73	37.84	6.09	55.29	-9.54	--	--	PEAK																																																																																																																			





Mode	18	
	Harmonic	
	U-NII-5_5.925-6.425_802.11be EHT160_CH79_Full RU_6345MHz	
ANT	3+4	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 HORIZONTAL Mode : 18	 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 VERTICAL Mode : 18
	 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 HORIZONTAL Mode : 18	 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 VERTICAL Mode : 18



Mode	19																																																						
	Band Edge																																																						
	U-NII-7_6.525-6.875_802.11a_CH117_6535MHz																																																						
ANT	3+4																																																						
Pol.	Horizontal					Fundamental																																																	
Peak	Blank					 Site : 03CH13-HY Condition: PEAK(UNII)_6E 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6535.00</td><td>112.80</td><td>-----</td><td>-----</td><td>102.54</td><td>35.69</td><td>11.44</td><td>36.87</td><td>0.00</td><td>100</td><td>270</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6535.00	112.80	-----	-----	102.54	35.69	11.44	36.87	0.00	100	270	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	6535.00	112.80	-----	-----	102.54	35.69	11.44	36.87	0.00	100	270	PEAK																																											
Avg	Blank					 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6535.00</td><td>105.87</td><td>-----</td><td>-----</td><td>95.61</td><td>35.69</td><td>11.44</td><td>36.87</td><td>0.00</td><td>100</td><td>270</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6535.00	105.87	-----	-----	95.61	35.69	11.44	36.87	0.00	100	270	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	6535.00	105.87	-----	-----	95.61	35.69	11.44	36.87	0.00	100	270	AVERAGE																																											







Mode	19																																																						
	Band Edge																																																						
	U-NII-7_6.525-6.875_802.11a_CH117_6535MHz																																																						
ANT	3+4																																																						
Pol.	Vertical					Fundamental																																																	
Peak	Blank					 Site : 03CH13-HY Condition: PEAK(UNII)_6E 3m HORN_91200_1326 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6535.00</td><td>112.79</td><td>-----</td><td>-----</td><td>102.53</td><td>35.69</td><td>11.44</td><td>36.87</td><td>0.00</td><td>303</td><td>195</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6535.00	112.79	-----	-----	102.53	35.69	11.44	36.87	0.00	303	195	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	6535.00	112.79	-----	-----	102.53	35.69	11.44	36.87	0.00	303	195	PEAK																																											
Avg	Blank					 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6535.00</td><td>105.95</td><td>-----</td><td>-----</td><td>95.69</td><td>35.69</td><td>11.44</td><td>36.87</td><td>0.00</td><td>303</td><td>195</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6535.00	105.95	-----	-----	95.69	35.69	11.44	36.87	0.00	303	195	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	6535.00	105.95	-----	-----	95.69	35.69	11.44	36.87	0.00	303	195	AVERAGE																																											





		19																																																																			
Mode		Harmonic																																																																			
		U-NII-7_6.525-6.875_802.11a_CH117_6535MHz																																																																			
ANT		3+4																																																																			
Pol.		Horizontal						Vertical																																																													
Peak Avg																																																																					
	Site : 03CH13-HY Condition: PEAK(UNII)_6E 1m SHF_1224 HORIZONTAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>13070.00</td><td>47.08</td><td>88.20</td><td>-41.12</td><td>46.39</td><td>39.94</td><td>17.28</td><td>57.39</td><td>0.86</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>19605.00</td><td>37.32</td><td>74.00</td><td>-36.68</td><td>58.00</td><td>37.81</td><td>6.13</td><td>55.08</td><td>-9.54</td><td>--</td><td>--</td><td>PEAK</td></tr></tbody></table>														Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13070.00	47.08	88.20	-41.12	46.39	39.94	17.28	57.39	0.86	--	--	PEAK	2	19605.00	37.32	74.00	-36.68	58.00	37.81	6.13	55.08	-9.54	--	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	13070.00	47.08	88.20	-41.12	46.39	39.94	17.28	57.39	0.86	--	--	PEAK																																																									
2	19605.00	37.32	74.00	-36.68	58.00	37.81	6.13	55.08	-9.54	--	--	PEAK																																																									
Peak Avg																																																																					
	Site : 03CH13-HY Condition: PEAK(UNII)_6E 1m SHF_1224 VERTICAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>13070.00</td><td>46.03</td><td>88.20</td><td>-42.17</td><td>45.34</td><td>39.94</td><td>17.28</td><td>57.39</td><td>0.86</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>19605.00</td><td>37.44</td><td>74.00</td><td>-36.56</td><td>58.12</td><td>37.81</td><td>6.13</td><td>55.08</td><td>-9.54</td><td>--</td><td>--</td><td>PEAK</td></tr></tbody></table>														Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13070.00	46.03	88.20	-42.17	45.34	39.94	17.28	57.39	0.86	--	--	PEAK	2	19605.00	37.44	74.00	-36.56	58.12	37.81	6.13	55.08	-9.54	--	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	13070.00	46.03	88.20	-42.17	45.34	39.94	17.28	57.39	0.86	--	--	PEAK																																																									
2	19605.00	37.44	74.00	-36.56	58.12	37.81	6.13	55.08	-9.54	--	--	PEAK																																																									





Mode	19	
	Harmonic	
	U-NII-7_6.525-6.875_802.11a_CH117_6535MHz	
ANT	3+4	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 HORIZONTAL	 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 VERTICAL
	 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 HORIZONTAL	 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 VERTICAL





Mode	20																																																						
	Band Edge																																																						
	U-NII-7_6.525-6.875_802.11a_CH149_6695MHz																																																						
ANT	3+4																																																						
Pol.	Horizontal					Fundamental																																																	
Peak	Blank					 Site : 03CH13-HY Condition: PEAK(UNII)_6E 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6695.00</td><td>111.36</td><td>-----</td><td>-----</td><td>100.63</td><td>36.10</td><td>11.59</td><td>36.96</td><td>0.00</td><td>100</td><td>339</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6695.00	111.36	-----	-----	100.63	36.10	11.59	36.96	0.00	100	339	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	6695.00	111.36	-----	-----	100.63	36.10	11.59	36.96	0.00	100	339	PEAK																																											
Avg	Blank					 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6695.00</td><td>104.52</td><td>-----</td><td>-----</td><td>93.79</td><td>36.10</td><td>11.59</td><td>36.96</td><td>0.00</td><td>100</td><td>339</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6695.00	104.52	-----	-----	93.79	36.10	11.59	36.96	0.00	100	339	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	6695.00	104.52	-----	-----	93.79	36.10	11.59	36.96	0.00	100	339	AVERAGE																																											







Mode	20																																																						
	Band Edge																																																						
	U-NII-7_6.525-6.875_802.11a_CH149_6695MHz																																																						
ANT	3+4																																																						
Pol.	Vertical					Fundamental																																																	
Peak	Blank					 Site : 03CH13-HY Condition: PEAK(UNII)_6E 3m HORN_91200_1326 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6695.00</td><td>109.55</td><td>-----</td><td>-----</td><td>98.83</td><td>36.10</td><td>11.58</td><td>36.96</td><td>0.00</td><td>300</td><td>199</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6695.00	109.55	-----	-----	98.83	36.10	11.58	36.96	0.00	300	199	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	6695.00	109.55	-----	-----	98.83	36.10	11.58	36.96	0.00	300	199	PEAK																																											
Avg	Blank					 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6695.00</td><td>102.44</td><td>-----</td><td>-----</td><td>91.72</td><td>36.10</td><td>11.58</td><td>36.96</td><td>0.00</td><td>300</td><td>199</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6695.00	102.44	-----	-----	91.72	36.10	11.58	36.96	0.00	300	199	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	6695.00	102.44	-----	-----	91.72	36.10	11.58	36.96	0.00	300	199	AVERAGE																																											





Mode	20																																																																				
	Harmonic																																																																				
	U-NII-7_6.525-6.875_802.11a_CH149_6695MHz																																																																				
ANT	3+4																																																																				
Pol.	Horizontal						Vertical																																																														
Peak Avg																																																																					
	Site : 03CH13-HY Condition: PEAK(UNII)_6E 1m SHF_1224 HORIZONTAL						Site : 03CH13-HY Condition: PEAK(UNII)_6E 1m SHF_1224 VERTICAL																																																														
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13390.00</td><td>48.32</td><td>74.00</td><td>-25.68</td><td>47.37</td><td>40.24</td><td>17.20</td><td>57.44</td><td>0.95</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>20085.00</td><td>37.29</td><td>74.00</td><td>-36.71</td><td>55.97</td><td>37.77</td><td>6.14</td><td>53.05</td><td>-9.54</td><td>--</td><td>--</td><td>PEAK</td></tr></table>														Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13390.00	48.32	74.00	-25.68	47.37	40.24	17.20	57.44	0.95	--	--	PEAK	2	20085.00	37.29	74.00	-36.71	55.97	37.77	6.14	53.05	-9.54	--	--	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	13390.00	48.32	74.00	-25.68	47.37	40.24	17.20	57.44	0.95	--	--	PEAK																																																									
2	20085.00	37.29	74.00	-36.71	55.97	37.77	6.14	53.05	-9.54	--	--	PEAK																																																									





Mode	20	
	Harmonic	
	U-NII-7_6.525-6.875_802.11a_CH149_6695MHz	
ANT	3+4	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 HORIZONTAL	 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 VERTICAL
	 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 HORIZONTAL	 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 VERTICAL





Mode	21																																																						
	Band Edge																																																						
	U-NII-7_6.525-6.875_802.11a_CH181_6855MHz																																																						
ANT	3+4																																																						
Pol.	Horizontal					Fundamental																																																	
Peak	Blank					 Site : 03CH13-HY Condition: PEAK(UNII)_6E 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6855.00</td><td>113.06</td><td>-----</td><td>-----</td><td>102.39</td><td>36.00</td><td>11.72</td><td>37.05</td><td>0.00</td><td>100</td><td>335</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6855.00	113.06	-----	-----	102.39	36.00	11.72	37.05	0.00	100	335	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	6855.00	113.06	-----	-----	102.39	36.00	11.72	37.05	0.00	100	335	PEAK																																											
Avg	Blank					 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6855.00</td><td>105.71</td><td>-----</td><td>-----</td><td>95.04</td><td>36.00</td><td>11.72</td><td>37.05</td><td>0.00</td><td>100</td><td>335</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6855.00	105.71	-----	-----	95.04	36.00	11.72	37.05	0.00	100	335	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	6855.00	105.71	-----	-----	95.04	36.00	11.72	37.05	0.00	100	335	AVERAGE																																											







Mode	21																																																									
	Band Edge																																																									
	U-NII-7_6.525-6.875_802.11a_CH181_6855MHz																																																									
ANT	3+4																																																									
Pol.	Vertical					Fundamental																																																				
Peak	Blank					 Site : 03CH13-HY Condition: PEAK(UNII)_6E 3m HORN_91200_1326 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6855.00</td><td>109.40</td><td>-----</td><td>98.73</td><td>36.00</td><td>11.72</td><td>37.05</td><td>0.00</td><td></td><td>100</td><td>75 PEAK</td></tr></table>								Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6855.00	109.40	-----	98.73	36.00	11.72	37.05	0.00		100	75 PEAK
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																															
1	6855.00	109.40	-----	98.73	36.00	11.72	37.05	0.00		100	75 PEAK																																															
Avg	Blank					 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6855.00</td><td>102.50</td><td>-----</td><td>91.83</td><td>36.00</td><td>11.72</td><td>37.05</td><td>0.00</td><td></td><td>100</td><td>75 AVERAGE</td></tr></table>								Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6855.00	102.50	-----	91.83	36.00	11.72	37.05	0.00		100	75 AVERAGE
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																															
1	6855.00	102.50	-----	91.83	36.00	11.72	37.05	0.00		100	75 AVERAGE																																															





Mode	21																																																																														
	Harmonic																																																																														
	U-NII-7_6.525-6.875_802.11a_CH181_6855MHz																																																																														
ANT	3+4																																																																														
Pol.	Horizontal						Vertical																																																																								
Peak Avg																																																																															
	Site : 03CH13-HY Condition: PEAK(UNII)_6E 1m SHF_1224 HORIZONTAL						Site : 03CH13-HY Condition: PEAK(UNII)_6E 1m SHF_1224 VERTICAL																																																																								
<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13710.00</td><td>49.58</td><td>88.20</td><td>-38.62</td><td>47.88</td><td>40.62</td><td>17.51</td><td>57.46</td><td>1.03</td><td>300</td><td>267</td><td>PEAK</td></tr><tr><td>2</td><td>13710.00</td><td>38.58</td><td>68.20</td><td>-29.62</td><td>36.88</td><td>40.62</td><td>17.51</td><td>57.46</td><td>1.03</td><td>300</td><td>267</td><td>AVERAGE</td></tr><tr><td>3</td><td>20565.00</td><td>37.83</td><td>74.00</td><td>-36.17</td><td>58.07</td><td>38.01</td><td>6.26</td><td>54.97</td><td>-9.54</td><td>--</td><td>--</td><td>PEAK</td></tr></table>														Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	13710.00	49.58	88.20	-38.62	47.88	40.62	17.51	57.46	1.03	300	267	PEAK	2	13710.00	38.58	68.20	-29.62	36.88	40.62	17.51	57.46	1.03	300	267	AVERAGE	3	20565.00	37.83	74.00	-36.17	58.07	38.01	6.26	54.97	-9.54	--	--	PEAK
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																		
1	13710.00	49.58	88.20	-38.62	47.88	40.62	17.51	57.46	1.03	300	267	PEAK																																																																			
2	13710.00	38.58	68.20	-29.62	36.88	40.62	17.51	57.46	1.03	300	267	AVERAGE																																																																			
3	20565.00	37.83	74.00	-36.17	58.07	38.01	6.26	54.97	-9.54	--	--	PEAK																																																																			





Mode	21	
	Harmonic	
	U-NII-7_6.525-6.875_802.11a_CH181_6855MHz	
ANT	3+4	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 HORIZONTAL	 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 VERTICAL
	 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 HORIZONTAL	 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 VERTICAL





Mode	22																																																						
	Band Edge																																																						
	U-NII-7_6.525-6.875_802.11be EHT20_CH117_Full RU_6535MHz																																																						
ANT	3+4																																																						
Pol.	Horizontal					Fundamental																																																	
Peak	Blank					 Site : 03CH13-HY Condition: PEAK(UNII)_6E 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6535.00</td><td>112.23</td><td>-----</td><td>-----</td><td>101.97</td><td>35.69</td><td>11.44</td><td>36.87</td><td>0.00</td><td>105</td><td>268</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6535.00	112.23	-----	-----	101.97	35.69	11.44	36.87	0.00	105	268	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	6535.00	112.23	-----	-----	101.97	35.69	11.44	36.87	0.00	105	268	PEAK																																											
Avg	Blank					 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6535.00</td><td>105.20</td><td>-----</td><td>-----</td><td>94.94</td><td>35.69</td><td>11.44</td><td>36.87</td><td>0.00</td><td>105</td><td>268</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6535.00	105.20	-----	-----	94.94	35.69	11.44	36.87	0.00	105	268	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	6535.00	105.20	-----	-----	94.94	35.69	11.44	36.87	0.00	105	268	AVERAGE																																											







Mode	22																																													
	Band Edge																																													
	U-NII-7_6.525-6.875_802.11be EHT20_CH117_Full RU_6535MHz																																													
ANT	3+4																																													
Pol.	Vertical	Fundamental																																												
Peak	Blank	 Site : 03CH13-HY Condition: PEAK(UNII)_6E 3m HORN_91200_1326 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6535.00</td><td>112.74</td><td>-----</td><td>-----</td><td>102.48</td><td>35.69</td><td>11.44</td><td>36.87</td><td>0.00</td><td>284</td><td>205</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6535.00	112.74	-----	-----	102.48	35.69	11.44	36.87	0.00	284	205	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	6535.00	112.74	-----	-----	102.48	35.69	11.44	36.87	0.00	284	205	PEAK																																		
Avg	Blank	 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6535.00</td><td>104.83</td><td>-----</td><td>-----</td><td>94.57</td><td>35.69</td><td>11.44</td><td>36.87</td><td>0.00</td><td>284</td><td>205</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6535.00	104.83	-----	-----	94.57	35.69	11.44	36.87	0.00	284	205	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	6535.00	104.83	-----	-----	94.57	35.69	11.44	36.87	0.00	284	205	AVERAGE																																		





Mode	22																																																																																																																												
	Harmonic																																																																																																																												
	U-NII-7_6.525-6.875_802.11be EHT20_CH117_Full RU_6535MHz																																																																																																																												
ANT	3+4																																																																																																																												
Pol.	Horizontal						Vertical																																																																																																																						
Peak Avg																																																																																																																													
	Site : 03CH13-HY Condition: PEAK(UNII)_6E 1m SHF_1224 HORIZONTAL Mode : 22 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>13070.00</td><td>46.57</td><td>88.20</td><td>-41.63</td><td>45.88</td><td>39.94</td><td>17.28</td><td>57.39</td><td>0.86</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>19605.00</td><td>37.22</td><td>74.00</td><td>-36.78</td><td>57.90</td><td>37.81</td><td>6.13</td><td>55.08</td><td>-9.54</td><td>--</td><td>--</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13070.00	46.57	88.20	-41.63	45.88	39.94	17.28	57.39	0.86	--	--	PEAK	2	19605.00	37.22	74.00	-36.78	57.90	37.81	6.13	55.08	-9.54	--	--	PEAK	Site : 03CH13-HY Condition: PEAK(UNII)_6E 1m SHF_1224 VERTICAL Mode : 22 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>13070.00</td><td>45.60</td><td>88.20</td><td>-42.60</td><td>44.91</td><td>39.94</td><td>17.28</td><td>57.39</td><td>0.86</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>19605.00</td><td>37.82</td><td>74.00</td><td>-36.18</td><td>58.50</td><td>37.81</td><td>6.13</td><td>55.08</td><td>-9.54</td><td>--</td><td>--</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13070.00	45.60	88.20	-42.60	44.91	39.94	17.28	57.39	0.86	--	--	PEAK	2	19605.00	37.82	74.00	-36.18	58.50	37.81	6.13	55.08	-9.54	--	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	13070.00	46.57	88.20	-41.63	45.88	39.94	17.28	57.39	0.86	--	--	PEAK																																																																																																																	
2	19605.00	37.22	74.00	-36.78	57.90	37.81	6.13	55.08	-9.54	--	--	PEAK																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	13070.00	45.60	88.20	-42.60	44.91	39.94	17.28	57.39	0.86	--	--	PEAK																																																																																																																	
2	19605.00	37.82	74.00	-36.18	58.50	37.81	6.13	55.08	-9.54	--	--	PEAK																																																																																																																	





Mode	22	
	Harmonic	
	U-NII-7_6.525-6.875_802.11be EHT20_CH117_Full RU_6535MHz	
ANT	3+4	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 HORIZONTAL Mode : 22	 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 VERTICAL Mode : 22
	 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 HORIZONTAL Mode : 22	 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 VERTICAL Mode : 22





Mode	23																																																						
	Band Edge																																																						
	U-NII-7_6.525-6.875_802.11be EHT20_CH149_Full RU_6695MHz																																																						
ANT	3+4																																																						
Pol.	Horizontal					Fundamental																																																	
Peak	Blank					 Site : 03CH13-HY Condition: PEAK(UNI)_6E 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6695.00</td><td>110.49</td><td>-----</td><td>-----</td><td>99.76</td><td>36.10</td><td>11.59</td><td>36.96</td><td>0.00</td><td>100</td><td>328</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6695.00	110.49	-----	-----	99.76	36.10	11.59	36.96	0.00	100	328	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	6695.00	110.49	-----	-----	99.76	36.10	11.59	36.96	0.00	100	328	PEAK																																											
Avg	Blank					 Site : 03CH13-HY Condition: AVG(UNI)_6E 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6695.00</td><td>102.40</td><td>-----</td><td>-----</td><td>91.67</td><td>36.10</td><td>11.59</td><td>36.96</td><td>0.00</td><td>100</td><td>328</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6695.00	102.40	-----	-----	91.67	36.10	11.59	36.96	0.00	100	328	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	6695.00	102.40	-----	-----	91.67	36.10	11.59	36.96	0.00	100	328	AVERAGE																																											







Mode	23																																																						
	Band Edge																																																						
	U-NII-7_6.525-6.875_802.11be EHT20_CH149_Full RU_6695MHz																																																						
ANT	3+4																																																						
Pol.	Vertical					Fundamental																																																	
Peak	Blank					 Site : 03CH13-HY Condition: PEAK(UNII)_6E 3m HORN_91200_1326 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6695.00</td><td>107.73</td><td>-----</td><td>-----</td><td>97.00</td><td>36.10</td><td>11.59</td><td>36.96</td><td>0.00</td><td>300</td><td>199</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6695.00	107.73	-----	-----	97.00	36.10	11.59	36.96	0.00	300	199	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	6695.00	107.73	-----	-----	97.00	36.10	11.59	36.96	0.00	300	199	PEAK																																											
Avg	Blank					 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6695.00</td><td>101.39</td><td>-----</td><td>-----</td><td>90.67</td><td>36.10</td><td>11.58</td><td>36.96</td><td>0.00</td><td>300</td><td>199</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6695.00	101.39	-----	-----	90.67	36.10	11.58	36.96	0.00	300	199	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	6695.00	101.39	-----	-----	90.67	36.10	11.58	36.96	0.00	300	199	AVERAGE																																											





		23																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
Mode		Harmonic																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
		U-NII-7_6.525-6.875_802.11be EHT20_CH149_Full RU_6695MHz																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
ANT		3+4																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
Pol.		Horizontal											Vertical																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
Peak Avg																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
	Site : 03CH13-HY Condition: PEAK(UNII)_6E 1m SHF_1224 HORIZONTAL Mode : 23																						Site : 03CH13-HY Condition: PEAK(UNII)_6E 1m SHF_1224 VERTICAL Mode : 23																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
		Limit											Read											Ant											Cable											Preamp											Aux											APos											TPos											Remark																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
		Freq Level Line Margin											Level Factor											Loss Factor											Factor																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	





Mode	23	
	Harmonic	
	U-NII-7_6.525-6.875_802.11be EHT20_CH149_Full RU_6695MHz	
ANT	3+4	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 HORIZONTAL Mode : 23	 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 VERTICAL Mode : 23
	 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 HORIZONTAL Mode : 23	 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 VERTICAL Mode : 23




Mode	24																																													
	Band Edge																																													
	U-NII-7_6.525-6.875_802.11be EHT20_CH181_Full RU_6855MHz																																													
ANT	3+4																																													
Pol.	Horizontal	Fundamental																																												
Peak	Blank	 Site : 03CH13-HY Condition: PEAK(UNII)_6E 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6855.00</td><td>114.24</td><td>-----</td><td>-----</td><td>103.57</td><td>36.00</td><td>11.72</td><td>37.05</td><td>0.00</td><td>100</td><td>327</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6855.00	114.24	-----	-----	103.57	36.00	11.72	37.05	0.00	100	327	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	6855.00	114.24	-----	-----	103.57	36.00	11.72	37.05	0.00	100	327	PEAK																																		
Avg	Blank	 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6855.00</td><td>104.60</td><td>-----</td><td>-----</td><td>93.93</td><td>36.00</td><td>11.72</td><td>37.05</td><td>0.00</td><td>100</td><td>327</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6855.00	104.60	-----	-----	93.93	36.00	11.72	37.05	0.00	100	327	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	6855.00	104.60	-----	-----	93.93	36.00	11.72	37.05	0.00	100	327	AVERAGE																																		







Mode	24																																													
	Band Edge																																													
	U-NII-7_6.525-6.875_802.11be EHT20_CH181_Full RU_6855MHz																																													
ANT	3+4																																													
Pol.	Vertical	Fundamental																																												
Peak	Blank	 Site : 03CH13-HY Condition: PEAK(UNII)_6E 3m HORN_91200_1326 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6855.00</td><td>100.88</td><td>-----</td><td>-----</td><td>98.21</td><td>36.00</td><td>11.72</td><td>37.05</td><td>0.00</td><td>100</td><td>75</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6855.00	100.88	-----	-----	98.21	36.00	11.72	37.05	0.00	100	75	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	6855.00	100.88	-----	-----	98.21	36.00	11.72	37.05	0.00	100	75	PEAK																																		
Avg	Blank	 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6855.00</td><td>101.62</td><td>-----</td><td>-----</td><td>98.95</td><td>36.00</td><td>11.72</td><td>37.05</td><td>0.00</td><td>100</td><td>75</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6855.00	101.62	-----	-----	98.95	36.00	11.72	37.05	0.00	100	75	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	6855.00	101.62	-----	-----	98.95	36.00	11.72	37.05	0.00	100	75	AVERAGE																																		





		24																																																																																			
Mode		Harmonic																																																																																			
		U-NII-7_6.525-6.875_802.11be EHT20_CH181_Full RU_6855MHz																																																																																			
ANT		3+4																																																																																			
Pol.		Horizontal						Vertical																																																																													
Peak Avg																																																																																					
	Site : 03CH13-HY Condition: PEAK(UNII)_6E 1m SHF_1224 HORIZONTAL Mode : 24																																																																																				
		<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>13710.00</td><td>49.43</td><td>88.20</td><td>-38.77</td><td>47.73</td><td>40.62</td><td>17.51</td><td>57.46</td><td>1.03</td><td>200</td><td>11</td><td></td><td>PEAK</td></tr><tr><td>2</td><td>13710.00</td><td>38.62</td><td>68.20</td><td>-29.58</td><td>36.92</td><td>40.62</td><td>17.51</td><td>57.46</td><td>1.03</td><td>200</td><td>11</td><td></td><td>AVERAGE</td></tr><tr><td>3</td><td>20565.00</td><td>37.55</td><td>74.00</td><td>-36.45</td><td>57.79</td><td>38.01</td><td>6.26</td><td>54.97</td><td>-9.54</td><td>--</td><td>--</td><td></td><td>PEAK</td></tr></table>															Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	13710.00	49.43	88.20	-38.77	47.73	40.62	17.51	57.46	1.03	200	11		PEAK	2	13710.00	38.62	68.20	-29.58	36.92	40.62	17.51	57.46	1.03	200	11		AVERAGE	3	20565.00	37.55	74.00	-36.45	57.79	38.01	6.26	54.97	-9.54	--	--		PEAK
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																									
1	13710.00	49.43	88.20	-38.77	47.73	40.62	17.51	57.46	1.03	200	11		PEAK																																																																								
2	13710.00	38.62	68.20	-29.58	36.92	40.62	17.51	57.46	1.03	200	11		AVERAGE																																																																								
3	20565.00	37.55	74.00	-36.45	57.79	38.01	6.26	54.97	-9.54	--	--		PEAK																																																																								
		<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>13710.00</td><td>49.65</td><td>88.20</td><td>-38.55</td><td>47.95</td><td>40.62</td><td>17.51</td><td>57.46</td><td>1.03</td><td>200</td><td>143</td><td></td><td>PEAK</td></tr><tr><td>2</td><td>13710.00</td><td>38.59</td><td>68.20</td><td>-29.61</td><td>36.89</td><td>40.62</td><td>17.51</td><td>57.46</td><td>1.03</td><td>200</td><td>143</td><td></td><td>AVERAGE</td></tr><tr><td>3</td><td>20565.00</td><td>37.32</td><td>74.00</td><td>-36.68</td><td>57.56</td><td>38.01</td><td>6.26</td><td>54.97</td><td>-9.54</td><td>--</td><td>--</td><td></td><td>PEAK</td></tr></table>															Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	13710.00	49.65	88.20	-38.55	47.95	40.62	17.51	57.46	1.03	200	143		PEAK	2	13710.00	38.59	68.20	-29.61	36.89	40.62	17.51	57.46	1.03	200	143		AVERAGE	3	20565.00	37.32	74.00	-36.68	57.56	38.01	6.26	54.97	-9.54	--	--		PEAK
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																									
1	13710.00	49.65	88.20	-38.55	47.95	40.62	17.51	57.46	1.03	200	143		PEAK																																																																								
2	13710.00	38.59	68.20	-29.61	36.89	40.62	17.51	57.46	1.03	200	143		AVERAGE																																																																								
3	20565.00	37.32	74.00	-36.68	57.56	38.01	6.26	54.97	-9.54	--	--		PEAK																																																																								





Mode	24	
	Harmonic	
	U-NII-7_6.525-6.875_802.11be EHT20_CH181_Full RU_6855MHz	
ANT	3+4	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 HORIZONTAL Mode : 24	 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 VERTICAL Mode : 24
	 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 HORIZONTAL Mode : 24	 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 VERTICAL Mode : 24





Mode	25																																													
	Band Edge																																													
	U-NII-7_6.525-6.875_802.11be EHT40_CH123_Full RU_6565MHz																																													
ANT	3+4																																													
Pol.	Horizontal	Fundamental																																												
Peak	Blank	 Site : 03CH13-HY Condition: PEAK(UNII)_6E 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6565.00</td><td>109.15</td><td>-----</td><td>-----</td><td>98.70</td><td>35.87</td><td>11.46</td><td>36.88</td><td>0.00</td><td>102</td><td>269</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6565.00	109.15	-----	-----	98.70	35.87	11.46	36.88	0.00	102	269	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	6565.00	109.15	-----	-----	98.70	35.87	11.46	36.88	0.00	102	269	PEAK																																		
Avg	Blank	 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6565.00</td><td>102.13</td><td>-----</td><td>-----</td><td>91.68</td><td>35.87</td><td>11.46</td><td>36.88</td><td>0.00</td><td>102</td><td>269</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6565.00	102.13	-----	-----	91.68	35.87	11.46	36.88	0.00	102	269	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	6565.00	102.13	-----	-----	91.68	35.87	11.46	36.88	0.00	102	269	AVERAGE																																		







Mode	25																																																					
	Band Edge																																																					
	U-NII-7_6.525-6.875_802.11be EHT40_CH123_Full RU_6565MHz																																																					
ANT	3+4																																																					
Pol.	Vertical					Fundamental																																																
Peak	Blank					 Site : 03CH13-HY Condition: PEAK(UNII)_6E 3m HORN_91200_1326 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6565.00</td><td>109.34</td><td>-----</td><td>98.85</td><td>35.91</td><td>11.47</td><td>36.89</td><td>0.00</td><td>282</td><td>208</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6565.00	109.34	-----	98.85	35.91	11.47	36.89	0.00	282	208	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																												
1	6565.00	109.34	-----	98.85	35.91	11.47	36.89	0.00	282	208	PEAK																																											
Avg	Blank					 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6565.00</td><td>101.76</td><td>-----</td><td>91.31</td><td>35.87</td><td>11.46</td><td>36.88</td><td>0.00</td><td>282</td><td>208</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6565.00	101.76	-----	91.31	35.87	11.46	36.88	0.00	282	208	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																												
1	6565.00	101.76	-----	91.31	35.87	11.46	36.88	0.00	282	208	AVERAGE																																											





		25															
Mode		Harmonic															
		U-NII-7_6.525-6.875_802.11be EHT40_CH123_Full RU_6565MHz															
ANT		3+4															
Pol.		Horizontal												Vertical			
Peak Avg																	
	Site : 03CH13-HY Condition: PEAK(UNII)_6E 1m SHF_1224 HORIZONTAL Mode : 25																
		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			
		MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	dB	dB	cm	deg			
		1	13130.00	48.59	88.20	-39.61	47.74	40.06	17.31	57.40	0.88	200	252	PEAK			
		2	13130.00	37.62	68.20	-30.58	36.77	40.06	17.31	57.40	0.88	200	252	AVERAGE			
		3	19695.00	37.63	74.00	-36.37	58.20	37.90	6.13	55.06	-9.54	--	--	PEAK			
																	
		Site : 03CH13-HY Condition: PEAK(UNII)_6E 1m SHF_1224 VERTICAL Mode : 25															
		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			
		MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	dB	dB	cm	deg			
		1	13130.00	48.00	88.20	-40.20	47.15	40.06	17.31	57.40	0.88	100	25	PEAK			
		2	13130.00	37.63	68.20	-30.57	36.78	40.06	17.31	57.40	0.88	100	25	AVERAGE			
		3	19695.00	36.92	74.00	-37.08	57.49	37.90	6.13	55.06	-9.54	--	--	PEAK			





Mode	25	
	Harmonic	
	U-NII-7_6.525-6.875_802.11be EHT40_CH123_Full RU_6565MHz	
ANT	3+4	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 HORIZONTAL Mode : 25	 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 VERTICAL Mode : 25
	 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 HORIZONTAL Mode : 25	 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 VERTICAL Mode : 25





Mode	26																																																					
	Band Edge																																																					
	U-NII-7_6.525-6.875_802.11be EHT40_CH147_Full RU_6685MHz																																																					
ANT	3+4																																																					
Pol.	Horizontal					Fundamental																																																
Peak	Blank					 Site : 03CH13-HY Condition: PEAK(UNII)_6E 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6685.00</td><td>108.50</td><td>-----</td><td>97.77</td><td>36.10</td><td>11.58</td><td>36.95</td><td>0.00</td><td>100</td><td>334</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6685.00	108.50	-----	97.77	36.10	11.58	36.95	0.00	100	334	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	6685.00	108.50	-----	97.77	36.10	11.58	36.95	0.00	100	334	PEAK																																											
Avg	Blank					 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6685.00</td><td>100.29</td><td>-----</td><td>89.56</td><td>36.10</td><td>11.58</td><td>36.95</td><td>0.00</td><td>100</td><td>334</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6685.00	100.29	-----	89.56	36.10	11.58	36.95	0.00	100	334	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	6685.00	100.29	-----	89.56	36.10	11.58	36.95	0.00	100	334	AVERAGE																																											







Mode	26																																												
	Band Edge																																												
	U-NII-7_6.525-6.875_802.11be EHT40_CH147_Full RU_6685MHz																																												
ANT	3+4																																												
Pol.	Vertical	Fundamental																																											
Peak	Blank	 Site : 03CH13-HY Condition: PEAK(UNII)_6E 3m HORN_91200_1326 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6685.00</td><td>105.81</td><td>-----</td><td>95.09</td><td>36.10</td><td>11.58</td><td>36.96</td><td>0.00</td><td>300</td><td>199</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6685.00	105.81	-----	95.09	36.10	11.58	36.96	0.00	300	199	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																			
1	6685.00	105.81	-----	95.09	36.10	11.58	36.96	0.00	300	199	PEAK																																		
Avg	Blank	 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6685.00</td><td>98.25</td><td>-----</td><td>87.53</td><td>36.10</td><td>11.57</td><td>36.95</td><td>0.00</td><td>300</td><td>199</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6685.00	98.25	-----	87.53	36.10	11.57	36.95	0.00	300	199	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																			
1	6685.00	98.25	-----	87.53	36.10	11.57	36.95	0.00	300	199	AVERAGE																																		





Mode	26																																																																																																																												
	Harmonic																																																																																																																												
	U-NII-7_6.525-6.875_802.11be EHT40_CH147_Full RU_6685MHz																																																																																																																												
ANT	3+4																																																																																																																												
Pol.	Horizontal						Vertical																																																																																																																						
Peak Avg																																																																																																																													
	Site : 03CH13-HY Condition: PEAK(U-NII)_6E 1m SHF_1224 HORIZONTAL Mode : 26 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>13370.00</td><td>46.72</td><td>74.00</td><td>-27.28</td><td>45.51</td><td>40.32</td><td>17.39</td><td>57.44</td><td>0.94</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>20055.00</td><td>37.64</td><td>74.00</td><td>-36.36</td><td>58.34</td><td>37.71</td><td>6.13</td><td>55.00</td><td>-9.54</td><td>--</td><td>--</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13370.00	46.72	74.00	-27.28	45.51	40.32	17.39	57.44	0.94	--	--	PEAK	2	20055.00	37.64	74.00	-36.36	58.34	37.71	6.13	55.00	-9.54	--	--	PEAK	Site : 03CH13-HY Condition: PEAK(U-NII)_6E 1m SHF_1224 VERTICAL Mode : 26 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>13370.00</td><td>47.09</td><td>74.00</td><td>-26.91</td><td>45.88</td><td>40.32</td><td>17.39</td><td>57.44</td><td>0.94</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>20055.00</td><td>37.38</td><td>74.00</td><td>-36.62</td><td>58.00</td><td>37.71</td><td>6.13</td><td>55.00</td><td>-9.54</td><td>--</td><td>--</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13370.00	47.09	74.00	-26.91	45.88	40.32	17.39	57.44	0.94	--	--	PEAK	2	20055.00	37.38	74.00	-36.62	58.00	37.71	6.13	55.00	-9.54	--	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	13370.00	46.72	74.00	-27.28	45.51	40.32	17.39	57.44	0.94	--	--	PEAK																																																																																																																	
2	20055.00	37.64	74.00	-36.36	58.34	37.71	6.13	55.00	-9.54	--	--	PEAK																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	13370.00	47.09	74.00	-26.91	45.88	40.32	17.39	57.44	0.94	--	--	PEAK																																																																																																																	
2	20055.00	37.38	74.00	-36.62	58.00	37.71	6.13	55.00	-9.54	--	--	PEAK																																																																																																																	





Mode	26	
	Harmonic	
	U-NII-7_6.525-6.875_802.11be EHT40_CH147_Full RU_6685MHz	
ANT	3+4	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 HORIZONTAL Mode : 26	 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 VERTICAL Mode : 26
	 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 HORIZONTAL Mode : 26	 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 VERTICAL Mode : 26





Mode	27																																																						
	Band Edge																																																						
	U-NII-7_6.525-6.875_802.11be EHT40_CH179_Full RU_6845MHz																																																						
ANT	3+4																																																						
Pol.	Horizontal					Fundamental																																																	
Peak	Blank					 Site : 03CH13-HY Condition: PEAK(UNI)_6E 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6845.00</td><td>110.26</td><td>-----</td><td>-----</td><td>99.58</td><td>36.01</td><td>11.71</td><td>37.04</td><td>0.00</td><td>100</td><td>335</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6845.00	110.26	-----	-----	99.58	36.01	11.71	37.04	0.00	100	335	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	6845.00	110.26	-----	-----	99.58	36.01	11.71	37.04	0.00	100	335	PEAK																																											
Avg	Blank					 Site : 03CH13-HY Condition: AVG(UNI)_6E 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6845.00</td><td>101.55</td><td>-----</td><td>-----</td><td>90.87</td><td>36.01</td><td>11.71</td><td>37.04</td><td>0.00</td><td>100</td><td>335</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6845.00	101.55	-----	-----	90.87	36.01	11.71	37.04	0.00	100	335	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	6845.00	101.55	-----	-----	90.87	36.01	11.71	37.04	0.00	100	335	AVERAGE																																											







Mode	27																																																						
	Band Edge																																																						
	U-NII-7_6.525-6.875_802.11be EHT40_CH179_Full RU_6845MHz																																																						
ANT	3+4																																																						
Pol.	Vertical					Fundamental																																																	
Peak	Blank					 Site : 03CH13-HY Condition: PEAK(UNII)_6E 3m HORN_91200_1326 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6845.00</td><td>107.38</td><td>-----</td><td>-----</td><td>96.70</td><td>36.01</td><td>11.71</td><td>37.04</td><td>0.00</td><td>100</td><td>76</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6845.00	107.38	-----	-----	96.70	36.01	11.71	37.04	0.00	100	76	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	6845.00	107.38	-----	-----	96.70	36.01	11.71	37.04	0.00	100	76	PEAK																																											
Avg	Blank					 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6845.00</td><td>98.50</td><td>-----</td><td>-----</td><td>87.82</td><td>36.01</td><td>11.71</td><td>37.04</td><td>0.00</td><td>100</td><td>76</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6845.00	98.50	-----	-----	87.82	36.01	11.71	37.04	0.00	100	76	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	6845.00	98.50	-----	-----	87.82	36.01	11.71	37.04	0.00	100	76	AVERAGE																																											





		27																																																																																																																																																																						
Mode		Harmonic																																																																																																																																																																						
		U-NII-7_6.525-6.875_802.11be EHT40_CH179_Full RU_6845MHz																																																																																																																																																																						
ANT		3+4																																																																																																																																																																						
Pol.		Horizontal						Vertical																																																																																																																																																																
Peak Avg	 Site : 03CH13-HY Condition: PEAK(UNII)_6E 1m SHF_1224 HORIZONTAL Mode : 27 <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>13690.00</td><td>50.77</td><td>88.20</td><td>-37.43</td><td>49.10</td><td>40.60</td><td>17.50</td><td>57.46</td><td>1.03</td><td>100</td><td>219</td><td>PEAK</td><td></td></tr><tr><td>2</td><td>13690.00</td><td>39.89</td><td>68.20</td><td>-28.31</td><td>38.22</td><td>40.60</td><td>17.50</td><td>57.46</td><td>1.03</td><td>100</td><td>219</td><td>AVERAGE</td><td></td></tr><tr><td>3</td><td>20535.00</td><td>39.56</td><td>74.00</td><td>-34.44</td><td>59.84</td><td>37.98</td><td>6.27</td><td>54.99</td><td>-9.54</td><td>--</td><td>--</td><td>PEAK</td><td></td></tr></table>															Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	13690.00	50.77	88.20	-37.43	49.10	40.60	17.50	57.46	1.03	100	219	PEAK		2	13690.00	39.89	68.20	-28.31	38.22	40.60	17.50	57.46	1.03	100	219	AVERAGE		3	20535.00	39.56	74.00	-34.44	59.84	37.98	6.27	54.99	-9.54	--	--	PEAK		 Site : 03CH13-HY Condition: PEAK(UNII)_6E 1m SHF_1224 VERTICAL Mode : 27 <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>13690.00</td><td>49.88</td><td>88.20</td><td>-38.32</td><td>48.21</td><td>40.60</td><td>17.50</td><td>57.46</td><td>1.03</td><td>400</td><td>213</td><td>PEAK</td><td></td></tr><tr><td>2</td><td>13690.00</td><td>39.90</td><td>68.20</td><td>-28.30</td><td>38.23</td><td>40.60</td><td>17.50</td><td>57.46</td><td>1.03</td><td>400</td><td>213</td><td>AVERAGE</td><td></td></tr><tr><td>3</td><td>20535.00</td><td>38.02</td><td>74.00</td><td>-35.98</td><td>58.30</td><td>37.98</td><td>6.27</td><td>54.99</td><td>-9.54</td><td>--</td><td>--</td><td>PEAK</td><td></td></tr></table>															Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	13690.00	49.88	88.20	-38.32	48.21	40.60	17.50	57.46	1.03	400	213	PEAK		2	13690.00	39.90	68.20	-28.30	38.23	40.60	17.50	57.46	1.03	400	213	AVERAGE		3	20535.00	38.02	74.00	-35.98	58.30	37.98	6.27	54.99	-9.54	--	--	PEAK	
		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																												
1	13690.00	50.77	88.20	-37.43	49.10	40.60	17.50	57.46	1.03	100	219	PEAK																																																																																																																																																												
2	13690.00	39.89	68.20	-28.31	38.22	40.60	17.50	57.46	1.03	100	219	AVERAGE																																																																																																																																																												
3	20535.00	39.56	74.00	-34.44	59.84	37.98	6.27	54.99	-9.54	--	--	PEAK																																																																																																																																																												
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																												
1	13690.00	49.88	88.20	-38.32	48.21	40.60	17.50	57.46	1.03	400	213	PEAK																																																																																																																																																												
2	13690.00	39.90	68.20	-28.30	38.23	40.60	17.50	57.46	1.03	400	213	AVERAGE																																																																																																																																																												
3	20535.00	38.02	74.00	-35.98	58.30	37.98	6.27	54.99	-9.54	--	--	PEAK																																																																																																																																																												





Mode	27	
	Harmonic	
	U-NII-7_6.525-6.875_802.11be EHT40_CH179_Full RU_6845MHz	
ANT	3+4	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 HORIZONTAL Mode : 27	 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 VERTICAL Mode : 27
	 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 HORIZONTAL Mode : 27	 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 VERTICAL Mode : 27



Mode	28																																																						
	Band Edge																																																						
	U-NII-7_6.525-6.875_802.11be EHT80_CH135_Full RU_6625MHz																																																						
ANT	3+4																																																						
Pol.	Horizontal					Fundamental																																																	
Peak	Blank					 Site : 03CH13-HY Condition: PEAK(UNII)_6E 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6625.00</td><td>106.03</td><td>-----</td><td>-----</td><td>95.33</td><td>36.10</td><td>11.52</td><td>36.92</td><td>0.00</td><td>102</td><td>264</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6625.00	106.03	-----	-----	95.33	36.10	11.52	36.92	0.00	102	264	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	6625.00	106.03	-----	-----	95.33	36.10	11.52	36.92	0.00	102	264	PEAK																																											
Avg	Blank					 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000kHz VBW:1.500kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6625.00</td><td>98.02</td><td>-----</td><td>-----</td><td>87.32</td><td>36.10</td><td>11.52</td><td>36.92</td><td>0.00</td><td>102</td><td>264</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6625.00	98.02	-----	-----	87.32	36.10	11.52	36.92	0.00	102	264	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	6625.00	98.02	-----	-----	87.32	36.10	11.52	36.92	0.00	102	264	AVERAGE																																											







Mode	28																																																					
	Band Edge																																																					
	U-NII-7_6.525-6.875_802.11be EHT80_CH135_Full RU_6625MHz																																																					
ANT	3+4																																																					
Pol.	Vertical					Fundamental																																																
Peak	Blank					 Site : 03CH13-HY Condition: PEAK(UNII)_6E 3m HORN_91200_1326 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6625.00</td><td>105.59</td><td>-----</td><td>94.89</td><td>36.10</td><td>11.52</td><td>36.92</td><td>0.00</td><td>294</td><td>201</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6625.00	105.59	-----	94.89	36.10	11.52	36.92	0.00	294	201	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																												
1	6625.00	105.59	-----	94.89	36.10	11.52	36.92	0.00	294	201	PEAK																																											
Avg	Blank					 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 VERTICAL : RBW:1000.000kHz VBW:1.500kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6625.00</td><td>97.47</td><td>-----</td><td>86.77</td><td>36.10</td><td>11.52</td><td>36.92</td><td>0.00</td><td>294</td><td>201</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6625.00	97.47	-----	86.77	36.10	11.52	36.92	0.00	294	201	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																												
1	6625.00	97.47	-----	86.77	36.10	11.52	36.92	0.00	294	201	AVERAGE																																											





		28																																																																																																																																																							
Mode		Harmonic																																																																																																																																																							
		U-NII-7_6.525-6.875_802.11be EHT80_CH135_Full RU_6625MHz																																																																																																																																																							
ANT		3+4																																																																																																																																																							
Pol.		Horizontal						Vertical																																																																																																																																																	
Peak Avg																																																																																																																																																									
	Site : 03CH13-HY Condition: PEAK(UNII)_6E 1m SHF_1224 HORIZONTAL Mode : 28 <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>13250.00</td><td>48.72</td><td>74.00</td><td>-25.28</td><td>47.88</td><td>40.00</td><td>17.35</td><td>57.42</td><td>0.91</td><td>100</td><td>78</td><td></td><td>PEAK</td></tr><tr><td>2</td><td>13250.00</td><td>38.98</td><td>54.00</td><td>-15.02</td><td>38.14</td><td>40.00</td><td>17.35</td><td>57.42</td><td>0.91</td><td>100</td><td>78</td><td></td><td>AVERAGE</td></tr><tr><td>3</td><td>19875.00</td><td>37.36</td><td>74.00</td><td>-36.64</td><td>58.11</td><td>37.70</td><td>6.12</td><td>55.03</td><td>-9.54</td><td>--</td><td>--</td><td></td><td>PEAK</td></tr></table> Site : 03CH13-HY Condition: PEAK(UNII)_6E 1m SHF_1224 VERTICAL Mode : 28 <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>13250.00</td><td>48.62</td><td>74.00</td><td>-25.38</td><td>47.78</td><td>40.00</td><td>17.35</td><td>57.42</td><td>0.91</td><td>200</td><td>125</td><td></td><td>PEAK</td></tr><tr><td>2</td><td>13250.00</td><td>39.04</td><td>54.00</td><td>-14.96</td><td>38.20</td><td>40.00</td><td>17.35</td><td>57.42</td><td>0.91</td><td>200</td><td>125</td><td></td><td>AVERAGE</td></tr><tr><td>3</td><td>19875.00</td><td>36.38</td><td>74.00</td><td>-37.62</td><td>57.13</td><td>37.70</td><td>6.12</td><td>55.03</td><td>-9.54</td><td>--</td><td>--</td><td></td><td>PEAK</td></tr></table>															Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	dB	dB	cm	deg		1	13250.00	48.72	74.00	-25.28	47.88	40.00	17.35	57.42	0.91	100	78		PEAK	2	13250.00	38.98	54.00	-15.02	38.14	40.00	17.35	57.42	0.91	100	78		AVERAGE	3	19875.00	37.36	74.00	-36.64	58.11	37.70	6.12	55.03	-9.54	--	--		PEAK		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	dB	dB	cm	deg		1	13250.00	48.62	74.00	-25.38	47.78	40.00	17.35	57.42	0.91	200	125		PEAK	2	13250.00	39.04	54.00	-14.96	38.20	40.00	17.35	57.42	0.91	200	125		AVERAGE	3	19875.00	36.38	74.00	-37.62	57.13	37.70	6.12	55.03	-9.54	--	--	
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																													
1	13250.00	48.72	74.00	-25.28	47.88	40.00	17.35	57.42	0.91	100	78		PEAK																																																																																																																																												
2	13250.00	38.98	54.00	-15.02	38.14	40.00	17.35	57.42	0.91	100	78		AVERAGE																																																																																																																																												
3	19875.00	37.36	74.00	-36.64	58.11	37.70	6.12	55.03	-9.54	--	--		PEAK																																																																																																																																												
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																													
1	13250.00	48.62	74.00	-25.38	47.78	40.00	17.35	57.42	0.91	200	125		PEAK																																																																																																																																												
2	13250.00	39.04	54.00	-14.96	38.20	40.00	17.35	57.42	0.91	200	125		AVERAGE																																																																																																																																												
3	19875.00	36.38	74.00	-37.62	57.13	37.70	6.12	55.03	-9.54	--	--		PEAK																																																																																																																																												





Mode	28	
	Harmonic	
	U-NII-7_6.525-6.875_802.11be EHT80_CH135_Full RU_6625MHz	
ANT	3+4	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 HORIZONTAL Mode : 28	 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 VERTICAL Mode : 28
	 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 HORIZONTAL Mode : 28	 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 VERTICAL Mode : 28





Mode	29																																													
	Band Edge																																													
	U-NII-7_6.525-6.875_802.11be EHT80_CH151_Full RU_6705MHz																																													
ANT	3+4																																													
Pol.	Horizontal	Fundamental																																												
Peak	Blank	 Site : 03CH13-HY Condition: PEAK(UNII)_6E 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6705.00</td><td>105.72</td><td>-----</td><td>-----</td><td>94.99</td><td>36.10</td><td>11.60</td><td>36.97</td><td>0.00</td><td>100</td><td>324</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6705.00	105.72	-----	-----	94.99	36.10	11.60	36.97	0.00	100	324	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	6705.00	105.72	-----	-----	94.99	36.10	11.60	36.97	0.00	100	324	PEAK																																		
Avg	Blank	 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000kHz VBW:1.500kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6705.00</td><td>97.37</td><td>-----</td><td>-----</td><td>86.64</td><td>36.10</td><td>11.60</td><td>36.97</td><td>0.00</td><td>100</td><td>324</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6705.00	97.37	-----	-----	86.64	36.10	11.60	36.97	0.00	100	324	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	6705.00	97.37	-----	-----	86.64	36.10	11.60	36.97	0.00	100	324	AVERAGE																																		







Mode	29																																																						
	Band Edge																																																						
	U-NII-7_6.525-6.875_802.11be EHT80_CH151_Full RU_6705MHz																																																						
ANT	3+4																																																						
Pol.	Vertical					Fundamental																																																	
Peak	Blank					 Site : 03CH13-HY Condition: PEAK(UNII)_6E 3m HORN_91200_1326 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6705.00</td><td>105.91</td><td>-----</td><td>-----</td><td>95.18</td><td>36.10</td><td>11.60</td><td>36.97</td><td>0.00</td><td>300</td><td>200</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6705.00	105.91	-----	-----	95.18	36.10	11.60	36.97	0.00	300	200	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	6705.00	105.91	-----	-----	95.18	36.10	11.60	36.97	0.00	300	200	PEAK																																											
Avg	Blank					 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 VERTICAL : RBW:1000.000kHz VBW:1.500kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6705.00</td><td>96.35</td><td>-----</td><td>-----</td><td>85.62</td><td>36.10</td><td>11.59</td><td>36.96</td><td>0.00</td><td>300</td><td>200</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6705.00	96.35	-----	-----	85.62	36.10	11.59	36.96	0.00	300	200	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	6705.00	96.35	-----	-----	85.62	36.10	11.59	36.96	0.00	300	200	AVERAGE																																											





		29																																																																																																																																																						
Mode	Harmonic																																																																																																																																																							
	U-NII-7_6.525-6.875_802.11be EHT80_CH151_Full RU_6705MHz																																																																																																																																																							
ANT	3+4																																																																																																																																																							
Pol.	Horizontal						Vertical																																																																																																																																																	
Peak Avg																																																																																																																																																								
	Site : 03CH13-HY Condition: PEAK(UNII)_6E 1m SHF_1224 HORIZONTAL Mode : 29 <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>13410.00</td><td>49.21</td><td>88.20</td><td>-38.99</td><td></td><td>48.05</td><td>40.26</td><td>17.40</td><td>57.45</td><td>0.95</td><td>100</td><td>78</td><td>PEAK</td></tr><tr><td>2</td><td>13410.00</td><td>39.32</td><td>68.20</td><td>-28.88</td><td></td><td>38.16</td><td>40.26</td><td>17.40</td><td>57.45</td><td>0.95</td><td>100</td><td>78</td><td>AVERAGE</td></tr><tr><td>3</td><td>20115.00</td><td>37.56</td><td>74.00</td><td>-36.44</td><td></td><td>58.18</td><td>37.77</td><td>6.15</td><td>55.00</td><td>-9.54</td><td>--</td><td>--</td><td>PEAK</td></tr></table> Site : 03CH13-HY Condition: PEAK(UNII)_6E 1m SHF_1224 VERTICAL Mode : 29 <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>13410.00</td><td>49.08</td><td>88.20</td><td>-39.12</td><td></td><td>47.92</td><td>40.26</td><td>17.40</td><td>57.45</td><td>0.95</td><td>200</td><td>125</td><td>PEAK</td></tr><tr><td>2</td><td>13410.00</td><td>39.25</td><td>68.20</td><td>-28.95</td><td></td><td>38.09</td><td>40.26</td><td>17.40</td><td>57.45</td><td>0.95</td><td>200</td><td>125</td><td>AVERAGE</td></tr><tr><td>3</td><td>20115.00</td><td>37.39</td><td>74.00</td><td>-36.61</td><td></td><td>58.01</td><td>37.77</td><td>6.15</td><td>55.00</td><td>-9.54</td><td>--</td><td>--</td><td>PEAK</td></tr></table>														Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	13410.00	49.21	88.20	-38.99		48.05	40.26	17.40	57.45	0.95	100	78	PEAK	2	13410.00	39.32	68.20	-28.88		38.16	40.26	17.40	57.45	0.95	100	78	AVERAGE	3	20115.00	37.56	74.00	-36.44		58.18	37.77	6.15	55.00	-9.54	--	--	PEAK		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	13410.00	49.08	88.20	-39.12		47.92	40.26	17.40	57.45	0.95	200	125	PEAK	2	13410.00	39.25	68.20	-28.95		38.09	40.26	17.40	57.45	0.95	200	125	AVERAGE	3	20115.00	37.39	74.00	-36.61		58.01	37.77	6.15	55.00	-9.54	--	--
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																												
1	13410.00	49.21	88.20	-38.99		48.05	40.26	17.40	57.45	0.95	100	78	PEAK																																																																																																																																											
2	13410.00	39.32	68.20	-28.88		38.16	40.26	17.40	57.45	0.95	100	78	AVERAGE																																																																																																																																											
3	20115.00	37.56	74.00	-36.44		58.18	37.77	6.15	55.00	-9.54	--	--	PEAK																																																																																																																																											
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																												
1	13410.00	49.08	88.20	-39.12		47.92	40.26	17.40	57.45	0.95	200	125	PEAK																																																																																																																																											
2	13410.00	39.25	68.20	-28.95		38.09	40.26	17.40	57.45	0.95	200	125	AVERAGE																																																																																																																																											
3	20115.00	37.39	74.00	-36.61		58.01	37.77	6.15	55.00	-9.54	--	--	PEAK																																																																																																																																											





Mode	29	
	Harmonic	
	U-NII-7_6.525-6.875_802.11be EHT80_CH151_Full RU_6705MHz	
ANT	3+4	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 HORIZONTAL Mode : 29	 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 VERTICAL Mode : 29
	 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 HORIZONTAL Mode : 29	 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 VERTICAL Mode : 29





Mode	30																																																					
	Band Edge																																																					
	U-NII-7_6.525-6.875_802.11be EHT80_CH167_Full RU_6785MHz																																																					
ANT	3+4																																																					
Pol.	Horizontal					Fundamental																																																
Peak	Blank					 Site : 03CH13-HY Condition: PEAK(UNI)_6E 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6785.00</td><td>107.87</td><td>-----</td><td>-----</td><td>97.11</td><td>36.10</td><td>11.68</td><td>37.02</td><td>0.00</td><td>100</td><td>333</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6785.00	107.87	-----	-----	97.11	36.10	11.68	37.02	0.00	100	333	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	6785.00	107.87	-----	-----	97.11	36.10	11.68	37.02	0.00	100	333	PEAK																																										
Avg	Blank					 Site : 03CH13-HY Condition: AVG(UNI)_6E 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000kHz VBW:1.500kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6785.00</td><td>98.20</td><td>-----</td><td>-----</td><td>87.45</td><td>36.10</td><td>11.65</td><td>37.00</td><td>0.00</td><td>100</td><td>333</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6785.00	98.20	-----	-----	87.45	36.10	11.65	37.00	0.00	100	333	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	6785.00	98.20	-----	-----	87.45	36.10	11.65	37.00	0.00	100	333	AVERAGE																																										







Mode	30																																													
	Band Edge																																													
	U-NII-7_6.525-6.875_802.11be EHT80_CH167_Full RU_6785MHz																																													
ANT	3+4																																													
Pol.	Vertical	Fundamental																																												
Peak	Blank	 Site : 03CH13-HY Condition: PEAK(UNII)_6E 3m HORN_91200_1326 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6785.00</td><td>103.37</td><td>-----</td><td>-----</td><td>92.61</td><td>36.10</td><td>11.67</td><td>37.01</td><td>0.00</td><td>300</td><td>197</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6785.00	103.37	-----	-----	92.61	36.10	11.67	37.01	0.00	300	197	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	6785.00	103.37	-----	-----	92.61	36.10	11.67	37.01	0.00	300	197	PEAK																																		
Avg	Blank	 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 VERTICAL : RBW:1000.000kHz VBW:1.500kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6785.00</td><td>95.46</td><td>-----</td><td>-----</td><td>84.71</td><td>36.10</td><td>11.66</td><td>37.01</td><td>0.00</td><td>300</td><td>197</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6785.00	95.46	-----	-----	84.71	36.10	11.66	37.01	0.00	300	197	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	6785.00	95.46	-----	-----	84.71	36.10	11.66	37.01	0.00	300	197	AVERAGE																																		





		30																																																																																																																																																																						
Mode		Harmonic																																																																																																																																																																						
		U-NII-7_6.525-6.875_802.11be EHT80_CH167_Full RU_6785MHz																																																																																																																																																																						
ANT		3+4																																																																																																																																																																						
Pol.		Horizontal						Vertical																																																																																																																																																																
Peak Avg	 Site : 03CH13-HY Condition: PEAK(UNII)_6E 1m SHF_1224 HORIZONTAL Mode : 30 <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>13570.00</td><td>50.91</td><td>88.20</td><td>-37.29</td><td></td><td>49.10</td><td>40.82</td><td>17.46</td><td>57.46</td><td>0.99</td><td>400</td><td>176</td><td>PEAK</td></tr><tr><td>2</td><td>13570.00</td><td>50.91</td><td>68.20</td><td>-17.29</td><td></td><td>49.10</td><td>40.82</td><td>17.46</td><td>57.46</td><td>0.99</td><td>400</td><td>176</td><td>AVERAGE</td></tr><tr><td>3</td><td>20355.00</td><td>39.03</td><td>74.00</td><td>-34.97</td><td></td><td>59.36</td><td>37.98</td><td>6.23</td><td>55.00</td><td>-9.54</td><td>--</td><td>--</td><td>PEAK</td></tr></table>															Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	13570.00	50.91	88.20	-37.29		49.10	40.82	17.46	57.46	0.99	400	176	PEAK	2	13570.00	50.91	68.20	-17.29		49.10	40.82	17.46	57.46	0.99	400	176	AVERAGE	3	20355.00	39.03	74.00	-34.97		59.36	37.98	6.23	55.00	-9.54	--	--	PEAK	 Site : 03CH13-HY Condition: PEAK(UNII)_6E 1m SHF_1224 VERTICAL Mode : 30 <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>13570.00</td><td>50.52</td><td>88.20</td><td>-37.68</td><td></td><td>48.71</td><td>40.82</td><td>17.46</td><td>57.46</td><td>0.99</td><td>400</td><td>98</td><td>PEAK</td></tr><tr><td>2</td><td>13570.00</td><td>39.59</td><td>68.20</td><td>-28.61</td><td></td><td>37.78</td><td>40.82</td><td>17.46</td><td>57.46</td><td>0.99</td><td>400</td><td>98</td><td>AVERAGE</td></tr><tr><td>3</td><td>20355.00</td><td>38.41</td><td>74.00</td><td>-35.59</td><td></td><td>58.74</td><td>37.98</td><td>6.23</td><td>55.00</td><td>-9.54</td><td>--</td><td>--</td><td>PEAK</td></tr></table>															Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	13570.00	50.52	88.20	-37.68		48.71	40.82	17.46	57.46	0.99	400	98	PEAK	2	13570.00	39.59	68.20	-28.61		37.78	40.82	17.46	57.46	0.99	400	98	AVERAGE	3	20355.00	38.41	74.00	-35.59		58.74	37.98	6.23	55.00	-9.54	--	--	PEAK
		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																												
1	13570.00	50.91	88.20	-37.29		49.10	40.82	17.46	57.46	0.99	400	176	PEAK																																																																																																																																																											
2	13570.00	50.91	68.20	-17.29		49.10	40.82	17.46	57.46	0.99	400	176	AVERAGE																																																																																																																																																											
3	20355.00	39.03	74.00	-34.97		59.36	37.98	6.23	55.00	-9.54	--	--	PEAK																																																																																																																																																											
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																												
1	13570.00	50.52	88.20	-37.68		48.71	40.82	17.46	57.46	0.99	400	98	PEAK																																																																																																																																																											
2	13570.00	39.59	68.20	-28.61		37.78	40.82	17.46	57.46	0.99	400	98	AVERAGE																																																																																																																																																											
3	20355.00	38.41	74.00	-35.59		58.74	37.98	6.23	55.00	-9.54	--	--	PEAK																																																																																																																																																											





Mode	30	
	Harmonic	
	U-NII-7_6.525-6.875_802.11be EHT80_CH167_Full RU_6785MHz	
ANT	3+4	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 HORIZONTAL Mode : 30	 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 VERTICAL Mode : 30
	 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 HORIZONTAL Mode : 30	 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 VERTICAL Mode : 30





Mode	31																																																						
	Band Edge																																																						
	U-NII-7_6.525-6.875_802.11be EHT160_CH143_Full RU_6665MHz																																																						
ANT	3+4																																																						
Pol.	Horizontal					Fundamental																																																	
Peak	Blank					 Site : 03CH13-HY Condition: PEAK(UNII)_6E 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6665.00</td><td>104.97</td><td>-----</td><td>-----</td><td>94.26</td><td>36.10</td><td>11.54</td><td>36.93</td><td>0.00</td><td>101</td><td>329</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6665.00	104.97	-----	-----	94.26	36.10	11.54	36.93	0.00	101	329	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	6665.00	104.97	-----	-----	94.26	36.10	11.54	36.93	0.00	101	329	PEAK																																											
Avg	Blank					 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000kHz VBW:2.700kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6665.00</td><td>95.27</td><td>-----</td><td>-----</td><td>84.56</td><td>36.10</td><td>11.54</td><td>36.93</td><td>0.00</td><td>101</td><td>329</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6665.00	95.27	-----	-----	84.56	36.10	11.54	36.93	0.00	101	329	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	6665.00	95.27	-----	-----	84.56	36.10	11.54	36.93	0.00	101	329	AVERAGE																																											







Mode	31																																																						
	Band Edge																																																						
	U-NII-7_6.525-6.875_802.11be EHT160_CH143_Full RU_6665MHz																																																						
ANT	3+4																																																						
Pol.	Vertical					Fundamental																																																	
Peak	Blank					 Site : 03CH13-HY Condition: PEAK(UNII)_6E 3m HORN_91200_1326 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6665.00</td><td>103.46</td><td>-----</td><td>-----</td><td>92.77</td><td>36.10</td><td>11.50</td><td>36.91</td><td>0.00</td><td>349</td><td>205</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6665.00	103.46	-----	-----	92.77	36.10	11.50	36.91	0.00	349	205	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	6665.00	103.46	-----	-----	92.77	36.10	11.50	36.91	0.00	349	205	PEAK																																											
Avg	Blank					 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 VERTICAL : RBW:1000.000kHz VBW:2.700kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6665.00</td><td>93.88</td><td>-----</td><td>-----</td><td>83.17</td><td>36.10</td><td>11.54</td><td>36.93</td><td>0.00</td><td>349</td><td>205</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6665.00	93.88	-----	-----	83.17	36.10	11.54	36.93	0.00	349	205	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	6665.00	93.88	-----	-----	83.17	36.10	11.54	36.93	0.00	349	205	AVERAGE																																											





		31																																																																																		
Mode		Harmonic																																																																																		
		U-NII-7_6.525-6.875_802.11be EHT160_CH143_Full RU_6665MHz																																																																																		
ANT		3+4																																																																																		
Pol.		Horizontal						Vertical																																																																												
Peak Avg	 Site : 03CH13-HY Condition: PEAK(UNII)_6E 1m SHF_1224 HORIZONTAL Mode : 31 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>13330.00</td><td>49.25</td><td>74.00</td><td>-24.75</td><td>48.05</td><td>40.32</td><td>17.38</td><td>57.43</td><td>0.93</td><td>400</td><td>35</td><td>PEAK</td></tr><tr><td>2</td><td>13330.00</td><td>38.44</td><td>54.00</td><td>-15.56</td><td>37.24</td><td>40.32</td><td>17.38</td><td>57.43</td><td>0.93</td><td>400</td><td>35</td><td>AVERAGE</td></tr><tr><td>3</td><td>19995.00</td><td>38.58</td><td>74.00</td><td>-35.42</td><td>59.31</td><td>37.70</td><td>6.11</td><td>55.00</td><td>-9.54</td><td>--</td><td>--</td><td>PEAK</td></tr></tbody></table>															Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13330.00	49.25	74.00	-24.75	48.05	40.32	17.38	57.43	0.93	400	35	PEAK	2	13330.00	38.44	54.00	-15.56	37.24	40.32	17.38	57.43	0.93	400	35	AVERAGE	3	19995.00	38.58	74.00	-35.42	59.31	37.70	6.11	55.00	-9.54	--	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																										
1	13330.00	49.25	74.00	-24.75	48.05	40.32	17.38	57.43	0.93	400	35	PEAK																																																																								
2	13330.00	38.44	54.00	-15.56	37.24	40.32	17.38	57.43	0.93	400	35	AVERAGE																																																																								
3	19995.00	38.58	74.00	-35.42	59.31	37.70	6.11	55.00	-9.54	--	--	PEAK																																																																								
 Site : 03CH13-HY Condition: PEAK(UNII)_6E 1m SHF_1224 VERTICAL Mode : 31 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>13330.00</td><td>49.24</td><td>74.00</td><td>-24.76</td><td>48.04</td><td>40.32</td><td>17.38</td><td>57.43</td><td>0.93</td><td>100</td><td>357</td><td>PEAK</td></tr><tr><td>2</td><td>13330.00</td><td>38.42</td><td>54.00</td><td>-15.58</td><td>37.22</td><td>40.32</td><td>17.38</td><td>57.43</td><td>0.93</td><td>100</td><td>357</td><td>AVERAGE</td></tr><tr><td>3</td><td>19995.00</td><td>37.51</td><td>74.00</td><td>-36.49</td><td>58.24</td><td>37.70</td><td>6.11</td><td>55.00</td><td>-9.54</td><td>--</td><td>--</td><td>PEAK</td></tr></tbody></table>															Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13330.00	49.24	74.00	-24.76	48.04	40.32	17.38	57.43	0.93	100	357	PEAK	2	13330.00	38.42	54.00	-15.58	37.22	40.32	17.38	57.43	0.93	100	357	AVERAGE	3	19995.00	37.51	74.00	-36.49	58.24	37.70	6.11	55.00	-9.54	--	--	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																										
1	13330.00	49.24	74.00	-24.76	48.04	40.32	17.38	57.43	0.93	100	357	PEAK																																																																								
2	13330.00	38.42	54.00	-15.58	37.22	40.32	17.38	57.43	0.93	100	357	AVERAGE																																																																								
3	19995.00	37.51	74.00	-36.49	58.24	37.70	6.11	55.00	-9.54	--	--	PEAK																																																																								





Mode	31	
	Harmonic	
	U-NII-7_6.525-6.875_802.11be EHT160_CH143_Full RU_6665MHz	
ANT	3+4	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 HORIZONTAL Mode : 31	 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 VERTICAL Mode : 31
	 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 HORIZONTAL Mode : 31	 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 VERTICAL Mode : 31



Mode	32																																																																																																																																																																																												
	LF																																																																																																																																																																																												
	U-NII-5_5.925-6.425_802.11be EHT160_CH15_Full RU_6025MHz																																																																																																																																																																																												
ANT	3+4																																																																																																																																																																																												
Pol.	Horizontal					Vertical																																																																																																																																																																																							
QP/ Peak																																																																																																																																																																																													
	Site : 03CH13-HY Condition: QP 3m B1LOG_40103 HORIZONTAL Mode : 32 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>64.92</td><td>28.90</td><td>40.00</td><td>-11.10</td><td>47.55</td><td>12.00</td><td>1.18</td><td>31.91</td><td>0.08 -- -- Peak</td></tr><tr><td>2</td><td>215.27</td><td>30.96</td><td>43.50</td><td>-12.54</td><td>45.74</td><td>14.83</td><td>2.10</td><td>31.79</td><td>0.08 -- -- Peak</td></tr><tr><td>3</td><td>219.15</td><td>33.13</td><td>46.00</td><td>-12.87</td><td>47.41</td><td>15.30</td><td>2.12</td><td>31.78</td><td>0.08 -- -- Peak</td></tr><tr><td>4</td><td>335.55</td><td>31.44</td><td>46.00</td><td>-14.56</td><td>40.50</td><td>20.01</td><td>2.63</td><td>31.82</td><td>0.12 -- -- Peak</td></tr><tr><td>5</td><td>718.70</td><td>34.99</td><td>46.00</td><td>-11.01</td><td>35.62</td><td>27.15</td><td>3.78</td><td>31.70</td><td>0.14 -- -- Peak</td></tr><tr><td>6</td><td>948.59</td><td>34.71</td><td>46.00</td><td>-11.29</td><td>29.94</td><td>30.94</td><td>4.32</td><td>30.69</td><td>0.20 -- -- Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	64.92	28.90	40.00	-11.10	47.55	12.00	1.18	31.91	0.08 -- -- Peak	2	215.27	30.96	43.50	-12.54	45.74	14.83	2.10	31.79	0.08 -- -- Peak	3	219.15	33.13	46.00	-12.87	47.41	15.30	2.12	31.78	0.08 -- -- Peak	4	335.55	31.44	46.00	-14.56	40.50	20.01	2.63	31.82	0.12 -- -- Peak	5	718.70	34.99	46.00	-11.01	35.62	27.15	3.78	31.70	0.14 -- -- Peak	6	948.59	34.71	46.00	-11.29	29.94	30.94	4.32	30.69	0.20 -- -- Peak	Site : 03CH13-HY Condition: QP 3m B1LOG_40103 VERTICAL Mode : 32 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>46.49</td><td>35.03</td><td>40.00</td><td>-4.97</td><td>49.05</td><td>16.06</td><td>0.98</td><td>31.98</td><td>0.12 100 201 QP</td></tr><tr><td>2</td><td>215.27</td><td>31.84</td><td>43.50</td><td>-11.66</td><td>46.62</td><td>14.83</td><td>2.10</td><td>31.79</td><td>0.08 -- -- Peak</td></tr><tr><td>3</td><td>219.15</td><td>33.33</td><td>46.00</td><td>-12.67</td><td>47.61</td><td>15.30</td><td>2.12</td><td>31.78</td><td>0.08 -- -- Peak</td></tr><tr><td>4</td><td>338.46</td><td>29.89</td><td>46.00</td><td>-16.11</td><td>38.88</td><td>20.07</td><td>2.64</td><td>31.82</td><td>0.12 -- -- Peak</td></tr><tr><td>5</td><td>708.03</td><td>34.93</td><td>46.00</td><td>-11.07</td><td>36.00</td><td>26.76</td><td>3.76</td><td>31.73</td><td>0.14 -- -- Peak</td></tr><tr><td>6</td><td>956.35</td><td>36.74</td><td>46.00</td><td>-9.26</td><td>31.00</td><td>31.00</td><td>4.34</td><td>30.61</td><td>0.21 -- -- Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	46.49	35.03	40.00	-4.97	49.05	16.06	0.98	31.98	0.12 100 201 QP	2	215.27	31.84	43.50	-11.66	46.62	14.83	2.10	31.79	0.08 -- -- Peak	3	219.15	33.33	46.00	-12.67	47.61	15.30	2.12	31.78	0.08 -- -- Peak	4	338.46	29.89	46.00	-16.11	38.88	20.07	2.64	31.82	0.12 -- -- Peak	5	708.03	34.93	46.00	-11.07	36.00	26.76	3.76	31.73	0.14 -- -- Peak	6	956.35	36.74	46.00	-9.26	31.00	31.00	4.34	30.61
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																																																																																				
1	64.92	28.90	40.00	-11.10	47.55	12.00	1.18	31.91	0.08 -- -- Peak																																																																																																																																																																																				
2	215.27	30.96	43.50	-12.54	45.74	14.83	2.10	31.79	0.08 -- -- Peak																																																																																																																																																																																				
3	219.15	33.13	46.00	-12.87	47.41	15.30	2.12	31.78	0.08 -- -- Peak																																																																																																																																																																																				
4	335.55	31.44	46.00	-14.56	40.50	20.01	2.63	31.82	0.12 -- -- Peak																																																																																																																																																																																				
5	718.70	34.99	46.00	-11.01	35.62	27.15	3.78	31.70	0.14 -- -- Peak																																																																																																																																																																																				
6	948.59	34.71	46.00	-11.29	29.94	30.94	4.32	30.69	0.20 -- -- Peak																																																																																																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																																																																																				
1	46.49	35.03	40.00	-4.97	49.05	16.06	0.98	31.98	0.12 100 201 QP																																																																																																																																																																																				
2	215.27	31.84	43.50	-11.66	46.62	14.83	2.10	31.79	0.08 -- -- Peak																																																																																																																																																																																				
3	219.15	33.33	46.00	-12.67	47.61	15.30	2.12	31.78	0.08 -- -- Peak																																																																																																																																																																																				
4	338.46	29.89	46.00	-16.11	38.88	20.07	2.64	31.82	0.12 -- -- Peak																																																																																																																																																																																				
5	708.03	34.93	46.00	-11.07	36.00	26.76	3.76	31.73	0.14 -- -- Peak																																																																																																																																																																																				
6	956.35	36.74	46.00	-9.26	31.00	31.00	4.34	30.61	0.21 -- -- Peak																																																																																																																																																																																				



Mode	33																																																																																																															
	SHF																																																																																																															
	U-NII-5_5.925-6.425_802.11be EHT160_CH15_Full RU_6025MHz																																																																																																															
ANT	3+4																																																																																																															
Pol.	Horizontal	Vertical																																																																																																														
Peak	 Site : 03CH13-HY Condition: PEAK(UWII)_6E 1m SHF_1224 HORIZONTAL Mode : 33 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>22956.00</td><td>39.48</td><td>74.00</td><td>-34.52</td><td>58.05</td><td>38.80</td><td>6.59</td><td>54.42</td><td>-9.54</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>34890.00</td><td>46.78</td><td>88.20</td><td>-41.42</td><td>63.74</td><td>42.26</td><td>8.29</td><td>57.97</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	22956.00	39.48	74.00	-34.52	58.05	38.80	6.59	54.42	-9.54	--	Peak	2	34890.00	46.78	88.20	-41.42	63.74	42.26	8.29	57.97	-9.54	--	Peak	 Site : 03CH13-HY Condition: PEAK(UWII)_6E 1m SHF_1224 VERTICAL Mode : 33 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>20821.00</td><td>39.51</td><td>74.00</td><td>-34.49</td><td>59.70</td><td>38.04</td><td>6.18</td><td>54.87</td><td>-9.54</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>34180.00</td><td>46.77</td><td>88.20</td><td>-41.43</td><td>63.01</td><td>43.02</td><td>8.32</td><td>58.04</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	20821.00	39.51	74.00	-34.49	59.70	38.04	6.18	54.87	-9.54	--	Peak	2	34180.00	46.77	88.20	-41.43	63.01	43.02	8.32	58.04	-9.54	--	Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	22956.00	39.48	74.00	-34.52	58.05	38.80	6.59	54.42	-9.54	--	Peak																																																																																																					
2	34890.00	46.78	88.20	-41.42	63.74	42.26	8.29	57.97	-9.54	--	Peak																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	20821.00	39.51	74.00	-34.49	59.70	38.04	6.18	54.87	-9.54	--	Peak																																																																																																					
2	34180.00	46.77	88.20	-41.43	63.01	43.02	8.32	58.04	-9.54	--	Peak																																																																																																					




Appendix D. Duty Cycle Plots

<For Radiated Spurious Emission test>


Antenna	Band	Duty Cycle(%)	T(us)	1/T(kHz)	VBW Setting
3+4	802.11a	99.63	-	-	10Hz
3+4	6GHz 802.11be EHT20 Full RU	99.35	-	-	10Hz
3+4	6GHz 802.11be EHT20 26 RU	97.89	1620	0.62	680Hz
3+4	6GHz 802.11be EHT20 52 RU	97.33	1460	0.68	750Hz
3+4	6GHz 802.11be EHT20 106 RU	97.09	1302	0.77	820Hz
3+4	6GHz 802.11be EHT40 Full RU	98.67	-	-	10Hz
3+4	6GHz 802.11be EHT80 Full RU	97.38	742	1.35	1.5kHz
3+4	6GHz 802.11be EHT160 Full RU	95.32	407	2.46	2.7kHz

MIMO <Ant. 3+4>







6GHz 802.11be EHT20 26 RU




6GHz 802.11be EHT20 52 RU



6GHz 802.11be EHT20 106 RU




6GHz 802.11be EHT40 Full RU



6GHz 802.11be EHT80 Full RU



6GHz 802.11be EHT160 Full RU




<For Conducted test>

Antenna	Band	Duty Cycle(%)	T(us)	Duty Factor(dB)
3+4	802.11a for Ant 3	99.51	-	0.02
3+4	802.11a for Ant 4	99.68	-	0.01
3+4	6GHz 802.11be EHT20 Full RU for Ant 3	99.31	-	0.03
3+4	6GHz 802.11be EHT20 Full RU for Ant 4	99.31	-	0.03
3+4	6GHz 802.11be EHT20 26 RU for Ant 3	99.25	-	0.03
3+4	6GHz 802.11be EHT20 26 RU for Ant 4	99.25	-	0.03
3+4	6GHz 802.11be EHT20 52 RU for Ant 3	99.23	-	0.03
3+4	6GHz 802.11be EHT20 52 RU for Ant 4	99.36	-	0.03
3+4	6GHz 802.11be EHT20 106 RU for Ant 3	99.17	-	0.04
3+4	6GHz 802.11be EHT20 106 RU for Ant 4	99.17	-	0.04
3+4	6GHz 802.11be EHT40 Full RU for Ant 3	98.66	-	0.06
3+4	6GHz 802.11be EHT40 Full RU for Ant 4	98.66	-	0.06
3+4	6GHz 802.11be EHT80 Full RU for Ant 3	97.38	743	0.12
3+4	6GHz 802.11be EHT80 Full RU for Ant 4	97.38	743	0.12
3+4	6GHz 802.11be EHT160 Full RU for Ant 3	95.33	408	0.21
3+4	6GHz 802.11be EHT160 Full RU for Ant 4	95.09	407	0.22



MIMO <Ant. 3>



—THE END—