



Appendix D-3. WLAN/BT/Thread Output Power

<WLAN Note>

1. The SISO mode support only when the Antenna 3 and 4 is transmitting on 802.11b mode, other support MIMO mode.
2. The maximum output power specified for production units are determined for all applicable 802.11 transmission modes in each standalone and aggregated frequency band. Maximum output power is measured for the highest maximum output power configuration(s) in each frequency band according to the default power measurement procedures. For "Not required", SAR Test reduction was applied from KDB 248227 guidance, Sec. 2.1, b), 1) when the same maximum power is specified for multiple transmission modes in a frequency band, the largest channel bandwidth, lowest order modulation, lowest data rate and lowest order 802.11a/g/n/ac mode is used for SAR measurement, on the highest measured output power channel in the initial test configuration, additional output power measurements were not necessary.
3. Per KDB 248227 D01v02r02, SAR test reduction is determined according to 802.11 transmission mode configurations and certain exposure conditions with multiple test positions. In the 2.4 GHz band, separate SAR procedures are applied to DSSS and OFDM configurations to simplify DSSS test requirements. For OFDM, in both 2.4 and 5 GHz bands, an initial test configuration must be determined for each standalone and aggregated frequency band, according to the transmission mode configuration with the highest maximum output power specified for production units to perform SAR measurements. If the same highest maximum output power applies to different combinations of channel bandwidths, modulations and data rates, additional procedures are applied to determine which test configurations require SAR measurement. When applicable, an initial test position may be applied to reduce the number of SAR measurements required for next to the ear, UMPC mini-tablet or hotspot mode configurations with multiple test positions.
4. For 2.4 GHz 802.11b DSSS, either the initial test position procedure for multiple exposure test positions or the DSSS procedure for fixed exposure position is applied; these are mutually exclusive. For 2.4 GHz and 5 GHz OFDM configurations, the initial test configuration is applied to measure SAR using either the initial test position procedure for multiple exposure test position configurations or the initial test configuration procedures for fixed exposure test conditions. Based on the reported SAR of the measured configurations and maximum output power of the transmission mode configurations that are not included in the initial test configuration, the subsequent test configuration and initial test position procedures are applied to determine if SAR measurements are required for the remaining OFDM transmission configurations. In general, the number of test channels that require SAR measurement is minimized based on maximum output power measured for the test sample(s).
5. For OFDM transmission configurations in the 2.4 GHz and 5 GHz bands, When the same maximum power is specified for multiple transmission modes in a frequency band, the largest channel bandwidth, lowest order modulation, lowest data rate and lowest order 802.11a/g/n/ac mode is used for SAR measurement, on the highest measured output power channel for each frequency band.
6. DSSS and OFDM configurations are considered separately according to the required SAR procedures. SAR is measured in the initial test position using the 802.11 transmission mode configuration required by the DSSS procedure or initial test configuration and subsequent test configuration(s) according to the OFDM procedures.¹⁸ The initial test position procedure is described in the following:
 - a. When the reported SAR of the initial test position is ≤ 0.4 W/kg, further SAR measurement is not required for the other test positions in that exposure configuration and 802.11 transmission mode combinations within the frequency band or aggregated band.
 - b. When the reported SAR of the test position is > 0.4 W/kg, SAR is repeated for the 802.11 transmission mode configuration tested in the initial test position to measure the subsequent next closet/smallest test separation distance and maximum coupling test position on the highest maximum output power channel, until the report SAR is ≤ 0.8 W/kg or all required test position are tested.
 - c. For all positions/configurations, when the reported SAR is > 0.8 W/kg, SAR is measured for these test positions/configurations on the subsequent next highest measured output power channel(s) until the reported SAR is ≤ 1.2 W/kg or all required channels are tested.
7. Per 201904 TCBC workshops, General principles of FCC KDB Publication 248227 D01 can be applied to determine the SAR Initial Test Configurations and test reduction for 802.11ax SAR testing. For the table below the 802.11ax maximum power is SU (non-OFDMA), and the SU maximum power also higher than RU (OFDMA)
8. In applying the test guidance, the IEEE 802.11 mode with the maximum output power (out of all modes) should be considered for testing
9. For modes with the same maximum output power, the guidance from section 5.3.2 a) of FCC KDB Publication 248227 D01 should be applied, with 802.11ax being considered as the highest 802.11 mode for the appropriate frequency bands
10. When SAR testing for 802.11ax is required
 - a. If the maximum output power is highest for OFDMA scenarios, choose the tone size with the maximum number of tones and the highest maximum output power
 - b. Otherwise, consider the fully allocated channel for SAR testing
 - c. When SAR testing is required on RU sizes less than the fully allocated channel, use the RU number closest to the middle of the channel, choosing the higher RU number when two RUs are equidistant to the middle of the channel

<Bluetooth>

1. For 2.4GHz Bluetooth SAR testing was selected ER/EDR 1Mbps due to its highest average power and duty cycle list below are considered in SAR testing, and the duty cycle would be scaled to theoretical 83.3% in reported SAR calculation, for the duty cycle figure and output power include in appendix D.

Bluetooth	Power Index	Antenna	Duty Cycle %
	0/1/2	Ant 3	77.07
	0/1/2	Ant 4	76.93
	0/1/2	Ant 3+4	76.96



<2.4GHz WLAN_Index 1>																
				Ant 3			Ant 4			Ant 3+4 (3)		Ant 3+4 (4)		Ant 3+4		
2.4GHz WLAN	Mode	Channel	Frequency (MHz)	Average power (dBm)	Tune-Up Limit	Duty Cycle %	Average power (dBm)	Tune-Up Limit	Duty Cycle %	Average power (dBm)	Tune-Up Limit	Average power (dBm)	Tune-Up Limit	Average power (dBm)	Tune-Up Limit	Duty Cycle %
	802.11b 1Mbps	1	2412	15.87	17.00	100.00	15.56	17.00	100.00	16.11	17.00	15.32	17.00	18.74	20.00	100.00
		6	2437	16.08	17.00		15.67	17.00		16.00	17.00	15.24	17.00	18.65	20.00	
		11	2462	16.33	17.00		15.65	17.00		16.71	17.00	15.23	17.00	19.04	20.00	
		12	2467	16.19	17.00		15.50	17.00		16.36	17.00	15.42	17.00	18.93	20.00	
		13	2472	16.15	17.00		15.55	17.00		15.86	17.00	15.11	17.00	18.51	20.00	
	802.11g 6Mbps	1	2412							Not Required	17.00		17.00		20.00	Not Required
		6	2437								17.00		17.00		20.00	
		11	2462								17.00		17.00		20.00	
		12	2467								16.50		16.50		19.50	
		13	2472								13.50		13.50		16.50	
	802.11n-HT20 MCS0	1	2412								17.00	Not Required	17.00	Not Required	20.00	Not Required
		6	2437								17.00		17.00		20.00	
		11	2462								16.50		16.50		19.50	
		12	2467								15.50		15.50		18.50	
		13	2472								13.50		13.50		16.50	
	802.11ac-VHT20 MCS0	1	2412								17.00	Not Required	17.00	Not Required	20.00	Not Required
		6	2437								17.00		17.00		20.00	
		11	2462								16.50		16.50		19.50	
		12	2467								15.50		15.50		18.50	
		13	2472								13.50		13.50		16.50	
	802.11ax-HE20 MCS0	1	2412								17.00	Not Required	17.00	Not Required	20.00	Not Required
		6	2437								17.00		17.00		20.00	
		11	2462								16.50		16.50		19.50	
		12	2467								15.50		15.50		18.50	
		13	2472								13.50		13.50		16.50	
	802.11be-EHT20 MCS0	1	2412								17.00	Not Required	17.00	Not Required	20.00	Not Required
		6	2437								17.00		17.00		20.00	
11		2462						16.50			16.50		19.50			
12		2467						15.50			15.50		18.50			
13		2472						13.50			13.50		16.50			



<2.4GHz WLAN_Index 2>																
				Ant 3			Ant 4			Ant 3+4 (3)		Ant 3+4 (4)		Ant 3+4		
2.4GHz WLAN	Mode	Channel	Frequency (MHz)	Average power (dBm)	Tune-Up Limit	Duty Cycle %	Average power (dBm)	Tune-Up Limit	Duty Cycle %	Average power (dBm)	Tune-Up Limit	Average power (dBm)	Tune-Up Limit	Average power (dBm)	Tune-Up Limit	Duty Cycle %
	802.11b 1Mbps	1	2412	11.21	12.00	100.00	11.11	12.00	100.00	11.93	12.00	11.25	12.00	14.61	15.00	100.00
		6	2437	11.03	12.00		11.20	12.00		11.95	12.00	11.30	12.00	14.65	15.00	
		11	2462	11.39	12.00		11.41	12.00		11.90	12.00	11.04	12.00	14.50	15.00	
		12	2467	11.21	12.00		11.25	12.00		11.86	12.00	11.10	12.00	14.51	15.00	
		13	2472	11.30	12.00		11.09	12.00		11.92	12.00	11.00	12.00	14.49	15.00	
	802.11g 6Mbps	1	2412							Not Required	12.00	Not Required	12.00	Not Required	15.00	Not Required
		6	2437								12.00		12.00		15.00	
		11	2462								12.00		12.00		15.00	
		12	2467								12.00		12.00		15.00	
		13	2472								12.00		12.00		15.00	
	802.11n-HT20 MCS0	1	2412								12.00		12.00		15.00	
		6	2437								12.00		12.00		15.00	
		11	2462								12.00		12.00		15.00	
		12	2467								12.00		12.00		15.00	
		13	2472								12.00		12.00		15.00	
	802.11ac-VHT20 MCS0	1	2412								12.00		12.00		15.00	
		6	2437								12.00		12.00		15.00	
		11	2462								12.00		12.00		15.00	
		12	2467								12.00		12.00		15.00	
		13	2472								12.00		12.00		15.00	
	802.11ax-HE20 MCS0	1	2412								12.00		12.00		15.00	
		6	2437								12.00		12.00		15.00	
		11	2462								12.00		12.00		15.00	
		12	2467								12.00		12.00		15.00	
		13	2472								12.00		12.00		15.00	
	802.11be-EHT20 MCS0	1	2412								12.00		12.00		15.00	
		6	2437								12.00		12.00		15.00	
11		2462						12.00			12.00		15.00			
12		2467						12.00			12.00		15.00			
13		2472						12.00			12.00		15.00			



<2.4GHz WLAN_Index 3>																
				Ant 3			Ant 4			Ant 3+4 (3)		Ant 3+4 (4)		Ant 3+4		
	Mode	Channel	Frequency (MHz)	Average power (dBm)	Tune-Up Limit	Duty Cycle %	Average power (dBm)	Tune-Up Limit	Duty Cycle %	Average power (dBm)	Tune-Up Limit	Average power (dBm)	Tune-Up Limit	Average power (dBm)	Tune-Up Limit	Duty Cycle %
2.4GHz WLAN	802.11b 1Mbps	1	2412	22.34	22.50	100.00	22.50	22.50	100.00	22.09	22.50	22.27	22.50	25.19	25.50	100.00
		6	2437	22.28	22.50		22.48	22.50		22.34	22.50	22.11	22.50	25.24	25.50	
		11	2462	22.36	22.50		22.20	22.50		22.12	22.50	21.55	22.50	24.85	25.50	
		12	2467	22.36	22.50		22.20	22.50		20.38	21.50	21.16	21.50	23.80	24.50	
		13	2472	17.46	17.50		17.26	17.50		16.31	17.50	16.57	17.50	19.45	20.50	
	802.11g 6Mbps	1	2412							18.24	19.50	19.32	19.50	21.82	22.50	100.00
		6	2437							21.72	22.00	21.62	22.00	24.68	25.00	
		11	2462							18.18	18.50	18.30	18.50	21.25	21.50	
		12	2467							15.97	16.50	16.20	16.50	19.10	19.50	
		13	2472							13.31	13.50	13.31	13.50	16.32	16.50	
	802.11n-HT20 MCS0	1	2412							16.58	18.00	17.45	18.00	20.05	21.00	100.00
		6	2437							20.82	21.00	20.70	21.00	23.77	24.00	
		11	2462							16.27	16.50	16.08	16.50	19.19	19.50	
		12	2467							15.18	15.50	15.06	15.50	18.13	18.50	
		13	2472							13.36	13.50	13.26	13.50	16.32	16.50	
	802.11ac-VHT20 MCS0	1	2412							16.59	18.00	17.48	18.00	20.07	21.00	100.00
		6	2437							20.80	21.00	20.70	21.00	23.76	24.00	
		11	2462							16.29	16.50	16.09	16.50	19.20	19.50	
		12	2467							15.19	15.50	15.08	15.50	18.15	18.50	
		13	2472							13.39	13.50	13.29	13.50	16.35	16.50	
	802.11ax-HE20 MCS0	1	2412							16.60	18.00	17.50	18.00	20.08	21.00	100.00
		6	2437							20.68	21.00	20.77	21.00	23.74	24.00	
		11	2462							16.30	16.50	16.10	16.50	19.21	19.50	
		12	2467							15.20	15.50	15.10	15.50	18.16	18.50	
		13	2472							13.40	13.50	13.30	13.50	16.36	16.50	
	802.11be-EHT20 MCS0	1	2412							16.65	18.00	17.51	18.00	20.11	21.00	100.00
		6	2437							20.77	21.00	20.88	21.00	23.84	24.00	
		11	2462							16.37	16.50	16.16	16.50	19.28	19.50	
		12	2467							15.24	15.50	15.15	15.50	18.21	18.50	
		13	2472							13.44	13.50	13.31	13.50	16.39	16.50	



<2.4GHz WLAN_Index 4>																	
				Ant 3			Ant 4			Ant 3+4 (3)		Ant 3+4 (4)		Ant 3+4			
	Mode	Channel	Frequency (MHz)	Average power (dBm)	Tune-Up Limit	Duty Cycle %	Average power (dBm)	Tune-Up Limit	Duty Cycle %	Average power (dBm)	Tune-Up Limit	Average power (dBm)	Tune-Up Limit	Average power (dBm)	Tune-Up Limit	Power Setting	Duty Cycle %
2.4GHz WLAN	802.11b 1Mbps	1	2412	15.87	16.50	100.00	15.56	16.50	100.00	16.11	16.50	15.32	16.50	18.74	19.50	66	100.00
		6	2437	16.08	16.50		15.67	16.50		16.00	16.50	15.24	16.50	18.65	19.50	66	
		11	2462	16.33	16.50		15.65	16.50		16.50	16.50	15.37	16.50	18.98	19.50	65	
		12	2467	16.19	16.50		15.50	16.50		16.34	16.50	15.34	16.50	18.88	19.50	65	
		13	2472	16.15	16.50		15.30	16.50		15.86	16.50	15.11	16.50	18.51	19.50	66	
	802.11g 6Mbps	1	2412							Not Required	16.50		16.50		19.50		
		6	2437								16.50		16.50		19.50		
		11	2462								16.50		16.50		19.50		
		12	2467								16.50		16.50		19.50		
		13	2472								13.50		13.50		16.50		
	802.11n-HT20 MCS0	1	2412								16.50		16.50		19.50		
		6	2437								16.50		16.50		19.50		
		11	2462								16.50		16.50		19.50		
		12	2467								15.50		15.50		18.50		
		13	2472								13.50		13.50		16.50		
	802.11ac-VHT20 MCS0	1	2412								16.50		16.50		19.50		
		6	2437								16.50		16.50		19.50		
		11	2462								15.50		15.50		18.50		
		12	2467								13.50		13.50		16.50		
		13	2472								13.50		13.50		16.50		
	802.11ax-HE20 MCS0	1	2412								16.50		16.50		19.50		
		6	2437								16.50		16.50		19.50		
		11	2462								16.50		16.50		19.50		
		12	2467								15.50		15.50		18.50		
		13	2472								13.50		13.50		16.50		
	802.11be-EHT20 MCS0	1	2412								16.50		16.50		19.50		
		6	2437								16.50		16.50		19.50		
		11	2462								16.50		16.50		19.50		
		12	2467								15.50		15.50		18.50		
		13	2472								13.50		13.50		16.50		

<5.2GHz WLAN_Index 1>										
	Mode	Channel	Frequency (MHz)	Ant 3+4 (3)		Ant 3+4 (4)		Ant 3+4		
				Average power (dBm)	Tune-Up Limit	Average power (dBm)	Tune-Up Limit	Average power (dBm)	Tune-Up Limit	Duty Cycle %
5.2GHz WLAN	802.11a 6Mbps	36	5180	Not Required	14.00	Not Required	14.00	Not Required	17.00	Not Required
		40	5200		14.00		14.00		17.00	
		44	5220		14.00		14.00		17.00	
		48	5240		14.00		14.00		17.00	
	802.11n-HT20 MCS0	36	5180		14.00		14.00		17.00	
		40	5200		14.00		14.00		17.00	
		44	5220		14.00		14.00		17.00	
		48	5240		14.00		14.00		17.00	
	802.11n-HT40 MCS0	38	5190		14.00		14.00		17.00	
		46	5230		14.00		14.00		17.00	
	802.11ac-VHT20 MCS0	36	5180		14.00		14.00		17.00	
		40	5200		14.00		14.00		17.00	
		44	5220		14.00		14.00		17.00	
		48	5240		14.00		14.00		17.00	
	802.11ac-VHT40 MCS0	38	5190		14.00		14.00		17.00	
		46	5230		14.00		14.00		17.00	
	802.11ac-VHT80 MCS0	42	5210		14.00		14.00		17.00	
		36	5180		14.00		14.00		17.00	
	802.11ax-HE20 MCS0	40	5200		14.00		14.00		17.00	
		44	5220		14.00		14.00		17.00	
		48	5240		14.00		14.00		17.00	
		38	5190		14.00		14.00		17.00	
	802.11ax-HE40 MCS0	46	5230		14.00		14.00		17.00	
		42	5210		14.00		14.00		17.00	
	802.11ax-HE80 MCS0	36	5180		14.00		14.00		17.00	
		40	5200		14.00		14.00		17.00	
		44	5220		14.00		14.00		17.00	
		48	5240		14.00		14.00		17.00	
	802.11be-EHT20 MCS0	38	5190		14.00		14.00		17.00	
		46	5230		14.00		14.00		17.00	
		42	5210		14.00		14.00		17.00	
		36	5180		14.00		14.00		17.00	
	802.11be-EHT40 MCS0	40	5200		14.00		14.00		17.00	
		44	5220		14.00		14.00		17.00	
		48	5240		14.00		14.00		17.00	
		38	5190		14.00		14.00		17.00	
	802.11be-EHT80 MCS0	46	5230		14.00		14.00		17.00	
		42	5210		14.00		14.00		17.00	

<5.3GHz WLAN_Index 1>										
	Mode	Channel	Frequency (MHz)	Ant 3+4 (3)		Ant 3+4 (4)		Ant 3+4		
				Average power (dBm)	Tune-Up Limit	Average power (dBm)	Tune-Up Limit	Average power (dBm)	Tune-Up Limit	Duty Cycle %
5.3GHz WLAN	802.11a 6Mbps	52	5260	Not Required	14.00	Not Required	14.00	Not Required	17.00	Not Required
		56	5280		14.00		14.00		17.00	
		60	5300		14.00		14.00		17.00	
		64	5320		14.00		14.00		17.00	
	802.11n-HT20 MCS0	52	5260		14.00		14.00		17.00	
		56	5280		14.00		14.00		17.00	
		60	5300		14.00		14.00		17.00	
		64	5320		14.00		14.00		17.00	
	802.11n-HT40 MCS0	54	5270	13.85	14.00	13.57	14.00	16.72	17.00	99.03
		62	5310	13.62	14.00	13.98	14.00	16.81	17.00	
	802.11ac-VHT20 MCS0	52	5260	Not Required	14.00	Not Required	14.00	Not Required	17.00	Not Required
		56	5280		14.00		14.00		17.00	
		60	5300		14.00		14.00		17.00	
		64	5320		14.00		14.00		17.00	
	802.11ac-VHT40 MCS0	54	5270		14.00		14.00		17.00	
		62	5310		14.00		14.00		17.00	
	802.11ac-VHT80 MCS0	58	5290	14.00	14.00	12.80	14.00	16.45	17.00	97.76
	802.11ac-VHT160 MCS0	50	5250	Not Required	9.00	Not Required	9.00	Not Required	12.00	Not Required
	802.11ax-HE20 MCS0	52	5260		14.00		14.00		17.00	
		56	5280		14.00		14.00		17.00	
		60	5300		14.00		14.00		17.00	
		64	5320		14.00		14.00		17.00	
	802.11ax-HE40 MCS0	54	5270		14.00		14.00		17.00	
		62	5310		14.00		14.00		17.00	
	802.11ax-HE80 MCS0	58	5290		14.00		14.00		17.00	
	802.11ax-HE160 MCS0	50	5250		9.00		9.00		12.00	
	802.11be-EHT20 MCS0	52	5260		14.00		14.00		17.00	
		56	5280		14.00		14.00		17.00	
		60	5300		14.00		14.00		17.00	
		64	5320		14.00		14.00		17.00	
	802.11be-EHT40 MCS0	54	5270		14.00		14.00		17.00	
		62	5310		14.00		14.00		17.00	
	802.11be-EHT80 MCS0	58	5290		14.00		14.00		17.00	
	802.11be-EHT160 MCS0	50	5250		9.00		9.00		12.00	

<5.5GHz WLAN_Index 1>										
	Mode	Channel	Frequency (MHz)	Ant 3+4 (3)		Ant 3+4 (4)		Ant 3+4		
				Average power (dBm)	Tune-Up Limit	Average power (dBm)	Tune-Up Limit	Average power (dBm)	Tune-Up Limit	Duty Cycle %
5.5GHz WLAN	802.11a 6Mbps	100	5500	Not Required	13.50	Not Required	13.50	Not Required	16.50	Not Required
		116	5580		13.50		13.50		16.50	
		124	5620		13.50		13.50		16.50	
		132	5660		13.50		13.50		16.50	
		144	5720		13.50		13.50		16.50	
	802.11n-HT20 MCS0	100	5500		13.50		13.50		16.50	
		116	5580		13.50		13.50		16.50	
		124	5620		13.50		13.50		16.50	
		132	5660		13.50		13.50		16.50	
		144	5720		13.50		13.50		16.50	
	802.11n-HT40 MCS0	102	5510		13.50		13.50		16.50	
		110	5550		13.50		13.50		16.50	
		126	5630		13.50		13.50		16.50	
		134	5670		13.50		13.50		16.50	
		142	5710		13.50		13.50		16.50	
	802.11ac-VHT20 MCS0	100	5500		13.50		13.50		16.50	
		116	5580		13.50		13.50		16.50	
		124	5620		13.50		13.50		16.50	
		132	5660		13.50		13.50		16.50	
		144	5720		13.50		13.50		16.50	
	802.11ac-VHT40 MCS0	102	5510		13.50		13.50		16.50	
		110	5550		13.50		13.50		16.50	
		126	5630		13.50		13.50		16.50	
		134	5670		13.50		13.50		16.50	
		142	5710		13.50		13.50		16.50	
	802.11ac-VHT80 MCS0	106	5530	13.09	13.50	12.92	13.50	16.02	16.50	97.76
		122	5610	13.31	13.50	13.26	13.50	16.30	16.50	
		138	5690	13.13	13.50	12.90	13.50	16.03	16.50	
	802.11ac-VHT160 MCS0	114	5570	Not Required	12.00	Not Required	12.00	Not Required	15.00	Not Required
	802.11ax-HE20 MCS0	100	5500		13.50		13.50		16.50	
		116	5580		13.50		13.50		16.50	
		124	5620		13.50		13.50		16.50	
		132	5660		13.50		13.50		16.50	
		144	5720		13.50		13.50		16.50	
	802.11ax-HE40 MCS0	102	5510		13.50		13.50		16.50	
		110	5550		13.50		13.50		16.50	
		126	5630		13.50		13.50		16.50	
		134	5670		13.50		13.50		16.50	
		142	5710		13.50		13.50		16.50	
	802.11ax-HE80 MCS0	106	5530		13.50		13.50		16.50	
		122	5610		13.50		13.50		16.50	
		138	5690		13.50		13.50		16.50	
	802.11ax-HE160 MCS0	114	5570		12.00		12.00		15.00	
	802.11be-EHT20 MCS0	100	5500		13.50		13.50		16.50	
		116	5580		13.50		13.50		16.50	
		124	5620		13.50		13.50		16.50	
		132	5660		13.50		13.50		16.50	
		144	5720		13.50		13.50		16.50	
	802.11be-EHT40 MCS0	102	5510		13.50		13.50		16.50	
		110	5550		13.50		13.50		16.50	

		126	5630		13.50		13.50		16.50	
		134	5670		13.50		13.50		16.50	
		142	5710		13.50		13.50		16.50	
	802.11be-EHT80 MCS0	106	5530		13.50		13.50		16.50	
		122	5610		13.50		13.50		16.50	
		138	5690		13.50		13.50		16.50	
	802.11be-EHT160 MCS0	114	5570		12.00		12.00		15.00	

<5.8GHz WLAN_Index 1>										
				Ant 3+4 (3)		Ant 3+4 (4)		Ant 3+4		
	Mode	Channel	Frequency (MHz)	Average power (dBm)	Tune-Up Limit	Average power (dBm)	Tune-Up Limit	Average power (dBm)	Tune-Up Limit	Duty Cycle %
5.8GHz WLAN	802.11a 6Mbps	149	5745	Not Required	14.00	Not Required	14.00	Not Required	17.00	Not Required
		157	5785		14.00		14.00		17.00	
		165	5825		14.00		14.00		17.00	
	802.11n-HT20 MCS0	149	5745		14.00		14.00		17.00	
		157	5785		14.00		14.00		17.00	
		165	5825		14.00		14.00		17.00	
	802.11n-HT40 MCS0	151	5755		14.00		14.00		17.00	
		159	5795		14.00		14.00		17.00	
	802.11ac-VHT20 MCS0	149	5745		14.00		14.00		17.00	
		157	5785		14.00		14.00		17.00	
		165	5825		14.00		14.00		17.00	
	802.11ac-VHT40 MCS0	151	5755		14.00		14.00		17.00	
		159	5795		14.00		14.00		17.00	
	802.11ac-VHT80 MCS0	155	5775	13.91	14.00	13.25	14.00	16.60	17.00	97.76
	802.11ax-HE20 MCS0	149	5745	Not Required	14.00	Not Required	14.00	Not Required	17.00	Not Required
		157	5785		14.00		14.00		17.00	
		165	5825		14.00		14.00		17.00	
	802.11ax-HE40 MCS0	151	5755		14.00		14.00		17.00	
		159	5795		14.00		14.00		17.00	
	802.11ax-HE80 MCS0	155	5775		14.00		14.00		17.00	
	802.11be-EHT20 MCS0	149	5745		14.00		14.00		17.00	
		157	5785		14.00		14.00		17.00	
		165	5825		14.00		14.00		17.00	
	802.11be-EHT40 MCS0	151	5755		14.00		14.00		17.00	
		159	5795		14.00		14.00		17.00	
	802.11be-EHT80 MCS0	155	5775		14.00		14.00		17.00	

<5.9GHz WLAN UNII 4_Index 1>										
	Mode	Channel	Frequency (MHz)	Ant 3+4 (3)		Ant 3+4 (4)		Ant 3+4		
				Average power (dBm)	Tune-Up Limit	Average power (dBm)	Tune-Up Limit	Average power (dBm)	Tune-Up Limit	Duty Cycle %
5.9GHz WLAN UNII 4	802.11a 6Mbps	169	5845	Not Required	14.50	Not Required	14.50	Not Required	17.50	Not Required
		173	5865		14.50		14.50		17.50	
		177	5885		14.50		14.50		17.50	
	802.11n-HT20 MCS0	169	5845		14.50		14.50		17.50	
		173	5865		14.50		14.50		17.50	
		177	5885		14.50		14.50		17.50	
	802.11n-HT40 MCS0	167	5835		14.50		14.50		17.50	
		175	5875		14.50		14.50		17.50	
	802.11ac-VHT20 MCS0	169	5845		14.50		14.50		17.50	
		173	5865		14.50		14.50		17.50	
		177	5885		14.50		14.50		17.50	
	802.11ac-VHT40 MCS0	167	5835		14.50		14.50		17.50	
		175	5875		14.50		14.50		17.50	
	802.11ac-VHT80 MCS0	171	5855		14.50		14.50		17.50	
	802.11ac-VHT160 MCS0	163	5815	13.83	14.50	12.84	14.50	16.37	17.50	95.81
	802.11ax-HE20 MCS0	169	5845	Not Required	14.50	Not Required	14.50	Not Required	17.50	Not Required
		173	5865		14.50		14.50		17.50	
		177	5885		14.50		14.50		17.50	
	802.11ax-HE40 MCS0	167	5835		14.50		14.50		17.50	
		175	5875		14.50		14.50		17.50	
	802.11ax-HE80 MCS0	171	5855		14.50		14.50		17.50	
	802.11ax-HE160 MCS0	163	5815		14.50		14.50		17.50	
	802.11be-EHT20 MCS0	169	5845		14.50		14.50		17.50	
		173	5865		14.50		14.50		17.50	
		177	5885		14.50		14.50		17.50	
	802.11be-EHT40 MCS0	167	5835		14.50		14.50		17.50	
		175	5875		14.50		14.50		17.50	
	802.11be-EHT80 MCS0	171	5855		14.50		14.50		17.50	
	802.11be-EHT160 MCS0	163	5815		14.50		14.50		17.50	

<5.2GHz WLAN_Index 2>										
	Mode	Channel	Frequency (MHz)	Ant 3+4 (3)		Ant 3+4 (4)		Ant 3+4		
				Average power (dBm)	Tune-Up Limit	Average power (dBm)	Tune-Up Limit	Average power (dBm)	Tune-Up Limit	Duty Cycle %
5.2GHz WLAN	802.11a 6Mbps	36	5180	Not Required	9.50	Not Required	9.50	Not Required	12.50	Not Required
		40	5200		9.50		9.50		12.50	
		44	5220		9.50		9.50		12.50	
		48	5240		9.50		9.50		12.50	
	802.11n-HT20 MCS0	36	5180		9.50		9.50		12.50	
		40	5200		9.50		9.50		12.50	
		44	5220		9.50		9.50		12.50	
		48	5240		9.50		9.50		12.50	
	802.11n-HT40 MCS0	38	5190		9.50		9.50		12.50	
		46	5230		9.50		9.50		12.50	
	802.11ac-VHT20 MCS0	36	5180		9.50		9.50		12.50	
		40	5200		9.50		9.50		12.50	
		44	5220		9.50		9.50		12.50	
		48	5240		9.50		9.50		12.50	
	802.11ac-VHT40 MCS0	38	5190		9.50		9.50		12.50	
		46	5230		9.50		9.50		12.50	
	802.11ac-VHT80 MCS0	42	5210		9.50		9.50		12.50	
		36	5180		9.50		9.50		12.50	
	802.11ax-HE20 MCS0	40	5200		9.50		9.50		12.50	
		44	5220		9.50		9.50		12.50	
		48	5240		9.50		9.50		12.50	
		38	5190		9.50		9.50		12.50	
	802.11ax-HE40 MCS0	46	5230		9.50		9.50		12.50	
		42	5210		9.50		9.50		12.50	
	802.11ax-HE80 MCS0	36	5180		9.50		9.50		12.50	
		40	5200		9.50		9.50		12.50	
		44	5220		9.50		9.50		12.50	
		48	5240		9.50		9.50		12.50	
	802.11be-EHT20 MCS0	38	5190		9.50		9.50		12.50	
		46	5230		9.50		9.50		12.50	
		42	5210		9.50		9.50		12.50	
		36	5180		9.50		9.50		12.50	
	802.11be-EHT40 MCS0	40	5200		9.50		9.50		12.50	
		44	5220		9.50		9.50		12.50	
		48	5240		9.50		9.50		12.50	
		38	5190		9.50		9.50		12.50	
	802.11be-EHT80 MCS0	46	5230		9.50		9.50		12.50	
		42	5210		9.50		9.50		12.50	

<5.3GHz WLAN_Index 2>										
	Mode	Channel	Frequency (MHz)	Ant 3+4 (3)		Ant 3+4 (4)		Ant 3+4		
				Average power (dBm)	Tune-Up Limit	Average power (dBm)	Tune-Up Limit	Average power (dBm)	Tune-Up Limit	Duty Cycle %
5.3GHz WLAN	802.11a 6Mbps	52	5260	Not Required	9.50	Not Required	9.50	Not Required	12.50	Not Required
		56	5280		9.50		9.50		12.50	
		60	5300		9.50		9.50		12.50	
		64	5320		9.50		9.50		12.50	
	802.11n-HT20 MCS0	52	5260		9.50		9.50		12.50	
		56	5280		9.50		9.50		12.50	
		60	5300		9.50		9.50		12.50	
		64	5320		9.50		9.50		12.50	
	802.11n-HT40 MCS0	54	5270		9.50		9.50		12.50	
		62	5310		9.50		9.50		12.50	
	802.11ac-VHT20 MCS0	52	5260		9.50		9.50		12.50	
		56	5280		9.50		9.50		12.50	
		60	5300		9.50		9.50		12.50	
		64	5320		9.50		9.50		12.50	
	802.11ac-VHT40 MCS0	54	5270		9.50		9.50		12.50	
		62	5310		9.50		9.50		12.50	
	802.11ac-VHT80 MCS0	58	5290	9.33	9.50	8.33	9.50	11.87	12.50	97.76
	802.11ac-VHT160 MCS0	50	5250	Not Required	9.00	Not Required	9.00	Not Required	12.00	Not Required
	802.11ax-HE20 MCS0	52	5260		9.50		9.50		12.50	
		56	5280		9.50		9.50		12.50	
		60	5300		9.50		9.50		12.50	
		64	5320		9.50		9.50		12.50	
	802.11ax-HE40 MCS0	54	5270		9.50		9.50		12.50	
		62	5310		9.50		9.50		12.50	
	802.11ax-HE80 MCS0	58	5290		9.50		9.50		12.50	
	802.11ax-HE160 MCS0	50	5250		9.00		9.00		12.00	
	802.11be-EHT20 MCS0	52	5260		9.50		9.50		12.50	
		56	5280		9.50		9.50		12.50	
		60	5300		9.50		9.50		12.50	
		64	5320		9.50		9.50		12.50	
	802.11be-EHT40 MCS0	54	5270		9.50		9.50		12.50	
		62	5310		9.50		9.50		12.50	
	802.11be-EHT80 MCS0	58	5290		9.50		9.50		12.50	
	802.11be-EHT160 MCS0	50	5250		9.00		9.00		12.00	

<5.5GHz WLAN_Index 2>										
	Mode	Channel	Frequency (MHz)	Ant 3+4 (3)		Ant 3+4 (4)		Ant 3+4		
				Average power (dBm)	Tune-Up Limit	Average power (dBm)	Tune-Up Limit	Average power (dBm)	Tune-Up Limit	Duty Cycle %
5.5GHz WLAN	802.11a 6Mbps	100	5500	Not Required	9.50	Not Required	9.50	Not Required	12.50	Not Required
		116	5580		9.50		9.50		12.50	
		124	5620		9.50		9.50		12.50	
		132	5660		9.50		9.50		12.50	
		144	5720		9.50		9.50		12.50	
	802.11n-HT20 MCS0	100	5500		9.50		9.50		12.50	
		116	5580		9.50		9.50		12.50	
		124	5620		9.50		9.50		12.50	
		132	5660		9.50		9.50		12.50	
		144	5720		9.50		9.50		12.50	
	802.11n-HT40 MCS0	102	5510		9.50		9.50		12.50	
		110	5550		9.50		9.50		12.50	
		126	5630		9.50		9.50		12.50	
		134	5670		9.50		9.50		12.50	
		142	5710		9.50		9.50		12.50	
	802.11ac-VHT20 MCS0	100	5500		9.50		9.50		12.50	
		116	5580		9.50		9.50		12.50	
		124	5620		9.50		9.50		12.50	
		132	5660		9.50		9.50		12.50	
		144	5720		9.50		9.50		12.50	
	802.11ac-VHT40 MCS0	102	5510		9.50		9.50		12.50	
		110	5550		9.50		9.50		12.50	
		126	5630		9.50		9.50		12.50	
		134	5670		9.50		9.50		12.50	
		142	5710		9.50		9.50		12.50	
	802.11ac-VHT80 MCS0	106	5530		9.50		9.50		12.50	
		122	5610		9.50		9.50		12.50	
		138	5690		9.50		9.50		12.50	
	802.11ac-VHT160 MCS0	114	5570	7.69	9.50	7.69	9.50	10.70	12.50	95.81
	802.11ax-HE20 MCS0	100	5500	Not Required	9.50	Not Required	9.50	Not Required	12.50	Not Required
		116	5580		9.50		9.50		12.50	
		124	5620		9.50		9.50		12.50	
		132	5660		9.50		9.50		12.50	
		144	5720		9.50		9.50		12.50	
	802.11ax-HE40 MCS0	102	5510		9.50		9.50		12.50	
		110	5550		9.50		9.50		12.50	
		126	5630		9.50		9.50		12.50	
		134	5670		9.50		9.50		12.50	
		142	5710		9.50		9.50		12.50	
	802.11ax-HE80 MCS0	106	5530		9.50		9.50		12.50	
		122	5610		9.50		9.50		12.50	
		138	5690		9.50		9.50		12.50	
	802.11ax-HE160 MCS0	114	5570		9.50		9.50		12.50	
	802.11be-EHT20 MCS0	100	5500		9.50		9.50		12.50	
		116	5580		9.50		9.50		12.50	
		124	5620		9.50		9.50		12.50	
		132	5660		9.50		9.50		12.50	
		144	5720		9.50		9.50		12.50	
	802.11be-EHT40 MCS0	102	5510		9.50		9.50		12.50	
		110	5550		9.50		9.50		12.50	

		126	5630		9.50		9.50		12.50	
		134	5670		9.50		9.50		12.50	
		142	5710		9.50		9.50		12.50	
	802.11be-EHT80 MCS0	106	5530		9.50		9.50		12.50	
		122	5610		9.50		9.50		12.50	
		138	5690		9.50		9.50		12.50	
	802.11be-EHT160 MCS0	114	5570		9.50		9.50		12.50	

<5.8GHz WLAN_Index 2>										
				Ant 3+4 (3)		Ant 3+4 (4)		Ant 3+4		
	Mode	Channel	Frequency (MHz)	Average power (dBm)	Tune-Up Limit	Average power (dBm)	Tune-Up Limit	Average power (dBm)	Tune-Up Limit	Duty Cycle %
5.8GHz WLAN	802.11a 6Mbps	149	5745	Not Required	10.50	Not Required	10.50	Not Required	13.50	Not Required
		157	5785		10.50		10.50		13.50	
		165	5825		10.50		10.50		13.50	
	802.11n-HT20 MCS0	149	5745		10.50		10.50		13.50	
		157	5785		10.50		10.50		13.50	
		165	5825		10.50		10.50		13.50	
	802.11n-HT40 MCS0	151	5755		10.50		10.50		13.50	
		159	5795		10.50		10.50		13.50	
	802.11ac-VHT20 MCS0	149	5745		10.50		10.50		13.50	
		157	5785		10.50		10.50		13.50	
		165	5825		10.50		10.50		13.50	
	802.11ac-VHT40 MCS0	151	5755		10.50		10.50		13.50	
		159	5795		10.50		10.50		13.50	
	802.11ac-VHT80 MCS0	155	5775	9.20	10.50	8.80	10.50	12.01	13.50	97.76
	802.11ax-HE20 MCS0	149	5745	Not Required	10.50	Not Required	10.50	Not Required	13.50	Not Required
		157	5785		10.50		10.50		13.50	
		165	5825		10.50		10.50		13.50	
	802.11ax-HE40 MCS0	151	5755		10.50		10.50		13.50	
		159	5795		10.50		10.50		13.50	
	802.11ax-HE80 MCS0	155	5775		10.50		10.50		13.50	
	802.11be-EHT20 MCS0	149	5745		10.50		10.50		13.50	
		157	5785		10.50		10.50		13.50	
		165	5825		10.50		10.50		13.50	
	802.11be-EHT40 MCS0	151	5755		10.50		10.50		13.50	
		159	5795		10.50		10.50		13.50	
	802.11be-EHT80 MCS0	155	5775		10.50		10.50		13.50	

<5.9GHz WLAN UNII 4_Index 2>										
	Mode	Channel	Frequency (MHz)	Ant 3+4 (3)		Ant 3+4 (4)		Ant 3+4		
				Average power (dBm)	Tune-Up Limit	Average power (dBm)	Tune-Up Limit	Average power (dBm)	Tune-Up Limit	Duty Cycle %
5.9GHz WLAN UNII 4	802.11a 6Mbps	169	5845	Not Required	9.50	Not Required	9.50	Not Required	12.50	Not Required
		173	5865		9.50		9.50		12.50	
		177	5885		9.50		9.50		12.50	
	802.11n-HT20 MCS0	169	5845		9.50		9.50		12.50	
		173	5865		9.50		9.50		12.50	
		177	5885		9.50		9.50		12.50	
	802.11n-HT40 MCS0	167	5835		9.50		9.50		12.50	
		175	5875		9.50		9.50		12.50	
	802.11ac-VHT20 MCS0	169	5845		9.50		9.50		12.50	
		173	5865		9.50		9.50		12.50	
		177	5885		9.50		9.50		12.50	
	802.11ac-VHT40 MCS0	167	5835		9.50		9.50		12.50	
		175	5875		9.50		9.50		12.50	
	802.11ac-VHT80 MCS0	171	5855		9.50		9.50		12.50	
	802.11ac-VHT160 MCS0	163	5815	8.49	9.50	7.82	9.50	11.18	12.50	95.81
	802.11ax-HE20 MCS0	169	5845	Not Required	9.50	Not Required	9.50	Not Required	12.50	Not Required
		173	5865		9.50		9.50		12.50	
		177	5885		9.50		9.50		12.50	
	802.11ax-HE40 MCS0	167	5835		9.50		9.50		12.50	
		175	5875		9.50		9.50		12.50	
	802.11ax-HE80 MCS0	171	5855		9.50		9.50		12.50	
	802.11ax-HE160 MCS0	163	5815		9.50		9.50		12.50	
	802.11be-EHT20 MCS0	169	5845		9.50		9.50		12.50	
		173	5865		9.50		9.50		12.50	
		177	5885		9.50		9.50		12.50	
	802.11be-EHT40 MCS0	167	5835		9.50		9.50		12.50	
		175	5875		9.50		9.50		12.50	
	802.11be-EHT80 MCS0	171	5855		9.50		9.50		12.50	
	802.11be-EHT160 MCS0	163	5815		9.50		9.50		12.50	

<5.2GHz WLAN_Index 3>											
	Mode	Channel	Frequency (MHz)	Ant 3+4 (3)		Ant 3+4 (4)		Ant 3+4			
				Average power (dBm)	Tune-Up Limit	Average power (dBm)	Tune-Up Limit	Average power (dBm)	Tune-Up Limit	Power Setting	Duty Cycle %
5.2GHz WLAN	802.11a 6Mbps	36	5180		18.50		18.50		21.50		
		40	5200		18.50		18.50		21.50		
		44	5220		18.50		18.50		21.50		
		48	5240		18.50		18.50		21.50		
	802.11n-HT20 MCS0	36	5180		19.50		19.50		22.50		
		40	5200		19.50		19.50		22.50		
		44	5220		19.50		19.50		22.50		
		48	5240		19.50		19.50		22.50		
	802.11n-HT40 MCS0	38	5190	15.85	16.50	15.93	16.50	18.90	19.50	62	99.03
		46	5230	19.38	20.00	19.95	20.00	22.68	23.00	78	
	802.11ac-VHT20 MCS0	36	5180		19.50		19.50		22.50		
		40	5200		19.50		19.50		22.50		
		44	5220		19.50		19.50		22.50		
		48	5240		19.50		19.50		22.50		
	802.11ac-VHT40 MCS0	38	5190		16.50		16.50		19.50		
		46	5230		20.00		20.00		23.00		
	802.11ac-VHT80 MCS0	42	5210		14.50		14.50		17.50		
	802.11ax-HE20 MCS0	36	5180		19.50		19.50		22.50		
		40	5200		19.50		19.50		22.50		
		44	5220		19.50		19.50		22.50		
		48	5240		19.50		19.50		22.50		
	802.11ax-HE40 MCS0	38	5190		16.50		16.50		19.50		
		46	5230		20.00		20.00		23.00		
	802.11ax-HE80 MCS0	42	5210		14.50		14.50		17.50		
	802.11be-EHT20 MCS0	36	5180		19.50		19.50		22.50		
		40	5200		19.50		19.50		22.50		
		44	5220		19.50		19.50		22.50		
		48	5240		19.50		19.50		22.50		
	802.11be-EHT40 MCS0	38	5190		16.50		16.50		19.50		
		46	5230		20.00		20.00		23.00		
	802.11be-EHT80 MCS0	42	5210		14.50		14.50		17.50		

<5.3GHz WLAN_Index 3>										
	Mode	Channel	Frequency (MHz)	Ant 3+4 (3)		Ant 3+4 (4)		Ant 3+4		
				Average power (dBm)	Tune-Up Limit	Average power (dBm)	Tune-Up Limit	Average power (dBm)	Tune-Up Limit	Duty Cycle %
5.3GHz WLAN	802.11a 6Mbps	52	5260	Not Required	18.50	Not Required	18.50	Not Required	21.50	Not Required
		56	5280		18.50		18.50		21.50	
		60	5300		18.50		18.50		21.50	
		64	5320		17.50		17.50		20.50	
	802.11n-HT20 MCS0	52	5260	18.73	19.50	18.80	19.50	21.78	22.50	99.48
		56	5280	18.49	19.50	19.10	19.50	21.82	22.50	
		60	5300	18.75	19.50	19.16	19.50	21.97	22.50	
		64	5320	16.95	18.00	17.48	18.00	20.23	21.00	
	802.11n-HT40 MCS0	54	5270	Not Required	19.00	Not Required	19.00	Not Required	22.00	Not Required
		62	5310		15.50		15.50		18.50	
	802.11ac-VHT20 MCS0	52	5260		19.50		19.50		22.50	
		56	5280		19.50		19.50		22.50	
		60	5300		19.50		19.50		22.50	
		64	5320		18.00		18.00		21.00	
	802.11ac-VHT40 MCS0	54	5270		19.00		19.00		22.00	
		62	5310		15.50		15.50		18.50	
	802.11ac-VHT80 MCS0	58	5290		15.00		15.00		18.00	
	802.11ac-VHT160 MCS0	50	5250		9.00		9.00		12.00	
	802.11ax-HE20 MCS0	52	5260		19.50		19.50		22.50	
		56	5280		19.50		19.50		22.50	
		60	5300		19.50		19.50		22.50	
		64	5320		18.00		18.00		21.00	
	802.11ax-HE40 MCS0	54	5270		19.00		19.00		22.00	
		62	5310		15.50		15.50		18.50	
	802.11ax-HE80 MCS0	58	5290		15.00		15.00		18.00	
	802.11ax-HE160 MCS0	50	5250		9.00		9.00		12.00	
	802.11be-EHT20 MCS0	52	5260		19.50		19.50		22.50	
		56	5280		19.50		19.50		22.50	
		60	5300		19.50		19.50		22.50	
		64	5320		18.00		18.00		21.00	
	802.11be-EHT40 MCS0	54	5270		19.00		19.00		22.00	
		62	5310		15.50		15.50		18.50	
	802.11be-EHT80 MCS0	58	5290		15.00		15.00		18.00	
	802.11be-EHT160 MCS0	50	5250		9.00		9.00		12.00	

<5.5GHz WLAN_Index 3>										
	Mode	Channel	Frequency (MHz)	Ant 3+4 (3)		Ant 3+4 (4)		Ant 3+4		
				Average power (dBm)	Tune-Up Limit	Average power (dBm)	Tune-Up Limit	Average power (dBm)	Tune-Up Limit	Duty Cycle %
5.5GHz WLAN	802.11a 6Mbps	100	5500	Not Required	18.00	Not Required	18.00	Not Required	21.00	Not Required
		116	5580		18.00		18.00		21.00	
		124	5620		18.00		18.00		21.00	
		132	5660		18.00		18.00		21.00	
		144	5720		18.00		18.00		21.00	
	802.11n-HT20 MCS0	100	5500		18.00		18.00		21.00	
		116	5580		18.00		18.00		21.00	
		124	5620		18.00		18.00		21.00	
		132	5660		18.00		18.00		21.00	
		144	5720		18.00		18.00		21.00	
	802.11n-HT40 MCS0	102	5510		15.00		15.00		18.00	
		110	5550		18.00		18.00		21.00	
		126	5630		18.00		18.00		21.00	
		134	5670		18.00		18.00		21.00	
		142	5710		18.00		18.00		21.00	
	802.11ac-VHT20 MCS0	100	5500		18.00		18.00		21.00	
		116	5580		18.00		18.00		21.00	
		124	5620		18.00		18.00		21.00	
		132	5660		18.00		18.00		21.00	
		144	5720		18.00		18.00		21.00	
	802.11ac-VHT40 MCS0	102	5510		15.00		15.00		18.00	
		110	5550		18.00		18.00		21.00	
		126	5630		18.00		18.00		21.00	
		134	5670		18.00		18.00		21.00	
		142	5710		18.00		18.00		21.00	
	802.11ac-VHT80 MCS0	106	5530	13.32	14.00	13.43	14.00	16.39	17.00	97.76
		122	5610	17.83	18.00	17.87	18.00	20.86	21.00	
		138	5690	17.19	18.00	17.16	18.00	20.19	21.00	
	802.11ac-VHT160 MCS0	114	5570	Not Required	12.00	Not Required	12.00	Not Required	15.00	Not Required
	802.11ax-HE20 MCS0	100	5500		18.00		18.00		21.00	
		116	5580		18.00		18.00		21.00	
		124	5620		18.00		18.00		21.00	
		132	5660		18.00		18.00		21.00	
		144	5720		18.00		18.00		21.00	
	802.11ax-HE40 MCS0	102	5510		15.00		15.00		18.00	
		110	5550		18.00		18.00		21.00	
		126	5630		18.00		18.00		21.00	
		134	5670		18.00		18.00		21.00	
		142	5710		18.00		18.00		21.00	
	802.11ax-HE80 MCS0	106	5530		14.00		14.00		17.00	
		122	5610		18.00		18.00		21.00	
		138	5690		18.00		18.00		21.00	
	802.11ax-HE160 MCS0	114	5570		12.00		12.00		15.00	
	802.11be-EHT20 MCS0	100	5500		18.00		18.00		21.00	
		116	5580		18.00		18.00		21.00	
		124	5620		18.00		18.00		21.00	
		132	5660		18.00		18.00		21.00	
		144	5720		18.00		18.00		21.00	
	802.11be-EHT40 MCS0	102	5510		15.00		15.00		18.00	

		110	5550		18.00		18.00		21.00	
		126	5630		18.00		18.00		21.00	
		134	5670		18.00		18.00		21.00	
		142	5710		18.00		18.00		21.00	
	802.11be-EHT80 MCS0	106	5530		14.00		14.00		17.00	
		122	5610		18.00		18.00		21.00	
		138	5690		18.00		18.00		21.00	
	802.11be-EHT160 MCS0	114	5570		12.00		12.00		15.00	

<5.8GHz WLAN_Index 3>										
	Mode	Channel	Frequency (MHz)	Ant 3+4 (3)		Ant 3+4 (4)		Ant 3+4		Duty Cycle %
				Average power (dBm)	Tune-Up Limit	Average power (dBm)	Tune-Up Limit	Average power (dBm)	Tune-Up Limit	
5.8GHz WLAN	802.11a 6Mbps	149	5745	20.33	20.50	18.92	20.50	22.69	23.50	99.63
		157	5785	20.42	20.50	20.29	20.50	23.37	23.50	
		165	5825	20.33	20.50	20.48	20.50	23.42	23.50	
	802.11n-HT20 MCS0	149	5745	Not Required	20.50	Not Required	20.50	Not Required	23.50	Not Required
		157	5785		20.50		20.50		23.50	
		165	5825		20.50		20.50		23.50	
	802.11n-HT40 MCS0	151	5755		20.00		20.00		23.00	
		159	5795		20.00		20.00		23.00	
	802.11ac-VHT20 MCS0	149	5745		20.50		20.50		23.50	
		157	5785		20.50		20.50		23.50	
		165	5825		20.50		20.50		23.50	
	802.11ac-VHT40 MCS0	151	5755		20.00		20.00		23.00	
		159	5795		20.00		20.00		23.00	
	802.11ac-VHT80 MCS0	155	5775		19.50		19.50		22.50	
		149	5745		20.50		20.50		23.50	
	802.11ax-HE20 MCS0	157	5785		20.50		20.50		23.50	
		165	5825		20.50		20.50		23.50	
	802.11ax-HE40 MCS0	151	5755		20.00		20.00		23.00	
		159	5795		20.00		20.00		23.00	
	802.11ax-HE80 MCS0	155	5775		19.50		19.50		22.50	
		149	5745		20.50		20.50		23.50	
	802.11be-EHT20 MCS0	157	5785		20.50		20.50		23.50	
		165	5825		20.50		20.50		23.50	
	802.11be-EHT40 MCS0	151	5755		20.00		20.00		23.00	
		159	5795		20.00		20.00		23.00	
	802.11be-EHT80 MCS0	155	5775		19.50		19.50		22.50	

<5.9GHz WLAN UNII 4 Index 3>										
	Mode	Channel	Frequency (MHz)	Ant 3+4 (3)		Ant 3+4 (4)		Ant 3+4		Duty Cycle %
				Average power (dBm)	Tune-Up Limit	Average power (dBm)	Tune-Up Limit	Average power (dBm)	Tune-Up Limit	
5.9GHz WLAN UNII 4	802.11a 6Mbps	169	5845	Not Required	19.50	Not Required	19.50	Not Required	22.50	Not Required
		173	5865		19.50		19.50		22.50	
		177	5885		19.50		19.50		22.50	
	802.11n-HT20 MCS0	169	5845		19.50		19.50		22.50	
		173	5865		19.50		19.50		22.50	
		177	5885		19.50		19.50		22.50	
	802.11n-HT40 MCS0	167	5835	19.36	19.50	19.38	19.50	22.38	22.50	99.03
		175	5875	19.35	19.50	19.30	19.50	22.34	22.50	
	802.11ac-VHT20 MCS0	169	5845	Not Required	19.50	Not Required	19.50	Not Required	22.50	Not Required
		173	5865		19.50		19.50		22.50	
		177	5885		19.50		19.50		22.50	
	802.11ac-VHT40 MCS0	167	5835		19.50		19.50		22.50	
		175	5875		19.50		19.50		22.50	
	802.11ac-VHT80 MCS0	171	5855	19.16	19.50	19.33	19.50	22.26	22.50	97.76
	802.11ac-VHT160 MCS0	163	5815	Not Required	16.50	Not Required	16.50	Not Required	19.50	Not Required
	802.11ax-HE20 MCS0	169	5845		19.50		19.50		22.50	
		173	5865		19.50		19.50		22.50	
		177	5885		19.50		19.50		22.50	
		167	5835		19.50		19.50		22.50	
	802.11ax-HE40 MCS0	175	5875		19.50		19.50		22.50	
		171	5855		19.50		19.50		22.50	
	802.11ax-HE80 MCS0	163	5815		16.50		16.50		19.50	
	802.11ax-HE160 MCS0	169	5845		19.50		19.50		22.50	
	802.11be-EHT20 MCS0	173	5865		19.50		19.50		22.50	
		177	5885		19.50		19.50		22.50	
		167	5835		19.50		19.50		22.50	
	802.11be-EHT40 MCS0	175	5875		19.50		19.50		22.50	
		171	5855		19.50		19.50		22.50	
	802.11be-EHT80 MCS0	171	5855		19.50		19.50		22.50	
	802.11be-EHT160 MCS0	163	5815		16.50		16.50		19.50	

<5.2GHz WLAN_Index 4>										
	Mode	Channel	Frequency (MHz)	Ant 3+4 (3)		Ant 3+4 (4)		Ant 3+4		Duty Cycle %
				Average power (dBm)	Tune-Up Limit	Average power (dBm)	Tune-Up Limit	Average power (dBm)	Tune-Up Limit	
5.2GHz WLAN	802.11a 6Mbps	36	5180	Not Required	16.00	Not Required	16.00	Not Required	19.00	Not Required
		40	5200		16.00		16.00		19.00	
		44	5220		16.00		16.00		19.00	
		48	5240		16.00		16.00		19.00	
	802.11n-HT20 MCS0	36	5180		16.00		16.00		19.00	
		40	5200		16.00		16.00		19.00	
		44	5220		16.00		16.00		19.00	
		48	5240		16.00		16.00		19.00	
	802.11n-HT40 MCS0	38	5190	15.65	16.00	15.93	16.00	18.80	19.00	99.03
		46	5230	15.70	16.00	15.95	16.00	18.84	19.00	
	802.11ac-VHT20 MCS0	36	5180	Not Required	16.00	Not Required	16.00	Not Required	19.00	Not Required
		40	5200		16.00		16.00		19.00	
		44	5220		16.00		16.00		19.00	
		48	5240		16.00		16.00		19.00	
	802.11ac-VHT40 MCS0	38	5190		16.00		16.00		19.00	
		46	5230		16.00		16.00		19.00	
	802.11ac-VHT80 MCS0	42	5210		14.50		14.50		17.50	
		36	5180		16.00		16.00		19.00	
	802.11ax-HE20 MCS0	40	5200		16.00		16.00		19.00	
		44	5220		16.00		16.00		19.00	
		48	5240		16.00		16.00		19.00	
		38	5190		16.00		16.00		19.00	
	802.11ax-HE40 MCS0	46	5230		16.00		16.00		19.00	
		42	5210		14.50		14.50		17.50	
	802.11be-EHT20 MCS0	36	5180		16.00		16.00		19.00	
		40	5200		16.00		16.00		19.00	
		44	5220		16.00		16.00		19.00	
		48	5240		16.00		16.00		19.00	
	802.11be-EHT40 MCS0	38	5190		16.00		16.00		19.00	
		46	5230		16.00		16.00		19.00	
	802.11be-EHT80 MCS0	42	5210		14.50		14.50		17.50	

<5.3GHz WLAN_Index 4>										
	Mode	Channel	Frequency (MHz)	Ant 3+4 (3)		Ant 3+4 (4)		Ant 3+4		Duty Cycle %
				Average power (dBm)	Tune-Up Limit	Average power (dBm)	Tune-Up Limit	Average power (dBm)	Tune-Up Limit	
5.3GHz WLAN	802.11a 6Mbps	52	5260	Not Required	18.00	Not Required	18.00	Not Required	21.00	Not Required
		56	5280		18.00		18.00		21.00	
		60	5300		18.00		18.00		21.00	
		64	5320		17.50		17.50		20.50	
	802.11n-HT20 MCS0	52	5260		18.00		18.00		21.00	
		56	5280		18.00		18.00		21.00	
		60	5300		18.00		18.00		21.00	
		64	5320		18.00		18.00		21.00	
	802.11n-HT40 MCS0	54	5270	17.69	18.00	17.41	18.00	20.56	21.00	99.03
		62	5310	15.32	15.50	14.80	15.50	18.08	18.50	
	802.11ac-VHT20 MCS0	52	5260	Not Required	18.00	Not Required	18.00	Not Required	21.00	Not Required
		56	5280		18.00		18.00		21.00	
		60	5300		18.00		18.00		21.00	
		64	5320		18.00		18.00		21.00	
	802.11ac-VHT40 MCS0	54	5270		18.00		18.00		21.00	
		62	5310		15.50		15.50		18.50	
	802.11ac-VHT80 MCS0	58	5290		15.00		15.00		18.00	
	802.11ac-VHT160 MCS0	50	5250		9.00		9.00		12.00	
	802.11ax-HE20 MCS0	52	5260		18.00		18.00		21.00	
		56	5280		18.00		18.00		21.00	
		60	5300		18.00		18.00		21.00	
		64	5320		18.00		18.00		21.00	
	802.11ax-HE40 MCS0	54	5270		18.00		18.00		21.00	
		62	5310		15.50		15.50		18.50	
	802.11ax-HE80 MCS0	58	5290		15.00		15.00		18.00	
	802.11ax-HE160 MCS0	50	5250		9.00		9.00		12.00	
	802.11be-EHT20 MCS0	52	5260		18.00		18.00		21.00	
		56	5280		18.00		18.00		21.00	
		60	5300		18.00		18.00		21.00	
		64	5320		18.00		18.00		21.00	
	802.11be-EHT40 MCS0	54	5270		18.00		18.00		21.00	
		62	5310		15.50		15.50		18.50	
	802.11be-EHT80 MCS0	58	5290		15.00		15.00		18.00	
	802.11be-EHT160 MCS0	50	5250		9.00		9.00		12.00	

<5.5GHz WLAN_Index 4>										
	Mode	Channel	Frequency (MHz)	Ant 3+4 (3)		Ant 3+4 (4)		Ant 3+4		Duty Cycle %
				Average power (dBm)	Tune-Up Limit	Average power (dBm)	Tune-Up Limit	Average power (dBm)	Tune-Up Limit	
5.5GHz WLAN	802.11a 6Mbps	100	5500	Not Required	17.00	Not Required	17.00	Not Required	20.00	Not Required
		116	5580		17.00		17.00		20.00	
		124	5620		17.00		17.00		20.00	
		132	5660		17.00		17.00		20.00	
		144	5720		17.00		17.00		20.00	
	802.11n-HT20 MCS0	100	5500		17.00		17.00		20.00	
		116	5580		17.00		17.00		20.00	
		124	5620		17.00		17.00		20.00	
		132	5660		17.00		17.00		20.00	
		144	5720		17.00		17.00		20.00	
	802.11n-HT40 MCS0	102	5510		15.00		15.00		18.00	
		110	5550		17.00		17.00		20.00	
		126	5630		17.00		17.00		20.00	
		134	5670		17.00		17.00		20.00	
		142	5710		17.00		17.00		20.00	
	802.11ac-VHT20 MCS0	100	5500		17.00		17.00		20.00	
		116	5580		17.00		17.00		20.00	
		124	5620		17.00		17.00		20.00	
		132	5660		17.00		17.00		20.00	
		144	5720		17.00		17.00		20.00	
	802.11ac-VHT40 MCS0	102	5510		15.00		15.00		18.00	
		110	5550		17.00		17.00		20.00	
		126	5630		17.00		17.00		20.00	
		134	5670		17.00		17.00		20.00	
		142	5710		17.00		17.00		20.00	
	802.11ac-VHT80 MCS0	106	5530	13.32	14.00	13.43	14.00	16.39	17.00	97.76
		122	5610	15.93	17.00	15.77	17.00	18.86	20.00	
		138	5690	15.84	17.00	15.64	17.00	18.75	20.00	
	802.11ac-VHT160 MCS0	114	5570	Not Required	12.00	Not Required	12.00	Not Required	15.00	Not Required
	802.11ax-HE20 MCS0	100	5500		17.00		17.00		20.00	
		116	5580		17.00		17.00		20.00	
		124	5620		17.00		17.00		20.00	
		132	5660		17.00		17.00		20.00	
		144	5720		17.00		17.00		20.00	
	802.11ax-HE40 MCS0	102	5510		15.00		15.00		18.00	
		110	5550		17.00		17.00		20.00	
		126	5630		17.00		17.00		20.00	
		134	5670		17.00		17.00		20.00	
		142	5710		17.00		17.00		20.00	
	802.11ax-HE80 MCS0	106	5530		14.00		14.00		17.00	
		122	5610		17.00		17.00		20.00	
		138	5690		17.00		17.00		20.00	
	802.11ax-HE160 MCS0	114	5570		12.00		12.00		15.00	
	802.11be-EHT20 MCS0	100	5500		17.00		17.00		20.00	
		116	5580		17.00		17.00		20.00	
		124	5620		17.00		17.00		20.00	
		132	5660		17.00		17.00		20.00	
		144	5720		17.00		17.00		20.00	
	802.11be-EHT40 MCS0	102	5510		15.00		15.00		18.00	
		110	5550		17.00		17.00		20.00	

		126	5630		17.00		17.00		20.00	
		134	5670		17.00		17.00		20.00	
		142	5710		17.00		17.00		20.00	
	802.11be-EHT80 MCS0	106	5530		14.00		14.00		17.00	
		122	5610		17.00		17.00		20.00	
		138	5690		17.00		17.00		20.00	
		114	5570		12.00		12.00		15.00	
	802.11be-EHT160 MCS0									

<5.8GHz WLAN_Index 4>										
				Ant 3+4 (3)		Ant 3+4 (4)		Ant 3+4		
	Mode	Channel	Frequency (MHz)	Average power (dBm)	Tune-Up Limit	Average power (dBm)	Tune-Up Limit	Average power (dBm)	Tune-Up Limit	Duty Cycle %
5.8GHz WLAN	802.11a 6Mbps	149	5745	Not Required	14.00	Not Required	14.00	Not Required	17.00	Not Required
		157	5785		14.00		14.00		17.00	
		165	5825		14.00		14.00		17.00	
	802.11n-HT20 MCS0	149	5745		14.00		14.00		17.00	
		157	5785		14.00		14.00		17.00	
		165	5825		14.00		14.00		17.00	
	802.11n-HT40 MCS0	151	5755		14.00		14.00		17.00	
		159	5795		14.00		14.00		17.00	
	802.11ac-VHT20 MCS0	149	5745		14.00		14.00		17.00	
		157	5785		14.00		14.00		17.00	
		165	5825		14.00		14.00		17.00	
	802.11ac-VHT40 MCS0	151	5755		14.00		14.00		17.00	
		159	5795		14.00		14.00		17.00	
	802.11ac-VHT80 MCS0	155	5775	13.55	14.00	13.95	14.00	16.76	17.00	97.76
	802.11ax-HE20 MCS0	149	5745	Not Required	14.00	Not Required	14.00	Not Required	17.00	Not Required
		157	5785		14.00		14.00		17.00	
		165	5825		14.00		14.00		17.00	
	802.11ax-HE40 MCS0	151	5755		14.00		14.00		17.00	
		159	5795		14.00		14.00		17.00	
	802.11ax-HE80 MCS0	155	5775		14.00		14.00		17.00	
	802.11be-EHT20 MCS0	149	5745		14.00		14.00		17.00	
		157	5785		14.00		14.00		17.00	
		165	5825		14.00		14.00		17.00	
	802.11be-EHT40 MCS0	151	5755		14.00		14.00		17.00	
		159	5795		14.00		14.00		17.00	
	802.11be-EHT80 MCS0	155	5775		14.00		14.00		17.00	

<5.9GHz WLAN UNII 4_Index 4>										
	Mode	Channel	Frequency (MHz)	Ant 3+4 (3)		Ant 3+4 (4)		Ant 3+4		
				Average power (dBm)	Tune-Up Limit	Average power (dBm)	Tune-Up Limit	Average power (dBm)	Tune-Up Limit	Duty Cycle %
5.9GHz WLAN UNII 4	802.11a 6Mbps	169	5845	Not Required	18.00	Not Required	18.00	Not Required	21.00	Not Required
		173	5865		18.00		18.00		21.00	
		177	5885		18.00		18.00		21.00	
	802.11n-HT20 MCS0	169	5845		18.00		18.00		21.00	
		173	5865		18.00		18.00		21.00	
		177	5885		18.00		18.00		21.00	
	802.11n-HT40 MCS0	167	5835		18.00		18.00		21.00	
		175	5875		18.00		18.00		21.00	
	802.11ac-VHT20 MCS0	169	5845		18.00		18.00		21.00	
		173	5865		18.00		18.00		21.00	
		177	5885		18.00		18.00		21.00	
	802.11ac-VHT40 MCS0	167	5835		18.00		18.00		21.00	
		175	5875		18.00		18.00		21.00	
	802.11ac-VHT80 MCS0	171	5855	17.97	18.00	17.85	18.00	20.92	21.00	97.76
	802.11ac-VHT160 MCS0	163	5815	Not Required	16.50	Not Required	16.50	Not Required	19.50	Not Required
	802.11ax-HE20 MCS0	169	5845		18.00		18.00		21.00	
		173	5865		18.00		18.00		21.00	
		177	5885		18.00		18.00		21.00	
	802.11ax-HE40 MCS0	167	5835		18.00		18.00		21.00	
		175	5875		18.00		18.00		21.00	
	802.11ax-HE80 MCS0	171	5855		18.00		18.00		21.00	
	802.11ax-HE160 MCS0	163	5815		16.50		16.50		19.50	
	802.11be-EHT20 MCS0	169	5845		18.00		18.00		21.00	
		173	5865		18.00		18.00		21.00	
		177	5885		18.00		18.00		21.00	
	802.11be-EHT40 MCS0	167	5835		18.00		18.00		21.00	
		175	5875		18.00		18.00		21.00	
	802.11be-EHT80 MCS0	171	5855		18.00		18.00		21.00	
	802.11be-EHT160 MCS0	163	5815		16.50		16.50		19.50	

<WiFi 6E_Index 1_LPI>										
	Mode	Channel	Frequency (MHz)	Ant 3+4 (3)		Ant 3+4 (4)		Ant 3+4		
				Average power (dBm)	Tune-Up Limit	Average power (dBm)	Tune-Up Limit	Average power (dBm)	Tune-Up Limit	Duty Cycle %
WiFi 6E	802.11a 6Mbps	1	5955	Not Required	14.50	Not Required	14.50	Not Required	17.50	Not Required
		57	6235		14.50		14.50		17.50	
		113	6515		15.00		15.00		18.00	
		173	6815		15.50		15.50		18.50	
	802.11ax-HE20 MCS0	1	5955		14.50		14.50		17.50	
		57	6235		14.50		14.50		17.50	
		113	6515		15.00		15.00		18.00	
		173	6815		15.50		15.50		18.50	
	802.11ax-HE40 MCS0	3	5965		14.50		14.50		17.50	
		59	6245		14.50		14.50		17.50	
		107	6485		15.00		15.00		18.00	
		171	6805		15.50		15.50		18.50	
	802.11ax-HE80 MCS0	7	5985		14.50		14.50		17.50	
		71	6305		14.50		14.50		17.50	
		119	6545		15.00		15.00		18.00	
		167	6785		15.50		15.50		18.50	
	802.11ax-HE160 MCS0	215	7025		15.00		15.00		18.00	
		15	6025	12.71	14.50	13.51	14.50	16.14	17.50	95.24
		47	6185	13.14	14.50	14.33	14.50	16.79	17.50	
		111	6505	14.69	15.00	14.52	15.00	17.62	18.00	
		143	6665	14.60	15.50	13.66	15.50	17.17	18.50	
	802.11be-EHT20 MCS0	207	6985	14.96	15.00	14.26	15.00	17.63	18.00	Not Required
		1	5955	Not Required	14.50	Not Required	14.50	Not Required	17.50	
		57	6235		14.50		14.50		17.50	
		113	6515		15.00		15.00		18.00	
		173	6815		15.50		15.50		18.50	
	802.11be-EHT40 MCS0	3	5965		14.50		14.50		17.50	
		59	6245		14.50		14.50		17.50	
		107	6485		15.00		15.00		18.00	
		171	6805		15.50		15.50		18.50	
	802.11be-EHT80 MCS0	227	7085		15.00		15.00		18.00	
		7	5985		14.50		14.50		17.50	
		71	6305		14.50		14.50		17.50	
		119	6545		15.00		15.00		18.00	
	802.11be-EHT160 MCS0	167	6785		15.50		15.50		18.50	
		215	7025		15.00		15.00		18.00	
		15	6025		14.50		14.50		17.50	
		47	6185		14.50		14.50		17.50	
		111	6505		15.00		15.00		18.00	
		143	6665		15.50		15.50		18.50	
		207	6985		15.00		15.00		18.00	

<WiFi 6E_Index 2_LPI >										
	Mode	Channel	Frequency (MHz)	Ant 3+4 (3)		Ant 3+4 (4)		Ant 3+4		Duty Cycle %
				Average power (dBm)	Tune-Up Limit	Average power (dBm)	Tune-Up Limit	Average power (dBm)	Tune-Up Limit	
WiFi 6E	802.11a 6Mbps	1	5955	Not Required	11.50	Not Required	11.50	Not Required	14.50	Not Required
		57	6235		11.50		11.50		14.50	
		113	6515		10.50		10.50		13.50	
		173	6815		12.00		12.00		15.00	
	802.11ax-HE20 MCS0	1	5955		11.50		11.50		14.50	
		57	6235		11.50		11.50		14.50	
		113	6515		10.50		10.50		13.50	
		173	6815		12.00		12.00		15.00	
	802.11ax-HE40 MCS0	3	5965		11.50		11.50		14.50	
		59	6245		11.50		11.50		14.50	
		107	6485		10.50		10.50		13.50	
		171	6805		12.00		12.00		15.00	
	802.11ax-HE80 MCS0	7	5985		11.50		11.50		14.50	
		71	6305		11.50		11.50		14.50	
		119	6545		10.50		10.50		13.50	
		167	6785		12.00		12.00		15.00	
	802.11ax-HE160 MCS0	215	7025		13.50		13.50		16.50	
		15	6025	10.80	11.50	11.16	11.50	13.99	14.50	95.24
		47	6185	11.34	11.50	11.40	11.50	14.38	14.50	
		111	6505	10.25	10.50	10.25	10.50	13.26	13.50	
		143	6665	11.53	12.00	11.53	12.00	14.54	15.00	
	802.11be-EHT20 MCS0	207	6985	13.48	13.50	13.31	13.50	16.41	16.50	
		1	5955	Not Required	11.50	Not Required	11.50	Not Required	14.50	Not Required
		57	6235		11.50		11.50		14.50	
		113	6515		10.50		10.50		13.50	
		173	6815		12.00		12.00		15.00	
	802.11be-EHT40 MCS0	3	5965		11.50		11.50		14.50	
		59	6245		11.50		11.50		14.50	
		107	6485		10.50		10.50		13.50	
		171	6805		12.00		12.00		15.00	
	802.11be-EHT80 MCS0	227	7085		13.50		13.50		16.50	
		7	5985		11.50		11.50		14.50	
		71	6305		11.50		11.50		14.50	
		119	6545		10.50		10.50		13.50	
	802.11be-EHT160 MCS0	167	6785		12.00		12.00		15.00	
		215	7025		13.50		13.50		16.50	
		15	6025		11.50		11.50		14.50	
		47	6185		11.50		11.50		14.50	
		111	6505		10.50		10.50		13.50	
	802.11be-EHT160 MCS0	143	6665		12.00		12.00		15.00	
		207	6985		13.50		13.50		16.50	

<WiFi 6E_Index_3_LPI>										
	Mode	Channel	Frequency (MHz)	Ant 3+4 (3)		Ant 3+4 (4)		Ant 3+4		Duty Cycle %
				Average power (dBm)	Tune-Up Limit	Average power (dBm)	Tune-Up Limit	Average power (dBm)	Tune-Up Limit	
WiFi 6E	802.11a 6Mbps	1	5955	Not Required	14.50	Not Required	14.50	Not Required	17.50	Not Required
		57	6235		14.50		14.50		17.50	
		113	6515		15.00		15.00		18.00	
		173	6815		15.50		15.50		18.50	
	802.11ax-HE20 MCS0	1	5955		15.00		15.00		18.00	
		57	6235		15.00		15.00		18.00	
		113	6515		15.00		15.00		18.00	
		173	6815		16.00		16.00		19.00	
	802.11ax-HE40 MCS0	3	5965		15.50		15.50		18.50	
		59	6245		15.50		15.50		18.50	
		107	6485		15.00		15.00		18.00	
		171	6805		16.00		16.00		19.00	
	802.11ax-HE80 MCS0	7	5985		15.50		15.50		18.50	
		71	6305		15.50		15.50		18.50	
		119	6545		15.00		15.00		18.00	
		167	6785		16.00		16.00		19.00	
	802.11ax-HE160 MCS0	215	7025		15.50		15.50		18.50	
		15	6025	14.95	15.50	14.67	15.50	17.82	18.50	95.24
		47	6185	14.90	15.50	14.42	15.50	17.68	18.50	
		111	6505	14.69	15.00	14.42	15.00	17.57	18.00	
		143	6665	14.84	16.00	14.59	16.00	17.73	19.00	
		207	6985	14.96	15.50	14.26	15.50	17.63	18.50	
	802.11be-EHT20 MCS0	1	5955	Not Required	15.00	Not Required	15.00	Not Required	18.00	Not Required
		57	6235		15.00		15.00		18.00	
		113	6515		15.00		15.00		18.00	
		173	6815		16.00		16.00		19.00	
	802.11be-EHT40 MCS0	3	5965		15.50		15.50		18.50	
		59	6245		15.50		15.50		18.50	
		107	6485		15.00		15.00		18.00	
		171	6805		16.00		16.00		19.00	
	802.11be-EHT80 MCS0	227	7085		15.50		15.50		18.50	
		7	5985		15.50		15.50		18.50	
		71	6305		15.50		15.50		18.50	
		119	6545		15.00		15.00		18.00	
	802.11be-EHT160 MCS0	167	6785		16.00		16.00		19.00	
		215	7025		15.50		15.50		18.50	
		15	6025		15.50		15.50		18.50	
		47	6185		15.50		15.50		18.50	
		111	6505		15.00		15.00		18.00	
	802.11be-EHT160 MCS0	143	6665		16.00		16.00		19.00	
		207	6985		15.50		15.50		18.50	

<WiFi 6E_Index 4_LPI>										
	Mode	Channel	Frequency (MHz)	Ant 3+4 (3)		Ant 3+4 (4)		Ant 3+4		Duty Cycle %
				Average power (dBm)	Tune-Up Limit	Average power (dBm)	Tune-Up Limit	Average power (dBm)	Tune-Up Limit	
WiFi 6E	802.11a 6Mbps	1	5955	Not Required	14.50	Not Required	14.50	Not Required	17.50	Not Required
		57	6235		14.50		14.50		17.50	
		113	6515		15.00		15.00		18.00	
		173	6815		15.50		15.50		18.50	
	802.11ax-HE20 MCS0	1	5955		15.00		15.00		18.00	
		57	6235		15.00		15.00		18.00	
		113	6515		15.00		15.00		18.00	
		173	6815		16.00		16.00		19.00	
	802.11ax-HE40 MCS0	3	5965		15.50		15.50		18.50	
		59	6245		15.50		15.50		18.50	
		107	6485		15.00		15.00		18.00	
		171	6805		16.00		16.00		19.00	
	802.11ax-HE80 MCS0	7	5985		15.50		15.50		18.50	
		71	6305		15.50		15.50		18.50	
		119	6545		15.00		15.00		18.00	
		167	6785		16.00		16.00		19.00	
	802.11ax-HE160 MCS0	215	7025		15.50		15.50		18.50	
		15	6025	14.95	15.50	14.67	15.50	17.82	18.50	95.24
		47	6185	14.90	15.50	14.42	15.50	17.68	18.50	
		111	6505	14.69	15.00	14.42	15.00	17.57	18.00	
		143	6665	14.84	16.00	14.59	16.00	17.73	19.00	
		207	6985	14.96	15.50	14.26	15.50	17.63	18.50	
	802.11be-EHT20 MCS0	1	5955	Not Required	15.00	Not Required	15.00	Not Required	18.00	Not Required
		57	6235		15.00		15.00		18.00	
		113	6515		15.00		15.00		18.00	
		173	6815		16.00		16.00		19.00	
	802.11be-EHT40 MCS0	3	5965		15.50		15.50		18.50	
		59	6245		15.50		15.50		18.50	
		107	6485		15.00		15.00		18.00	
		171	6805		16.00		16.00		19.00	
	802.11be-EHT80 MCS0	227	7085		15.50		15.50		18.50	
		7	5985		15.50		15.50		18.50	
		71	6305		15.50		15.50		18.50	
		119	6545		15.00		15.00		18.00	
	802.11be-EHT160 MCS0	167	6785		16.00		16.00		19.00	
		215	7025		15.50		15.50		18.50	
		15	6025		15.50		15.50		18.50	
		47	6185		15.50		15.50		18.50	
		111	6505		15.00		15.00		18.00	
		143	6665		16.00		16.00		19.00	
		207	6985		15.50		15.50		18.50	

<WiFi 6E_Index 1_SP>										
	Mode	Channel	Frequency (MHz)	Ant 3+4 (3)		Ant 3+4 (4)		Ant 3+4		
				Average power (dBm)	Tune-Up Limit	Average power (dBm)	Tune-Up Limit	Average power (dBm)	Tune-Up Limit	Duty Cycle %
WiFi 6E	802.11a 6Mbps	1	5955		14.50		14.50		17.50	
		57	6235		14.50		14.50		17.50	
		173	6815		15.50		15.50		18.50	
	802.11ax-HE20 MCS0	1	5955		14.50		14.50		17.50	
		57	6235		14.50		14.50		17.50	
		173	6815		15.50		15.50		18.50	
	802.11ax-HE40 MCS0	3	5965		14.50		14.50		17.50	
		59	6245		14.50		14.50		17.50	
		171	6805		15.50		15.50		18.50	
	802.11ax-HE80 MCS0	7	5985		14.50		14.50		17.50	
		71	6305		14.50		14.50		17.50	
		167	6785		15.50		15.50		18.50	
	802.11ax-HE160 MCS0	15	6025	12.71	14.50	13.51	14.50	16.14	17.50	95.24
		47	6185	13.14	14.50	14.33	14.50	16.79	17.50	
		143	6665	14.60	15.50	13.66	15.50	17.17	18.50	
	802.11be-EHT20 MCS0	1	5955		14.50		14.50		17.50	
		57	6235		14.50		14.50		17.50	
		173	6815		15.50		15.50		18.50	
	802.11be-EHT40 MCS0	3	5965		14.50		14.50		17.50	
		59	6245		14.50		14.50		17.50	
		171	6805		15.50		15.50		18.50	
	802.11be-EHT80 MCS0	7	5985		14.50		14.50		17.50	
		71	6305		14.50		14.50		17.50	
		167	6785		15.50		15.50		18.50	
	802.11be-EHT160 MCS0	15	6025		14.50		14.50		17.50	
		47	6185		14.50		14.50		17.50	
		143	6665		15.50		15.50		18.50	

<WiFi 6E_Index 2_SP>										
	Mode	Channel	Frequency (MHz)	Ant 3+4 (3)		Ant 3+4 (4)		Ant 3+4		
				Average power (dBm)	Tune-Up Limit	Average power (dBm)	Tune-Up Limit	Average power (dBm)	Tune-Up Limit	Duty Cycle %
WiFi 6E	802.11a 6Mbps	1	5955		11.50		11.50		14.50	
		57	6235		11.50		11.50		14.50	
		173	6815		12.00		12.00		15.00	
	802.11ax-HE20 MCS0	1	5955		11.50		11.50		14.50	
		57	6235		11.50		11.50		14.50	
		173	6815		12.00		12.00		15.00	
	802.11ax-HE40 MCS0	3	5965		11.50		11.50		14.50	
		59	6245		11.50		11.50		14.50	
		171	6805		12.00		12.00		15.00	
	802.11ax-HE80 MCS0	7	5985		11.50		11.50		14.50	
		71	6305		11.50		11.50		14.50	
		167	6785		12.00		12.00		15.00	
	802.11ax-HE160 MCS0	15	6025	10.80	11.50	11.16	11.50	13.99	14.50	95.24
		47	6185	11.34	11.50	11.40	11.50	14.38	14.50	
		143	6665	11.74	12.00	11.53	12.00	14.65	15.00	
	802.11be-EHT20 MCS0	1	5955		11.50		11.50		14.50	
		57	6235		11.50		11.50		14.50	
		173	6815		12.00		12.00		15.00	
	802.11be-EHT40 MCS0	3	5965		11.50		11.50		14.50	
		59	6245		11.50		11.50		14.50	
		171	6805		12.00		12.00		15.00	
	802.11be-EHT80 MCS0	7	5985		11.50		11.50		14.50	
		71	6305		11.50		11.50		14.50	
		167	6785		12.00		12.00		15.00	
	802.11be-EHT160 MCS0	15	6025		11.50		11.50		14.50	
		47	6185		11.50		11.50		14.50	
		143	6665		12.00		12.00		15.00	



<WiFi 6E_Index 3_SP>										
	Mode	Channel	Frequency (MHz)	Ant 3+4 (3)		Ant 3+4 (4)		Ant 3+4		
				Average power (dBm)	Tune-Up Limit	Average power (dBm)	Tune-Up Limit	Average power (dBm)	Tune-Up Limit	Duty Cycle %
WiFi 6E	802.11a 6Mbps	1	5955		15.50		15.50		18.50	
		57	6235		15.50		15.50		18.50	
		173	6815		16.00		16.00		19.00	
	802.11ax-HE20 MCS0	1	5955		15.50		15.50		18.50	
		57	6235		15.50		15.50		18.50	
		173	6815		16.00		16.00		19.00	
	802.11ax-HE40 MCS0	3	5965		15.50		15.50		18.50	
		59	6245		15.50		15.50		18.50	
		171	6805		16.00		16.00		19.00	
	802.11ax-HE80 MCS0	7	5985		15.50		15.50		18.50	
		71	6305		15.50		15.50		18.50	
		167	6785		16.00		16.00		19.00	
	802.11ax-HE160 MCS0	15	6025	14.95	15.50	14.67	15.50	17.82	18.50	95.24
		47	6185	14.90	15.50	14.42	15.50	17.68	18.50	
		143	6665	14.84	16.00	14.59	16.00	17.73	19.00	
	802.11be-EHT20 MCS0	1	5955		15.50		15.50		18.50	
		57	6235		15.50		15.50		18.50	
		173	6815		16.00		16.00		19.00	
	802.11be-EHT40 MCS0	3	5965		15.50		15.50		18.50	
		59	6245		15.50		15.50		18.50	
		171	6805		16.00		16.00		19.00	
	802.11be-EHT80 MCS0	7	5985		15.50		15.50		18.50	
		71	6305		15.50		15.50		18.50	
		167	6785		16.00		16.00		19.00	
	802.11be-EHT160 MCS0	15	6025		15.50		15.50		18.50	
		47	6185		15.50		15.50		18.50	
		143	6665		16.00		16.00		19.00	

<WiFi 6E_Index 4_SP>										
	Mode	Channel	Frequency (MHz)	Ant 3+4 (3)		Ant 3+4 (4)		Ant 3+4		
				Average power (dBm)	Tune-Up Limit	Average power (dBm)	Tune-Up Limit	Average power (dBm)	Tune-Up Limit	Duty Cycle %
WiFi 6E	802.11a 6Mbps	1	5955		15.50		15.50		18.50	
		57	6235		15.50		15.50		18.50	
		173	6815		16.00		16.00		19.00	
	802.11ax-HE20 MCS0	1	5955		15.50		15.50		18.50	
		57	6235		15.50		15.50		18.50	
		173	6815		16.00		16.00		19.00	
	802.11ax-HE40 MCS0	3	5965		15.50		15.50		18.50	
		59	6245		15.50		15.50		18.50	
		171	6805		16.00		16.00		19.00	
	802.11ax-HE80 MCS0	7	5985		15.50		15.50		18.50	
		71	6305		15.50		15.50		18.50	
		167	6785		16.00		16.00		19.00	
	802.11ax-HE160 MCS0	15	6025	14.95	15.50	14.67	15.50	17.82	18.50	95.24
		47	6185	14.90	15.50	14.42	15.50	17.68	18.50	
		143	6665	14.84	16.00	14.59	16.00	17.73	19.00	
	802.11be-EHT20 MCS0	1	5955		15.50		15.50		18.50	
		57	6235		15.50		15.50		18.50	
		173	6815		16.00		16.00		19.00	
	802.11be-EHT40 MCS0	3	5965		15.50		15.50		18.50	
		59	6245		15.50		15.50		18.50	
		171	6805		16.00		16.00		19.00	
	802.11be-EHT80 MCS0	7	5985		15.50		15.50		18.50	
		71	6305		15.50		15.50		18.50	
		167	6785		16.00		16.00		19.00	
	802.11be-EHT160 MCS0	15	6025		15.50		15.50		18.50	
		47	6185		15.50		15.50		18.50	
		143	6665		16.00		16.00		19.00	

<WiFi 6E_Index 4_VLP>										
	Mode	Channel	Frequency (MHz)	Ant 3+4 (3)		Ant 3+4 (4)		Ant 3+4		
				Average power (dBm)	Tune-Up Limit	Average power (dBm)	Tune-Up Limit	Average power (dBm)	Tune-Up Limit	Duty Cycle %
WiFi 6E	802.11a 6Mbps	1	5955	Not Required	11.00	Not Required	11.00	Not Required	14.00	Not Required
		57	6235		11.00		11.00		14.00	
		113	6515		11.00		11.00		14.00	
		173	6815		12.00		12.00		15.00	
	802.11ax-HE20 MCS0	1	5955		11.50		11.50		14.50	
		57	6235		11.50		11.50		14.50	
		113	6515		11.50		11.50		14.50	
		173	6815		12.50		12.50		15.50	
	802.11ax-HE40 MCS0	3	5965		14.50		14.50		17.50	
		59	6245		14.50		14.50		17.50	
		107	6485		14.50		14.50		17.50	
		171	6805		15.00		15.00		18.00	
		227	7085		13.00		13.00		16.00	
	802.11ax-HE80 MCS0	7	5985		15.50		15.50		18.50	
		71	6305		15.50		15.50		18.50	
		119	6545		15.00		15.00		18.00	
		167	6785		16.00		16.00		19.00	
		215	7025		15.50		15.50		18.50	
	802.11ax-HE160 MCS0	15	6025	14.95	15.50	14.67	15.50	17.82	18.50	95.24
		47	6185	14.90	15.50	14.42	15.50	17.68	18.50	
		111	6505	14.69	15.00	14.42	15.00	17.57	18.00	
		143	6665	14.84	16.00	14.59	16.00	17.73	19.00	
		207	6985	14.96	15.50	14.26	15.50	17.63	18.50	
	802.11be-EHT20 MCS0	1	5955	Not Required	11.50	Not Required	11.50	Not Required	14.50	Not Required
		57	6235		11.50		11.50		14.50	
		113	6515		11.50		11.50		14.50	
		173	6815		12.50		12.50		15.50	
	802.11be-EHT40 MCS0	3	5965		14.50		14.50		17.50	
		59	6245		14.50		14.50		17.50	
		107	6485		14.50		14.50		17.50	
		171	6805		15.00		15.00		18.00	
		227	7085		13.00		13.00		16.00	
	802.11be-EHT80 MCS0	7	5985		15.50		15.50		18.50	
		71	6305		15.50		15.50		18.50	
		119	6545		15.00		15.00		18.00	
		167	6785		16.00		16.00		19.00	
		215	7025		15.50		15.50		18.50	
	802.11be-EHT160 MCS0	15	6025		15.50		15.50		18.50	
		47	6185		15.50		15.50		18.50	
		111	6505		15.00		15.00		18.00	
		143	6665		16.00		16.00		19.00	
		207	6985		15.50		15.50		18.50	


<Bluetooth_Index 0>																
	Mode	Channel	Frequency (MHz)	Ant 3			Ant 4			Ant 3+4 (3)		Ant 3+4 (4)		Ant 3+4		
				Average power (dBm)	Tune-Up Limit	Duty Cycle %	Average power (dBm)	Tune-Up Limit	Duty Cycle %	Average power (dBm)	Tune-Up Limit	Average power (dBm)	Tune-Up Limit	Average power (dBm)	Tune-Up Limit	Duty Cycle %
Bluetooth	BR / EDR 1Mbps	0	2402	19.77	21.00	77.07	19.16	21.00	76.93	20.09	21.00	19.53	21.00	22.83	24.00	76.96
		39	2441	19.78	21.00		19.48	21.00		20.21	21.00	20.13	21.00	23.18	24.00	
		78	2480	19.90	21.00		19.67	21.00		19.91	21.00	19.82	21.00	22.88	24.00	
	BR / EDR 2Mbps	0	2402	17.98	18.50	76.99	17.66	18.50	77.12	17.50	18.50	17.18	18.50	20.35	21.50	77.07
		39	2441	17.99	18.50		17.58	18.50		17.98	18.50	17.40	18.50	20.71	21.50	
		78	2480	17.97	18.50		17.70	18.50		18.31	18.50	17.29	18.50	20.84	21.50	
	BR / EDR 3Mbps	0	2402	17.82	18.50	77.05	17.67	18.50	77.10	17.56	18.50	17.19	18.50	20.39	21.50	77.07
		39	2441	17.97	18.50		17.60	18.50		18.02	18.50	17.47	18.50	20.76	21.50	
		78	2480	17.99	18.50		17.71	18.50		18.14	18.50	17.34	18.50	20.77	21.50	
	LE 1Mbps	0	2402	19.67	20.00	60.55	19.55	20.00	60.49	19.69	20.00	18.82	20.00	22.29	23.00	60.48
		19	2440	19.60	20.00		19.52	20.00		19.50	20.00	19.17	20.00	22.35	23.00	
		39	2480	19.59	20.00		19.50	20.00		19.45	20.00	19.27	20.00	22.37	23.00	
	LE 2Mbps	1	2404	19.93	20.00	56.94	19.74	20.00	56.86	19.79	20.00	18.85	20.00	22.36	23.00	57.04
		19	2440	19.87	20.00		19.70	20.00		19.48	20.00	19.16	20.00	22.33	23.00	
		38	2478	19.76	20.00		19.69	20.00		19.57	20.00	19.39	20.00	22.49	23.00	
	BLE CS GFSK 1Mbps	2	2404	18.94	19.00	15.97	18.97	19.00	15.97							
		38	2440	18.97	19.00		18.63	19.00								
		76	2478	18.91	19.00		18.81	19.00								
	BLE CS GFSK 2Mbps	2	2404	18.79	19.00	11.51	18.70	19.00	11.51							
		38	2440	18.96	19.00		18.99	19.00								
		76	2478	18.75	19.00		18.85	19.00								
	BLE CS ASK 1Mbps	2	2404	18.99	19.00	15.81	18.79	19.00	15.71							
		38	2440	18.94	19.00		18.92	19.00								
		76	2478	18.69	19.00		18.97	19.00								
	BLE CS ASK 2Mbps	2	2404	18.55	19.00	15.95	18.56	19.00	16.17							
		38	2440	18.66	19.00		18.84	19.00								
		76	2478	18.91	19.00		18.86	19.00								




<Bluetooth_Index 1>																
	Mode	Channel	Frequency (MHz)	Ant 3			Ant 4			Ant 3+4 (3)		Ant 3+4 (4)		Ant 3+4		
				Average power (dBm)	Tune-Up Limit	Duty Cycle %	Average power (dBm)	Tune-Up Limit	Duty Cycle %	Average power (dBm)	Tune-Up Limit	Average power (dBm)	Tune-Up Limit	Average power (dBm)	Tune-Up Limit	Duty Cycle %
Bluetooth	BR / EDR 1Mbps	0	2402	13.46	13.50	77.07	13.40	13.50	76.93	12.24	12.50	12.38	12.50	15.32	15.50	76.96
		39	2441	13.38	13.50		13.49	13.50		12.20	12.50	12.49	12.50	15.36	15.50	
		78	2480	13.29	13.50		13.48	13.50		12.45	12.50	12.50	12.50	15.49	15.50	
	BR / EDR 2Mbps	0	2402	Not Required	13.50	Not Required	Not Required	13.50	Not Required	Not Required	12.50	Not Required	12.50	Not Required	15.50	Not Required
		39	2441		13.50			13.50			12.50		12.50		15.50	
		78	2480		13.50			13.50			12.50		12.50		15.50	
	BR / EDR 3Mbps	0	2402		13.50			13.50			12.50		12.50		15.50	
		39	2441		13.50			13.50			12.50		12.50		15.50	
		78	2480		13.50			13.50			12.50		12.50		15.50	
	LE 1Mbps	0	2402		13.50			13.50			12.50		12.50		15.50	
		19	2440		13.50			13.50			12.50		12.50		15.50	
		39	2480		13.50			13.50			12.50		12.50		15.50	
	LE 2Mbps	1	2404		13.50			13.50			12.50		12.50		15.50	
		19	2440		13.50			13.50			12.50		12.50		15.50	
		38	2478		13.50			13.50			12.50		12.50		15.50	
	BLE CS GFSK 1Mbps	2	2404		13.50			13.50								
		38	2440		13.50			13.50								
		76	2478		13.50			13.50								
	BLE CS GFSK 2Mbps	2	2404		13.50			13.50								
		38	2440		13.50			13.50								
		76	2478		13.50			13.50								
	BLE CS ASK 1Mbps	2	2404		13.50			13.50								
		38	2440		13.50			13.50								
		76	2478		13.50			13.50								
	BLE CS ASK 2Mbps	2	2404		13.50			13.50								
		38	2440		13.50			13.50								
		76	2478		13.50			13.50								




<Bluetooth_Index 2>																
				Ant 3			Ant 4			Ant 3+4 (3)		Ant 3+4 (4)		Ant 3+4		
Bluetooth	Mode	Channel	Frequency (MHz)	Average power (dBm)	Tune-Up Limit	Duty Cycle %	Average power (dBm)	Tune-Up Limit	Duty Cycle %	Average power (dBm)	Tune-Up Limit	Average power (dBm)	Tune-Up Limit	Average power (dBm)	Tune-Up Limit	Duty Cycle %
	BR / EDR 1Mbps	0	2402	16.84	17.00	77.07	19.16	20.00	76.93	16.98	17.00	16.41	17.00	19.71	20.00	76.96
		39	2441	16.93	17.00		19.48	20.00		16.90	17.00	16.38	17.00	19.66	20.00	
		78	2480	16.78	17.00		19.67	20.00		17.00	17.00	16.33	17.00	19.69	20.00	
	BR / EDR 2Mbps	0	2402	Not Required	17.00	Not Required	Not Required	18.50	Not Required	Not Required	Not Required	Not Required	17.00	Not Required	17.00	Not Required
		39	2441		17.00			18.50					17.00		17.00	
		78	2480		17.00			18.50					17.00		17.00	
	BR / EDR 3Mbps	0	2402		17.00			18.50					17.00		17.00	
		39	2441		17.00			18.50					17.00		17.00	
		78	2480		17.00			18.50					17.00		17.00	
	LE 1Mbps	0	2402		17.00			20.00					17.00		17.00	
		19	2440		17.00			20.00					17.00		17.00	
		39	2480		17.00			20.00					17.00		17.00	
	LE 2Mbps	1	2404		17.00			20.00					17.00		17.00	
		19	2440		17.00			20.00					17.00		17.00	
		38	2478		17.00			20.00					17.00		17.00	
	BLE CS GFSK 1Mbps	2	2404		17.00			19.00								
		38	2440		17.00			19.00								
		76	2478		17.00			19.00								
	BLE CS GFSK 2Mbps	2	2404		17.00			19.00								
		38	2440		17.00			19.00								
		76	2478		17.00			19.00								
	BLE CS ASK 1Mbps	2	2404		17.00			19.00								
		38	2440		17.00			19.00								
		76	2478		17.00			19.00								
	BLE CS ASK 2Mbps	2	2404		17.00			19.00								
		38	2440		17.00			19.00								
		76	2478		17.00			19.00								



Note:For 2.4GHz Bluetooth SAR testing was selected 1Mbps due to its highest average power and duty cycle is 77.07% considered in SAR testing, and the duty cycle would be scaled to theoretical 83.3% in reported SAR calculation.



Note:For 2.4GHz Bluetooth SAR testing was selected 1Mbps due to its highest average power and duty cycle is 76.93% considered in SAR testing, and the duty cycle would be scaled to theoretical 83.3% in reported SAR calculation.



Note:For 2.4GHz Bluetooth SAR testing was selected 1Mbps due to its highest average power and duty cycle is 76.96% considered in SAR testing, and the duty cycle would be scaled to theoretical 83.3% in reported SAR calculation.

<Thread_Index 0>						
				Ant 3		
Thread	Data Rate	Channel	Frequency (MHz)	Average power (dBm)	Tune-Up Limit	Duty Cycle %
	250K	11	2405	20.35	22.00	89.87
		18	2440	20.65	22.00	
		25	2475	20.62	22.00	
		26	2480	20.18	20.50	

<Thread_Index 1>						
				Ant 3		
Thread	Data Rate	Channel	Frequency (MHz)	Average power (dBm)	Tune-Up Limit	Duty Cycle %
	250K	11	2405	10.40	11.00	89.87
		18	2440	10.70	11.00	
		25	2475	10.60	11.00	
		26	2480	10.70	11.00	

<Thread_Index 2>						
				Ant 3		
Thread	Data Rate	Channel	Frequency (MHz)	Average power (dBm)	Tune-Up Limit	Duty Cycle %
	250K	11	2405	14.86	16.00	89.95
		18	2440	14.66	16.00	
		25	2475	14.88	16.00	
		26	2480	14.80	16.00	

