





FR1 n26 / 15MHz / DFT-S OFDM / Middle Channel / Full RB


PI/2 BPSK

FR1 n26 / 15MHz / CP OFDM / Middle Channel / Full RB


QPSK




16QAM








64QAM



256QAM



FR1 n26 / 20MHz / DFT-S OFDM / Middle Channel / Full RB
PI/2 BPSK

FR1 n26 / 20MHz / CP OFDM / Middle Channel / Full RB
QPSK

16QAM

64QAM

256QAM


**Occupied Bandwidth**


Mode	FR1 n26 : 99%OBW(MHz) / DFT-S OFDM							
BW	5MHz		10MHz		15MHz		20MHz	
Mod.	PI/2 BPSK		PI/2 BPSK		PI/2 BPSK		PI/2 BPSK	
Middle CH	4.53		9.02		13.46		18.01	

Mode	FR1 n26 : 99%OBW (MHz) / CP OFDM							
BW	5MHz		10MHz		15MHz		20MHz	
Mod.	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM
Middle CH	4.53	4.52	9.35	9.32	14.12	14.15	19.10	19.05
Mod.	64QAM	256QAM	64QAM	256QAM	64QAM	256QAM	64QAM	256QAM
Middle CH	4.53	4.52	9.35	9.37	14.16	14.15	19.07	19.09




FR1 n26 / 5MHz / DFT-S OFDM / Middle Channel / Full RB

PI/2 BPSK




FR1 n26 / 5MHz / CP OFDM / Middle Channel / Full RB


QPSK




16QAM



64QAM




256QAM






FR1 n26 / 10MHz / DFT-S OFDM / Middle Channel / Full RB

PI/2 BPSK




FR1 n26 / 10MHz / CP OFDM / Middle Channel / Full RB


QPSK




16QAM



64QAM




256QAM






FR1 n26 / 15MHz / DFT-S OFDM / Middle Channel / Full RB

PI/2 BPSK




FR1 n26 / 15MHz / CP OFDM / Middle Channel / Full RB


QPSK




16QAM



64QAM




256QAM






FR1 n26 / 20MHz / DFT-S OFDM / Middle Channel / Full RB

PI/2 BPSK




FR1 n26 / 20MHz / CP OFDM / Middle Channel / Full RB


QPSK




16QAM



64QAM



256QAM







Conducted Band Edge

FR1 n26 / 5MHz / DFT-S OFDM / PI/2 BPSK


Lowest Band Edge / 1RB0

Highest Band Edge / 1RBmax



Lowest Band Edge / Full RB

Highest Band Edge / Full RB







FR1 n26 / 5MHz / DFT-S OFDM / QPSK


Lowest Band Edge / 1RB0

Highest Band Edge / 1RBmax



Lowest Band Edge / Full RB

Highest Band Edge / Full RB







FR1 n26 / 5MHz / DFT-S OFDM / 16QAM


Lowest Band Edge / 1RB0

Highest Band Edge / 1RBmax



Lowest Band Edge / Full RB

Highest Band Edge / Full RB







FR1 n26 / 5MHz / DFT-S OFDM / 64QAM


Lowest Band Edge / 1RB0

Highest Band Edge / 1RBmax



Lowest Band Edge / Full RB

Highest Band Edge / Full RB







FR1 n26 / 5MHz / DFT-S OFDM / 256QAM


Lowest Band Edge / 1RB0

Highest Band Edge / 1RBmax



Lowest Band Edge / Full RB

Highest Band Edge / Full RB





FR1 n26 / 5MHz / CP OFDM / QPSK / Full RB

Lowest Band Edge




Highest Band Edge





FR1 n26 / 10MHz / DFT-s-OFDM / PI/2 BPSK / Full RB

Lowest Band Edge




Highest Band Edge



FR1 n26 / 10MHz / DFT-s-OFDM / QPSK / Full RB

Lowest Band Edge




Highest Band Edge





FR1 n26 / 10MHz / DFT-s-OFDM / 16QAM / Full RB

Lowest Band Edge




Highest Band Edge



FR1 n26 / 10MHz / DFT-s-OFDM / 64QAM / Full RB

Lowest Band Edge




Highest Band Edge





FR1 n26 / 10MHz / DFT-s-OFDM / 256QAM / Full RB

Lowest Band Edge




Highest Band Edge



FR1 n26 / 10MHz / CP OFDM / QPSK / Full RB

Lowest Band Edge



Highest Band Edge






FR1 n26 / 15MHz / DFT-s-OFDM / PI/2 BPSK / Full RB

Lowest Band Edge


Highest Band Edge



FR1 n26 / 15MHz / DFT-s-OFDM / QPSK / Full RB

Lowest Band Edge


Highest Band Edge





FR1 n26 / 15MHz / DFT-s-OFDM / 16QAM / Full RB

Lowest Band Edge




Highest Band Edge



FR1 n26 / 15MHz / DFT-s-OFDM / 64QAM / Full RB

Lowest Band Edge




Highest Band Edge






FR1 n26 / 15MHz / DFT-s-OFDM / 256QAM / Full RB

Lowest Band Edge




Highest Band Edge



FR1 n26 / 15MHz / CP OFDM / QPSK / Full RB

Lowest Band Edge




Highest Band Edge





FR1 n26 / 20MHz / DFT-s-OFDM / PI/2 BPSK / Full RB

Lowest Band Edge




Highest Band Edge



FR1 n26 / 20MHz / DFT-s-OFDM / QPSK / Full RB

Lowest Band Edge




Highest Band Edge





FR1 n26 / 20MHz / DFT-s-OFDM / 16QAM / Full RB

Lowest Band Edge



08:05:30 PM 12/19/2024


Highest Band Edge



08:13:41 PM 12/19/2024

FR1 n26 / 20MHz / DFT-s-OFDM / 64QAM / Full RB

Lowest Band Edge



08:04:21 PM 12/19/2024

Highest Band Edge




08:14:51 PM 12/19/2024



FR1 n26 / 20MHz / DFT-s-OFDM / 256QAM / Full RB

Lowest Band Edge




Highest Band Edge



FR1 n26 / 20MHz / CP OFDM / QPSK / Full RB

Lowest Band Edge



Highest Band Edge





Conducted Spurious Emission

FR1 n26 / 5MHz / DFT-S OFDM / QPSK / 1RB1

Lowest Channel



Middle Channel



Highest Channel



Frequency Stability

Test Conditions		FR1 n26 (BPSK) / Middle Channel	Limit
Temperature (°C)	Voltage (Volt)	BW 20MHz	2.5 ppm
		Deviation (ppm)	Result
50	Normal Voltage	0.0024	PASS
40	Normal Voltage	0.0132	
30	Normal Voltage	0.0072	
20(Ref.)	Normal Voltage	0.0000	
10	Normal Voltage	0.0026	
0	Normal Voltage	0.0003	
-10	Normal Voltage	0.0057	
-20	Normal Voltage	0.0024	
-30	Normal Voltage	0.0120	
20	Maximum Voltage	0.0166	
20	Normal Voltage	0.0000	
20	Minimum Voltage	0.0006	

Note: Normal Voltage = 3.9 V. ; Minimum Voltage = 3.6 V. ; Maximum Voltage = 4.5 V.

**FR1 n26_Part90S****Peak-to-Average Ratio**

Mode	FR1 n26 / 10MHz / DFT-S OFDM				
Mod.	PI/2 BPSK	QPSK	16QAM	64QAM	Limit: 13dB
RB Size	Full RB	Full RB	Full RB	Full RB	Result
Middle CH	4.58	5.64	6.52	6.82	PASS
Mode	FR1 n26 / 10MHz / DFT-S OFDM				
Mod.	256QAM				Limit: 13dB
RB Size	Full RB				Result
Middle CH	6.40				PASS




FR1 n26 / 10MHz / DFT-S OFDM / Middle Channel / Full RB


PI/2 BPSK




QPSK




16QAM



64QAM








256QAM








**26dB Bandwidth**

Mode	FR1 n26 : 26dB BW(MHz) / DFT-S OFDM							
BW	5MHz		10MHz					
Mod.	PI/2 BPSK		PI/2 BPSK					
Middle CH	5.41		9.95					

Mode	FR1 n26 : 26dB BW(MHz) / CP OFDM							
BW	5MHz		10MHz					
Mod.	QPSK	16QAM	QPSK	16QAM				
Middle CH	5.44	5.34	10.36	10.41				
Mod.	64QAM	256QAM	64QAM	256QAM				
Middle CH	5.70	5.41	10.48	10.36				

FR1 n26 / 5MHz / DFT-S OFDM / Middle Channel / Full RB
PI/2 BPSK

FR1 n26 / 5MHz / CP OFDM / Middle Channel / Full RB
QPSK

16QAM

64QAM

256QAM


FR1 n26 / 10MHz / DFT-S OFDM / Middle Channel / Full RB
PI/2 BPSK

FR1 n26 / 10MHz / CP OFDM / Middle Channel / Full RB
QPSK

16QAM

64QAM

256QAM


**Occupied Bandwidth**


Mode	FR1 n26 : 99%OBW(MHz) / DFT-S OFDM							
BW	5MHz		10MHz					
Mod.	PI/2 BPSK		PI/2 BPSK					
Middle CH	4.53		9.01					

Mode	FR1 n26 : 99%OBW (MHz) / CP OFDM							
BW	5MHz		10MHz					
Mod.	QPSK	16QAM	QPSK	16QAM				
Middle CH	4.54	4.51	9.35	9.36				
Mod.	64QAM	256QAM	64QAM	256QAM				
Middle CH	4.52	4.56	9.35	9.36				




FR1 n26 / 5MHz / DFT-S OFDM / Middle Channel / Full RB

PI/2 BPSK




FR1 n26 / 5MHz / CP OFDM / Middle Channel / Full RB


QPSK




16QAM








64QAM



256QAM




FR1 n26 / 10MHz / DFT-S OFDM / Middle Channel / Full RB
PI/2 BPSK

FR1 n26 / 10MHz / CP OFDM / Middle Channel / Full RB
QPSK

16QAM

64QAM

256QAM


**Emission masks – In-band emissions**


FR1 n26 / 5MHz / DFT-S OFDM / PI/2 BPSK

Lowest MASK / 1RB0



08:37:22 PM 12/19/2024

Highest MASK / 1RBmax



08:45:49 PM 12/19/2024

Lowest MASK / Full RB



08:59:05 PM 12/19/2024

Highest MASK / Full RB




08:45:07 PM 12/19/2024




FR1 n26 / 5MHz / DFT-S OFDM / QPSK

Lowest MASK / 1RB0




Highest MASK / 1RBmax



Lowest MASK / Full RB




Highest MASK / Full RB






FR1 n26 / 5MHz / DFT-S OFDM / 16QAM


Lowest MASK / 1RB0




Highest MASK / 1RBmax



Lowest MASK / Full RB




Highest MASK / Full RB






FR1 n26 / 5MHz / DFT-S OFDM / 64QAM

Lowest MASK / 1RB0



Highest MASK / 1RBmax



Lowest MASK / Full RB




Highest MASK / Full RB






FR1 n26 / 5MHz / DFT-S OFDM / 256QAM


Lowest MASK / 1RB0




Highest MASK / 1RBmax



Lowest MASK / Full RB



Highest MASK / Full RB







FR1 n26 / 5MHz / CP OFDM / QPSK / Full RB

Lowest MASK



Highest MASK



**FR1 n26 / 10MHz / DFT-s-OFDM / PI/2 BPSK****Middle MASK / Full RB****FR1 n26 / 10MHz / DFT-s-OFDM / QPSK****Lowest MASK / Full RB**



FR1 n26 / 10MHz / DFT-s-OFDM / 16QAM

Middle MASK / Full RB



FR1 n26 / 10MHz / DFT-s-OFDM / 64QAM




Middle MASK / Full RB



**FR1 n26 / 10MHz / DFT-s-OFDM / 256QAM****Middle MASK / Full RB****FR1 n26 / 10MHz / CP OFDM / QPSK / Full RB****Middle MASK**

**Emission masks – Out of band emissions**

FR1 n26 / 5MHz / DFT-S OFDM / QPSK / 1RB1

Lowest Channel**Middle Channel****Highest Channel**

Frequency Stability

Test Conditions		FR1 n26 (BPSK) / Middle Channel	Limit
Temperature (°C)	Voltage (Volt)	BW 10MHz	2.5 ppm
		Deviation (ppm)	Result
50	Normal Voltage	0.0134	PASS
40	Normal Voltage	0.0013	
30	Normal Voltage	0.0175	
20(Ref.)	Normal Voltage	0.0000	
10	Normal Voltage	0.0192	
0	Normal Voltage	0.0097	
-10	Normal Voltage	0.0013	
-20	Normal Voltage	0.0006	
-30	Normal Voltage	0.0193	
20	Maximum Voltage	0.0136	
20	Normal Voltage	0.0000	
20	Minimum Voltage	0.0025	

Note: Normal Voltage = 3.9 V. ; Minimum Voltage = 3.6 V. ; Maximum Voltage = 4.5 V.



Test Conditions		FR1 n26 (BPSK) / Middle Channel	Limit
Temperature (°C)	Voltage (Volt)	BW 5MHz	2.5 ppm
		Deviation (ppm)	Result
50	Normal Voltage	0.0006	PASS
40	Normal Voltage	0.0000	
30	Normal Voltage	0.0009	
20(Ref.)	Normal Voltage	0.0000	
10	Normal Voltage	0.0106	
0	Normal Voltage	0.0127	
-10	Normal Voltage	0.0045	
-20	Normal Voltage	0.0052	
-30	Normal Voltage	0.0006	
20	Maximum Voltage	0.0042	
20	Normal Voltage	0.0000	
20	Minimum Voltage	0.0095	

Note: Normal Voltage = 3.9 V. ; Minimum Voltage = 3.6 V. ; Maximum Voltage = 4.5 V.


**FR1 n26 Part90s Straddle Channel****Peak-to-Average Ratio**

Mode	FR1 n26 / 20MHz / DFT-S OFDM				
Mod.	PI/2 BPSK	QPSK	16QAM	64QAM	Limit: 13dB
RB Size	Full RB	Full RB	Full RB	Full RB	Result
Middle CH	4.50	5.52	6.46	6.58	PASS
Mode	FR1 n26 / 20MHz / DFT-S OFDM				
Mod.	256QAM				Limit: 13dB
RB Size	Full RB				Result
Middle CH	6.44				PASS




FR1 n26 / 20MHz / DFT-S OFDM / Middle Channel / Full RB


PI/2 BPSK




QPSK




16QAM



64QAM








256QAM



**26dB Bandwidth**

Mode	FR1 n26 : 26dB BW(MHz) / DFT-S OFDM							
BW	5MHz		10MHz		15MHz		20MHz	
Mod.	PI/2 BPSK		PI/2 BPSK		PI/2 BPSK		PI/2 BPSK	
Middle CH	5.31		9.97		14.70		19.55	


Mode	FR1 n26 : 26dB BW(MHz) / CP OFDM							
BW	5MHz		10MHz		15MHz		20MHz	
Mod.	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM
Middle CH	5.40	5.41	10.43	10.44	15.52	15.94	21.07	21.25
Mod.	64QAM	256QAM	64QAM	256QAM	64QAM	256QAM	64QAM	256QAM
Middle CH	5.37	5.38	10.37	10.35	15.41	15.33	21.21	21.57

FR1 n26 / 5MHz / DFT-S OFDM / Middle Channel / Full RB
PI/2 BPSK

FR1 n26 / 5MHz / CP OFDM / Middle Channel / Full RB
QPSK

16QAM

64QAM

256QAM





FR1 n26 / 10MHz / DFT-S OFDM / Middle Channel / Full RB

PI/2 BPSK




FR1 n26 / 10MHz / CP OFDM / Middle Channel / Full RB


QPSK




16QAM













64QAM



256QAM



FR1 n26 / 15MHz / DFT-S OFDM / Middle Channel / Full RB
PI/2 BPSK

FR1 n26 / 15MHz / CP OFDM / Middle Channel / Full RB
QPSK

16QAM

64QAM

256QAM


FR1 n26 / 20MHz / DFT-S OFDM / Middle Channel / Full RB
PI/2 BPSK

FR1 n26 / 20MHz / CP OFDM / Middle Channel / Full RB
QPSK

16QAM

64QAM

256QAM


**Occupied Bandwidth**


Mode	FR1 n26 : 99%OBW(MHz) / DFT-S OFDM							
BW	5MHz		10MHz		15MHz		20MHz	
Mod.	PI/2 BPSK		PI/2 BPSK		PI/2 BPSK		PI/2 BPSK	
Middle CH	4.53		9.01		13.49		18.02	

Mode	FR1 n26 : 99%OBW (MHz) / CP OFDM							
BW	5MHz		10MHz		15MHz		20MHz	
Mod.	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM
Middle CH	4.53	4.52	9.35	9.34	14.16	14.17	19.03	19.07
Mod.	64QAM	256QAM	64QAM	256QAM	64QAM	256QAM	64QAM	256QAM
Middle CH	4.53	4.52	9.35	9.38	14.18	14.15	19.09	19.11




FR1 n26 / 5MHz / DFT-S OFDM / Middle Channel / Full RB

PI/2 BPSK




FR1 n26 / 5MHz / CP OFDM / Middle Channel / Full RB


QPSK




16QAM








64QAM




256QAM



FR1 n26 / 10MHz / DFT-S OFDM / Middle Channel / Full RB
PI/2 BPSK

FR1 n26 / 10MHz / CP OFDM / Middle Channel / Full RB
QPSK

16QAM

64QAM

256QAM



FR1 n26 / 15MHz / DFT-S OFDM / Middle Channel / Full RB

PI/2 BPSK




FR1 n26 / 15MHz / CP OFDM / Middle Channel / Full RB


QPSK




16QAM



64QAM




256QAM




FR1 n26 / 20MHz / DFT-S OFDM / Middle Channel / Full RB

PI/2 BPSK




FR1 n26 / 20MHz / CP OFDM / Middle Channel / Full RB

QPSK




16QAM



64QAM



256QAM



Frequency Stability

Test Conditions		FR1 n26 (BPSK) / Middle Channel	Limit
Temperature (°C)	Voltage (Volt)	BW 20MHz	2.5 ppm
		Deviation (ppm)	Result
50	Normal Voltage	0.0113	PASS
40	Normal Voltage	0.0039	
30	Normal Voltage	0.0172	
20(Ref.)	Normal Voltage	0.0000	
10	Normal Voltage	0.0119	
0	Normal Voltage	0.0000	
-10	Normal Voltage	0.0192	
-20	Normal Voltage	0.0001	
-30	Normal Voltage	0.0004	
20	Maximum Voltage	0.0005	
20	Normal Voltage	0.0000	
20	Minimum Voltage	0.0137	

Note: Normal Voltage = 3.9 V. ; Minimum Voltage = 3.6 V. ; Maximum Voltage = 4.5 V.


**FR1 n30****Peak-to-Average Ratio**

Mode	FR1 n30 / 10MHz / DFT-S OFDM				
Mod.	PI/2 BPSK	QPSK	16QAM	64QAM	Limit: 13dB
RB Size	Full RB	Full RB	Full RB	Full RB	Result
Middle CH	4.58	5.82	6.58	6.82	PASS
Mode	FR1 n30 / 10MHz / DFT-S OFDM				
Mod.	256QAM				Limit: 13dB
RB Size	Full RB				Result
Middle CH	6.68				PASS




FR1 n30 / 10MHz / DFT-S OFDM / Middle Channel / Full RB


PI/2 BPSK




QPSK




16QAM



64QAM



256QAM



**26dB Bandwidth**


Mode	FR1 n30 : 26dB BW(MHz) / DFT-S OFDM							
BW	5MHz		10MHz					
Mod.	PI/2 BPSK		PI/2 BPSK					
Middle CH	5.18		10.00					

Mode	FR1 n30 : 26dB BW(MHz) / CP OFDM							
BW	5MHz		10MHz					
Mod.	QPSK	16QAM	QPSK	16QAM				
Middle CH	5.44	5.26	10.57	10.49				
Mod.	64QAM	256QAM	64QAM	256QAM				
Middle CH	5.23	5.37	10.41	10.48				




FR1 n30 / 5MHz / DFT-S OFDM / Middle Channel / Full RB

PI/2 BPSK




FR1 n30 / 5MHz / CP OFDM / Middle Channel / Full RB


QPSK




16QAM



64QAM




256QAM






FR1 n30 / 10MHz / DFT-S OFDM / Middle Channel / Full RB

PI/2 BPSK




FR1 n30 / 10MHz / CP OFDM / Middle Channel / Full RB


QPSK




16QAM



64QAM



256QAM




**Occupied Bandwidth**

Mode	FR1 n30 : 99%OBW(MHz) / DFT-S OFDM							
BW	5MHz		10MHz					
Mod.	PI/2 BPSK		PI/2 BPSK					
Middle CH	4.52		9.03					

Mode	FR1 n30 : 99%OBW (MHz) / CP OFDM							
BW	5MHz		10MHz					
Mod.	QPSK	16QAM	QPSK	16QAM				
Middle CH	4.51	4.51	9.34	9.38				
Mod.	64QAM	256QAM	64QAM	256QAM				
Middle CH	4.52	4.52	9.37	9.37				


FR1 n30 / 5MHz / DFT-S OFDM / Middle Channel / Full RB

PI/2 BPSK




FR1 n30 / 5MHz / CP OFDM / Middle Channel / Full RB


QPSK




16QAM



64QAM




256QAM






FR1 n30 / 10MHz / DFT-S OFDM / Middle Channel / Full RB

PI/2 BPSK




FR1 n30 / 10MHz / CP OFDM / Middle Channel / Full RB


QPSK



16QAM



64QAM



256QAM







Conducted Band Edge

FR1 n30 / 5MHz / DFT-S OFDM / PI/2 BPSK

Lowest Band Edge / 1RB0

Highest Band Edge / 1RBmax



Lowest Band Edge / Full RB

Highest Band Edge / Full RB

