





FR1 n77 / 70MHz / DFT-S OFDM / QPSK



Lowest Band Edge / Inner Full RB

Highest Band Edge / Inner Full RB



Lowest Band Edge / Outer Full RB

Highest Band Edge / Outer Full RB






FR1 n77 / 70MHz / DFT-S OFDM / 16QAM

Lowest Band Edge / Inner Full RB

Highest Band Edge / Inner Full RB







FR1 n77 / 80MHz / DFT-S OFDM / PI/2 BPSK



Lowest Band Edge / Inner Full RB

Highest Band Edge / Inner Full RB



Lowest Band Edge / Outer Full RB

Highest Band Edge / Outer Full RB







FR1 n77 / 80MHz / DFT-S OFDM / QPSK



Lowest Band Edge / Inner Full RB

Highest Band Edge / Inner Full RB



Lowest Band Edge / Outer Full RB

Highest Band Edge / Outer Full RB







FR1 n77 / 80MHz / DFT-S OFDM / 16QAM

Lowest Band Edge / Inner Full RB

Highest Band Edge / Inner Full RB







FR1 n77 / 90MHz / DFT-S OFDM / PI/2 BPSK



Lowest Band Edge / Inner Full RB

Highest Band Edge / Inner Full RB



Lowest Band Edge / Outer Full RB

Highest Band Edge / Outer Full RB







FR1 n77 / 90MHz / DFT-S OFDM / QPSK



Lowest Band Edge / Inner Full RB

Highest Band Edge / Inner Full RB



Lowest Band Edge / Outer Full RB

Highest Band Edge / Outer Full RB







FR1 n77 / 90MHz / DFT-S OFDM / 16QAM

Lowest Band Edge / Inner Full RB

Highest Band Edge / Inner Full RB







FR1 n77 / 100MHz / DFT-S OFDM / PI/2 BPSK



Lowest Band Edge / Inner Full RB

Highest Band Edge / Inner Full RB



Lowest Band Edge / Outer Full RB

Highest Band Edge / Outer Full RB







FR1 n77 / 100MHz / DFT-S OFDM / QPSK



Lowest Band Edge / Inner Full RB

Highest Band Edge / Inner Full RB



Lowest Band Edge / Outer Full RB

Highest Band Edge / Outer Full RB







FR1 n77 / 100MHz / DFT-S OFDM / 16QAM

Lowest Band Edge / Inner Full RB

Highest Band Edge / Inner Full RB







Conducted Spurious Emission

FR1 n77 / 10MHz / DFT-S OFDM / QPSK / 1RB1


Lowest Channel



Middle Channel



Highest Channel





Appendix B. Test Results of Radiated Test

B1. Summary of each worse mode

Mode	Part	Band	Ch	Freq (MHz)	Level (dBm)	Det	Ant Factor (dB)	Amp/Cbl (dB)	Filter (dB)	EIRPCF (dB)	Reading (dBuV)	Limit (dBm)	Margin (dB)	Pol	Ant
1	Part 22H	NR SA n26	M	2483	-42.45	RMS	26.90	-23.72	0.32	-95.23	49.28	-13.00	-29.45	V	0
2	Part 22H	NR SA n26	M	2483	-42.95	RMS	26.90	-23.72	0.32	-95.23	48.78	-13.00	-29.95	V	1
3	Part 22H	EN-DC B2+n26	M	3311	-63.70	RMS	28.30	-22.76	0.27	-95.23	25.72	-13.00	-50.70	H	1+0
1	Part 24E	NR SA n25	M	5621	-51.38	RMS	33.33	-20.93	0.67	-95.23	30.78	-13.00	-38.38	H	2
2	Part 24E	NR SA n25	M	5621	-40.93	RMS	33.33	-20.93	0.67	-95.23	41.23	-13.00	-27.93	V	1
3	Part 24E	EN-DC B12+n25	M	5621	-49.74	RMS	33.33	-20.93	0.67	-95.23	32.42	-13.00	-36.74	V	2+1
1	Part 27Q	NR SA n77	M	10473	-41.78	RMS	37.20	-20.68	0.51	-95.23	36.42	-13.00	-28.78	V	6
2	Part 27Q	NR SA n77	H	10593	-46.53	RMS	37.39	-20.65	0.51	-95.23	31.45	-13.00	-33.53	H	1
3	Part 27Q	EN-DC B5+n77	M	20947	-57.37	RMS	37.71	-35.62	-9.54	-95.23	45.31	-30.00	-27.37	V	1+6
4	Part 27Q	NR SA n77	H	14125	-47.86	RMS	42.20	-20.62	0.46	-95.23	25.33	-13.00	-34.86	H	6+2
5	Part 27Q	NR SA n77	L	10353	-46.41	RMS	37.49	-20.63	0.50	-95.23	31.46	-13.00	-33.41	H	1+5
1	Part 27O	NR SA n77	H	11883	-40.62	RMS	39.17	-20.46	0.56	-95.23	35.34	-13.00	-27.62	V	6
2	Part 27O	NR SA n77	H	19806	-46.66	RMS	37.75	-37.52	-9.54	-95.23	57.88	-13.00	-33.66	H	1
3	Part 27O	EN-DC B5+n77	M	11493	-47.71	RMS	38.99	-20.40	0.54	-95.23	28.39	-13.00	-34.71	H	1+6
4	Part 27O	NR SA n77	H	11883	-43.93	RMS	39.17	-20.46	0.56	-95.23	32.03	-13.00	-30.93	V	6+2
5	Part 27O	NR SA n77	H	11883	-43.12	RMS	39.17	-20.46	0.56	-95.23	32.84	-13.00	-30.12	H	1+5
3	Part 27N	NR SA n71	M	2015	-42.74	RMS	26.40	-24.30	0.49	-95.23	49.90	-13.00	-29.74	H	0
4	Part 27N	NR SA n71	M	2015	-38.63	RMS	26.40	-24.30	0.49	-95.23	54.01	-13.00	-25.63	V	1
5	Part 27N	EN-DC B2+n71	M	2015	-50.50	RMS	26.40	-24.30	0.49	-95.23	42.14	-13.00	-37.50	V	0+1
3	Part 27H	NR SA n12	H	2120	-55.86	RMS	26.30	-24.17	0.53	-95.23	36.71	-13.00	-42.86	V	0
4	Part 27H	NR SA n12	M	2109	-39.19	RMS	26.30	-24.18	0.52	-95.23	53.40	-13.00	-26.19	V	1
5	Part 27H	EN-DC B2+n12	M	2109	-41.54	RMS	26.30	-24.18	0.52	-95.23	51.05	-13.00	-28.54	V	0+1
1	Part 27D	NR SA n30	H	6931	-48.44	RMS	36.80	-20.61	0.57	-95.23	30.03	-40.00	-8.44	H	2
2	Part 27D	NR SA n30	M	6917	-45.14	RMS	36.80	-20.61	0.56	-95.23	33.34	-40.00	-5.14	H	2
3	Part 27D	NR SA n30	L	6916	-48.35	RMS	36.80	-20.61	0.00	-95.23	30.69	-40.00	-8.35	V	1



Mode	Part	Band	Ch	Freq (MHz)	Level (dBm)	Det	Ant Factor (dB)	Amp\Cbl (dB)	Filter (dB)	EIRPCF (dB)	Reading (dBuV)	Limit (dBm)	Margin (dB)	Pol	Ant
4	Part 27D	NR SA n30	M	9223	-54.23	RMS	37.35	-20.57	0.57	-95.23	23.65	-40.00	-14.23	V	1
5	Part 27D	EN-DC B5+n30	M	9223	-54.41	RMS	37.35	-20.57	0.57	-95.23	23.47	-40.00	-14.41	V	1+2
1	Part 27L	NR SA n70	H	6792	-55.66	RMS	36.70	-20.61	0.54	-95.23	22.94	-25.00	-30.66	H	2
2	Part 27L	NR SA n70	M	5094	-45.81	RMS	32.59	-20.97	0.65	-95.23	37.15	-13.00	-32.81	V	1
3	Part 27L	NR SA n66	M	6945	-55.26	RMS	36.80	-20.60	0.57	-95.23	23.20	-13.00	-42.26	V	2
4	Part 27L	NR SA n66	L	5133	-41.13	RMS	32.53	-20.95	0.63	-95.23	41.89	-13.00	-28.13	V	1
5	Part 27L	EN-DC B5+n66	M	6945	-55.47	RMS	36.80	-20.60	0.57	-95.23	22.99	-13.00	-42.47	H	2+1
1	Part 27M	NR SA n7	H	10205	-54.18	RMS	37.48	-20.58	0.63	-95.23	23.52	-25.00	-29.18	H	2
2	Part 27M	NR SA n7	H	10205	-53.82	RMS	37.48	-20.58	0.63	-95.23	23.88	-25.00	-28.82	V	1
3	Part 27M	NR SA n41	M	7752	-35.22	RMS	37.00	-20.36	0.58	-95.23	42.79	-25.00	-10.22	H	2
4	Part 27M	NR SA n41	L	12486	-37.66	RMS	40.35	-20.12	0.76	-95.23	36.58	-25.00	-12.66	V	1
5	Part 27M	EN-DC B5+n41	M	7752	-44.33	RMS	37.00	-20.36	0.58	-95.23	33.68	-25.00	-19.33	H	1+2
6	Part 27M	NR SA n41	L	7491	-53.11	RMS	37.30	-20.38	0.62	-95.23	24.58	-25.00	-28.11	V	2+0
7	Part 27M	NR SA n41	M	5168	-41.16	RMS	32.54	-20.94	0.62	-95.23	41.85	-25.00	-16.16	V	1+5
1	Part 90R	NR SA n14	M	2373	-50.34	RMS	27.00	-23.85	0.37	-95.23	41.37	-13.00	-37.34	H	0
2	Part 90R	NR SA n14	M	2366	-62.00	RMS	27.00	-23.86	0.38	-95.23	29.71	-13.00	-49.00	V	0
3	Part 90R	NR SA n14	H	2380	-63.32	RMS	26.99	-23.84	0.36	-95.23	28.40	-13.00	-50.32	H	1
4	Part 90R	NR SA n14	M	2366	-60.82	RMS	27.00	-23.86	0.38	-95.23	30.89	-13.00	-47.82	H	1
1	Part 90S	NR SA n26	L	2443	-56.30	RMS	26.83	-23.77	0.33	-95.23	35.54	-13.00	-43.30	H	0
2	Part 90S	NR SA n26	H	2458	-40.81	RMS	26.82	-23.75	0.32	-95.23	51.03	-13.00	-27.81	H	1
3	Part 90S	NR SA n26	M	2452	-60.69	RMS	26.88	-23.76	0.32	-95.23	31.10	-13.00	-47.69	V	0
4	Part 90S	NR SA n26	M	2452	-35.83	RMS	26.88	-23.76	0.32	-95.23	55.96	-13.00	-22.83	H	1
5	Part 90S	EN-DC B2+n26	M	3270	-64.77	RMS	28.18	-22.78	0.28	-95.23	24.78	-13.00	-51.77	H	0+1




0

Part 22H Mode 1

NR SA n26 20M Ch166800 1RB1 BPSK

L




Site : 03CH22-HY

Condition: -13 3m DRH18-E_LE2C04A18EN Horizontal

: 5GNR n26 20M Ch166800 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm									
1	1650.54	-69.19	RMS	24.61	-24.87	0.50	-95.23	25.80	-13.00	-56.19	Horizontal
2	2475.81	-66.48	RMS	26.86	-23.73	0.32	-95.23	25.30	-13.00	-53.48	Horizontal
3	3301.08	-64.43	RMS	28.30	-22.76	0.27	-95.23	24.99	-13.00	-51.43	Horizontal
4	4126.35	-61.77	RMS	30.39	-22.17	0.31	-95.23	24.93	-13.00	-48.77	Horizontal



Site : 03CH22-HY

Condition: -13 3m DRH18-E_LE2C04A18EN Vertical

: 5GNR n26 20M Ch166800 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm									
1	1650.54	-69.22	RMS	24.61	-24.87	0.50	-95.23	25.77	-13.00	-56.22	Vertical
2	2475.81	-66.37	RMS	26.86	-23.73	0.32	-95.23	25.41	-13.00	-53.37	Vertical
3	3301.08	-64.27	RMS	28.30	-22.76	0.27	-95.23	25.15	-13.00	-51.27	Vertical
4	4126.35	-43.46	RMS	30.39	-22.17	0.31	-95.23	43.24	-13.00	-30.46	Vertical




0

Part 22H Mode 1

NR SA n26 20M Ch167300 1RB1 BPSK

M




Site : 03CH22-HY

Condition: -13 3m DRH18-E_LE2C04A18EN Horizontal

: 5GNR n26 20M Ch167300 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm									
1	1655.54	-68.90	RMS	24.66	-24.86	0.50	-95.23	26.03	-13.00	-55.90	Horizontal
2	2483.31	-66.47	RMS	26.90	-23.72	0.32	-95.23	25.26	-13.00	-53.47	Horizontal
3	3311.08	-64.40	RMS	28.30	-22.76	0.27	-95.23	25.02	-13.00	-51.40	Horizontal
4	4138.85	-61.70	RMS	30.34	-22.15	0.32	-95.23	25.02	-13.00	-48.70	Horizontal



Site : 03CH22-HY

Condition: -13 3m DRH18-E_LE2C04A18EN Vertical

: 5GNR n26 20M Ch167300 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm									
1	1655.54	-67.31	RMS	24.66	-24.86	0.50	-95.23	27.62	-13.00	-54.31	Vertical
2	2483.31	-42.45	RMS	26.90	-23.72	0.32	-95.23	49.28	-13.00	-29.45	Vertical
3	3311.08	-64.09	RMS	28.30	-22.76	0.27	-95.23	25.33	-13.00	-51.09	Vertical
4	4138.85	-44.41	RMS	30.34	-22.15	0.32	-95.23	42.31	-13.00	-31.41	Vertical




0

Part 22H Mode 1

NR SA n26 20M Ch167800 1RB1 BPSK

H




Site : 03CH22-HY

Condition: -13 3m DRH18-E_LE2C04A18EN Horizontal

: 5GNR n26 20M Ch167800 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm									
1	1660.54	-67.77	RMS	24.69	-24.85	0.51	-95.23	27.11	-13.00	-54.77	Horizontal
2	2490.81	-42.67	RMS	26.91	-23.71	0.31	-95.23	49.05	-13.00	-29.67	Horizontal
3	3321.08	-64.26	RMS	28.30	-22.75	0.27	-95.23	25.15	-13.00	-51.26	Horizontal
4	7472.43	-55.04	RMS	37.30	-20.39	0.36	-95.23	22.92	-13.00	-42.04	Horizontal



Site : 03CH22-HY

Condition: -13 3m DRH18-E_LE2C04A18EN Vertical

: 5GNR n26 20M Ch167800 1RB1 BPSK


	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm									
1	1660.54	-65.71	RMS	24.69	-24.85	0.51	-95.23	29.17	-13.00	-52.71	Vertical
2	2490.81	-57.38	RMS	26.91	-23.71	0.31	-95.23	34.34	-13.00	-44.38	Vertical
3	3321.08	-64.40	RMS	28.30	-22.75	0.27	-95.23	25.01	-13.00	-51.40	Vertical
4	7472.43	-43.99	RMS	37.30	-20.39	0.36	-95.23	33.97	-13.00	-30.99	Vertical

1+0

Part 22H Mode 3


EN-DC B2+n26 10M + 20M Ch18900 1RB0 QPSK + Ch167300 1RB1 BPSK

M



Site : 03CH22-HY
Condition: -13 3m DRH18-E_LE2C04A18EN Horizontal
: NR n26 20M Ch167300 1RB1 BPSK
: LTE B2 10M Ch18900 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1	1655.00	-69.00	RMS		24.65	-24.86	0.50	-95.23	25.94	-13.00	-56.00 Horizontal
2	2483.00	-65.91	RMS		26.90	-23.72	0.32	-95.23	25.82	-13.00	-52.91 Horizontal
3	3311.00	-63.70	RMS		28.30	-22.76	0.27	-95.23	25.72	-13.00	-50.70 Horizontal



Site : 03CH22-HY
Condition: -13 3m DRH18-E_LE2C04A18EN Vertical
: NR n26 20M Ch167300 1RB1 BPSK
: LTE B2 10M Ch18900 1RB0 QPSK


	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1	1655.00	-68.49	RMS		24.65	-24.86	0.50	-95.23	26.45	-13.00	-55.49 Vertical
2	2483.00	-66.38	RMS		26.90	-23.72	0.32	-95.23	25.35	-13.00	-53.38 Vertical
3	3311.00	-64.40	RMS		28.30	-22.76	0.27	-95.23	25.02	-13.00	-51.40 Vertical

1

Part 22H Mode 2

NR SA n26 20M Ch166800 1RB1 BPSK

L




Site : 03CH22-HY

Condition: -13 3m DRH18-E_LE2C04A18EN Horizontal

: 5GNR n26 20M Ch166800 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin		Pol
				Factor	1						
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1650.54	-63.23	RMS	24.61	-24.87	0.50	-95.23	31.76	-13.00	-50.23	Horizontal
2	2475.81	-46.18	RMS	26.86	-23.73	0.32	-95.23	45.60	-13.00	-33.18	Horizontal
3	3301.08	-64.55	RMS	28.30	-22.76	0.27	-95.23	24.87	-13.00	-51.55	Horizontal



Site : 03CH22-HY

Condition: -13 3m DRH18-E_LE2C04A18EN Vertical

: 5GNR n26 20M Ch166800 1RB1 BPSK


	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin		Pol
				Factor	1						
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1650.54	-66.85	RMS	24.61	-24.87	0.50	-95.23	28.14	-13.00	-53.85	Vertical
2	2475.81	-45.50	RMS	26.86	-23.73	0.32	-95.23	46.28	-13.00	-32.50	Vertical
3	3301.08	-64.66	RMS	28.30	-22.76	0.27	-95.23	24.76	-13.00	-51.66	Vertical

1

Part 22H Mode 2

NR SA n26 20M Ch167300 1RB1 BPSK

M




Site : 03CH22-HY

Condition: -13 3m DRH18-E_LE2C04A18EN Horizontal

: 5GNR n26 20M Ch167300 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin		Pol
				Factor	1						
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1655.54	-62.99	RMS	24.66	-24.86	0.50	-95.23	31.94	-13.00	-49.99	Horizontal
2	2483.31	-45.36	RMS	26.90	-23.72	0.32	-95.23	46.37	-13.00	-32.36	Horizontal
3	3311.08	-63.64	RMS	28.30	-22.76	0.27	-95.23	25.78	-13.00	-50.64	Horizontal



Site : 03CH22-HY

Condition: -13 3m DRH18-E_LE2C04A18EN Vertical

: 5GNR n26 20M Ch167300 1RB1 BPSK


	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin		Pol
				Factor	1						
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1655.54	-66.59	RMS	24.66	-24.86	0.50	-95.23	28.34	-13.00	-53.59	Vertical
2	2483.31	-42.95	RMS	26.90	-23.72	0.32	-95.23	48.78	-13.00	-29.95	Vertical
3	3311.08	-64.29	RMS	28.30	-22.76	0.27	-95.23	25.13	-13.00	-51.29	Vertical

1

Part 22H Mode 2

NR SA n26 20M Ch167800 1RB1 BPSK

H




Site : 03CH22-HY

Condition: -13 3m DRH18-E_LE2C04A18EN Horizontal

: 5GNR n26 20M Ch167800 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit	Margin	Pol
				Factor	1					
1	1660.54	-63.59	RMS	24.69	-24.85	0.51 -95.23	31.29	-13.00	-50.59	Horizontal
2	2490.81	-46.80	RMS	26.91	-23.71	0.31 -95.23	44.92	-13.00	-33.80	Horizontal
3	3321.08	-64.54	RMS	28.30	-22.75	0.27 -95.23	24.87	-13.00	-51.54	Horizontal



Site : 03CH22-HY

Condition: -13 3m DRH18-E_LE2C04A18EN Vertical

: 5GNR n26 20M Ch167800 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit	Margin	Pol
				Factor	1					
1	1660.54	-67.36	RMS	24.69	-24.85	0.51 -95.23	27.52	-13.00	-54.36	Vertical
2	2490.81	-46.31	RMS	26.91	-23.71	0.31 -95.23	45.41	-13.00	-33.31	Vertical
3	3321.08	-64.48	RMS	28.30	-22.75	0.27 -95.23	24.93	-13.00	-51.48	Vertical




2

Part 24E Mode 1

NR SA n25 20M Ch372000 1RB1 BPSK

L




Site : 03CH22-HY

Condition: -13 3m DRH18-E_LE2C04A18EN Horizontal

: 5GNR n25 20M Ch372000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1		g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	3702.00	-60.89	RMS	29.81	-22.49	1.08	-95.23	25.94	-13.00	-47.89 Horizontal
2	5553.00	-58.67	RMS	33.20	-20.97	0.69	-95.23	23.64	-13.00	-45.67 Horizontal
3	7405.00	-54.48	RMS	37.39	-20.43	0.64	-95.23	23.15	-13.00	-41.48 Horizontal



Site : 03CH22-HY

Condition: -13 3m DRH18-E_LE2C04A18EN Vertical

: 5GNR n25 20M Ch372000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1		g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	3702.00	-60.82	RMS	29.81	-22.49	1.08	-95.23	26.01	-13.00	-47.82 Vertical
2	5553.00	-58.82	RMS	33.20	-20.97	0.69	-95.23	23.49	-13.00	-45.82 Vertical
3	7405.00	-54.38	RMS	37.39	-20.43	0.64	-95.23	23.25	-13.00	-41.38 Vertical




2

Part 24E Mode 1

NR SA n25 20M Ch376500 1RB1 BPSK

M




Site : 03CH22-HY

Condition: -13 3m DRH18-E_LE2C04A18EN Horizontal

: 5GNR n25 20M Ch376500 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	3747.00	-59.16	RMS	30.08	-22.45	1.03	-95.23	27.41	-13.00	-46.16 Horizontal
2	5621.00	-51.38	RMS	33.33	-20.93	0.67	-95.23	30.78	-13.00	-38.38 Horizontal
3	7495.00	-54.51	RMS	37.30	-20.37	0.62	-95.23	23.17	-13.00	-41.51 Horizontal



Site : 03CH22-HY

Condition: -13 3m DRH18-E_LE2C04A18EN Vertical

: 5GNR n25 20M Ch376500 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	3747.00	-60.66	RMS	30.08	-22.45	1.03	-95.23	25.91	-13.00	-47.66 Vertical
2	5621.00	-54.18	RMS	33.33	-20.93	0.67	-95.23	27.98	-13.00	-41.18 Vertical
3	7495.00	-54.82	RMS	37.30	-20.37	0.62	-95.23	22.86	-13.00	-41.82 Vertical




2

Part 24E Mode 1

NR SA n25 20M Ch381000 1RB1 BPSK

H




Site : 03CH22-HY

Condition: -13 3m DRH18-E_LE2C04A18EN Horizontal

: 5GNR n25 20M Ch381000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1		g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	3792.00	-60.17	RMS	30.35	-22.41	0.99	-95.23	26.13	-13.00	-47.17 Horizontal
2	5688.00	-58.29	RMS	33.65	-20.88	0.65	-95.23	23.52	-13.00	-45.29 Horizontal
3	7585.00	-54.60	RMS	37.17	-20.36	0.59	-95.23	23.23	-13.00	-41.60 Horizontal



Site : 03CH22-HY

Condition: -13 3m DRH18-E_LE2C04A18EN Vertical

: 5GNR n25 20M Ch381000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1		g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	3792.00	-59.97	RMS	30.35	-22.41	0.99	-95.23	26.33	-13.00	-46.97 Vertical
2	5688.00	-58.20	RMS	33.65	-20.88	0.65	-95.23	23.61	-13.00	-45.20 Vertical
3	7585.00	-54.79	RMS	37.17	-20.36	0.59	-95.23	23.04	-13.00	-41.79 Vertical




1

Part 24E Mode 2

NR SA n25 20M Ch372000 1RB1 BPSK

L




Site : 03CH22-HY

Condition: -13 3m DRH18-E_LE2C04A18EN Horizontal

: 5GNR n25 20M Ch372000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	3702.54	-60.23	RMS	29.82	-22.49	1.08	-95.23	26.59	-13.00	-47.23 Horizontal
2	5553.81	-43.29	RMS	33.20	-20.97	0.69	-95.23	39.02	-13.00	-30.29 Horizontal
3	7405.08	-54.62	RMS	37.39	-20.43	0.64	-95.23	23.01	-13.00	-41.62 Horizontal



Site : 03CH22-HY

Condition: -13 3m DRH18-E_LE2C04A18EN Vertical

: 5GNR n25 20M Ch372000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	3702.54	-59.69	RMS	29.82	-22.49	1.08	-95.23	27.13	-13.00	-46.69 Vertical
2	5553.81	-46.19	RMS	33.20	-20.97	0.69	-95.23	36.12	-13.00	-33.19 Vertical
3	7405.08	-54.44	RMS	37.39	-20.43	0.64	-95.23	23.19	-13.00	-41.44 Vertical




1

Part 24E Mode 2

NR SA n25 20M Ch376500 1RB1 BPSK

M




Site : 03CH22-HY

Condition: -13 3m DRH18-E_LE2C04A18EN Horizontal

: 5GNR n25 20M Ch376500 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1		g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	3747.54	-59.89	RMS	30.09	-22.45	1.03	-95.23	26.67	-13.00	-46.89 Horizontal
2	5621.31	-42.23	RMS	33.33	-20.93	0.67	-95.23	39.93	-13.00	-29.23 Horizontal
3	7495.08	-54.62	RMS	37.30	-20.37	0.62	-95.23	23.06	-13.00	-41.62 Horizontal



Site : 03CH22-HY

Condition: -13 3m DRH18-E_LE2C04A18EN Vertical

: 5GNR n25 20M Ch376500 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1		g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	3747.54	-60.01	RMS	30.09	-22.45	1.03	-95.23	26.55	-13.00	-47.01 Vertical
2	5621.31	-40.93	RMS	33.33	-20.93	0.67	-95.23	41.23	-13.00	-27.93 Vertical
3	7495.08	-54.71	RMS	37.30	-20.37	0.62	-95.23	22.97	-13.00	-41.71 Vertical




1

Part 24E Mode 2

NR SA n25 20M Ch381000 1RB1 BPSK

H




Site : 03CH22-HY

Condition: -13 3m DRH18-E_LE2C04A18EN Horizontal

: 5GNR n25 20M Ch381000 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin Pol	
				Factor	1				dB	dB
1	3792.54	-58.24	RMS	30.36	-22.41	0.99 -95.23	28.05	-13.00	-45.24	Horizontal
2	5688.81	-49.81	RMS	33.66	-20.88	0.65 -95.23	31.99	-13.00	-36.81	Horizontal
3	7585.08	-54.87	RMS	37.17	-20.36	0.59 -95.23	22.96	-13.00	-41.87	Horizontal



Site : 03CH22-HY

Condition: -13 3m DRH18-E_LE2C04A18EN Vertical

: 5GNR n25 20M Ch381000 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin Pol	
				Factor	1				dB	dB
1	3792.54	-60.10	RMS	30.36	-22.41	0.99 -95.23	26.19	-13.00	-47.10	Vertical
2	5688.81	-58.34	RMS	33.66	-20.88	0.65 -95.23	23.46	-13.00	-45.34	Vertical
3	7585.08	-54.78	RMS	37.17	-20.36	0.59 -95.23	23.05	-13.00	-41.78	Vertical




1

Part 24E Mode 3


EN-DC B12+n25 10M + 20M Ch23095 1RB0 QPSK + Ch376500 1RB1 BPSK

M



Site : 03CH22-HY
Condition: -13 3m DRH18-E_LE2C04A18EN Horizontal
: NR n25 20M Ch376500 1RB1 BPSK
: LTE B12 10M Ch23095 1RB0 QPSK

	Freq	Level	Detector	Ant		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	Amp\Cb		1						
	MHz	dBm											
1	3747.00	-59.73	RMS	30.08	-22.45	1.03	-95.23	26.84	-13.00	-46.73	Horizontal		
2	5621.00	-52.91	RMS	33.33	-20.93	0.67	-95.23	29.25	-13.00	-39.91	Horizontal		
3	7495.00	-54.35	RMS	37.30	-20.37	0.62	-95.23	23.33	-13.00	-41.35	Horizontal		



Site : 03CH22-HY
Condition: -13 3m DRH18-E_LE2C04A18EN Vertical
: NR n25 20M Ch376500 1RB1 BPSK
: LTE B12 10M Ch23095 1RB0 QPSK


	Freq	Level	Detector	Ant		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	Amp\Cb		1						
	MHz	dBm											
1	3747.00	-60.23	RMS	30.08	-22.45	1.03	-95.23	26.34	-13.00	-47.23	Vertical		
2	5621.00	-49.74	RMS	33.33	-20.93	0.67	-95.23	32.42	-13.00	-36.74	Vertical		
3	7495.00	-54.75	RMS	37.30	-20.37	0.62	-95.23	22.93	-13.00	-41.75	Vertical		

6

Part 27Q Mode 1

NR SA n77 20M Ch630668 1RB1 BPSK

L




Site : 03CH22-HY

Condition: -13 3m DRH18-E_LE2C04A18EN Horizontal

: 5GNR n77 20M Ch630668 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb		Filter 1	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	6902.58	-54.53	RMS	36.80	-20.61	1.25	-95.23	23.26	-13.00	-41.53	Horizontal	
2	10353.87	-50.29	RMS	37.48	-20.63	0.50	-95.23	27.59	-13.00	-37.29	Horizontal	
3	13805.16	-49.73	RMS	41.42	-20.43	0.46	-95.23	24.05	-13.00	-36.73	Horizontal	
4	20707.00	-58.38	RMS	38.03	-35.99	-9.54	-95.23	44.35	-13.00	-45.38	Horizontal	
5	24159.00	-61.33	RMS	38.72	-31.15	-9.54	-95.23	35.87	-13.00	-48.33	Horizontal	



Site : 03CH22-HY

Condition: -13 3m DRH18-E_LE2C04A18EN Vertical

: 5GNR n77 20M Ch630668 1RB1 BPSK


	Freq Level		Detector	Ant Factor	Amp\Cb		Filter 1	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	6902.58	-54.50	RMS	36.80	-20.61	1.25	-95.23	23.29	-13.00	-41.50	Vertical	
2	10353.87	-43.37	RMS	37.48	-20.63	0.50	-95.23	34.51	-13.00	-30.37	Vertical	
3	13805.16	-49.38	RMS	41.42	-20.43	0.46	-95.23	24.40	-13.00	-36.38	Vertical	
4	20707.00	-61.57	RMS	38.03	-35.99	-9.54	-95.23	41.16	-13.00	-48.57	Vertical	
5	24159.00	-61.37	RMS	38.72	-31.15	-9.54	-95.23	35.83	-13.00	-48.37	Vertical	

6

Part 27Q Mode 1

NR SA n77 20M Ch633334 1RB1 BPSK

M




Site : 03CH22-HY

Condition: -13 3m DRH18-E_LE2C04A18EN Horizontal

: 5GNR n77 20M Ch633334 1RB1 BPSK

	Freq	Level	Detector	Ant	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm		Factor	1	dB		g	dBm		
1	6982.56	-54.63	RMS	36.80	-20.60	1.22	-95.23	23.18	-13.00	-41.63	Horizontal
2	10473.84	-48.52	RMS	37.20	-20.68	0.51	-95.23	29.68	-13.00	-35.52	Horizontal
3	13965.12	-48.10	RMS	42.00	-20.50	0.45	-95.23	25.18	-13.00	-35.10	Horizontal
4	20947.00	-51.06	RMS	37.71	-35.62	-9.54	-95.23	51.62	-13.00	-38.06	Horizontal
5	24438.00	-59.19	RMS	38.90	-31.36	-9.54	-95.23	38.04	-13.00	-46.19	Horizontal



Site : 03CH22-HY

Condition: -13 3m DRH18-E_LE2C04A18EN Vertical

: 5GNR n77 20M Ch633334 1RB1 BPSK


	Freq	Level	Detector	Ant Factor	Amp\Cb l	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	6982.56	-54.38	RMS	36.80	-20.60	1.22	-95.23	23.43	-13.00	-41.38	Vertical
2	10473.84	-41.78	RMS	37.20	-20.68	0.51	-95.23	36.42	-13.00	-28.78	Vertical
3	13965.12	-47.79	RMS	42.00	-20.50	0.45	-95.23	25.49	-13.00	-34.79	Vertical
4	20947.00	-53.04	RMS	37.71	-35.62	-9.54	-95.23	49.64	-13.00	-40.04	Vertical
5	24438.00	-61.89	RMS	38.90	-31.36	-9.54	-95.23	35.34	-13.00	-48.89	Vertical

6

Part 27Q Mode 1

NR SA n77 20M Ch636000 1RB1 BPSK

H




Site : 03CH22-HY

Condition: -13 3m DRH18-E_LE2C04A18EN Horizontal

: 5GNR n77 20M Ch636000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb		Filter	EIRPCF	Readin g	Limit	Margin	Pol
					dB/m	dB	dB	dB	dBuV	dBm	dB	
1	7062.00	-54.54	RMS	36.88	-20.58	1.14	-95.23	23.25	-13.00	-41.54	Horizontal	
2	10593.00	-54.10	RMS	37.39	-20.65	0.51	-95.23	23.88	-13.00	-41.10	Horizontal	
3	14125.00	-48.33	RMS	42.20	-20.62	0.46	-95.23	24.86	-13.00	-35.33	Horizontal	
4	21187.00	-53.41	RMS	38.55	-35.01	-9.54	-95.23	47.82	-13.00	-40.41	Horizontal	
5	24718.00	-61.73	RMS	39.36	-30.88	-9.54	-95.23	34.56	-13.00	-48.73	Horizontal	



Site : 03CH22-HY

Condition: -13 3m DRH18-E_LE2C04A18EN Vertical

: 5GNR n77 20M Ch636000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb		Filter	EIRPCF	Readin g	Limit	Margin	Pol
					dB/m	dB	dB	dB	dBuV	dBm	dB	
1	7062.00	-54.47	RMS	36.88	-20.58	1.14	-95.23	23.32	-13.00	-41.47	Vertical	
2	10593.00	-50.84	RMS	37.39	-20.65	0.51	-95.23	27.14	-13.00	-37.84	Vertical	
3	14125.00	-47.48	RMS	42.20	-20.62	0.46	-95.23	25.71	-13.00	-34.48	Vertical	
4	21187.00	-61.26	RMS	38.55	-35.01	-9.54	-95.23	39.97	-13.00	-48.26	Vertical	
5	24718.00	-62.28	RMS	39.36	-30.88	-9.54	-95.23	34.01	-13.00	-49.28	Vertical	




6

Part 27Q Mode 3

EN-DC B5+n77 10M + 20M Ch20525 1RB0 QPSK + Ch633334 1RB1 BPSK

M




Site : 03CH22-HY

Condition: -13 3m DRH18-E_LE2C04A18EN Horizontal

: NR 77 20M Ch633334 1RB1 BPSK

: LTE B5 10M Ch20525 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	6982.56	-54.17	RMS	36.80	-20.60	1.22	-95.23	23.64	-13.00	-41.17	Horizontal
2	10473.84	-54.11	RMS	37.20	-20.68	0.51	-95.23	24.09	-13.00	-41.11	Horizontal
3	13965.12	-48.22	RMS	42.00	-20.50	0.45	-95.23	25.06	-13.00	-35.22	Horizontal
4	20947.68	-62.27	RMS	37.71	-35.62	-9.54	-95.23	40.41	-30.00	-32.27	Horizontal



Site : 03CH22-HY

Condition: -13 3m DRH18-E_LE2C04A18EN Vertical

: NR 77 20M Ch633334 1RB1 BPSK

: LTE B5 10M Ch20525 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	6982.56	-54.05	RMS	36.80	-20.60	1.22	-95.23	23.76	-13.00	-41.05	Vertical
2	10473.84	-53.63	RMS	37.20	-20.68	0.51	-95.23	24.57	-13.00	-40.63	Vertical
3	13965.12	-47.90	RMS	42.00	-20.50	0.45	-95.23	25.38	-13.00	-34.90	Vertical
4	20947.68	-57.37	RMS	37.71	-35.62	-9.54	-95.23	45.31	-30.00	-27.37	Vertical




6

Part 27Q Mode 4

NR SA n77 20M Ch630668 1RB1 BPSK

L




Site : 03CH22-HY

Condition: -13 3m DRH18-E_LE2C04A18EN Horizontal

: 5GNR n77 20M Ch630668 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm									
1	6902.00	-54.49	RMS	36.80	-20.61	1.25	-95.23	23.30	-13.00	-41.49	Horizontal
2	10353.00	-53.80	RMS	37.49	-20.63	0.50	-95.23	24.07	-13.00	-40.80	Horizontal
3	13805.00	-48.90	RMS	41.42	-20.43	0.46	-95.23	24.88	-13.00	-35.90	Horizontal
4	20707.00	-58.42	RMS	38.03	-35.99	-9.54	-95.23	44.31	-13.00	-45.42	Horizontal



Site : 03CH22-HY

Condition: -13 3m DRH18-E_LE2C04A18EN Vertical

: 5GNR n77 20M Ch630668 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm									
1	6902.00	-54.41	RMS	36.80	-20.61	1.25	-95.23	23.38	-13.00	-41.41	Vertical
2	10353.00	-51.23	RMS	37.49	-20.63	0.50	-95.23	26.64	-13.00	-38.23	Vertical
3	13805.00	-48.91	RMS	41.42	-20.43	0.46	-95.23	24.87	-13.00	-35.91	Vertical
4	20707.00	-55.03	RMS	38.03	-35.99	-9.54	-95.23	47.70	-13.00	-42.03	Vertical




6

Part 27Q Mode 4

NR SA n77 20M Ch633334 1RB1 BPSK

M




Site : 03CH22-HY

Condition: -13 3m DRH18-E_LE2C04A18EN Horizontal

: 5GNR n77 20M Ch633334 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm									
1	6982.00	-53.96	RMS	36.80	-20.60	1.22	-95.23	23.85	-13.00	-40.96	Horizontal
2	10473.00	-54.13	RMS	37.20	-20.68	0.51	-95.23	24.07	-13.00	-41.13	Horizontal
3	13965.00	-48.46	RMS	42.00	-20.50	0.45	-95.23	24.82	-13.00	-35.46	Horizontal
4	20947.00	-56.65	RMS	37.71	-35.62	-9.54	-95.23	46.03	-13.00	-43.65	Horizontal



Site : 03CH22-HY

Condition: -13 3m DRH18-E_LE2C04A18EN Vertical

: 5GNR n77 20M Ch633334 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm									
1	6982.00	-52.96	RMS	36.80	-20.60	1.22	-95.23	24.85	-13.00	-39.96	Vertical
2	10473.00	-49.97	RMS	37.20	-20.68	0.51	-95.23	28.23	-13.00	-36.97	Vertical
3	13965.00	-48.43	RMS	42.00	-20.50	0.45	-95.23	24.85	-13.00	-35.43	Vertical




6

Part 27Q Mode 4


NR SA n77 20M Ch636000 1RB1 BPSK

H



Site : 03CH22-HY
Condition: -13 3m DRH18-E_LE2C04A18EN Horizontal
: 5GNR n77 20M Ch636000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	7062.00	-54.21	RMS	36.88	-20.58	1.14	-95.23	23.58	-13.00	-41.21 Horizontal
2	10593.00	-53.26	RMS	37.39	-20.65	0.51	-95.23	24.72	-13.00	-40.26 Horizontal
3	14125.00	-47.86	RMS	42.20	-20.62	0.46	-95.23	25.33	-13.00	-34.86 Horizontal



Site : 03CH22-HY
Condition: -13 3m DRH18-E_LE2C04A18EN Vertical
: 5GNR n77 20M Ch636000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	7062.00	-54.12	RMS	36.88	-20.58	1.14	-95.23	23.67	-13.00	-41.12 Vertical
2	10593.00	-48.78	RMS	37.39	-20.65	0.51	-95.23	29.20	-13.00	-35.78 Vertical
3	14125.00	-48.00	RMS	42.20	-20.62	0.46	-95.23	25.19	-13.00	-35.00 Vertical




1

Part 27Q Mode 2

NR SA n77 20M Ch630668 1RB1 BPSK

L




Site : 03CH22-HY

Condition: -13 3m DRH18-E_LE2C04A18EN Horizontal

: 5GNR n77 20M Ch630668 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant		Filter	EIRPCF	Readin g	Limit	Margin	Pol
				Factor	Amp\Cb						
					1						
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	6902.00	-54.39	RMS	36.80	-20.61	1.25	-95.23	23.40	-13.00	-41.39	Horizontal
2	10353.00	-52.18	RMS	37.49	-20.63	0.50	-95.23	25.69	-13.00	-39.18	Horizontal
3	13805.00	-48.35	RMS	41.42	-20.43	0.46	-95.23	25.43	-13.00	-35.35	Horizontal
4	20707.00	-49.63	RMS	38.03	-35.99	-9.54	-95.23	53.10	-13.00	-36.63	Horizontal
5	24160.00	-57.17	RMS	38.72	-31.15	-9.54	-95.23	40.03	-13.00	-44.17	Horizontal



Site : 03CH22-HY

Condition: -13 3m DRH18-E_LE2C04A18EN Vertical

: 5GNR n77 20M Ch630668 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant		Filter	EIRPCF	Readin g	Limit	Margin	Pol
				Factor	Amp\Cb						
					1						
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	6902.00	-50.73	RMS	36.80	-20.61	1.25	-95.23	27.06	-13.00	-37.73	Vertical
2	10353.00	-49.93	RMS	37.49	-20.63	0.50	-95.23	27.94	-13.00	-36.93	Vertical
3	13805.00	-48.70	RMS	41.42	-20.43	0.46	-95.23	25.08	-13.00	-35.70	Vertical
4	20707.00	-56.23	RMS	38.03	-35.99	-9.54	-95.23	46.50	-13.00	-43.23	Vertical
5	24160.00	-53.79	RMS	38.72	-31.15	-9.54	-95.23	43.41	-13.00	-40.79	Vertical




1

Part 27Q Mode 2

NR SA n77 20M Ch633334 1RB1 BPSK

M




Site : 03CH22-HY

Condition: -13 3m DRH18-E_LE2C04A18EN Horizontal

: 5GNR n77 20M Ch633334 1RB1 BPSK

	Freq	Level	Detector	Ant		Filter	EIRPCF		Readin	Limit	Margin	Pol
				Factor	Amp\Cb		1					
	MHz	dBm										
1	6982.00	-53.99	RMS	36.80	-20.60	1.22	-95.23	23.82	-13.00	-40.99	Horizontal	
2	10473.00	-51.42	RMS	37.20	-20.68	0.51	-95.23	26.78	-13.00	-38.42	Horizontal	
3	13965.00	-47.97	RMS	42.00	-20.50	0.45	-95.23	25.31	-13.00	-34.97	Horizontal	
4	20947.00	-48.42	RMS	37.71	-35.62	-9.54	-95.23	54.26	-13.00	-35.42	Horizontal	
5	24438.00	-58.37	RMS	38.90	-31.36	-9.54	-95.23	38.86	-13.00	-45.37	Horizontal	



Site : 03CH22-HY

Condition: -13 3m DRH18-E_LE2C04A18EN Vertical

: 5GNR n77 20M Ch633334 1RB1 BPSK

	Freq	Level	Detector	Ant		Filter	EIRPCF		Readin	Limit	Margin	Pol
				Factor	Amp\Cb		1					
	MHz	dBm										
1	6982.00	-52.74	RMS	36.80	-20.60	1.22	-95.23	25.07	-13.00	-39.74	Vertical	
2	10473.00	-49.05	RMS	37.20	-20.68	0.51	-95.23	29.15	-13.00	-36.05	Vertical	
3	13965.00	-48.28	RMS	42.00	-20.50	0.45	-95.23	25.00	-13.00	-35.28	Vertical	
4	20947.00	-54.08	RMS	37.71	-35.62	-9.54	-95.23	48.60	-13.00	-41.08	Vertical	
5	24438.00	-60.42	RMS	38.90	-31.36	-9.54	-95.23	36.81	-13.00	-47.42	Vertical	




1

Part 27Q Mode 2

NR SA n77 20M Ch636000 1RB1 BPSK

H




Site : 03CH22-HY

Condition: -13 3m DRH18-E_LE2C04A18EN Horizontal

: 5GNR n77 20M Ch636000 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb		Filter	EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB		
1	7062.00	-54.07	RMS		36.88	-20.58	1.14	-95.23	23.72	-13.00	-41.07	Horizontal	
2	10593.00	-46.53	RMS		37.39	-20.65	0.51	-95.23	31.45	-13.00	-33.53	Horizontal	
3	14125.00	-47.93	RMS		42.20	-20.62	0.46	-95.23	25.26	-13.00	-34.93	Horizontal	
4	21187.00	-48.01	RMS		38.55	-35.01	-9.54	-95.23	53.22	-13.00	-35.01	Horizontal	
5	24718.00	-59.49	RMS		39.36	-30.88	-9.54	-95.23	36.80	-13.00	-46.49	Horizontal	



Site : 03CH22-HY

Condition: -13 3m DRH18-E_LE2C04A18EN Vertical

: 5GNR n77 20M Ch636000 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb		Filter	EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB		
1	7062.00	-51.40	RMS		36.88	-20.58	1.14	-95.23	26.39	-13.00	-38.40	Vertical	
2	10593.00	-46.74	RMS		37.39	-20.65	0.51	-95.23	31.24	-13.00	-33.74	Vertical	
3	14125.00	-47.56	RMS		42.20	-20.62	0.46	-95.23	25.63	-13.00	-34.56	Vertical	
4	21187.00	-53.87	RMS		38.55	-35.01	-9.54	-95.23	47.36	-13.00	-40.87	Vertical	
5	24718.00	-57.98	RMS		39.36	-30.88	-9.54	-95.23	38.31	-13.00	-44.98	Vertical	




1

Part 27Q Mode 5

NR SA n77 20M Ch630668 1RB1 BPSK

L




Site : 03CH22-HY

Condition: -13 3m DRH18-E_LE2C04A18EN Horizontal

: 5GNR n77 20M Ch630668 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm									
1	6902.00	-52.59	RMS	36.80	-20.61	1.25	-95.23	25.20	-13.00	-39.59	Horizontal
2	10353.00	-46.41	RMS	37.49	-20.63	0.50	-95.23	31.46	-13.00	-33.41	Horizontal
3	13805.00	-48.69	RMS	41.42	-20.43	0.46	-95.23	25.09	-13.00	-35.69	Horizontal
4	20707.00	-57.72	RMS	38.03	-35.99	-9.54	-95.23	45.01	-13.00	-44.72	Horizontal



Site : 03CH22-HY

Condition: -13 3m DRH18-E_LE2C04A18EN Vertical

: 5GNR n77 20M Ch630668 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm									
1	6902.00	-51.63	RMS	36.80	-20.61	1.25	-95.23	26.16	-13.00	-38.63	Vertical
2	10353.00	-47.78	RMS	37.49	-20.63	0.50	-95.23	30.09	-13.00	-34.78	Vertical
3	13805.00	-48.81	RMS	41.42	-20.43	0.46	-95.23	24.97	-13.00	-35.81	Vertical
4	20707.00	-55.93	RMS	38.03	-35.99	-9.54	-95.23	46.80	-13.00	-42.93	Vertical




1

Part 27Q Mode 5


NR SA n77 20M Ch633334 1RB1 BPSK

M



Site : 03CH22-HY
Condition: -13 3m DRH18-E_LE2C04A18EN Horizontal
: 5GNR n77 20M Ch633334 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm									
1	6982.00	-53.66	RMS	36.80	-20.60	1.22	-95.23	24.15	-13.00	-40.66	Horizontal
2	10473.00	-48.15	RMS	37.20	-20.68	0.51	-95.23	30.05	-13.00	-35.15	Horizontal
3	13965.00	-48.61	RMS	42.00	-20.50	0.45	-95.23	24.67	-13.00	-35.61	Horizontal
4	20947.00	-55.87	RMS	37.71	-35.62	-9.54	-95.23	46.81	-13.00	-42.87	Horizontal



Site : 03CH22-HY
Condition: -13 3m DRH18-E_LE2C04A18EN Vertical
: 5GNR n77 20M Ch633334 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm									
1	6982.00	-53.99	RMS	36.80	-20.60	1.22	-95.23	23.82	-13.00	-40.99	Vertical
2	10473.00	-48.71	RMS	37.20	-20.68	0.51	-95.23	29.49	-13.00	-35.71	Vertical
3	13965.00	-48.38	RMS	42.00	-20.50	0.45	-95.23	24.90	-13.00	-35.38	Vertical
4	20947.00	-54.87	RMS	37.71	-35.62	-9.54	-95.23	47.81	-13.00	-41.87	Vertical




1

Part 27Q Mode 5


NR SA n77 20M Ch636000 1RB1 BPSK

H



Site : 03CH22-HY
Condition: -13 3m DRH18-E_LE2C04A18EN Horizontal
: 5GNR n77 20M Ch636000 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
MHz	dBm									
1	7062.00	-54.08 RMS	36.88	-20.58	1.14	-95.23	23.71	-13.00	-41.08	Horizontal
2	10593.00	-47.83 RMS	37.39	-20.65	0.51	-95.23	30.15	-13.00	-34.83	Horizontal
3	14125.00	-47.81 RMS	42.20	-20.62	0.46	-95.23	25.38	-13.00	-34.81	Horizontal
4	21187.00	-54.12 RMS	38.55	-35.01	-9.54	-95.23	47.11	-13.00	-41.12	Horizontal



Site : 03CH22-HY
Condition: -13 3m DRH18-E_LE2C04A18EN Vertical
: 5GNR n77 20M Ch636000 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
MHz	dBm									
1	7062.00	-53.92 RMS	36.88	-20.58	1.14	-95.23	23.87	-13.00	-40.92	Vertical
2	10593.00	-52.10 RMS	37.39	-20.65	0.51	-95.23	25.88	-13.00	-39.10	Vertical
3	14125.00	-47.89 RMS	42.20	-20.62	0.46	-95.23	25.30	-13.00	-34.89	Vertical
4	21187.00	-55.78 RMS	38.55	-35.01	-9.54	-95.23	45.45	-13.00	-42.78	Vertical




6

Part 270 Mode 1

NR SA n77 20M Ch647334 1RB1 BPSK

L




Site : 03CH22-HY

Condition: -13 3m DRH18-E_LE2C04A18EN Horizontal

: 5GNR n77 20M Ch647334 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb		Filter	EIRPCF	Readin g	Limit	Margin	Pol
					dB/m	dB						
	MHz	dBm					dB	dB	dBuV	dBm	dB	
1	7402.00	-54.12	RMS	37.40	-20.43	0.91	-95.23	23.23	-13.00	-41.12	Horizontal	
2	11103.00	-53.16	RMS	38.21	-20.48	0.53	-95.23	23.81	-13.00	-40.16	Horizontal	
3	14805.00	-47.74	RMS	42.69	-21.14	0.50	-95.23	25.44	-13.00	-34.74	Horizontal	
4	18518.00	-60.11	RMS	38.14	-39.47	-9.54	-95.23	45.99	-13.00	-47.11	Horizontal	
5	22222.00	-61.59	RMS	38.41	-33.44	-9.54	-95.23	38.21	-13.00	-48.59	Horizontal	



Site : 03CH22-HY

Condition: -13 3m DRH18-E_LE2C04A18EN Vertical

: 5GNR n77 20M Ch647334 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb		Filter	EIRPCF	Readin g	Limit	Margin	Pol
					dB/m	dB						
	MHz	dBm					dB	dB	dBuV	dBm	dB	
1	7402.00	-51.83	RMS	37.40	-20.43	0.91	-95.23	25.52	-13.00	-38.83	Vertical	
2	11103.00	-47.81	RMS	38.21	-20.48	0.53	-95.23	29.16	-13.00	-34.81	Vertical	
3	14805.00	-48.18	RMS	42.69	-21.14	0.50	-95.23	25.00	-13.00	-35.18	Vertical	
4	18518.00	-60.14	RMS	38.14	-39.47	-9.54	-95.23	45.96	-13.00	-47.14	Vertical	
5	22222.00	-62.77	RMS	38.41	-33.44	-9.54	-95.23	37.03	-13.00	-49.77	Vertical	




6

Part 270 Mode 1

NR SA n77 20M Ch656000 1RB1 BPSK

M




Site : 03CH22-HY

Condition: -13 3m DRH18-E_LE2C04A18EN Horizontal

: 5GNR n77 20M Ch656000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb		Filter	EIRPCF	Readin g	Limit	Margin	Pol
					dB/m	dB						
	MHz	dBm					dB	dB	dBuV	dBm	dB	
1	7662.00	-52.15	RMS	37.08	-20.36	0.85	-95.23	25.51	-13.00	-39.15	Horizontal	
2	11493.00	-51.46	RMS	38.99	-20.40	0.54	-95.23	24.64	-13.00	-38.46	Horizontal	
3	15325.00	-49.54	RMS	41.70	-21.33	0.54	-95.23	24.77	-13.00	-36.54	Horizontal	
4	19156.00	-55.75	RMS	38.44	-38.41	-9.54	-95.23	48.99	-13.00	-42.75	Horizontal	
5	22987.00	-60.35	RMS	38.73	-32.69	-9.54	-95.23	38.38	-13.00	-47.35	Horizontal	



Site : 03CH22-HY

Condition: -13 3m DRH18-E_LE2C04A18EN Vertical

: 5GNR n77 20M Ch656000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb		Filter	EIRPCF	Readin g	Limit	Margin	Pol
					dB/m	dB						
	MHz	dBm					dB	dB	dBuV	dBm	dB	
1	7662.00	-52.31	RMS	37.08	-20.36	0.85	-95.23	25.35	-13.00	-39.31	Vertical	
2	11493.00	-46.44	RMS	38.99	-20.40	0.54	-95.23	29.66	-13.00	-33.44	Vertical	
3	15325.00	-49.59	RMS	41.70	-21.33	0.54	-95.23	24.72	-13.00	-36.59	Vertical	
4	19156.00	-60.92	RMS	38.44	-38.41	-9.54	-95.23	43.82	-13.00	-47.92	Vertical	
5	22987.00	-62.66	RMS	38.73	-32.69	-9.54	-95.23	36.07	-13.00	-49.66	Vertical	




6

Part 270 Mode 1

NR SA n77 20M Ch664666 1RB1 BPSK

H




Site : 03CH22-HY

Condition: -13 3m DRH18-E_LE2C04A18EN Horizontal

: 5GNR n77 20M Ch664666 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
MHz	dBm									
1	7922.00	-53.67 RMS	37.20	-20.42	0.72	-95.23	24.06	-13.00	-40.67	Horizontal
2	11883.00	-48.30 RMS	39.17	-20.46	0.56	-95.23	27.66	-13.00	-35.30	Horizontal
3	15845.00	-49.77 RMS	41.41	-21.73	0.57	-95.23	25.21	-13.00	-36.77	Horizontal
4	19806.00	-46.43 RMS	37.75	-37.52	-9.54	-95.23	58.11	-13.00	-33.43	Horizontal



Site : 03CH22-HY

Condition: -13 3m DRH18-E_LE2C04A18EN Vertical

: 5GNR n77 20M Ch664666 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
MHz	dBm									
1	7922.00	-54.56 RMS	37.20	-20.42	0.72	-95.23	23.17	-13.00	-41.56	Vertical
2	11883.00	-40.62 RMS	39.17	-20.46	0.56	-95.23	35.34	-13.00	-27.62	Vertical
3	15845.00	-49.98 RMS	41.41	-21.73	0.57	-95.23	25.00	-13.00	-36.98	Vertical
4	19806.00	-52.39 RMS	37.75	-37.52	-9.54	-95.23	52.15	-13.00	-39.39	Vertical




6

Part 270 Mode 3

EN-DC B5+n77 10M + 20M Ch20525 1RB0 QPSK + Ch656000 1RB1 BPSK

M




Site : 03CH22-HY

Condition: -13 3m DRH18-E_LE2C04A18EN Horizontal

: NR n77 20M Ch656000 1RB1 BPSK

: LTE B5 10M Ch20525 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	7662.00	-53.19	RMS	37.08	-20.36	0.85	-95.23	24.47	-13.00	-40.19	Horizontal
2	11493.00	-47.71	RMS	38.99	-20.40	0.54	-95.23	28.39	-13.00	-34.71	Horizontal
3	15325.00	-48.59	RMS	41.70	-21.33	0.54	-95.23	25.72	-13.00	-35.59	Horizontal
4	19156.35	-61.61	RMS	--	25.46	0.00	-95.23	508.16	-13.00	-48.61	Horizontal



Site : 03CH22-HY

Condition: -13 3m DRH18-E_LE2C04A18EN Vertical

: NR n77 20M Ch656000 1RB1 BPSK

: LTE B5 10M Ch20525 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	7662.00	-52.55	RMS	37.08	-20.36	0.85	-95.23	25.11	-13.00	-39.55	Vertical
2	11493.00	-52.13	RMS	38.99	-20.40	0.54	-95.23	23.97	-13.00	-39.13	Vertical
3	15325.00	-48.95	RMS	41.70	-21.33	0.54	-95.23	25.36	-13.00	-35.95	Vertical
4	19156.35	-59.09	RMS	--	25.46	0.00	-95.23	510.68	-13.00	-46.09	Vertical




6

Part 270 Mode 4

NR SA n77 20M Ch647334 1RB1 BPSK

L




Site : 03CH22-HY

Condition: -13 3m DRH18-E_LE2C04A18EN Horizontal

: 5GNR n77 20M Ch647334 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb		Filter	EIRPCF	Readin g	Limit	Margin	Pol
					dB/m	dB						
	MHz	dBm					dB	dB	dBuV	dBm	dB	
1	7402.56	-53.70	RMS	37.39	-20.43	0.91	-95.23	23.66	-13.00	-40.70	Horizontal	
2	11103.84	-53.05	RMS	38.21	-20.48	0.53	-95.23	23.92	-13.00	-40.05	Horizontal	
3	14805.12	-47.99	RMS	42.69	-21.14	0.50	-95.23	25.19	-13.00	-34.99	Horizontal	
4	18506.00	-61.39	RMS	38.11	-39.49	-9.54	-95.23	44.76	-13.00	-48.39	Horizontal	
5	22207.00	-61.87	RMS	38.47	-33.47	-9.54	-95.23	37.90	-13.00	-48.87	Horizontal	



Site : 03CH22-HY

Condition: -13 3m DRH18-E_LE2C04A18EN Vertical

: 5GNR n77 20M Ch647334 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb		Filter	EIRPCF	Readin g	Limit	Margin	Pol
					dB/m	dB						
	MHz	dBm					dB	dB	dBuV	dBm	dB	
1	7402.56	-53.75	RMS	37.39	-20.43	0.91	-95.23	23.61	-13.00	-40.75	Vertical	
2	11103.84	-47.22	RMS	38.21	-20.48	0.53	-95.23	29.75	-13.00	-34.22	Vertical	
3	14805.12	-47.86	RMS	42.69	-21.14	0.50	-95.23	25.32	-13.00	-34.86	Vertical	
4	18506.00	-56.95	RMS	38.11	-39.49	-9.54	-95.23	49.20	-13.00	-43.95	Vertical	
5	22207.00	-59.10	RMS	38.47	-33.47	-9.54	-95.23	40.67	-13.00	-46.10	Vertical	




6

Part 270 Mode 4

NR SA n77 20M Ch656000 1RB1 BPSK

M




Site : 03CH22-HY

Condition: -13 3m DRH18-E_LE2C04A18EN Horizontal

: 5GNR n77 20M Ch656000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1		g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	7662.54	-49.91	RMS	37.07	-20.36	0.85	-95.23	27.76	-13.00	-36.91 Horizontal
2	11493.81	-52.15	RMS	38.99	-20.40	0.54	-95.23	23.95	-13.00	-39.15 Horizontal
3	15325.08	-49.05	RMS	41.70	-21.33	0.54	-95.23	25.27	-13.00	-36.05 Horizontal



Site : 03CH22-HY

Condition: -13 3m DRH18-E_LE2C04A18EN Vertical

: 5GNR n77 20M Ch656000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1		g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	7662.54	-53.05	RMS	37.07	-20.36	0.85	-95.23	24.62	-13.00	-40.05 Vertical
2	11493.81	-49.81	RMS	38.99	-20.40	0.54	-95.23	26.29	-13.00	-36.81 Vertical
3	15325.08	-49.11	RMS	41.70	-21.33	0.54	-95.23	25.21	-13.00	-36.11 Vertical




6

Part 270 Mode 4

NR SA n77 20M Ch664666 1RB1 BPSK

H




Site : 03CH22-HY

Condition: -13 3m DRH18-E_LE2C04A18EN Horizontal

: 5GNR n77 20M Ch664666 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
MHz	dBm									
1	7922.52	-54.48 RMS	37.20	-20.42	0.72	-95.23	23.25	-13.00	-41.48	Horizontal
2	11883.78	-48.41 RMS	39.17	-20.46	0.56	-95.23	27.55	-13.00	-35.41	Horizontal
3	15845.04	-49.92 RMS	41.41	-21.73	0.57	-95.23	25.06	-13.00	-36.92	Horizontal
4	19806.00	-60.60 RMS	37.75	-37.52	-9.54	-95.23	43.94	-13.00	-47.60	Horizontal



Site : 03CH22-HY

Condition: -13 3m DRH18-E_LE2C04A18EN Vertical

: 5GNR n77 20M Ch664666 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
MHz	dBm									
1	7922.52	-54.44 RMS	37.20	-20.42	0.72	-95.23	23.29	-13.00	-41.44	Vertical
2	11883.78	-43.93 RMS	39.17	-20.46	0.56	-95.23	32.03	-13.00	-30.93	Vertical
3	15845.04	-49.91 RMS	41.41	-21.73	0.57	-95.23	25.07	-13.00	-36.91	Vertical
4	19806.00	-61.07 RMS	37.75	-37.52	-9.54	-95.23	43.47	-13.00	-48.07	Vertical




1

Part 270 Mode 2

NR SA n77 20M Ch647334 1RB1 BPSK

L




Site : 03CH22-HY

Condition: -13 3m DRH18-E_LE2C04A18EN Horizontal

: 5GNR n77 20M Ch647334 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB		dBuV	dBm	dB	
1	7402.00	-54.35	RMS	37.40	-20.43	0.91	-95.23	23.00	-13.00	-41.35	Horizontal	
2	11103.00	-53.34	RMS	38.21	-20.48	0.53	-95.23	23.63	-13.00	-40.34	Horizontal	
3	14805.00	-48.35	RMS	42.69	-21.14	0.50	-95.23	24.83	-13.00	-35.35	Horizontal	
4	18506.00	-48.11	RMS	38.11	-39.49	-9.54	-95.23	58.04	-13.00	-35.11	Horizontal	
5	22207.00	-55.87	RMS	38.47	-33.47	-9.54	-95.23	43.90	-13.00	-42.87	Horizontal	



Site : 03CH22-HY

Condition: -13 3m DRH18-E_LE2C04A18EN Vertical

: 5GNR n77 20M Ch647334 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB		dBuV	dBm	dB	
1	7402.00	-53.71	RMS	37.40	-20.43	0.91	-95.23	23.64	-13.00	-40.71	Vertical	
2	11103.00	-53.27	RMS	38.21	-20.48	0.53	-95.23	23.70	-13.00	-40.27	Vertical	
3	14805.00	-48.14	RMS	42.69	-21.14	0.50	-95.23	25.04	-13.00	-35.14	Vertical	
4	18506.00	-52.14	RMS	38.11	-39.49	-9.54	-95.23	54.01	-13.00	-39.14	Vertical	
5	22207.00	-59.02	RMS	38.47	-33.47	-9.54	-95.23	40.75	-13.00	-46.02	Vertical	




1

Part 270 Mode 2

NR SA n77 20M Ch656000 1RB1 BPSK

M




Site : 03CH22-HY

Condition: -13 3m DRH18-E_LE2C04A18EN Horizontal

: 5GNR n77 20M Ch656000 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Readin g	Limit	Margin Pol	
	MHz	dBm			dB/m	dB	dB			dB	dB
1	7662.00	-50.89	RMS		37.08	-20.36	0.85 -95.23	26.77	-13.00	-37.89	Horizontal
2	11493.00	-52.55	RMS		38.99	-20.40	0.54 -95.23	23.55	-13.00	-39.55	Horizontal
3	15325.00	-49.39	RMS		41.70	-21.33	0.54 -95.23	24.92	-13.00	-36.39	Horizontal
4	19156.00	-53.31	RMS		38.44	-38.41	-9.54 -95.23	51.43	-13.00	-40.31	Horizontal
5	22987.00	-60.64	RMS		38.73	-32.69	-9.54 -95.23	38.09	-13.00	-47.64	Horizontal



Site : 03CH22-HY

Condition: -13 3m DRH18-E_LE2C04A18EN Vertical

: 5GNR n77 20M Ch656000 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Readin g	Limit	Margin Pol	
	MHz	dBm			dB/m	dB	dB			dB	dB
1	7662.00	-53.62	RMS		37.08	-20.36	0.85 -95.23	24.04	-13.00	-40.62	Vertical
2	11493.00	-52.64	RMS		38.99	-20.40	0.54 -95.23	23.46	-13.00	-39.64	Vertical
3	15325.00	-49.29	RMS		41.70	-21.33	0.54 -95.23	25.02	-13.00	-36.29	Vertical
4	19156.00	-54.29	RMS		38.44	-38.41	-9.54 -95.23	50.45	-13.00	-41.29	Vertical
5	22987.00	-58.06	RMS		38.73	-32.69	-9.54 -95.23	40.67	-13.00	-45.06	Vertical




1

Part 270 Mode 2

NR SA n77 20M Ch664666 1RB1 BPSK

H




Site : 03CH22-HY

Condition: -13 3m DRH18-E_LE2C04A18EN Horizontal

: 5GNR n77 20M Ch664666 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb		Filter	EIRPCF	Readin g	Limit	Margin	Pol
					dB/m	dB						
	MHz	dBm					dB	dB	dBuV	dBm	dB	
1	7922.00	-52.11	RMS	37.20	-20.42	0.72	-95.23	25.62	-13.00	-39.11	Horizontal	
2	11883.00	-52.54	RMS	39.17	-20.46	0.56	-95.23	23.42	-13.00	-39.54	Horizontal	
3	15845.00	-50.01	RMS	41.41	-21.73	0.57	-95.23	24.97	-13.00	-37.01	Horizontal	
4	19806.00	-46.66	RMS	37.75	-37.52	-9.54	-95.23	57.88	-13.00	-33.66	Horizontal	
5	23767.00	-62.44	RMS	38.60	-31.32	-9.54	-95.23	35.05	-13.00	-49.44	Horizontal	



Site : 03CH22-HY

Condition: -13 3m DRH18-E_LE2C04A18EN Vertical

: 5GNR n77 20M Ch664666 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb		Filter	EIRPCF	Readin g	Limit	Margin	Pol
					dB/m	dB						
	MHz	dBm					dB	dB	dBuV	dBm	dB	
1	7922.00	-52.21	RMS	37.20	-20.42	0.72	-95.23	25.52	-13.00	-39.21	Vertical	
2	11883.00	-52.54	RMS	39.17	-20.46	0.56	-95.23	23.42	-13.00	-39.54	Vertical	
3	15845.00	-49.69	RMS	41.41	-21.73	0.57	-95.23	25.29	-13.00	-36.69	Vertical	
4	19806.00	-55.95	RMS	37.75	-37.52	-9.54	-95.23	48.59	-13.00	-42.95	Vertical	
5	23767.00	-61.12	RMS	38.60	-31.32	-9.54	-95.23	36.37	-13.00	-48.12	Vertical	




1

Part 270 Mode 5

NR SA n77 20M Ch647334 1RB1 BPSK

L




Site : 03CH22-HY

Condition: -13 3m DRH18-E_LE2C04A18EN Horizontal

: 5GNR n77 20M Ch647334 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb		Filter	EIRPCF	Readin g	Limit	Margin	Pol
					dB/m	dB						
	MHz	dBm					dB	dB	dBuV	dBm	dB	
1	7402.00	-53.80	RMS	37.40	-20.43	0.91	-95.23	23.55	-13.00	-40.80	Horizontal	
2	11103.00	-48.42	RMS	38.21	-20.48	0.53	-95.23	28.55	-13.00	-35.42	Horizontal	
3	14805.00	-47.81	RMS	42.69	-21.14	0.50	-95.23	25.37	-13.00	-34.81	Horizontal	
4	18506.00	-57.03	RMS	38.11	-39.49	-9.54	-95.23	49.12	-13.00	-44.03	Horizontal	
5	22207.00	-63.13	RMS	38.47	-33.47	-9.54	-95.23	36.64	-13.00	-50.13	Horizontal	



Site : 03CH22-HY

Condition: -13 3m DRH18-E_LE2C04A18EN Vertical

: 5GNR n77 20M Ch647334 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb		Filter	EIRPCF	Readin g	Limit	Margin	Pol
					dB/m	dB						
	MHz	dBm					dB	dB	dBuV	dBm	dB	
1	7402.00	-52.07	RMS	37.40	-20.43	0.91	-95.23	25.28	-13.00	-39.07	Vertical	
2	11103.00	-45.93	RMS	38.21	-20.48	0.53	-95.23	31.04	-13.00	-32.93	Vertical	
3	14805.00	-47.54	RMS	42.69	-21.14	0.50	-95.23	25.64	-13.00	-34.54	Vertical	
4	18506.00	-53.51	RMS	38.11	-39.49	-9.54	-95.23	52.64	-13.00	-40.51	Vertical	
5	22207.00	-57.70	RMS	38.47	-33.47	-9.54	-95.23	42.07	-13.00	-44.70	Vertical	




1

Part 270 Mode 5

NR SA n77 20M Ch656000 1RB1 BPSK

M




Site : 03CH22-HY

Condition: -13 3m DRH18-E_LE2C04A18EN Horizontal

: 5GNR n77 20M Ch656000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb		Filter	EIRPCF	Readin g	Limit	Margin	Pol
					dB/m	dB						
	MHz	dBm					dB	dB	dBuV	dBm	dB	
1	7662.00	-53.96	RMS	37.08	-20.36	0.85	-95.23	23.70	-13.00	-40.96	Horizontal	
2	11493.00	-47.87	RMS	38.99	-20.40	0.54	-95.23	28.23	-13.00	-34.87	Horizontal	
3	15325.00	-49.53	RMS	41.70	-21.33	0.54	-95.23	24.78	-13.00	-36.53	Horizontal	
4	19156.00	-51.47	RMS	38.44	-38.41	-9.54	-95.23	53.27	-13.00	-38.47	Horizontal	
5	22987.00	-59.05	RMS	38.73	-32.69	-9.54	-95.23	39.68	-13.00	-46.05	Horizontal	



Site : 03CH22-HY

Condition: -13 3m DRH18-E_LE2C04A18EN Vertical

: 5GNR n77 20M Ch656000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb		Filter	EIRPCF	Readin g	Limit	Margin	Pol
					dB/m	dB						
	MHz	dBm					dB	dB	dBuV	dBm	dB	
1	7662.00	-50.48	RMS	37.08	-20.36	0.85	-95.23	27.18	-13.00	-37.48	Vertical	
2	11493.00	-45.42	RMS	38.99	-20.40	0.54	-95.23	30.68	-13.00	-32.42	Vertical	
3	15325.00	-49.47	RMS	41.70	-21.33	0.54	-95.23	24.84	-13.00	-36.47	Vertical	
4	19156.00	-50.69	RMS	38.44	-38.41	-9.54	-95.23	54.05	-13.00	-37.69	Vertical	
5	22987.00	-60.67	RMS	38.73	-32.69	-9.54	-95.23	38.06	-13.00	-47.67	Vertical	




1

Part 270 Mode 5


NR SA n77 20M Ch664666 1RB1 BPSK

H



Site : 03CH22-HY
Condition: -13 3m DRH18-E_LE2C04A18EN Horizontal
: 5GNR n77 20M Ch664666 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	7922.00	-52.42	RMS	37.20	-20.42	0.72	-95.23	25.31	-13.00	-39.42 Horizontal
2	11883.00	-43.12	RMS	39.17	-20.46	0.56	-95.23	32.84	-13.00	-30.12 Horizontal
3	15845.00	-49.26	RMS	41.41	-21.73	0.57	-95.23	25.72	-13.00	-36.26 Horizontal



Site : 03CH22-HY
Condition: -13 3m DRH18-E_LE2C04A18EN Vertical
: 5GNR n77 20M Ch664666 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	7922.00	-54.10	RMS	37.20	-20.42	0.72	-95.23	23.63	-13.00	-41.10 Vertical
2	11883.00	-44.90	RMS	39.17	-20.46	0.56	-95.23	31.06	-13.00	-31.90 Vertical
3	15845.00	-49.25	RMS	41.41	-21.73	0.57	-95.23	25.73	-13.00	-36.25 Vertical




0

Part 27N Mode 1


NR SA n71 20M Ch134600 1RB1 BPSK

L



Site : 03CH22-HY
Condition: -13 3m DRH18-E_LE2C04A18EN Horizontal
: 5GNR n71 20M Ch134600 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1		g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	1328.00	-68.48	RMS	24.50	-25.48	0.66	-95.23	27.07	-13.00	-55.48
2	1992.00	-66.44	RMS	26.30	-24.33	0.49	-95.23	26.33	-13.00	-53.44
3	2657.00	-65.99	RMS	27.30	-23.44	0.30	-95.23	25.08	-13.00	-52.99



Site : 03CH22-HY
Condition: -13 3m DRH18-E_LE2C04A18EN Vertical
: 5GNR n71 20M Ch134600 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1		g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	1328.00	-68.79	RMS	24.50	-25.48	0.66	-95.23	26.76	-13.00	-55.79
2	1992.00	-66.71	RMS	26.30	-24.33	0.49	-95.23	26.06	-13.00	-53.71
3	2657.00	-66.35	RMS	27.30	-23.44	0.30	-95.23	24.72	-13.00	-53.35




0

Part 27N Mode 1

NR SA n71 20M Ch136100 1RB1 BPSK

M




Site : 03CH22-HY

Condition: -13 3m DRH18-E_LE2C04A18EN Horizontal

: 5GNR n71 20M Ch136100 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1		g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	1343.00	-54.74	RMS	24.40	-25.45	0.64	-95.23	40.90	-13.00	-41.74
2	2015.00	-42.74	RMS	26.40	-24.30	0.49	-95.23	49.90	-13.00	-29.74
3	2687.00	-65.25	RMS	27.47	-23.39	0.31	-95.23	25.59	-13.00	-52.25



Site : 03CH22-HY

Condition: -13 3m DRH18-E_LE2C04A18EN Vertical

: 5GNR n71 20M Ch136100 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1		g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	1343.00	-58.72	RMS	24.40	-25.45	0.64	-95.23	36.92	-13.00	-45.72
2	2015.00	-46.78	RMS	26.40	-24.30	0.49	-95.23	45.86	-13.00	-33.78
3	2687.00	-65.58	RMS	27.47	-23.39	0.31	-95.23	25.26	-13.00	-52.58




0

Part 27N Mode 1

NR SA n71 20M Ch137600 1RB1 BPSK

H




Site : 03CH22-HY

Condition: -13 3m DRH18-E_LE2C04A18EN Horizontal

: 5GNR n71 20M Ch137600 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1		g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	1358.00	-66.07	RMS	24.48	-25.42	0.61	-95.23	29.49	-13.00	-53.07
2	2037.00	-65.87	RMS	26.30	-24.27	0.49	-95.23	26.84	-13.00	-52.87
3	2717.00	-65.42	RMS	27.67	-23.34	0.33	-95.23	25.15	-13.00	-52.42



Site : 03CH22-HY

Condition: -13 3m DRH18-E_LE2C04A18EN Vertical

: 5GNR n71 20M Ch137600 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1		g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	1358.00	-68.19	RMS	24.48	-25.42	0.61	-95.23	27.37	-13.00	-55.19
2	2037.00	-67.33	RMS	26.30	-24.27	0.49	-95.23	25.38	-13.00	-54.33
3	2717.00	-65.27	RMS	27.67	-23.34	0.33	-95.23	25.30	-13.00	-52.27




1

Part 27N Mode 2

NR SA n71 20M Ch134600 1RB1 BPSK

L




Site : 03CH22-HY

Condition: -13 3m DRH18-E_LE2C04A18EN Horizontal

: 5GNR n71 20M Ch134600 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			dB	dB	dB	dBuV	dBm	dB	
1	1328.00	-62.53	RMS	24.50	-25.48	0.66	-95.23	33.02	-13.00	-49.53	Horizontal
2	1992.00	-39.89	RMS	26.30	-24.33	0.49	-95.23	52.88	-13.00	-26.89	Horizontal
3	2657.00	-64.29	RMS	27.30	-23.44	0.30	-95.23	26.78	-13.00	-51.29	Horizontal
4	3321.00	-55.88	RMS	28.30	-22.75	0.27	-95.23	33.53	-13.00	-42.88	Horizontal



Site : 03CH22-HY

Condition: -13 3m DRH18-E_LE2C04A18EN Vertical

: 5GNR n71 20M Ch134600 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			dB	dB	dB	dBuV	dBm	dB	
1	1328.00	-64.58	RMS	24.50	-25.48	0.66	-95.23	30.97	-13.00	-51.58	Vertical
2	1992.00	-40.88	RMS	26.30	-24.33	0.49	-95.23	51.89	-13.00	-27.88	Vertical
3	2657.00	-64.59	RMS	27.30	-23.44	0.30	-95.23	26.48	-13.00	-51.59	Vertical
4	3321.00	-55.94	RMS	28.30	-22.75	0.27	-95.23	33.47	-13.00	-42.94	Vertical




1

Part 27N Mode 2

NR SA n71 20M Ch136100 1RB1 BPSK

M




Site : 03CH22-HY

Condition: -13 3m DRH18-E_LE2C04A18EN Horizontal

: 5GNR n71 20M Ch136100 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			dB	dB	dB	dBuV	dBm	dB	
1	1343.00	-61.77	RMS	24.40	-25.45	0.64	-95.23	33.87	-13.00	-48.77	Horizontal
2	2015.00	-39.24	RMS	26.40	-24.30	0.49	-95.23	53.40	-13.00	-26.24	Horizontal
3	2687.00	-62.28	RMS	27.47	-23.39	0.31	-95.23	28.56	-13.00	-49.28	Horizontal
4	3358.00	-53.28	RMS	28.33	-22.74	0.26	-95.23	36.10	-13.00	-40.28	Horizontal



Site : 03CH22-HY

Condition: -13 3m DRH18-E_LE2C04A18EN Vertical

: 5GNR n71 20M Ch136100 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			dB	dB	dB	dBuV	dBm	dB	
1	1343.00	-64.42	RMS	24.40	-25.45	0.64	-95.23	31.22	-13.00	-51.42	Vertical
2	2015.00	-38.63	RMS	26.40	-24.30	0.49	-95.23	54.01	-13.00	-25.63	Vertical
3	2687.00	-63.80	RMS	27.47	-23.39	0.31	-95.23	27.04	-13.00	-50.80	Vertical
4	3358.00	-54.56	RMS	28.33	-22.74	0.26	-95.23	34.82	-13.00	-41.56	Vertical




1

Part 27N Mode 2

NR SA n71 20M Ch137600 1RB1 BPSK

H




Site : 03CH22-HY

Condition: -13 3m DRH18-E_LE2C04A18EN Horizontal

: 5GNR n71 20M Ch137600 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			dB	dB	dB	dBuV	dBm	dB	
1	1358.00	-64.05	RMS	24.48	-25.42	0.61	-95.23	31.51	-13.00	-51.05	Horizontal
2	2037.00	-41.02	RMS	26.30	-24.27	0.49	-95.23	51.69	-13.00	-28.02	Horizontal
3	2717.00	-63.80	RMS	27.67	-23.34	0.33	-95.23	26.77	-13.00	-50.80	Horizontal
4	3396.00	-58.61	RMS	28.48	-22.72	0.25	-95.23	30.61	-13.00	-45.61	Horizontal



Site : 03CH22-HY

Condition: -13 3m DRH18-E_LE2C04A18EN Vertical

: 5GNR n71 20M Ch137600 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			dB	dB	dB	dBuV	dBm	dB	
1	1358.00	-64.97	RMS	24.48	-25.42	0.61	-95.23	30.59	-13.00	-51.97	Vertical
2	2037.00	-42.54	RMS	26.30	-24.27	0.49	-95.23	50.17	-13.00	-29.54	Vertical
3	2717.00	-64.46	RMS	27.67	-23.34	0.33	-95.23	26.11	-13.00	-51.46	Vertical
4	3396.00	-59.13	RMS	28.48	-22.72	0.25	-95.23	30.09	-13.00	-46.13	Vertical




LTE

Part 27N Mode 3


EN-DC B2+n71 10M + 20M Ch18900 1RB0 QPSK + Ch136100 1RB1 BPSK

M



Site : 03CH22-HY
Condition: -13 3m DRH18-E_LE2C04A18EN Horizontal
: NR n71 20M Ch136100 1RB1 BPSK
: LTE B2 10M Ch18900 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			dB	dB	dB	dBuV	dBm	dB	
1	1343.00	-66.30	RMS	24.40	-25.45	0.64	-95.23	29.34	-13.00	-53.30	Horizontal
2	2015.00	-56.59	RMS	26.40	-24.30	0.49	-95.23	36.05	-13.00	-43.59	Horizontal
3	2687.00	-65.78	RMS	27.47	-23.39	0.31	-95.23	25.06	-13.00	-52.78	Horizontal



Site : 03CH22-HY
Condition: -13 3m DRH18-E_LE2C04A18EN Vertical
: NR n71 20M Ch136100 1RB1 BPSK
: LTE B2 10M Ch18900 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			dB	dB	dB	dBuV	dBm	dB	
1	1343.00	-60.11	RMS	24.40	-25.45	0.64	-95.23	35.53	-13.00	-47.11	Vertical
2	2015.00	-50.50	RMS	26.40	-24.30	0.49	-95.23	42.14	-13.00	-37.50	Vertical
3	2687.00	-65.72	RMS	27.47	-23.39	0.31	-95.23	25.12	-13.00	-52.72	Vertical




0

Part 27H Mode 1


NR SA n12 10M Ch140800 1RB1 BPSK

L



Site : 03CH22-HY
Condition: 700 AC BAND 3m DRH18-E_LE2C04A18EN Horizontal
: 5GNR n12 10M Ch140800 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin		Pol
				Factor	1		g				
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1399.54	-69.11	RMS	24.70	-25.34	0.54	-95.23	26.22	-13.00	-56.11	Horizontal
2	2099.31	-64.93	RMS	26.30	-24.20	0.52	-95.23	27.68	-13.00	-51.93	Horizontal
3	2799.08	-64.87	RMS	28.00	-23.21	0.36	-95.23	25.21	-13.00	-51.87	Horizontal



Site : 03CH22-HY
Condition: 700 AC BAND 3m DRH18-E_LE2C04A18EN Vertical
: 5GNR n12 10M Ch140800 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin		Pol
				Factor	1		g				
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1399.54	-68.84	RMS	24.70	-25.34	0.54	-95.23	26.49	-13.00	-55.84	Vertical
2	2099.31	-60.87	RMS	26.30	-24.20	0.52	-95.23	31.74	-13.00	-47.87	Vertical
3	2799.08	-64.65	RMS	28.00	-23.21	0.36	-95.23	25.43	-13.00	-51.65	Vertical




0

Part 27H Mode 1

NR SA n12 10M Ch141500 1RB1 BPSK

M




Site : 03CH22-HY

Condition: 700 AC BAND 3m DRH18-E_LE2C04A18EN Horizontal

: 5GNR n12 10M Ch141500 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit	Margin	Pol
				Factor	1					
1	1406.54	-68.97	RMS	24.77	-25.33	0.54 -95.23	26.28	-13.00	-55.97	Horizontal
2	2109.81	-60.46	RMS	26.30	-24.18	0.52 -95.23	32.13	-13.00	-47.46	Horizontal
3	2813.08	-64.39	RMS	28.07	-23.18	0.36 -95.23	25.59	-13.00	-51.39	Horizontal



Site : 03CH22-HY

Condition: 700 AC BAND 3m DRH18-E_LE2C04A18EN Vertical

: 5GNR n12 10M Ch141500 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit	Margin	Pol
				Factor	1					
1	1406.54	-67.16	RMS	24.77	-25.33	0.54 -95.23	28.09	-13.00	-54.16	Vertical
2	2109.81	-56.42	RMS	26.30	-24.18	0.52 -95.23	36.17	-13.00	-43.42	Vertical
3	2813.08	-64.65	RMS	28.07	-23.18	0.36 -95.23	25.33	-13.00	-51.65	Vertical




0

Part 27H Mode 1

NR SA n12 10M Ch142200 1RB1 BPSK

H




Site : 03CH22-HY

Condition: 700 AC BAND 3m DRH18-E_LE2C04A18EN Horizontal

: 5GNR n12 10M Ch142200 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1		g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	1413.54	-67.51	RMS	24.80	-25.31	0.53	-95.23	27.70	-13.00	-54.51 Horizontal
2	2120.31	-61.86	RMS	26.30	-24.17	0.53	-95.23	30.71	-13.00	-48.86 Horizontal
3	2827.08	-64.62	RMS	28.07	-23.16	0.37	-95.23	25.33	-13.00	-51.62 Horizontal



Site : 03CH22-HY

Condition: 700 AC BAND 3m DRH18-E_LE2C04A18EN Vertical

: 5GNR n12 10M Ch142200 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1		g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	1413.54	-66.55	RMS	24.80	-25.31	0.53	-95.23	28.66	-13.00	-53.55 Vertical
2	2120.31	-55.86	RMS	26.30	-24.17	0.53	-95.23	36.71	-13.00	-42.86 Vertical
3	2827.08	-64.76	RMS	28.07	-23.16	0.37	-95.23	25.19	-13.00	-51.76 Vertical




1

Part 27H Mode 2

NR SA n12 10M Ch140800 1RB1 BPSK

L




Site : 03CH22-HY

Condition: 700 AC BAND 3m DRH18-E_LE2C04A18EN Horizontal

: 5GNR n12 10M Ch140800 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	1399.00	-61.41	RMS	24.69	-25.34	0.54	-95.23	33.93	-13.00	-48.41 Horizontal
2	2099.00	-46.87	RMS	26.30	-24.20	0.52	-95.23	45.74	-13.00	-33.87 Horizontal
3	2799.00	-64.58	RMS	28.00	-23.21	0.36	-95.23	25.50	-13.00	-51.58 Horizontal



Site : 03CH22-HY

Condition: 700 AC BAND 3m DRH18-E_LE2C04A18EN Vertical

: 5GNR n12 10M Ch140800 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	1399.00	-68.77	RMS	24.69	-25.34	0.54	-95.23	26.57	-13.00	-55.77 Vertical
2	2099.00	-55.82	RMS	26.30	-24.20	0.52	-95.23	36.79	-13.00	-42.82 Vertical
3	2799.00	-64.32	RMS	28.00	-23.21	0.36	-95.23	25.76	-13.00	-51.32 Vertical




1

Part 27H Mode 2

NR SA n12 10M Ch141500 1RB1 BPSK

M




Site : 03CH22-HY

Condition: 700 AC BAND 3m DRH18-E_LE2C04A18EN Horizontal

: 5GNR n12 10M Ch141500 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			dB	dB	dB	dBuV	dBm	dB	
1	1406.00	-60.70	RMS	24.76	-25.33	0.54	-95.23	34.56	-13.00	-47.70	Horizontal
2	2109.00	-43.27	RMS	26.30	-24.18	0.52	-95.23	49.32	-13.00	-30.27	Horizontal
3	2813.00	-63.56	RMS	28.07	-23.18	0.36	-95.23	26.42	-13.00	-50.56	Horizontal
4	3516.00	-63.66	RMS	29.03	-22.67	0.28	-95.23	24.93	-13.00	-50.66	Horizontal



Site : 03CH22-HY

Condition: 700 AC BAND 3m DRH18-E_LE2C04A18EN Vertical

: 5GNR n12 10M Ch141500 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			dB	dB	dB	dBuV	dBm	dB	
1	1406.00	-57.68	RMS	24.76	-25.33	0.54	-95.23	37.58	-13.00	-44.68	Vertical
2	2109.00	-39.19	RMS	26.30	-24.18	0.52	-95.23	53.40	-13.00	-26.19	Vertical
3	2813.00	-64.31	RMS	28.07	-23.18	0.36	-95.23	25.67	-13.00	-51.31	Vertical
4	3516.00	-57.81	RMS	29.03	-22.67	0.28	-95.23	30.78	-13.00	-44.81	Vertical




1

Part 27H Mode 2


NR SA n12 10M Ch142200 1RB1 BPSK

H



Site : 03CH22-HY
Condition: 700 AC BAND 3m DRH18-E_LE2C04A18EN Horizontal
: 5GNR n12 10M Ch142200 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1		g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	1413.00	-65.59	RMS	24.80	-25.31	0.53	-95.23	29.62	-13.00	-52.59
2	2120.00	-44.68	RMS	26.30	-24.17	0.53	-95.23	47.89	-13.00	-31.68
3	2827.00	-64.71	RMS	28.07	-23.16	0.37	-95.23	25.24	-13.00	-51.71



Site : 03CH22-HY
Condition: 700 AC BAND 3m DRH18-E_LE2C04A18EN Vertical
: 5GNR n12 10M Ch142200 1RB1 BPSK


	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1		g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	1413.00	-62.89	RMS	24.80	-25.31	0.53	-95.23	32.32	-13.00	-49.89
2	2120.00	-42.16	RMS	26.30	-24.17	0.53	-95.23	50.41	-13.00	-29.16
3	2827.00	-64.69	RMS	28.07	-23.16	0.37	-95.23	25.26	-13.00	-51.69

LTE

Part 27H Mode 3


EN-DC B2+n12 10M + 10M Ch18900 1RB0 QPSK + Ch141500 1RB1 BPSK

M



Site : 03CH22-HY
Condition: -13 3m DRH18-E_LE2C04A18EN Horizontal
: NR n12 10M Ch141500 1RB1 BPSK
: LTE B2 10M Ch18900 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1406.00	-55.92	RMS	24.76	-25.33	0.54	-95.23	39.34	-13.00	-42.92	Horizontal
2	2109.00	-43.56	RMS	26.30	-24.18	0.52	-95.23	49.03	-13.00	-30.56	Horizontal
3	2813.00	-64.40	RMS	28.07	-23.18	0.36	-95.23	25.58	-13.00	-51.40	Horizontal



Site : 03CH22-HY
Condition: -13 3m DRH18-E_LE2C04A18EN Vertical
: NR n12 10M Ch141500 1RB1 BPSK
: LTE B2 10M Ch18900 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb l	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1406.00	-55.08	RMS	24.76	-25.33	0.54	-95.23	40.18	-13.00	-42.08	Vertical
2	2109.00	-41.54	RMS	26.30	-24.18	0.52	-95.23	51.05	-13.00	-28.54	Vertical
3	2813.00	-64.80	RMS	28.07	-23.18	0.36	-95.23	25.18	-13.00	-51.80	Vertical