




2

Part 27D Mode 1

NR SA n30 5M Ch461500 1RB1 BPSK

L




Site : 03CH22-HY

Condition: -40 3m DRH18-E_LE2C04A18EN Horizontal

: 5GNR n30 5M Ch461500 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm								
1	4611.00	-59.59	RMS	31.84	-21.49	0.79	-95.23	24.50	-40.00	-19.59 Horizontal
2	6916.00	-50.26	RMS	36.80	-20.61	0.56	-95.23	28.22	-40.00	-10.26 Horizontal
3	9222.00	-54.26	RMS	37.36	-20.57	0.57	-95.23	23.61	-40.00	-14.26 Horizontal



Site : 03CH22-HY

Condition: -40 3m DRH18-E_LE2C04A18EN Vertical

: 5GNR n30 5M Ch461500 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm								
1	4611.00	-59.96	RMS	31.84	-21.49	0.79	-95.23	24.13	-40.00	-19.96 Vertical
2	6916.00	-52.94	RMS	36.80	-20.61	0.56	-95.23	25.54	-40.00	-12.94 Vertical
3	9222.00	-54.22	RMS	37.36	-20.57	0.57	-95.23	23.65	-40.00	-14.22 Vertical




2

Part 27D Mode 1

NR SA n30 5M Ch462000 1RB1 BPSK

M




Site : 03CH22-HY

Condition: -40 3m DRH18-E_LE2C04A18EN Horizontal

: 5GNR n30 5M Ch462000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm								
1	4616.00	-60.10	RMS	31.86	-21.48	0.78	-95.23	23.97	-40.00	-20.10 Horizontal
2	6924.00	-50.44	RMS	36.80	-20.61	0.56	-95.23	28.04	-40.00	-10.44 Horizontal
3	9232.00	-53.87	RMS	37.34	-20.58	0.57	-95.23	24.03	-40.00	-13.87 Horizontal



Site : 03CH22-HY

Condition: -40 3m DRH18-E_LE2C04A18EN Vertical

: 5GNR n30 5M Ch462000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm								
1	4616.00	-60.00	RMS	31.86	-21.48	0.78	-95.23	24.07	-40.00	-20.00 Vertical
2	6924.00	-54.46	RMS	36.80	-20.61	0.56	-95.23	24.02	-40.00	-14.46 Vertical
3	9232.00	-54.33	RMS	37.34	-20.58	0.57	-95.23	23.57	-40.00	-14.33 Vertical




2

Part 27D Mode 1

NR SA n30 5M Ch462500 1RB1 BPSK

H




Site : 03CH22-HY

Condition: -40 3m DRH18-E_LE2C04A18EN Horizontal

: 5GNR n30 5M Ch462500 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1		g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	4621.00	-59.54	RMS	31.88	-21.48	0.78	-95.23	24.51	-40.00	-19.54 Horizontal
2	6931.00	-48.44	RMS	36.80	-20.61	0.57	-95.23	30.03	-40.00	-8.44 Horizontal
3	9242.00	-53.89	RMS	37.32	-20.59	0.57	-95.23	24.04	-40.00	-13.89 Horizontal



Site : 03CH22-HY

Condition: -40 3m DRH18-E_LE2C04A18EN Vertical

: 5GNR n30 5M Ch462500 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1		g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	4621.00	-60.14	RMS	31.88	-21.48	0.78	-95.23	23.91	-40.00	-20.14 Vertical
2	6931.00	-53.12	RMS	36.80	-20.61	0.57	-95.23	25.35	-40.00	-13.12 Vertical
3	9242.00	-53.79	RMS	37.32	-20.59	0.57	-95.23	24.14	-40.00	-13.79 Vertical




2

Part 27D Mode 2

NR SA n30 10M Ch462000 1RB1 BPSK

M




Site : 03CH22-HY

Condition: -40 3m DRH18-E_LE2C04A18EN Horizontal

: 5GNR n30 10M Ch462000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	4611.00	-59.46	RMS	31.84	-21.49	0.79	-95.23	24.63	-40.00	-19.46 Horizontal
2	6917.00	-45.14	RMS	36.80	-20.61	0.56	-95.23	33.34	-40.00	-5.14 Horizontal
3	9223.00	-53.80	RMS	37.35	-20.57	0.57	-95.23	24.08	-40.00	-13.80 Horizontal



Site : 03CH22-HY

Condition: -40 3m DRH18-E_LE2C04A18EN Vertical

: 5GNR n30 10M Ch462000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	4611.00	-59.28	RMS	31.84	-21.49	0.79	-95.23	24.81	-40.00	-19.28 Vertical
2	6917.00	-53.16	RMS	36.80	-20.61	0.56	-95.23	25.32	-40.00	-13.16 Vertical
3	9223.00	-53.91	RMS	37.35	-20.57	0.57	-95.23	23.97	-40.00	-13.91 Vertical




1

Part 27D Mode 3

NR SA n30 5M Ch461500 1RB1 BPSK

L




Site : 03CH22-HY

Condition: -40 3m DRH18-E_LE2C04A18EN Horizontal

: NR SA n30 5M Ch461500 1RB1 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1		g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	4611.04	-61.06	RMS	31.84	-21.49	0.00	-95.23	23.82	-40.00	-21.06 Horizontal
2	6916.56	-49.36	RMS	36.80	-20.61	0.00	-95.23	29.68	-40.00	-9.36 Horizontal
3	9222.08	-55.04	RMS	37.36	-20.57	0.00	-95.23	23.40	-40.00	-15.04 Horizontal



Site : 03CH22-HY

Condition: -40 3m DRH18-E_LE2C04A18EN Vertical

: NR SA n30 5M Ch461500 1RB1 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1		g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	4611.04	-60.54	RMS	31.84	-21.49	0.00	-95.23	24.34	-40.00	-20.54 Vertical
2	6916.56	-48.35	RMS	36.80	-20.61	0.00	-95.23	30.69	-40.00	-8.35 Vertical
3	9222.08	-55.21	RMS	37.36	-20.57	0.00	-95.23	23.23	-40.00	-15.21 Vertical




1

Part 27D Mode 3


NR SA n30 5M Ch462000 1RB1 BPSK

M



Site : 03CH22-HY
Condition: -40 3m DRH18-E_LE2C04A18EN Horizontal
NR SA n30 5M Ch462000 1RB1 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	4616.04	-60.63	RMS	31.86	-21.48	0.00	-95.23	24.22	-40.00	-20.63 Horizontal
2	6924.06	-56.14	RMS	36.80	-20.61	0.00	-95.23	22.90	-40.00	-16.14 Horizontal
3	9232.08	-54.98	RMS	37.34	-20.58	0.00	-95.23	23.49	-40.00	-14.98 Horizontal



Site : 03CH22-HY
Condition: -40 3m DRH18-E_LE2C04A18EN Vertical
NR SA n30 5M Ch462000 1RB1 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	4616.04	-61.04	RMS	31.86	-21.48	0.00	-95.23	23.81	-40.00	-21.04 Vertical
2	6924.06	-55.95	RMS	36.80	-20.61	0.00	-95.23	23.09	-40.00	-15.95 Vertical
3	9232.08	-55.00	RMS	37.34	-20.58	0.00	-95.23	23.47	-40.00	-15.00 Vertical




1

Part 27D Mode 3

NR SA n30 5M Ch462500 1RB1 BPSK

H




Site : 03CH22-HY

Condition: -40 3m DRH18-E_LE2C04A18EN Horizontal

: NR SA n30 5M Ch462500 1RB1 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1		g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	4621.04	-60.70	RMS	31.88	-21.47	0.78	-95.23	23.34	-40.00	-20.70 Horizontal
2	6931.56	-56.35	RMS	36.80	-20.61	0.57	-95.23	22.12	-40.00	-16.35 Horizontal
3	9242.08	-55.27	RMS	37.32	-20.59	0.57	-95.23	22.66	-40.00	-15.27 Horizontal



Site : 03CH22-HY

Condition: -40 3m DRH18-E_LE2C04A18EN Vertical

: NR SA n30 5M Ch462500 1RB1 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1		g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	4621.04	-60.74	RMS	31.88	-21.47	0.78	-95.23	23.30	-40.00	-20.74 Vertical
2	6931.56	-56.15	RMS	36.80	-20.61	0.57	-95.23	22.32	-40.00	-16.15 Vertical
3	9242.08	-54.96	RMS	37.32	-20.59	0.57	-95.23	22.97	-40.00	-14.96 Vertical




1

Part 27D Mode 4

NR SA n30 10M Ch462000 1RB1 BPSK

M




Site : 03CH22-HY

Condition: -40 3m DRH18-E_LE2C04A18EN Horizontal

: 5GNR n30 5M Ch462000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1		g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	4611.00	-60.32	RMS	31.84	-21.49	0.79	-95.23	23.77	-40.00	-20.32 Horizontal
2	6917.00	-55.34	RMS	36.80	-20.61	0.56	-95.23	23.14	-40.00	-15.34 Horizontal
3	9223.00	-54.31	RMS	37.35	-20.57	0.57	-95.23	23.57	-40.00	-14.31 Horizontal



Site : 03CH22-HY

Condition: -40 3m DRH18-E_LE2C04A18EN Vertical

: 5GNR n30 5M Ch462000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1		g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	4611.00	-60.19	RMS	31.84	-21.49	0.79	-95.23	23.90	-40.00	-20.19 Vertical
2	6917.00	-55.63	RMS	36.80	-20.61	0.56	-95.23	22.85	-40.00	-15.63 Vertical
3	9223.00	-54.23	RMS	37.35	-20.57	0.57	-95.23	23.65	-40.00	-14.23 Vertical




1

Part 27D Mode 5


EN-DC B5+n30 10M + 10M Ch20525 1RB0 QPSK + Ch462000 1RB1 BPSK

M



Site : 03CH22-HY
Condition: -40 3m DRH18-E_LE2C04A18EN Horizontal
: NR n30 10M Ch462000 1RB1 BPSK
: LTE B5 10M Ch20525 1RB0 QPSK

	Freq	Level	Detector	Ant		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	Amp\Cb		1						
	MHz	dBm											
1	4611.00	-59.97	RMS	31.84	-21.49	0.79	-95.23		24.12	-40.00	-19.97		Horizontal
2	6917.00	-55.37	RMS	36.80	-20.61	0.56	-95.23		23.11	-40.00	-15.37		Horizontal
3	9223.00	-54.64	RMS	37.35	-20.57	0.57	-95.23		23.24	-40.00	-14.64		Horizontal



Site : 03CH22-HY
Condition: -40 3m DRH18-E_LE2C04A18EN Vertical
: NR n30 10M Ch462000 1RB1 BPSK
: LTE B5 10M Ch20525 1RB0 QPSK

	Freq	Level	Detector	Ant		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	Amp\Cb		1						
	MHz	dBm											
1	4611.00	-60.15	RMS	31.84	-21.49	0.79	-95.23		23.94	-40.00	-20.15		Vertical
2	6917.00	-55.66	RMS	36.80	-20.61	0.56	-95.23		22.82	-40.00	-15.66		Vertical
3	9223.00	-54.41	RMS	37.35	-20.57	0.57	-95.23		23.47	-40.00	-14.41		Vertical




2

Part 27L Mode 1

NR SA n70 10M Ch340000 1RB1 BPSK

L




Site : 03CH22-HY

Condition: -25 3m DRH18-E_LE2C04A18EN Horizontal

: 5GNR n70 10M Ch340000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	3391.18	-62.31	RMS	28.46	-22.72	1.51	-95.23	25.67	-25.00	-37.31 Horizontal
2	5086.77	-58.87	RMS	32.57	-20.97	0.65	-95.23	24.11	-25.00	-33.87 Horizontal
3	6782.36	-56.12	RMS	36.70	-20.61	0.54	-95.23	22.48	-25.00	-31.12 Horizontal



Site : 03CH22-HY

Condition: -25 3m DRH18-E_LE2C04A18EN Vertical

: 5GNR n70 10M Ch340000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	3391.18	-63.33	RMS	28.46	-22.72	1.51	-95.23	24.65	-25.00	-38.33 Vertical
2	5086.77	-59.02	RMS	32.57	-20.97	0.65	-95.23	23.96	-25.00	-34.02 Vertical
3	6782.36	-56.04	RMS	36.70	-20.61	0.54	-95.23	22.56	-25.00	-31.04 Vertical




2

Part 27L Mode 1

NR SA n70 10M Ch340500 1RB1 BPSK

M




Site : 03CH22-HY

Condition: -25 3m DRH18-E_LE2C04A18EN Horizontal

: 5GNR n70 10M Ch340500 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	3396.18	-60.89	RMS	28.48	-22.72	1.50	-95.23	27.08	-25.00	-35.89 Horizontal
2	5094.27	-58.99	RMS	32.59	-20.97	0.65	-95.23	23.97	-25.00	-33.99 Horizontal
3	6792.36	-56.04	RMS	36.70	-20.61	0.54	-95.23	22.56	-25.00	-31.04 Horizontal



Site : 03CH22-HY

Condition: -25 3m DRH18-E_LE2C04A18EN Vertical

: 5GNR n70 10M Ch340500 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	3396.18	-62.93	RMS	28.48	-22.72	1.50	-95.23	25.04	-25.00	-37.93 Vertical
2	5094.27	-59.05	RMS	32.59	-20.97	0.65	-95.23	23.91	-25.00	-34.05 Vertical
3	6792.36	-56.33	RMS	36.70	-20.61	0.54	-95.23	22.27	-25.00	-31.33 Vertical




2

Part 27L Mode 1

NR SA n70 10M Ch341000 1RB1 BPSK

H




Site : 03CH22-HY

Condition: -25 3m DRH18-E_LE2C04A18EN Horizontal

: 5GNR n70 10M Ch340500 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1		g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	3396.18	-61.21	RMS	28.48	-22.72	1.50	-95.23	26.76	-25.00	-36.21 Horizontal
2	5094.27	-58.85	RMS	32.59	-20.97	0.65	-95.23	24.11	-25.00	-33.85 Horizontal
3	6792.36	-55.66	RMS	36.70	-20.61	0.54	-95.23	22.94	-25.00	-30.66 Horizontal



Site : 03CH22-HY

Condition: -25 3m DRH18-E_LE2C04A18EN Vertical

: 5GNR n70 10M Ch340500 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1		g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	3396.18	-62.88	RMS	28.48	-22.72	1.50	-95.23	25.09	-25.00	-37.88 Vertical
2	5094.27	-58.98	RMS	32.59	-20.97	0.65	-95.23	23.98	-25.00	-33.98 Vertical
3	6792.36	-55.96	RMS	36.70	-20.61	0.54	-95.23	22.64	-25.00	-30.96 Vertical




2

Part 27L Mode 3

NR SA n66 20M Ch344000 1RB0 BPSK

L




Site : 03CH22-HY

Condition: -13 3m DRH18-E_LE2C04A18EN Horizontal

: 5GNR n66 20M Ch344000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	3422.54	-58.59	RMS	28.59	-22.71	1.46	-95.23	29.30	-13.00	-45.59 Horizontal
2	5133.81	-58.60	RMS	32.53	-20.95	0.63	-95.23	24.42	-13.00	-45.60 Horizontal
3	6845.08	-55.81	RMS	36.70	-20.61	0.55	-95.23	22.78	-13.00	-42.81 Horizontal



Site : 03CH22-HY

Condition: -13 3m DRH18-E_LE2C04A18EN Vertical

: 5GNR n66 20M Ch344000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	3422.54	-62.30	RMS	28.59	-22.71	1.46	-95.23	25.59	-13.00	-49.30 Vertical
2	5133.81	-58.51	RMS	32.53	-20.95	0.63	-95.23	24.51	-13.00	-45.51 Vertical
3	6845.08	-55.37	RMS	36.70	-20.61	0.55	-95.23	23.22	-13.00	-42.37 Vertical




2

Part 27L Mode 3

NR SA n66 20M Ch349000 1RB0 BPSK

M




Site : 03CH22-HY

Condition: -13 3m DRH18-E_LE2C04A18EN Horizontal

: 5GNR n66 20M Ch349000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	3472.54	-58.12	RMS	28.79	-22.69	1.38	-95.23	29.63	-13.00	-45.12 Horizontal
2	5208.81	-58.95	RMS	32.60	-20.92	0.62	-95.23	23.98	-13.00	-45.95 Horizontal
3	6945.08	-55.31	RMS	36.80	-20.60	0.57	-95.23	23.15	-13.00	-42.31 Horizontal



Site : 03CH22-HY

Condition: -13 3m DRH18-E_LE2C04A18EN Vertical

: 5GNR n66 20M Ch349000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	3472.54	-59.76	RMS	28.79	-22.69	1.38	-95.23	27.99	-13.00	-46.76 Vertical
2	5208.81	-58.89	RMS	32.60	-20.92	0.62	-95.23	24.04	-13.00	-45.89 Vertical
3	6945.08	-55.26	RMS	36.80	-20.60	0.57	-95.23	23.20	-13.00	-42.26 Vertical




2

Part 27L Mode 3

NR SA n66 20M Ch354000 1RB0 BPSK

H




Site : 03CH22-HY

Condition: -13 3m DRH18-E_LE2C04A18EN Horizontal

: 5GNR n66 20M Ch354000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	3522.54	-59.04	RMS	29.08	-22.66	1.30	-95.23	28.47	-13.00	-46.04 Horizontal
2	5283.81	-59.64	RMS	32.53	-20.94	0.67	-95.23	23.33	-13.00	-46.64 Horizontal
3	7045.08	-55.37	RMS	36.89	-20.59	0.59	-95.23	22.97	-13.00	-42.37 Horizontal



Site : 03CH22-HY

Condition: -13 3m DRH18-E_LE2C04A18EN Vertical

: 5GNR n66 20M Ch354000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	3522.54	-62.31	RMS	29.08	-22.66	1.30	-95.23	25.20	-13.00	-49.31 Vertical
2	5283.81	-59.09	RMS	32.53	-20.94	0.67	-95.23	23.88	-13.00	-46.09 Vertical
3	7045.08	-55.41	RMS	36.89	-20.59	0.59	-95.23	22.93	-13.00	-42.41 Vertical




1

Part 27L Mode 2

NR SA n70 10M Ch340000 1RB1 BPSK

L




Site : 03CH22-HY

Condition: -13 3m DRH18-E_LE2C04A18EN Horizontal

: 5GNR n70 10M Ch340000 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit		Margin	Pol
				Factor	1						
1	3391.00	-60.85	RMS	28.46	-22.72	1.51	-95.23	27.13	-13.00	-47.85	Horizontal
2	5087.00	-49.28	RMS	32.57	-20.97	0.65	-95.23	33.70	-13.00	-36.28	Horizontal
3	6783.00	-56.02	RMS	36.70	-20.61	0.54	-95.23	22.58	-13.00	-43.02	Horizontal



Site : 03CH22-HY

Condition: -13 3m DRH18-E_LE2C04A18EN Vertical

: 5GNR n70 10M Ch340000 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit		Margin	Pol
				Factor	1						
1	3391.00	-61.00	RMS	28.46	-22.72	1.51	-95.23	26.98	-13.00	-48.00	Vertical
2	5087.00	-46.67	RMS	32.57	-20.97	0.65	-95.23	36.31	-13.00	-33.67	Vertical
3	6783.00	-55.63	RMS	36.70	-20.61	0.54	-95.23	22.97	-13.00	-42.63	Vertical




1

Part 27L Mode 2

NR SA n70 10M Ch340500 1RB1 BPSK

M




Site : 03CH22-HY

Condition: -13 3m DRH18-E_LE2C04A18EN Horizontal

: 5GNR n70 10M Ch340500 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	3396.00	-61.86	RMS	28.48	-22.72	1.50	-95.23	26.11	-13.00	-48.86	Horizontal			
2	5094.00	-48.66	RMS	32.59	-20.97	0.65	-95.23	34.30	-13.00	-35.66	Horizontal			
3	6793.00	-55.58	RMS	36.70	-20.61	0.54	-95.23	23.02	-13.00	-42.58	Horizontal			



Site : 03CH22-HY

Condition: -13 3m DRH18-E_LE2C04A18EN Vertical

: 5GNR n70 10M Ch340500 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	3396.00	-63.13	RMS	28.48	-22.72	1.50	-95.23	24.84	-13.00	-50.13	Vertical			
2	5094.00	-45.81	RMS	32.59	-20.97	0.65	-95.23	37.15	-13.00	-32.81	Vertical			
3	6793.00	-55.70	RMS	36.70	-20.61	0.54	-95.23	22.90	-13.00	-42.70	Vertical			




1

Part 27L Mode 2

NR SA n70 10M Ch341000 1RB1 BPSK

H




Site : 03CH22-HY

Condition: -13 3m DRH18-E_LE2C04A18EN Horizontal

: 5GNR n70 20M Ch340500 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1		g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	3401.00	-60.56	RMS	28.50	-22.72	1.50	-95.23	27.39	-13.00	-47.56 Horizontal
2	5102.00	-48.11	RMS	32.60	-20.97	0.64	-95.23	34.85	-13.00	-35.11 Horizontal
3	6803.00	-55.66	RMS	36.70	-20.62	0.54	-95.23	22.95	-13.00	-42.66 Horizontal



Site : 03CH22-HY

Condition: -13 3m DRH18-E_LE2C04A18EN Vertical

: 5GNR n70 20M Ch340500 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1		g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	3401.00	-62.10	RMS	28.50	-22.72	1.50	-95.23	25.85	-13.00	-49.10 Vertical
2	5102.00	-46.50	RMS	32.60	-20.97	0.64	-95.23	36.46	-13.00	-33.50 Vertical
3	6803.00	-55.71	RMS	36.70	-20.62	0.54	-95.23	22.90	-13.00	-42.71 Vertical




1

Part 27L Mode 4

NR SA n66 Ch344000

L




Site : 03CH22-HY

Condition: -13 3m DRH18-E_LE2C04A18EN Horizontal

: 5GNR n66 20M Ch344000 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit		Margin	Pol
				Factor	1			dBm	dB		
1	3422.00	-61.74	RMS	28.59	-22.71	1.46	-95.23	26.15	-13.00	-48.74	Horizontal
2	5133.00	-43.63	RMS	32.53	-20.95	0.63	-95.23	39.39	-13.00	-30.63	Horizontal
3	6845.00	-55.99	RMS	36.70	-20.61	0.55	-95.23	22.60	-13.00	-42.99	Horizontal



Site : 03CH22-HY

Condition: -13 3m DRH18-E_LE2C04A18EN Vertical

: 5GNR n66 20M Ch344000 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit		Margin	Pol
				Factor	1			dBm	dB		
1	3422.00	-61.93	RMS	28.59	-22.71	1.46	-95.23	25.96	-13.00	-48.93	Vertical
2	5133.00	-41.13	RMS	32.53	-20.95	0.63	-95.23	41.89	-13.00	-28.13	Vertical
3	6845.00	-55.80	RMS	36.70	-20.61	0.55	-95.23	22.79	-13.00	-42.80	Vertical




1

Part 27L Mode 4

NR SA n66 Ch349000

M




Site : 03CH22-HY

Condition: -13 3m DRH18-E_LE2C04A18EN Horizontal

: 5GNR n66 20M Ch349000 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit		Margin	Pol
				Factor	1						
1	3472.00	-60.07	RMS	28.79	-22.69	1.38	-95.23	27.68	-13.00	-47.07	Horizontal
2	5208.00	-47.50	RMS	32.60	-20.92	0.62	-95.23	35.43	-13.00	-34.50	Horizontal
3	6945.00	-55.27	RMS	36.80	-20.60	0.57	-95.23	23.19	-13.00	-42.27	Horizontal



Site : 03CH22-HY

Condition: -13 3m DRH18-E_LE2C04A18EN Vertical

: 5GNR n66 20M Ch349000 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit		Margin	Pol
				Factor	1						
1	3472.00	-61.90	RMS	28.79	-22.69	1.38	-95.23	25.85	-13.00	-48.90	Vertical
2	5208.00	-48.20	RMS	32.60	-20.92	0.62	-95.23	34.73	-13.00	-35.20	Vertical
3	6945.00	-55.53	RMS	36.80	-20.60	0.57	-95.23	22.93	-13.00	-42.53	Vertical




1

Part 27L Mode 4

NR SA n66 Ch354000

H




Site : 03CH22-HY

Condition: -13 3m DRH18-E_LE2C04A18EN Horizontal

: 5GNR n66 20M Ch354000 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit		Margin	Pol
				Factor	1						
1	3522.00	-62.42	RMS	29.08	-22.66	1.30	-95.23	25.09	-13.00	-49.42	Horizontal
2	5283.00	-49.43	RMS	32.53	-20.94	0.67	-95.23	33.54	-13.00	-36.43	Horizontal
3	7045.00	-54.96	RMS	36.89	-20.59	0.59	-95.23	23.38	-13.00	-41.96	Horizontal



Site : 03CH22-HY

Condition: -13 3m DRH18-E_LE2C04A18EN Vertical

: 5GNR n66 20M Ch354000 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit		Margin	Pol
				Factor	1						
1	3522.00	-62.93	RMS	29.08	-22.66	1.30	-95.23	24.58	-13.00	-49.93	Vertical
2	5283.00	-45.42	RMS	32.53	-20.94	0.67	-95.23	37.55	-13.00	-32.42	Vertical
3	7045.00	-55.14	RMS	36.89	-20.59	0.59	-95.23	23.20	-13.00	-42.14	Vertical




1

Part 27L Mode 5


EN-DC B5+n66 Ch20525 + Ch349000

M



Site : 03CH22-HY
Condition: -13 3m DRH18-E_LE2C04A18EN Horizontal
: NR n66 20M Ch349000 1RB1 BPSK
: LTE B5 10M Ch20525 1RB0 QPSK

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin Limit		Margin	Pol
	MHz	dBm		Factor	dB		dB	dBm		
1	3472.00	-63.70	RMS	28.79	-22.69	1.38	-95.23	24.05	-13.00	-50.70 Horizontal
2	5208.00	-58.99	RMS	32.60	-20.92	0.62	-95.23	23.94	-13.00	-45.99 Horizontal
3	6945.00	-55.47	RMS	36.80	-20.60	0.57	-95.23	22.99	-13.00	-42.47 Horizontal



Site : 03CH22-HY
Condition: -13 3m DRH18-E_LE2C04A18EN Vertical
: NR n66 20M Ch349000 1RB1 BPSK
: LTE B5 10M Ch20525 1RB0 QPSK

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin Limit		Margin	Pol
	MHz	dBm		Factor	dB		dB	dBm		
1	3472.00	-63.47	RMS	28.79	-22.69	1.38	-95.23	24.28	-13.00	-50.47 Vertical
2	5208.00	-58.75	RMS	32.60	-20.92	0.62	-95.23	24.18	-13.00	-45.75 Vertical
3	6945.00	-55.49	RMS	36.80	-20.60	0.57	-95.23	22.97	-13.00	-42.49 Vertical




2

Part 27M Mode 1


NR SA n7 20M Ch502000 1RB1 BPSK

L



Site : 03CH22-HY
Condition: -25 3m DRH18-E_LE2C04A18EN Horizontal
: 5GNR n7 20M Ch502000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	5002.00	-59.22	RMS	32.69	-21.01	0.68	-95.23	23.65	-25.00	-34.22 Horizontal
2	7503.00	-54.80	RMS	37.29	-20.37	0.61	-95.23	22.90	-25.00	-29.80 Horizontal
3	10005.00	-54.52	RMS	37.39	-20.50	0.62	-95.23	23.20	-25.00	-29.52 Horizontal



Site : 03CH22-HY
Condition: -25 3m DRH18-E_LE2C04A18EN Vertical
: 5GNR n7 20M Ch502000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	5002.00	-59.02	RMS	32.69	-21.01	0.68	-95.23	23.85	-25.00	-34.02 Vertical
2	7503.00	-54.84	RMS	37.29	-20.37	0.61	-95.23	22.86	-25.00	-29.84 Vertical
3	10005.00	-54.21	RMS	37.39	-20.50	0.62	-95.23	23.51	-25.00	-29.21 Vertical




2

Part 27M Mode 1

NR SA n7 20M Ch507000 1RB1 BPSK

M




Site : 03CH22-HY

Condition: -25 3m DRH18-E_LE2C04A18EN Horizontal

: 5GNR n7 20M Ch507000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	5052.00	-58.55	RMS	32.50	-20.99	0.66	-95.23	24.51	-25.00	-33.55 Horizontal
2	7578.00	-55.16	RMS	37.16	-20.37	0.60	-95.23	22.68	-25.00	-30.16 Horizontal
3	10105.00	-54.28	RMS	37.31	-20.54	0.63	-95.23	23.55	-25.00	-29.28 Horizontal



Site : 03CH22-HY

Condition: -25 3m DRH18-E_LE2C04A18EN Horizontal

: 5GNR n7 20M Ch507000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	5052.00	-58.55	RMS	32.50	-20.99	0.66	-95.23	24.51	-25.00	-33.55 Horizontal
2	7578.00	-55.16	RMS	37.16	-20.37	0.60	-95.23	22.68	-25.00	-30.16 Horizontal
3	10105.00	-54.28	RMS	37.31	-20.54	0.63	-95.23	23.55	-25.00	-29.28 Horizontal




2

Part 27M Mode 1

NR SA n7 20M Ch512000 1RB1 BPSK

H




Site : 03CH22-HY

Condition: -25 3m DRH18-E_LE2C04A18EN Horizontal

: 5GNR n7 20M Ch512000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	5102.00	-58.66	RMS	32.60	-20.97	0.64	-95.23	24.30	-25.00	-33.66 Horizontal
2	7653.00	-54.91	RMS	37.09	-20.36	0.59	-95.23	23.00	-25.00	-29.91 Horizontal
3	10205.00	-54.18	RMS	37.48	-20.58	0.63	-95.23	23.52	-25.00	-29.18 Horizontal



Site : 03CH22-HY

Condition: -25 3m DRH18-E_LE2C04A18EN Vertical

: 5GNR n7 20M Ch512000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	5102.00	-58.63	RMS	32.60	-20.97	0.64	-95.23	24.33	-25.00	-33.63 Vertical
2	7653.00	-54.55	RMS	37.09	-20.36	0.59	-95.23	23.36	-25.00	-29.55 Vertical
3	10205.00	-54.37	RMS	37.48	-20.58	0.63	-95.23	23.33	-25.00	-29.37 Vertical




2

Part 27M Mode 3

NR SA n41 20M Ch501204 1RB1 BPSK

L




Site : 03CH22-HY

Condition: -25 3m DRH18-E_LE2C04A18EN Horizontal

: 5GNR n41 20M Ch501204 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1		g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	4994.00	-57.95	RMS	32.70	-21.02	0.68	-95.23	24.92	-25.00	-32.95 Horizontal
2	7491.00	-54.69	RMS	37.30	-20.38	0.62	-95.23	23.00	-25.00	-29.69 Horizontal
3	9989.00	-53.99	RMS	37.42	-20.51	0.62	-95.23	23.71	-25.00	-28.99 Horizontal



Site : 03CH22-HY

Condition: -25 3m DRH18-E_LE2C04A18EN Vertical

: 5GNR n41 20M Ch501204 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1		g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	4994.00	-58.03	RMS	32.70	-21.02	0.68	-95.23	24.84	-25.00	-33.03 Vertical
2	7491.00	-54.73	RMS	37.30	-20.38	0.62	-95.23	22.96	-25.00	-29.73 Vertical
3	9989.00	-54.21	RMS	37.42	-20.51	0.62	-95.23	23.49	-25.00	-29.21 Vertical




2

Part 27M Mode 3

NR SA n41 20M Ch518598 1RB1 BPSK

M




Site : 03CH22-HY

Condition: -25 3m DRH18-E_LE2C04A18EN Horizontal

: 5GNR n41 20M Ch518598 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm									
1	5168.00	-58.48	RMS	32.54	-20.94	0.62	-95.23	24.53	-25.00	-33.48	Horizontal
2	7752.00	-35.22	RMS	37.00	-20.36	0.58	-95.23	42.79	-25.00	-10.22	Horizontal
3	10337.00	-54.00	RMS	37.45	-20.62	0.64	-95.23	23.76	-25.00	-29.00	Horizontal
4	12921.00	-39.79	RMS	41.24	-19.89	0.79	-95.23	33.30	-25.00	-14.79	Horizontal



Site : 03CH22-HY

Condition: -25 3m DRH18-E_LE2C04A18EN Vertical

: 5GNR n41 20M Ch518598 1RB1 BPSK


	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm									
1	5168.00	-58.17	RMS	32.54	-20.94	0.62	-95.23	24.84	-25.00	-33.17	Vertical
2	7752.00	-39.94	RMS	37.00	-20.36	0.58	-95.23	38.07	-25.00	-14.94	Vertical
3	10337.00	-54.03	RMS	37.45	-20.62	0.64	-95.23	23.73	-25.00	-29.03	Vertical
4	12921.00	-48.77	RMS	41.24	-19.89	0.79	-95.23	24.32	-25.00	-23.77	Vertical

2

Part 27M Mode 3

NR SA n41 20M Ch535998 1RB1 BPSK

H




Site : 03CH22-HY

Condition: -25 3m DRH18-E_LE2C04A18EN Horizontal

: 5GNR n41 20M Ch535998 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	5342.00	-59.57	RMS	32.50	-20.95	0.72	-95.23	23.39	-25.00	-34.57 Horizontal
2	8013.00	-47.76	RMS	37.27	-20.46	0.57	-95.23	30.09	-25.00	-22.76 Horizontal
3	10685.00	-53.64	RMS	37.50	-20.62	0.65	-95.23	24.06	-25.00	-28.64 Horizontal



Site : 03CH22-HY

Condition: -25 3m DRH18-E_LE2C04A18EN Vertical

: 5GNR n41 20M Ch535998 1RB1 BPSK


	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	5342.00	-60.00	RMS	32.50	-20.95	0.72	-95.23	22.96	-25.00	-35.00 Vertical
2	8013.00	-51.38	RMS	37.27	-20.46	0.57	-95.23	26.47	-25.00	-26.38 Vertical
3	10685.00	-53.50	RMS	37.50	-20.62	0.65	-95.23	24.20	-25.00	-28.50 Vertical

2

Part 27M Mode 6

NR SA n41 20M Ch501204 1RB1 BPSK

L




Site : 03CH22-HY

Condition: -25 3m DRH18-E_LE2C04A18EN Horizontal

: 5GNR n41 20M Ch501204 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1		g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	4994.00	-58.64	RMS	32.70	-21.02	0.68	-95.23	24.23	-25.00	-33.64 Horizontal
2	7491.00	-54.79	RMS	37.30	-20.38	0.62	-95.23	22.90	-25.00	-29.79 Horizontal
3	9989.00	-53.97	RMS	37.42	-20.51	0.62	-95.23	23.73	-25.00	-28.97 Horizontal



Site : 03CH22-HY

Condition: -25 3m DRH18-E_LE2C04A18EN Vertical

: 5GNR n41 20M Ch501204 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1		g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	4994.00	-59.05	RMS	32.70	-21.02	0.68	-95.23	23.82	-25.00	-34.05 Vertical
2	7491.00	-53.11	RMS	37.30	-20.38	0.62	-95.23	24.58	-25.00	-28.11 Vertical
3	9989.00	-54.18	RMS	37.42	-20.51	0.62	-95.23	23.52	-25.00	-29.18 Vertical




2

Part 27M Mode 6

NR SA n41 20M Ch518598 1RB1 BPSK

M




Site : 03CH22-HY

Condition: -25 3m DRH18-E_LE2C04A18EN Horizontal

: 5GNR n41 20M Ch518598 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1		g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	5168.00	-58.89	RMS	32.54	-20.94	0.62	-95.23	24.12	-25.00	-33.89 Horizontal
2	7752.00	-54.56	RMS	37.00	-20.36	0.58	-95.23	23.45	-25.00	-29.56 Horizontal
3	10337.00	-54.21	RMS	37.45	-20.62	0.64	-95.23	23.55	-25.00	-29.21 Horizontal



Site : 03CH22-HY

Condition: -25 3m DRH18-E_LE2C04A18EN Vertical

: 5GNR n41 20M Ch518598 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1		g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	5168.00	-58.53	RMS	32.54	-20.94	0.62	-95.23	24.48	-25.00	-33.53 Vertical
2	7752.00	-54.60	RMS	37.00	-20.36	0.58	-95.23	23.41	-25.00	-29.60 Vertical
3	10337.00	-53.98	RMS	37.45	-20.62	0.64	-95.23	23.78	-25.00	-28.98 Vertical




2

Part 27M Mode 6


NR SA n41 20M Ch535998 1RB1 BPSK

H



Site : 03CH22-HY
Condition: -25 3m DRH18-E_LE2C04A18EN Horizontal
: 5GNR n41 20M Ch535998 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	5342.00	-57.74	RMS	32.50	-20.95	0.72	-95.23	25.22	-25.00	-32.74 Horizontal
2	8013.00	-54.53	RMS	37.27	-20.46	0.57	-95.23	23.32	-25.00	-29.53 Horizontal
3	10685.00	-53.44	RMS	37.50	-20.62	0.65	-95.23	24.26	-25.00	-28.44 Horizontal



Site : 03CH22-HY
Condition: -25 3m DRH18-E_LE2C04A18EN Vertical
: 5GNR n41 20M Ch535998 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	5342.00	-59.95	RMS	32.50	-20.95	0.72	-95.23	23.01	-25.00	-34.95 Vertical
2	8013.00	-53.12	RMS	37.27	-20.46	0.57	-95.23	24.73	-25.00	-28.12 Vertical
3	10685.00	-53.63	RMS	37.50	-20.62	0.65	-95.23	24.07	-25.00	-28.63 Vertical




1

Part 27M Mode 2

NR SA n7 20M Ch502000 1RB1 BPSK

L




Site : 03CH22-HY

Condition: -25 3m DRH18-E_LE2C04A18EN Horizontal

: 5GNR n7 20M Ch502000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1		g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	5002.00	-59.02	RMS	32.69	-21.01	0.68	-95.23	23.85	-25.00	-34.02 Horizontal
2	7503.00	-55.02	RMS	37.29	-20.37	0.61	-95.23	22.68	-25.00	-30.02 Horizontal
3	10005.00	-54.35	RMS	37.39	-20.50	0.62	-95.23	23.37	-25.00	-29.35 Horizontal



Site : 03CH22-HY

Condition: -25 3m DRH18-E_LE2C04A18EN Vertical

: 5GNR n7 20M Ch502000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1		g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	5002.00	-59.02	RMS	32.69	-21.01	0.68	-95.23	23.85	-25.00	-34.02 Vertical
2	7503.00	-54.89	RMS	37.29	-20.37	0.61	-95.23	22.81	-25.00	-29.89 Vertical
3	10005.00	-54.44	RMS	37.39	-20.50	0.62	-95.23	23.28	-25.00	-29.44 Vertical




1

Part 27M Mode 2


NR SA n7 20M Ch507000 1RB1 BPSK

M



Site : 03CH22-HY
Condition: -25 3m DRH18-E_LE2C04A18EN Horizontal
: 5GNR n7 20M Ch507000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	5052.00	-58.69	RMS	32.50	-20.99	0.66	-95.23	24.37	-25.00	-33.69 Horizontal
2	7578.00	-55.22	RMS	37.16	-20.37	0.60	-95.23	22.62	-25.00	-30.22 Horizontal
3	10105.00	-54.61	RMS	37.31	-20.54	0.63	-95.23	23.22	-25.00	-29.61 Horizontal



Site : 03CH22-HY
Condition: -25 3m DRH18-E_LE2C04A18EN Vertical
: 5GNR n7 20M Ch507000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	5052.00	-58.90	RMS	32.50	-20.99	0.66	-95.23	24.16	-25.00	-33.90 Vertical
2	7578.00	-54.70	RMS	37.16	-20.37	0.60	-95.23	23.14	-25.00	-29.70 Vertical
3	10105.00	-54.38	RMS	37.31	-20.54	0.63	-95.23	23.45	-25.00	-29.38 Vertical




1

Part 27M Mode 2

NR SA n7 20M Ch512000 1RB1 BPSK

H




Site : 03CH22-HY

Condition: -25 3m DRH18-E_LE2C04A18EN Horizontal

: 5GNR n7 20M Ch512000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1		g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	5102.00	-57.95	RMS	32.60	-20.97	0.64	-95.23	25.01	-25.00	-32.95 Horizontal
2	7653.00	-54.70	RMS	37.09	-20.36	0.59	-95.23	23.21	-25.00	-29.70 Horizontal
3	10205.00	-54.38	RMS	37.48	-20.58	0.63	-95.23	23.32	-25.00	-29.38 Horizontal



Site : 03CH22-HY

Condition: -25 3m DRH18-E_LE2C04A18EN Vertical

: 5GNR n7 20M Ch512000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1		g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	5102.00	-58.70	RMS	32.60	-20.97	0.64	-95.23	24.26	-25.00	-33.70 Vertical
2	7653.00	-54.89	RMS	37.09	-20.36	0.59	-95.23	23.02	-25.00	-29.89 Vertical
3	10205.00	-53.82	RMS	37.48	-20.58	0.63	-95.23	23.88	-25.00	-28.82 Vertical




1

Part 27M Mode 4

NR SA n41 20M Ch501204 1RB1 BPSK

L




Site : 03CH22-HY

Condition: -25 3m DRH18-E_LE2C04A18EN Horizontal

: 5GNR n41 20M Ch501204 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm									
1	4994.58	-57.30	RMS	32.70	-21.01	0.68	-95.23	25.56	-25.00	-32.30	Horizontal
2	7491.87	-38.61	RMS	37.30	-20.38	0.62	-95.23	39.08	-25.00	-13.61	Horizontal
3	9989.16	-54.15	RMS	37.42	-20.51	0.62	-95.23	23.55	-25.00	-29.15	Horizontal
4	12486.45	-48.42	RMS	40.35	-20.12	0.76	-95.23	25.82	-25.00	-23.42	Horizontal



Site : 03CH22-HY

Condition: -25 3m DRH18-E_LE2C04A18EN Vertical

: 5GNR n41 20M Ch501204 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm									
1	4994.58	-57.04	RMS	32.70	-21.01	0.68	-95.23	25.82	-25.00	-32.04	Vertical
2	7491.87	-42.16	RMS	37.30	-20.38	0.62	-95.23	35.53	-25.00	-17.16	Vertical
3	9989.16	-54.42	RMS	37.42	-20.51	0.62	-95.23	23.28	-25.00	-29.42	Vertical
4	12486.45	-37.66	RMS	40.35	-20.12	0.76	-95.23	36.58	-25.00	-12.66	Vertical




1

Part 27M Mode 4

NR SA n41 20M Ch518598 1RB1 BPSK

M




Site : 03CH22-HY

Condition: -25 3m DRH18-E_LE2C04A18EN Horizontal

: 5GNR n41 20M Ch518598 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm									
1	5168.52	-44.18	RMS	32.54	-20.94	0.62	-95.23	38.83	-25.00	-19.18	Horizontal
2	7752.78	-47.75	RMS	37.01	-20.36	0.58	-95.23	30.25	-25.00	-22.75	Horizontal
3	10337.04	-42.71	RMS	37.45	-20.62	0.64	-95.23	35.05	-25.00	-17.71	Horizontal
4	12921.30	-50.22	RMS	41.24	-19.89	0.79	-95.23	22.87	-25.00	-25.22	Horizontal



Site : 03CH22-HY

Condition: -25 3m DRH18-E_LE2C04A18EN Vertical

: 5GNR n41 20M Ch518598 1RB1 BPSK


	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm									
1	5168.52	-43.15	RMS	32.54	-20.94	0.62	-95.23	39.86	-25.00	-18.15	Vertical
2	7752.78	-38.74	RMS	37.01	-20.36	0.58	-95.23	39.26	-25.00	-13.74	Vertical
3	10337.04	-37.95	RMS	37.45	-20.62	0.64	-95.23	39.81	-25.00	-12.95	Vertical
4	12921.30	-48.70	RMS	41.24	-19.89	0.79	-95.23	24.39	-25.00	-23.70	Vertical

1

Part 27M Mode 4


NR SA n41 20M Ch535998 1RB1 BPSK

H



Site : 03CH22-HY
Condition: -25 3m DRH18-E_LE2C04A18EN Horizontal
: 5GNR n41 20M Ch535998 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1		g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	5342.52	-53.86	RMS	32.50	-20.95	0.72	-95.23	29.10	-25.00	-28.86 Horizontal
2	8013.78	-52.98	RMS	37.27	-20.46	0.57	-95.23	24.87	-25.00	-27.98 Horizontal
3	10685.04	-53.60	RMS	37.50	-20.62	0.65	-95.23	24.10	-25.00	-28.60 Horizontal



Site : 03CH22-HY
Condition: -25 3m DRH18-E_LE2C04A18EN Vertical
: 5GNR n41 20M Ch535998 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1		g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	5342.52	-54.55	RMS	32.50	-20.95	0.72	-95.23	28.41	-25.00	-29.55 Vertical
2	8013.78	-48.67	RMS	37.27	-20.46	0.57	-95.23	29.18	-25.00	-23.67 Vertical
3	10685.04	-53.74	RMS	37.50	-20.62	0.65	-95.23	23.96	-25.00	-28.74 Vertical




1

Part 27M Mode 5


EN-DC B5+n41 10M + 20M Ch20525 1RB0 QPSK + Ch518598 1RB1 BPSK

M



Site : 03CH22-HY
Condition: -25 3m DRH18-E_LE2C04A18EN Horizontal
: NR n41 20M Ch518598 1RB1 BPSK
: LTE B5 10M Ch20525 1RB0 QPSK

	Freq	Level	Detector	Ant		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	Amp\Cb		1						
	MHz	dBm											
1	5168.00	-58.41	RMS	32.54	-20.94	0.62	-95.23		24.60	-25.00	-33.41		Horizontal
2	7752.00	-44.33	RMS	37.00	-20.36	0.58	-95.23		33.68	-25.00	-19.33		Horizontal
3	10337.00	-53.65	RMS	37.45	-20.62	0.64	-95.23		24.11	-25.00	-28.65		Horizontal



Site : 03CH22-HY
Condition: -25 3m DRH18-E_LE2C04A18EN Vertical
: NR n41 20M Ch518598 1RB1 BPSK
: LTE B5 10M Ch20525 1RB0 QPSK

	Freq	Level	Detector	Ant		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	Amp\Cb		1						
	MHz	dBm											
1	5168.00	-58.53	RMS	32.54	-20.94	0.62	-95.23		24.48	-25.00	-33.53		Vertical
2	7752.00	-51.56	RMS	37.00	-20.36	0.58	-95.23		26.45	-25.00	-26.56		Vertical
3	10337.00	-53.51	RMS	37.45	-20.62	0.64	-95.23		24.25	-25.00	-28.51		Vertical




1


Part 27M Mode 7

NR SA n41 20M Ch501204 1RB1 BPSK

L



	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	4994.00	-58.44	RMS	32.70	-21.02	0.68	-95.23	24.43	-25.00	-33.44 Horizontal
2	4994.00	-58.44	RMS	32.70	-21.02	0.68	-95.23	24.43	-25.00	-33.44 Horizontal
3	7491.00	-47.88	RMS	37.30	-20.38	0.62	-95.23	29.81	-25.00	-22.88 Horizontal



	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	4994.00	-55.92	RMS	32.70	-21.02	0.68	-95.23	26.95	-25.00	-30.92 Vertical
2	7491.00	-48.33	RMS	37.30	-20.38	0.62	-95.23	29.36	-25.00	-23.33 Vertical
3	9989.00	-54.01	RMS	37.42	-20.51	0.62	-95.23	23.69	-25.00	-29.01 Vertical




1

Part 27M Mode 7

NR SA n41 20M Ch518598 1RB1 BPSK

M




Site : 03CH22-HY

Condition: -25 3m DRH18-E_LE2C04A18EN Horizontal

: 5GNR n41 20M Ch518598 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1		g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	5168.00	-45.97	RMS	32.54	-20.94	0.62	-95.23	37.04	-25.00	-20.97 Horizontal
2	7752.00	-49.22	RMS	37.00	-20.36	0.58	-95.23	28.79	-25.00	-24.22 Horizontal
3	10337.00	-42.73	RMS	37.45	-20.62	0.64	-95.23	35.03	-25.00	-17.73 Horizontal



Site : 03CH22-HY

Condition: -25 3m DRH18-E_LE2C04A18EN Vertical

: 5GNR n41 20M Ch518598 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1		g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	5168.00	-41.16	RMS	32.54	-20.94	0.62	-95.23	41.85	-25.00	-16.16 Vertical
2	7752.00	-42.72	RMS	37.00	-20.36	0.58	-95.23	35.29	-25.00	-17.72 Vertical
3	10337.00	-45.44	RMS	37.45	-20.62	0.64	-95.23	32.32	-25.00	-20.44 Vertical




1

Part 27M Mode 7


NR SA n41 20M Ch535998 1RB1 BPSK

H



Site : 03CH22-HY
Condition: -25 3m DRH18-E_LE2C04A18EN Horizontal
: 5GNR n41 20M Ch535998 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm								
1	5342.00	-60.04	RMS	32.50	-20.95	0.72	-95.23	22.92	-25.00	-35.04 Horizontal
2	8013.00	-53.26	RMS	37.27	-20.46	0.57	-95.23	24.59	-25.00	-28.26 Horizontal
3	10685.00	-53.49	RMS	37.50	-20.62	0.65	-95.23	24.21	-25.00	-28.49 Horizontal



Site : 03CH22-HY
Condition: -25 3m DRH18-E_LE2C04A18EN Vertical
: 5GNR n41 20M Ch535998 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm								
1	5342.00	-57.64	RMS	32.50	-20.95	0.72	-95.23	25.32	-25.00	-32.64 Vertical
2	8013.00	-51.86	RMS	37.27	-20.46	0.57	-95.23	25.99	-25.00	-26.86 Vertical
3	10685.00	-53.34	RMS	37.50	-20.62	0.65	-95.23	24.36	-25.00	-28.34 Vertical




0

Part 90R Mode 1

NR SA n14 5M Ch158100 1RB1 BPSK

L




Site : 03CH22-HY

Condition: -13 3m DRH18-E_LE2C04A18EN Horizontal

: 5GNR n14 5M Ch158100 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	1		dB	dB					
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB		
1	1577.00	-66.94	RMS		24.40	-24.98	0.44	-95.23	28.43	-13.00	-53.94		Horizontal
2	2365.00	-57.50	RMS		27.00	-23.86	0.38	-95.23	34.21	-13.00	-44.50		Horizontal
3	3154.00	-64.83	RMS		28.00	-22.82	0.33	-95.23	24.89	-13.00	-51.83		Horizontal



Site : 03CH22-HY

Condition: -13 3m DRH18-E_LE2C04A18EN Vertical

: 5GNR n14 5M Ch158100 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	1		dB	dB					
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB		
1	1577.00	-68.10	RMS		24.40	-24.98	0.44	-95.23	27.27	-13.00	-55.10		Vertical
2	2365.00	-58.53	RMS		27.00	-23.86	0.38	-95.23	33.18	-13.00	-45.53		Vertical
3	3154.00	-64.97	RMS		28.00	-22.82	0.33	-95.23	24.75	-13.00	-51.97		Vertical




0

Part 90R Mode 1

NR SA n14 5M Ch158600 1RB1 BPSK

M




Site : 03CH22-HY

Condition: -13 3m DRH18-E_LE2C04A18EN Horizontal

: 5GNR n14 5M Ch158600 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm									
1	1582.00	-67.69	RMS	24.40	-24.97	0.44	-95.23	27.67	-13.00	-54.69	Horizontal
2	2373.00	-50.34	RMS	27.00	-23.85	0.37	-95.23	41.37	-13.00	-37.34	Horizontal
3	3164.00	-64.82	RMS	28.00	-22.82	0.32	-95.23	24.91	-13.00	-51.82	Horizontal
4	3955.00	-60.83	RMS	30.69	-22.37	0.19	-95.23	25.89	-13.00	-47.83	Horizontal
5	4746.00	-59.41	RMS	32.28	-21.28	0.45	-95.23	24.37	-13.00	-46.41	Horizontal
6	5537.00	-58.49	RMS	33.12	-20.98	0.31	-95.23	24.29	-13.00	-45.49	Horizontal



Site : 03CH22-HY

Condition: -13 3m DRH18-E_LE2C04A18EN Vertical

: 5GNR n14 5M Ch158600 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm									
1	1582.00	-67.99	RMS	24.40	-24.97	0.44	-95.23	27.37	-13.00	-54.99	Vertical
2	2373.00	-58.11	RMS	27.00	-23.85	0.37	-95.23	33.60	-13.00	-45.11	Vertical
3	3164.00	-64.54	RMS	28.00	-22.82	0.32	-95.23	25.19	-13.00	-51.54	Vertical
4	3955.00	-61.05	RMS	30.69	-22.37	0.19	-95.23	25.67	-13.00	-48.05	Vertical
5	4746.00	-59.20	RMS	32.28	-21.28	0.45	-95.23	24.58	-13.00	-46.20	Vertical
6	5537.00	-56.61	RMS	33.12	-20.98	0.31	-95.23	26.17	-13.00	-43.61	Vertical




0

Part 90R Mode 1

NR SA n14 5M Ch159100 1RB1 BPSK

H




Site : 03CH22-HY

Condition: -13 3m DRH18-E_LE2C04A18EN Horizontal

: 5GNR n14 5M Ch159100 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	1587.00	-67.52	RMS	24.40	-24.96	0.44	-95.23	27.83	-13.00	-54.52
2	2380.00	-56.93	RMS	27.00	-23.84	0.36	-95.23	34.78	-13.00	-43.93
3	3174.00	-64.80	RMS	28.00	-22.82	0.32	-95.23	24.93	-13.00	-51.80



Site : 03CH22-HY

Condition: -13 3m DRH18-E_LE2C04A18EN Vertical

: 5GNR n14 5M Ch159100 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	1587.00	-67.82	RMS	24.40	-24.96	0.44	-95.23	27.53	-13.00	-54.82
2	2380.00	-57.99	RMS	27.00	-23.84	0.36	-95.23	33.72	-13.00	-44.99
3	3174.00	-64.70	RMS	28.00	-22.82	0.32	-95.23	25.03	-13.00	-51.70




0

Part 90R Mode 2


NR SA n14 10M Ch158600 1RB1 BPSK

M



Site : 03CH22-HY
Condition: -13 3m DRH18-E_LE2C04A18EN Horizontal
: 5GNR n14 10M Ch158600 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1		g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	1577.00	-67.19	RMS	24.40	-24.98	0.44	-95.23	28.18	-13.00	-54.19
2	2366.00	-63.00	RMS	27.00	-23.86	0.38	-95.23	28.71	-13.00	-50.00
3	3155.00	-64.70	RMS	28.00	-22.82	0.33	-95.23	25.02	-13.00	-51.70



Site : 03CH22-HY
Condition: -13 3m DRH18-E_LE2C04A18EN Vertical
: 5GNR n14 10M Ch158600 1RB1 BPSK


	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1		g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	1577.00	-67.84	RMS	24.40	-24.98	0.44	-95.23	27.53	-13.00	-54.84
2	2366.00	-62.00	RMS	27.00	-23.86	0.38	-95.23	29.71	-13.00	-49.00
3	3155.00	-64.76	RMS	28.00	-22.82	0.33	-95.23	24.96	-13.00	-51.76

1

Part 90R Mode 3

NR SA n14 5M Ch158100 1RB1 BPSK

L




Site : 03CH22-HY

Condition: -13 3m DRH18-E_LE2C04A18EN Horizontal

: 5GNR n14 5M Ch158100 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1		g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	1577.04	-69.04	RMS	24.40	-24.98	0.44	-95.23	26.33	-13.00	-56.04
2	2365.56	-64.14	RMS	27.00	-23.86	0.38	-95.23	27.57	-13.00	-51.14
3	3154.08	-64.81	RMS	28.00	-22.82	0.33	-95.23	24.91	-13.00	-51.81



Site : 03CH22-HY

Condition: -13 3m DRH18-E_LE2C04A18EN Vertical

: 5GNR n14 5M Ch158100 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1		g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	1577.04	-69.18	RMS	24.40	-24.98	0.44	-95.23	26.19	-13.00	-56.18
2	2365.56	-64.73	RMS	27.00	-23.86	0.38	-95.23	26.98	-13.00	-51.73
3	3154.08	-64.76	RMS	28.00	-22.82	0.33	-95.23	24.96	-13.00	-51.76




1

Part 90R Mode 3

NR SA n14 5M Ch158600 1RB1 BPSK

M




Site : 03CH22-HY

Condition: -13 3m DRH18-E_LE2C04A18EN Horizontal

: 5GNR n14 5M Ch158600 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin		Pol
				Factor	1						
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1582.04	-69.05	RMS	24.40	-24.97	0.44	-95.23	26.31	-13.00	-56.05	Horizontal
2	2373.06	-63.37	RMS	27.00	-23.85	0.37	-95.23	28.34	-13.00	-50.37	Horizontal
3	3164.08	-64.82	RMS	28.00	-22.82	0.32	-95.23	24.91	-13.00	-51.82	Horizontal



Site : 03CH22-HY

Condition: -13 3m DRH18-E_LE2C04A18EN Vertical

: 5GNR n14 5M Ch158600 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin		Pol
				Factor	1						
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1582.04	-68.99	RMS	24.40	-24.97	0.44	-95.23	26.37	-13.00	-55.99	Vertical
2	2373.06	-64.83	RMS	27.00	-23.85	0.37	-95.23	26.88	-13.00	-51.83	Vertical
3	3164.08	-64.99	RMS	28.00	-22.82	0.32	-95.23	24.74	-13.00	-51.99	Vertical




1

Part 90R Mode 3

NR SA n14 5M Ch159100 1RB1 BPSK

H




Site : 03CH22-HY

Condition: -13 3m DRH18-E_LE2C04A18EN Horizontal

: 5GNR n14 5M Ch159100 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1		g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	1587.04	-69.22	RMS	24.40	-24.96	0.44	-95.23	26.13	-13.00	-56.22
2	2380.56	-63.32	RMS	26.99	-23.84	0.36	-95.23	28.40	-13.00	-50.32
3	3174.08	-64.90	RMS	28.00	-22.82	0.32	-95.23	24.83	-13.00	-51.90



Site : 03CH22-HY

Condition: -13 3m DRH18-E_LE2C04A18EN Vertical

: 5GNR n14 5M Ch159100 1RB1 BPSK


	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1		g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	1587.04	-69.50	RMS	24.40	-24.96	0.44	-95.23	25.85	-13.00	-56.50
2	2380.56	-65.14	RMS	26.99	-23.84	0.36	-95.23	26.58	-13.00	-52.14
3	3174.08	-64.63	RMS	28.00	-22.82	0.32	-95.23	25.10	-13.00	-51.63

1

Part 90R Mode 4

NR SA n14 10M Ch158600 1RB1 BPSK

M




Site : 03CH22-HY

Condition: -13 3m DRH18-E_LE2C04A18EN Horizontal

: 5GNR n14 10M Ch158600 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1		g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	1577.00	-69.34	RMS	24.40	-24.98	0.44	-95.23	26.03	-13.00	-56.34
2	2366.00	-60.82	RMS	27.00	-23.86	0.38	-95.23	30.89	-13.00	-47.82
3	3155.00	-64.68	RMS	28.00	-22.82	0.33	-95.23	25.04	-13.00	-51.68



Site : 03CH22-HY

Condition: -13 3m DRH18-E_LE2C04A18EN Vertical

: 5GNR n14 10M Ch158600 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1		g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	1577.00	-69.35	RMS	24.40	-24.98	0.44	-95.23	26.02	-13.00	-56.35
2	2368.00	-65.08	RMS	27.00	-23.86	0.38	-95.23	26.63	-13.00	-52.08
3	3155.00	-65.08	RMS	28.00	-22.82	0.33	-95.23	24.64	-13.00	-52.08




0

Part 90S Mode 1

NR SA n26 5M Ch163300 1RB1 BPSK

L




Site : 03CH22-HY

Condition: -13 3m DRH18-E_LE2C04A18EN Horizontal

: 5GNR n26 5M Ch163300 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin		Pol
				Factor	1						
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1629.00	-56.86	RMS	24.51	-24.90	0.47	-95.23	38.29	-13.00	-43.86	Horizontal
2	2443.00	-56.30	RMS	26.83	-23.77	0.33	-95.23	35.54	-13.00	-43.30	Horizontal
3	3258.00	-64.99	RMS	28.13	-22.78	0.29	-95.23	24.60	-13.00	-51.99	Horizontal



Site : 03CH22-HY

Condition: -13 3m DRH18-E_LE2C04A18EN Vertical

: 5GNR n26 5M Ch163300 1RB1 BPSK


	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin		Pol
				Factor	1						
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1629.00	-58.10	RMS	24.51	-24.90	0.47	-95.23	37.05	-13.00	-45.10	Vertical
2	2443.00	-63.55	RMS	26.83	-23.77	0.33	-95.23	28.29	-13.00	-50.55	Vertical
3	3258.00	-64.54	RMS	28.13	-22.78	0.29	-95.23	25.05	-13.00	-51.54	Vertical

0

Part 90S Mode 1

NR SA n26 5M Ch163800 1RB1 BPSK

M




Site : 03CH22-HY

Condition: -13 3m DRH18-E_LE2C04A18EN Horizontal

: 5GNR n26 5M Ch163800 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1		g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	1634.00	-66.29	RMS	24.50	-24.89	0.48	-95.23	28.85	-13.00	-53.29
2	2451.00	-62.39	RMS	26.89	-23.76	0.32	-95.23	29.39	-13.00	-49.39
3	3268.00	-64.74	RMS	28.17	-22.78	0.28	-95.23	24.82	-13.00	-51.74



Site : 03CH22-HY

Condition: -13 3m DRH18-E_LE2C04A18EN Vertical

: 5GNR n26 5M Ch163800 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1		g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	1634.00	-62.35	RMS	24.50	-24.89	0.48	-95.23	32.79	-13.00	-49.35
2	2451.00	-62.75	RMS	26.89	-23.76	0.32	-95.23	29.03	-13.00	-49.75
3	3268.00	-64.59	RMS	28.17	-22.78	0.28	-95.23	24.97	-13.00	-51.59




0

Part 90S Mode 1

NR SA n26 5M Ch164300 1RB1 BPSK

H




Site : 03CH22-HY

Condition: -13 3m DRH18-E_LE2C04A18EN Horizontal

: 5GNR n26 5M Ch164300 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	1639.00	-64.15	RMS	24.50	-24.88	0.48	-95.23	30.98	-13.00	-51.15
2	2458.00	-59.77	RMS	26.82	-23.75	0.32	-95.23	32.07	-13.00	-46.77
3	3278.00	-64.32	RMS	28.21	-22.77	0.28	-95.23	25.19	-13.00	-51.32



Site : 03CH22-HY

Condition: -13 3m DRH18-E_LE2C04A18EN Vertical

: 5GNR n26 5M Ch164300 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	1639.00	-62.48	RMS	24.50	-24.88	0.48	-95.23	32.65	-13.00	-49.48
2	2458.00	-60.76	RMS	26.82	-23.75	0.32	-95.23	31.08	-13.00	-47.76
3	3278.00	-64.41	RMS	28.21	-22.77	0.28	-95.23	25.10	-13.00	-51.41




0

Part 90S Mode 3


NR SA n26 15M Ch164800 1RB1 BPSK

M



Site : 03CH22-HY
Condition: -13 3m DRH18-E_LE2C04A18EN Horizontal
: 5GNR n26 15M Ch164800 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	1635.00	-68.80	RMS	24.50	-24.89	0.48	-95.23	26.34	-13.00	-55.80
2	2452.00	-65.83	RMS	26.88	-23.76	0.32	-95.23	25.96	-13.00	-52.83
3	3270.00	-64.04	RMS	28.18	-22.78	0.28	-95.23	25.51	-13.00	-51.04



Site : 03CH22-HY
Condition: -13 3m DRH18-E_LE2C04A18EN Vertical
: 5GNR n26 15M Ch164800 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	1635.00	-66.89	RMS	24.50	-24.89	0.48	-95.23	28.25	-13.00	-53.89
2	2452.00	-60.69	RMS	26.88	-23.76	0.32	-95.23	31.10	-13.00	-47.69
3	3270.00	-64.67	RMS	28.18	-22.78	0.28	-95.23	24.88	-13.00	-51.67




1

Part 90S Mode 2


NR SA n26 5M Ch163300 1RB1 BPSK

L



Site : 03CH22-HY
Condition: -13 3m DRH18-E_LE2C04A18EN Horizontal
: 5GNR n26 5M Ch163300 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin		Pol
				Factor	1		g				
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1629.00	-55.96	RMS	24.51	-24.90	0.47	-95.23	39.19	-13.00	-42.96	Horizontal
2	2443.00	-44.68	RMS	26.83	-23.77	0.33	-95.23	47.16	-13.00	-31.68	Horizontal
3	3258.00	-64.75	RMS	28.13	-22.78	0.29	-95.23	24.84	-13.00	-51.75	Horizontal



Site : 03CH22-HY
Condition: -13 3m DRH18-E_LE2C04A18EN Vertical
: 5GNR n26 5M Ch163300 1RB1 BPSK


	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin		Pol
				Factor	1		g				
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1629.00	-56.90	RMS	24.51	-24.90	0.47	-95.23	38.25	-13.00	-43.90	Vertical
2	2443.00	-42.70	RMS	26.83	-23.77	0.33	-95.23	49.14	-13.00	-29.70	Vertical
3	3258.00	-65.14	RMS	28.13	-22.78	0.29	-95.23	24.45	-13.00	-52.14	Vertical

1

Part 90S Mode 2

NR SA n26 5M Ch163800 1RB1 BPSK

M




Site : 03CH22-HY

Condition: -13 3m DRH18-E_LE2C04A18EN Horizontal

: 5GNR n26 5M Ch163800 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin		Pol
				Factor	1						
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1634.00	-61.86	RMS	24.50	-24.89	0.48	-95.23	33.28	-13.00	-48.86	Horizontal
2	2451.00	-49.61	RMS	26.89	-23.76	0.32	-95.23	42.17	-13.00	-36.61	Horizontal
3	3268.00	-64.54	RMS	28.17	-22.78	0.28	-95.23	25.02	-13.00	-51.54	Horizontal



Site : 03CH22-HY

Condition: -13 3m DRH18-E_LE2C04A18EN Vertical

: 5GNR n26 5M Ch163800 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin		Pol
				Factor	1						
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1634.00	-62.38	RMS	24.50	-24.89	0.48	-95.23	32.76	-13.00	-49.38	Vertical
2	2451.00	-53.27	RMS	26.89	-23.76	0.32	-95.23	38.51	-13.00	-40.27	Vertical
3	3268.00	-64.50	RMS	28.17	-22.78	0.28	-95.23	25.06	-13.00	-51.50	Vertical




1

Part 90S Mode 2

NR SA n26 5M Ch164300 1RB1 BPSK

H




Site : 03CH22-HY

Condition: -13 3m DRH18-E_LE2C04A18EN Horizontal

: 5GNR n26 5M Ch164300 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	1		dB	dB					
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB		
1	1639.00	-57.20	RMS		24.50	-24.88	0.48	-95.23	37.93	-13.00	-44.20		Horizontal
2	2458.00	-40.81	RMS		26.82	-23.75	0.32	-95.23	51.03	-13.00	-27.81		Horizontal
3	3278.00	-64.62	RMS		28.21	-22.77	0.28	-95.23	24.89	-13.00	-51.62		Horizontal



Site : 03CH22-HY

Condition: -13 3m DRH18-E_LE2C04A18EN Vertical

: 5GNR n26 5M Ch164300 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	1		dB	dB					
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB		
1	1639.00	-56.64	RMS		24.50	-24.88	0.48	-95.23	38.49	-13.00	-43.64		Vertical
2	2458.00	-42.99	RMS		26.82	-23.75	0.32	-95.23	48.85	-13.00	-29.99		Vertical
3	3278.00	-64.50	RMS		28.21	-22.77	0.28	-95.23	25.01	-13.00	-51.50		Vertical




1

Part 90S Mode 4

NR SA n26 15M Ch164800 1RB1 BPSK

M




Site : 03CH22-HY

Condition: -13 3m DRH18-E_LE2C04A18EN Horizontal

: 5GNR n26 15M Ch164800 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm									
1	1635.00	-60.09	RMS	24.50	-24.89	0.48	-95.23	35.05	-13.00	-47.09	Horizontal
2	2452.00	-35.83	RMS	26.88	-23.76	0.32	-95.23	55.96	-13.00	-22.83	Horizontal
3	3270.00	-57.75	RMS	28.18	-22.78	0.28	-95.23	31.80	-13.00	-44.75	Horizontal
4	4087.00	-59.12	RMS	30.50	-22.23	0.28	-95.23	27.56	-13.00	-46.12	Horizontal



Site : 03CH22-HY

Condition: -13 3m DRH18-E_LE2C04A18EN Vertical

: 5GNR n26 15M Ch164800 1RB1 BPSK


	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm									
1	1635.00	-63.26	RMS	24.50	-24.89	0.48	-95.23	31.88	-13.00	-50.26	Vertical
2	2452.00	-36.45	RMS	26.88	-23.76	0.32	-95.23	55.34	-13.00	-23.45	Vertical
3	3270.00	-64.46	RMS	28.18	-22.78	0.28	-95.23	25.09	-13.00	-51.46	Vertical
4	4087.00	-56.69	RMS	30.50	-22.23	0.28	-95.23	29.99	-13.00	-43.69	Vertical

1

Part 90S Mode 5

EN-DC B2+n26 10M + 15M Ch18900 1RB0 QPSK + Ch164800 1RB1 BPSK

M




Site : 03CH22-HY

Condition: -13 3m DRH18-E_LE2C04A18EN Horizontal

: NR n26 15M Ch164800 1RB1 BPSK

: LTE B2 10M Ch18900 1RB0 QPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit	Margin	Pol
				Factor	1					
1	1635.00	-69.19	RMS	24.50	-24.89	0.48	-95.23	25.95	-13.00	-56.19 Horizontal
2	2452.00	-66.00	RMS	26.88	-23.76	0.32	-95.23	25.79	-13.00	-53.00 Horizontal
3	3270.00	-64.77	RMS	28.18	-22.78	0.28	-95.23	24.78	-13.00	-51.77 Horizontal



Site : 03CH22-HY

Condition: -13 3m DRH18-E_LE2C04A18EN Vertical

: NR n26 15M Ch164800 1RB1 BPSK

: LTE B2 10M Ch18900 1RB0 QPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit	Margin	Pol
				Factor	1					
1	1635.00	-69.61	RMS	24.50	-24.89	0.48	-95.23	25.53	-13.00	-56.61 Vertical
2	2452.00	-66.07	RMS	26.88	-23.76	0.32	-95.23	25.72	-13.00	-53.07 Vertical
3	3270.00	-65.01	RMS	28.18	-22.78	0.28	-95.23	24.54	-13.00	-52.01 Vertical

—THE END—