



Appendix A. Volume Control Evaluation Results

<Evaluation results for KDB 285076 D05 2.a>




#1 LTE B48 EVS WB 24.4kbps

SMD	Status	Single Value Description	Single Value
Overall Receive Delay WB	Done	Delay (Cross) [ms]	194.4
5.1a Receive Volume Control Performance 8N WB	Ok	Speech Level [dB[SPL]]	89.32
5.1b Receive Volume Control Performance 2N WB	Ok	Speech Level [dB[SPL]]	88.38
5.2 RCV Distortion and Noise - 250 Hz 8N WB	Ok	Distortion (Noise) [dB], 0.0 dB	33.15
5.2 RCV Distortion and Noise - 315 Hz 8N WB	Ok	Distortion (Noise) [dB], 0.0 dB	32.50
5.2 RCV Distortion and Noise - 400 Hz 8N WB	Ok	Distortion (Noise) [dB], 0.0 dB	33.91
5.2 RCV Distortion and Noise - 500 Hz 8N WB	Ok	Distortion (Noise) [dB], 0.0 dB	33.40
5.2 RCV Distortion and Noise - 630 Hz 8N WB	Ok	Distortion (Noise) [dB], 0.0 dB	35.99
5.2 RCV Distortion and Noise - 800 Hz 8N WB	Ok	Distortion (Noise) [dB], 0.0 dB	35.96
5.2 RCV Distortion and Noise - 1000 Hz 8N WB	Ok	Distortion (Noise) [dB], 0.0 dB	31.80
5.2 RCV Distortion and Noise - 1250 Hz 8N WB	Ok	Distortion (Noise) [dB], 0.0 dB	22.28
5.2 RCV Distortion and Noise - 1600 Hz 8N WB	Ok	Distortion (Noise) [dB], 0.0 dB	26.00
5.2 RCV Distortion and Noise - 2000 Hz 8N WB	Ok	Distortion (Noise) [dB], 0.0 dB	20.82
5.2 RCV Distortion and Noise - 2500 Hz 8N WB	Ok	Distortion (Noise) [dB], 0.0 dB	31.87
5.2 RCV Distortion and Noise - 3150 Hz 8N WB	Ok	Distortion (Noise) [dB], 0.0 dB	29.16
5.2 RCV Distortion and Noise - 4000 Hz 8N WB	Ok	Distortion (Noise) [dB], 0.0 dB	27.81
5.2 RCV Distortion and Noise - 5000 Hz 8N WB	Ok	Distortion (Noise) [dB], 0.0 dB	32.98
5.2 RCV Distortion and Noise - 250 Hz 2N WB	Ok	Distortion (Noise) [dB], 0.0 dB	32.53
5.2 RCV Distortion and Noise - 315 Hz 2N WB	Ok	Distortion (Noise) [dB], 0.0 dB	31.62
5.2 RCV Distortion and Noise - 400 Hz 2N WB	Ok	Distortion (Noise) [dB], 0.0 dB	32.23
5.2 RCV Distortion and Noise - 500 Hz 2N WB	Ok	Distortion (Noise) [dB], 0.0 dB	33.46
5.2 RCV Distortion and Noise - 630 Hz 2N WB	Ok	Distortion (Noise) [dB], 0.0 dB	36.55
5.2 RCV Distortion and Noise - 800 Hz 2N WB	Ok	Distortion (Noise) [dB], 0.0 dB	35.50
5.2 RCV Distortion and Noise - 1000 Hz 2N WB	Ok	Distortion (Noise) [dB], 0.0 dB	30.19
5.2 RCV Distortion and Noise - 1250 Hz 2N WB	Ok	Distortion (Noise) [dB], 0.0 dB	23.54
5.2 RCV Distortion and Noise - 1600 Hz 2N WB	Ok	Distortion (Noise) [dB], 0.0 dB	26.17
5.2 RCV Distortion and Noise - 2000 Hz 2N WB	Ok	Distortion (Noise) [dB], 0.0 dB	21.65
5.2 RCV Distortion and Noise - 2500 Hz 2N WB	Ok	Distortion (Noise) [dB], 0.0 dB	30.55
5.2 RCV Distortion and Noise - 3150 Hz 2N WB	Ok	Distortion (Noise) [dB], 0.0 dB	31.44
5.2 RCV Distortion and Noise - 4000 Hz 2N WB	Ok	Distortion (Noise) [dB], 0.0 dB	28.64
5.2 RCV Distortion and Noise - 5000 Hz 2N WB	Ok	Distortion (Noise) [dB], 0.0 dB	34.35
5.3 Frequency Response 8N DF	Ok	Min. dist. to tolerance scheme [dB], 1747.8 Hz	1.01
5.3 Frequency Response 2N DF	Ok	Min. dist. to tolerance scheme [dB], 576.7 Hz	2.54

Overall Receive Delay WB

TIA-5050 (2018-01) \ Measurements \ Wideband \ Preparation - Delay measurement




Channel	Delay	Correlation
RCV*Source	194.4 ms	39.45 %

2025-02-03 下午 04:39 ACQUA 6.1.100

5.1a Receive Volume Control Performance 8N WB

TIA-5050 (2018-01) \ Measurements \ Wideband



Channel	Speech level	Activity	
RCV	89.32 dB[SPL]	57.36%	Ok

Ok


2025-02-03 下午 04:39 ACQUA 6.1.100

Limits

lower
76.00 dB[SPL]

5.1b Receive Volume Control Performance 2N WB

TIA-5050 (2018-01) \ Measurements \ Wideband



Channel	Speech level	Activity	
RCV	88.38 dB[SPL]	28.90%	Ok

Ok

2025-02-03 下午 05:02 ACQUA 6.1.100


Limits

lower
76.00 dB[SPL]



5.2 RCV Distortion and Noise - 250 Hz 8N WB

TIA-5050 (2018-01) \ Measurements \ Wideband \ 5.2 Receive Distortion and Noise 8N change frequency range



Distortion (Noise) RCV (packed): 33.15 dB (2.20%) Ok

Ok

2025-02-03 下午 04:40 ACQUA 6.1.100


Limits

lower
20.00 dB



5.2 RCV Distortion and Noise - 315 Hz 8N WB

TIA-5050 (2018-01) \ Measurements \ Wideband \ 5.2 Receive Distortion and Noise 8N change frequency range



Distortion (Noise) RCV (packed): 32.50 dB (2.37%) Ok

Ok

2025-02-03 下午 04:40 ACQUA 6.1.100


Limits

lower
20.00 dB



5.2 RCV Distortion and Noise - 400 Hz 8N WB

TIA-5050 (2018-01) \ Measurements \ Wideband \ 5.2 Receive Distortion and Noise 8N change frequency range



Distortion (Noise) RCV (packed): 33.91 dB (2.02%) Ok

Ok

2025-02-03 下午 04:41 ACQUA 6.1.100


Limits

lower
20.00 dB



5.2 RCV Distortion and Noise - 500 Hz 8N WB

TIA-5050 (2018-01) \ Measurements \ Wideband \ 5.2 Receive Distortion and Noise 8N change frequency range



Distortion (Noise) RCV (packed): 33.40 dB (2.14%) Ok

Ok

2025-02-03 下午 04:42 ACQUA 6.1.100


Limits

lower
20.00 dB



5.2 RCV Distortion and Noise - 630 Hz 8N WB

TIA-5050 (2018-01) \ Measurements \ Wideband \ 5.2 Receive Distortion and Noise 8N change frequency range



Distortion (Noise) RCV (packed): 35.99 dB (1.59%) Ok

Ok

2025-02-03 下午 04:42 ACQUA 6.1.100


Limits

lower
20.00 dB



5.2 RCV Distortion and Noise - 800 Hz 8N WB

TIA-5050 (2018-01) \ Measurements \ Wideband \ 5.2 Receive Distortion and Noise 8N change frequency range



Distortion (Noise) RCV (packed): 35.96 dB (1.59%) Ok

Ok


2025-02-03 下午 04:43 ACQUA 6.1.100

Limits

lower
20.00 dB

5.2 RCV Distortion and Noise - 1000 Hz 8N WB

TIA-5050 (2018-01) \ Measurements \ Wideband \ 5.2 Receive Distortion and Noise 8N change frequency range



Distortion (Noise) RCV (packed): 31.80 dB (2.57%) Ok

Ok

2025-02-03 下午 04:43 ACQUA 6.1.100


Limits

lower
20.00 dB



5.2 RCV Distortion and Noise - 1250 Hz 8N WB

TIA-5050 (2018-01) \ Measurements \ Wideband \ 5.2 Receive Distortion and Noise 8N change frequency range



Distortion (Noise) RCV (packed): 22.28 dB (7.69%) Ok

Ok

2025-02-03 下午 04:44 ACQUA 6.1.100


Limits

lower
20.00 dB



5.2 RCV Distortion and Noise - 1600 Hz 8N WB

TIA-5050 (2018-01) \ Measurements \ Wideband \ 5.2 Receive Distortion and Noise 8N change frequency range



Distortion (Noise) RCV (packed): 26.00 dB (5.01%) Ok

Ok

2025-02-03 下午 04:45 ACQUA 6.1.100


Limits

lower
20.00 dB



5.2 RCV Distortion and Noise - 2000 Hz 8N WB

TIA-5050 (2018-01) \ Measurements \ Wideband \ 5.2 Receive Distortion and Noise 8N change frequency range



Distortion (Noise) RCV (packed): 20.82 dB (9.10%) Ok

Ok


2025-02-03 下午 04:45 ACQUA 6.1.100

Limits

lower
20.00 dB

5.2 RCV Distortion and Noise - 2500 Hz 8N WB

TIA-5050 (2018-01) \ Measurements \ Wideband \ 5.2 Receive Distortion and Noise 8N change frequency range



Distortion (Noise) RCV (packed): 31.87 dB (2.55%) Ok

Ok

2025-02-03 下午 04:46 ACQUA 6.1.100


Limits

lower
20.00 dB



5.2 RCV Distortion and Noise - 3150 Hz 8N WB

TIA-5050 (2018-01) \ Measurements \ Wideband \ 5.2 Receive Distortion and Noise 8N change frequency range



Distortion (Noise) RCV (packed): 29.16 dB (3.48%) Ok

Ok

2025-02-03 下午 04:46 ACQUA 6.1.100


Limits

lower
20.00 dB



5.2 RCV Distortion and Noise - 4000 Hz 8N WB

TIA-5050 (2018-01) \ Measurements \ Wideband \ 5.2 Receive Distortion and Noise 8N change frequency range



Distortion (Noise) RCV (packed): 27.81 dB (4.07%) Ok

Ok

2025-02-03 下午 04:47 ACQUA 6.1.100


Limits

lower
20.00 dB



5.2 RCV Distortion and Noise - 5000 Hz 8N WB

TIA-5050 (2018-01) \ Measurements \ Wideband \ 5.2 Receive Distortion and Noise 8N change frequency range



Distortion (Noise) RCV (packed): 32.98 dB (2.24%) Ok

Ok

2025-02-03 下午 04:48 ACQUA 6.1.100


Limits

lower
20.00 dB



5.2 RCV Distortion and Noise - 250 Hz 2N WB

TIA-5050 (2018-01) \ Measurements \ Wideband \ 5.2 Receive Distortion and Noise 2N change frequency range



Distortion (Noise) RCV (packed): 32.53 dB (2.36%) Ok

Ok

2025-02-03 下午 04:50 ACQUA 6.1.100


Limits

lower
20.00 dB



5.2 RCV Distortion and Noise - 315 Hz 2N WB

TIA-5050 (2018-01) \ Measurements \ Wideband \ 5.2 Receive Distortion and Noise 2N change frequency range



Distortion (Noise) RCV (packed): 31.62 dB (2.62%) Ok

Ok

2025-02-03 下午 04:50 ACQUA 6.1.100


Limits

lower
20.00 dB



5.2 RCV Distortion and Noise - 400 Hz 2N WB

TIA-5050 (2018-01) \ Measurements \ Wideband \ 5.2 Receive Distortion and Noise 2N change frequency range



Distortion (Noise) RCV (packed): 32.23 dB (2.45%) Ok

Ok

2025-02-03 下午 04:51 ACQUA 6.1.100


Limits

lower
20.00 dB



5.2 RCV Distortion and Noise - 500 Hz 2N WB

TIA-5050 (2018-01) \ Measurements \ Wideband \ 5.2 Receive Distortion and Noise 2N change frequency range



Distortion (Noise) RCV (packed): 33.46 dB (2.12%) Ok

Ok

2025-02-03 下午 04:52 ACQUA 6.1.100


Limits

lower
20.00 dB



5.2 RCV Distortion and Noise - 630 Hz 2N WB

TIA-5050 (2018-01) \ Measurements \ Wideband \ 5.2 Receive Distortion and Noise 2N change frequency range



Distortion (Noise) RCV (packed): 36.55 dB (1.49%) Ok

Ok

2025-02-03 下午 04:52 ACQUA 6.1.100


Limits

lower
20.00 dB



5.2 RCV Distortion and Noise - 800 Hz 2N WB

TIA-5050 (2018-01) \ Measurements \ Wideband \ 5.2 Receive Distortion and Noise 2N change frequency range



Distortion (Noise) RCV (packed): 35.50 dB (1.68%) Ok

Ok


2025-02-03 下午 04:53 ACQUA 6.1.100

Limits

lower
20.00 dB

5.2 RCV Distortion and Noise - 1000 Hz 2N WB

TIA-5050 (2018-01) \ Measurements \ Wideband \ 5.2 Receive Distortion and Noise 2N change frequency range



Distortion (Noise) RCV (packed): 30.19 dB (3.09%) Ok

Ok

2025-02-03 下午 04:53 ACQUA 6.1.100


Limits

lower
20.00 dB



5.2 RCV Distortion and Noise - 1250 Hz 2N WB

TIA-5050 (2018-01) \ Measurements \ Wideband \ 5.2 Receive Distortion and Noise 2N change frequency range



Distortion (Noise) RCV (packed): 23.54 dB (6.65%) Ok

Ok

2025-02-03 下午 04:54 ACQUA 6.1.100


Limits

lower
20.00 dB



5.2 RCV Distortion and Noise - 1600 Hz 2N WB

TIA-5050 (2018-01) \ Measurements \ Wideband \ 5.2 Receive Distortion and Noise 2N change frequency range



Distortion (Noise) RCV (packed): 26.17 dB (4.91%) Ok

Ok

2025-02-03 下午 04:55 ACQUA 6.1.100


Limits

lower
20.00 dB



5.2 RCV Distortion and Noise - 2000 Hz 2N WB

TIA-5050 (2018-01) \ Measurements \ Wideband \ 5.2 Receive Distortion and Noise 2N change frequency range



Distortion (Noise) RCV (packed): 21.65 dB (8.27%) Ok

Ok

2025-02-03 下午 04:55 ACQUA 6.1.100


Limits

lower
20.00 dB



5.2 RCV Distortion and Noise - 2500 Hz 2N WB

TIA-5050 (2018-01) \ Measurements \ Wideband \ 5.2 Receive Distortion and Noise 2N change frequency range



Distortion (Noise) RCV (packed): 30.55 dB (2.97%) Ok

Ok

2025-02-03 下午 04:56 ACQUA 6.1.100


Limits

lower
20.00 dB



5.2 RCV Distortion and Noise - 3150 Hz 2N WB

TIA-5050 (2018-01) \ Measurements \ Wideband \ 5.2 Receive Distortion and Noise 2N change frequency range



Distortion (Noise) RCV (packed): 31.44 dB (2.68%) Ok

Ok


2025-02-03 下午 04:56 ACQUA 6.1.100

Limits

lower
20.00 dB

5.2 RCV Distortion and Noise - 4000 Hz 2N WB

TIA-5050 (2018-01) \ Measurements \ Wideband \ 5.2 Receive Distortion and Noise 2N change frequency range



Distortion (Noise) RCV (packed): 28.64 dB (3.70%) Ok

Ok


2025-02-03 下午 04:57 ACQUA 6.1.100

Limits

lower
20.00 dB

5.2 RCV Distortion and Noise - 5000 Hz 2N WB

TIA-5050 (2018-01) \ Measurements \ Wideband \ 5.2 Receive Distortion and Noise 2N change frequency range



Distortion (Noise) RCV (packed): 34.35 dB (1.92%) Ok

Ok


2025-02-03 下午 04:58 ACQUA 6.1.100

Limits

lower
20.00 dB

5.3 Frequency Response 8N DF

TIA-5050 (2018-01) \ Measurements \ Wideband



Absolute minimal distance

1.01 dB at 1747.8 Hz Ok

Ok


2025-02-03 下午 04:48 ACQUA 6.1.100

Limits

lower
Fit into tolerance

5.3 Frequency Response 2N DF

TIA-5050 (2018-01) \ Measurements \ Wideband



Absolute minimal distance

2.54 dB at 576.7 Hz Ok

Ok

2025-02-03 下午 04:58 ACQUA 6.1.100

Limits

lower
Fit into tolerance




#2 NR n12 EVS NB 24.4kbps

SMD	Status	Single Value Description	Single Value
Overall Receive Delay NB	Done	Delay (Cross) [ms]	200.4
5.1a Receive Volume Control Performance 8N NB	Ok	Speech Level [dB[SPL]]	90.46
5.1b Receive Volume Control Performance 2N NB	Ok	Speech Level [dB[SPL]]	87.71
5.2 RCV Distortion and Noise - 400 Hz 8N NB	Ok	Distortion (Noise) [dB], 0.0 dB	32.57
5.2 RCV Distortion and Noise - 500 Hz 8N NB	Ok	Distortion (Noise) [dB], 0.0 dB	28.53
5.2 RCV Distortion and Noise - 630 Hz 8N NB	Ok	Distortion (Noise) [dB], 0.0 dB	25.30
5.2 RCV Distortion and Noise - 800 Hz 8N NB	Ok	Distortion (Noise) [dB], 0.0 dB	25.17
5.2 RCV Distortion and Noise - 1000 Hz 8N NB	Ok	Distortion (Noise) [dB], 0.0 dB	21.19
5.2 RCV Distortion and Noise - 1250 Hz 8N NB	Ok	Distortion (Noise) [dB], 0.0 dB	21.83
5.2 RCV Distortion and Noise - 1600 Hz 8N NB	Ok	Distortion (Noise) [dB], 0.0 dB	26.02
5.2 RCV Distortion and Noise - 2000 Hz 8N NB	Ok	Distortion (Noise) [dB], 0.0 dB	23.77
5.2 RCV Distortion and Noise - 2500 Hz 8N NB	Ok	Distortion (Noise) [dB], 0.0 dB	29.53
5.2 RCV Distortion and Noise - 3150 Hz 8N NB	Ok	Distortion (Noise) [dB], 0.0 dB	38.66
5.2 RCV Distortion and Noise - 400 Hz 2N NB	Ok	Distortion (Noise) [dB], 0.0 dB	31.04
5.2 RCV Distortion and Noise - 500 Hz 2N NB	Ok	Distortion (Noise) [dB], 0.0 dB	28.42
5.2 RCV Distortion and Noise - 630 Hz 2N NB	Ok	Distortion (Noise) [dB], 0.0 dB	24.95
5.2 RCV Distortion and Noise - 800 Hz 2N NB	Ok	Distortion (Noise) [dB], 0.0 dB	24.88
5.2 RCV Distortion and Noise - 1000 Hz 2N NB	Ok	Distortion (Noise) [dB], 0.0 dB	21.65
5.2 RCV Distortion and Noise - 1250 Hz 2N NB	Ok	Distortion (Noise) [dB], 0.0 dB	22.46
5.2 RCV Distortion and Noise - 1600 Hz 2N NB	Ok	Distortion (Noise) [dB], 0.0 dB	25.56
5.2 RCV Distortion and Noise - 2000 Hz 2N NB	Ok	Distortion (Noise) [dB], 0.0 dB	23.35
5.2 RCV Distortion and Noise - 2500 Hz 2N NB	Ok	Distortion (Noise) [dB], 0.0 dB	29.18
5.2 RCV Distortion and Noise - 3150 Hz 2N NB	Ok	Distortion (Noise) [dB], 0.0 dB	40.76
5.3 Frequency Response 8N DF HANB	Ok	Min. dist. to tolerance scheme [dB], 2432.3 Hz	1.50
5.3 Frequency Response 2N DF HANB	Ok	Min. dist. to tolerance scheme [dB], 2571.8 Hz	2.19

Overall Receive Delay NB

TIA-5050 (2018-01) \ Measurements \ Narrowband \ Preparation - Delay measurement




Channel	Delay	Correlation
RCV*Source	200.4 ms	40.40 %

2025-03-12 上午 07:18 ACQUA 6.1.110

5.1a Receive Volume Control Performance 8N NB

TIA-5050 (2018-01) \ Measurements \ Narrowband



Channel	Speech level	Activity	
RCV	90.46 dB[SPL]	61.48%	Ok

Ok

2025-03-12 上午 07:18 ACQUA 6.1.110


Limits

lower
76.00 dB[SPL]



5.1b Receive Volume Control Performance 2N NB

TIA-5050 (2018-01) \ Measurements \ Narrowband



Channel	Speech level	Activity	
RCV	87.71 dB[SPL]	41.77%	Ok

Ok

2025-03-12 上午 07:26 ACQUA 6.1.110

Limits


lower
76.00 dB[SPL]





5.2 RCV Distortion and Noise - 400 Hz 8N NB

TIA-5050 (2018-01) \ Measurements \ Narrowband \ 5.2 Receive Distortion and Noise 8N change frequency range



Distortion (Noise) RCV (packed): 32.57 dB (2.35%) Ok

Ok


2025-03-12 上午 07:19 ACQUA 6.1.110

Limits

lower
20.00 dB

5.2 RCV Distortion and Noise - 500 Hz 8N NB

TIA-5050 (2018-01) \ Measurements \ Narrowband \ 5.2 Receive Distortion and Noise 8N change frequency range



Distortion (Noise) RCV (packed): 28.53 dB (3.74%) Ok

Ok

2025-03-12 上午 07:19 ACQUA 6.1.110


Limits

lower
20.00 dB



5.2 RCV Distortion and Noise - 630 Hz 8N NB

TIA-5050 (2018-01) \ Measurements \ Narrowband \ 5.2 Receive Distortion and Noise 8N change frequency range



Distortion (Noise) RCV (packed): 25.30 dB (5.43%) Ok

Ok

2025-03-12 上午 07:20 ACQUA 6.1.110


Limits

lower
20.00 dB



5.2 RCV Distortion and Noise - 800 Hz 8N NB

TIA-5050 (2018-01) \ Measurements \ Narrowband \ 5.2 Receive Distortion and Noise 8N change frequency range



Distortion (Noise) RCV (packed): 25.17 dB (5.51%) Ok

Ok

2025-03-12 上午 07:20 ACQUA 6.1.110


Limits

lower
20.00 dB



5.2 RCV Distortion and Noise - 1000 Hz 8N NB

TIA-5050 (2018-01) \ Measurements \ Narrowband \ 5.2 Receive Distortion and Noise 8N change frequency range



Distortion (Noise) RCV (packed): 21.19 dB (8.72%) Ok

Ok


2025-03-12 上午 07:21 ACQUA 6.1.110

Limits

lower
20.00 dB

5.2 RCV Distortion and Noise - 1250 Hz 8N NB

TIA-5050 (2018-01) \ Measurements \ Narrowband \ 5.2 Receive Distortion and Noise 8N change frequency range



Distortion (Noise) RCV (packed): 21.83 dB (8.10%) Ok

Ok


2025-03-12 上午 07:22 ACQUA 6.1.110

Limits

lower
20.00 dB

5.2 RCV Distortion and Noise - 1600 Hz 8N NB

TIA-5050 (2018-01) \ Measurements \ Narrowband \ 5.2 Receive Distortion and Noise 8N change frequency range



Distortion (Noise) RCV (packed): 26.02 dB (5.00%) Ok

Ok


2025-03-12 上午 07:22 ACQUA 6.1.110

Limits

lower
20.00 dB

5.2 RCV Distortion and Noise - 2000 Hz 8N NB

TIA-5050 (2018-01) \ Measurements \ Narrowband \ 5.2 Receive Distortion and Noise 8N change frequency range



Distortion (Noise) RCV (packed): 23.77 dB (6.48%) Ok

Ok

2025-03-12 上午 07:23 ACQUA 6.1.110


Limits

lower
20.00 dB



5.2 RCV Distortion and Noise - 2500 Hz 8N NB

TIA-5050 (2018-01) \ Measurements \ Narrowband \ 5.2 Receive Distortion and Noise 8N change frequency range



Distortion (Noise) RCV (packed): 29.53 dB (3.34%) Ok

Ok

2025-03-12 上午 07:23 ACQUA 6.1.110


Limits

lower
20.00 dB



5.2 RCV Distortion and Noise - 3150 Hz 8N NB

TIA-5050 (2018-01) \ Measurements \ Narrowband \ 5.2 Receive Distortion and Noise 8N change frequency range



Distortion (Noise) RCV (packed): 38.66 dB (1.17%) Ok

Ok

2025-03-12 上午 07:24 ACQUA 6.1.110

Limits

lower
20.00 dB



Report - Receive Distortion and Noise (Conversational Gain) 8N NB

TIA-5050 (2018-01) \ Measurements \ Narrowband \ 5.2 Receive Distortion and Noise 8N change frequency range

Region	Frequency	SDNR
1	400Hz	32.57 dB
2	500Hz	28.53 dB
3	630Hz	25.30 dB
4	800Hz	25.17 dB
5	1000Hz	21.19 dB
6	1250Hz	21.83 dB
7	1600Hz	26.02 dB
8	2000Hz	23.77 dB
9	2500Hz	29.53 dB
10	3150Hz	38.66 dB

All SDNRs were greater than 20.0 dB, requirement was met.

Smallest SDNR was 21.19dB at 1000Hz.

2025-03-12 上午 07:24 ACQUA



5.2 RCV Distortion and Noise - 400 Hz 2N NB

TIA-5050 (2018-01) \ Measurements \ Narrowband \ 5.2 Receive Distortion and Noise 2N change frequency range



Distortion (Noise) RCV (packed): 31.04 dB (2.81%) Ok

Ok

2025-03-12 上午 07:26 ACQUA 6.1.110


Limits

lower
20.00 dB



5.2 RCV Distortion and Noise - 500 Hz 2N NB

TIA-5050 (2018-01) \ Measurements \ Narrowband \ 5.2 Receive Distortion and Noise 2N change frequency range



Distortion (Noise) RCV (packed): 28.42 dB (3.79%) Ok

Ok

2025-03-12 上午 07:27 ACQUA 6.1.110


Limits

lower
20.00 dB



5.2 RCV Distortion and Noise - 630 Hz 2N NB

TIA-5050 (2018-01) \ Measurements \ Narrowband \ 5.2 Receive Distortion and Noise 2N change frequency range



Distortion (Noise) RCV (packed): 24.95 dB (5.66%) Ok

Ok

2025-03-12 上午 07:27 ACQUA 6.1.110


Limits

lower
20.00 dB



5.2 RCV Distortion and Noise - 800 Hz 2N NB

TIA-5050 (2018-01) \ Measurements \ Narrowband \ 5.2 Receive Distortion and Noise 2N change frequency range



Distortion (Noise) RCV (packed): 24.88 dB (5.70%) Ok

Ok

2025-03-12 上午 07:28 ACQUA 6.1.110


Limits

lower
20.00 dB



5.2 RCV Distortion and Noise - 1000 Hz 2N NB

TIA-5050 (2018-01) \ Measurements \ Narrowband \ 5.2 Receive Distortion and Noise 2N change frequency range



Distortion (Noise) RCV (packed): 21.65 dB (8.27%) Ok

Ok

2025-03-12 上午 07:29 ACQUA 6.1.110


Limits

lower
20.00 dB



5.2 RCV Distortion and Noise - 1250 Hz 2N NB

TIA-5050 (2018-01) \ Measurements \ Narrowband \ 5.2 Receive Distortion and Noise 2N change frequency range



Distortion (Noise) RCV (packed): 22.46 dB (7.54%) Ok

Ok

2025-03-12 上午 07:29 ACQUA 6.1.110


Limits

lower
20.00 dB



5.2 RCV Distortion and Noise - 1600 Hz 2N NB

TIA-5050 (2018-01) \ Measurements \ Narrowband \ 5.2 Receive Distortion and Noise 2N change frequency range



Distortion (Noise) RCV (packed): 25.56 dB (5.27%) Ok

Ok


2025-03-12 上午 07:30 ACQUA 6.1.110

Limits

lower
20.00 dB

5.2 RCV Distortion and Noise - 2000 Hz 2N NB

TIA-5050 (2018-01) \ Measurements \ Narrowband \ 5.2 Receive Distortion and Noise 2N change frequency range



Distortion (Noise) RCV (packed): 23.35 dB (6.80%) Ok

Ok

2025-03-12 上午 07:31 ACQUA 6.1.110


Limits

lower
20.00 dB



5.2 RCV Distortion and Noise - 2500 Hz 2N NB

TIA-5050 (2018-01) \ Measurements \ Narrowband \ 5.2 Receive Distortion and Noise 2N change frequency range



Distortion (Noise) RCV (packed): 29.18 dB (3.48%) Ok

Ok

2025-03-12 上午 07:31 ACQUA 6.1.110


Limits

lower
20.00 dB



5.2 RCV Distortion and Noise - 3150 Hz 2N NB

TIA-5050 (2018-01) \ Measurements \ Narrowband \ 5.2 Receive Distortion and Noise 2N change frequency range



Distortion (Noise) RCV (packed): 40.76 dB (0.92%) Ok

Ok

2025-03-12 上午 07:32 ACQUA 6.1.110

Limits

lower
20.00 dB



Report - Receive Distortion and Noise (Conversational Gain) 2N NB

TIA-5050 (2018-01) \ Measurements \ Narrowband \ 5.2 Receive Distortion and Noise 2N change frequency range

Region	Frequency	SDNR
1	400Hz	31.04 dB
2	500Hz	28.42 dB
3	630Hz	24.95 dB
4	800Hz	24.88 dB
5	1000Hz	21.65 dB
6	1250Hz	22.46 dB
7	1600Hz	25.56 dB
8	2000Hz	23.35 dB
9	2500Hz	29.18 dB
10	3150Hz	40.76 dB


All SDNRs were greater than 20.0 dB, requirement was met.

Smallest SDNR was 21.65dB at 1000Hz.

2025-03-12 上午 07:32 ACQUA

5.3 Frequency Response 8N DF HANB

TIA-5050 (2018-01) \ Measurements \ Narrowband



Absolute minimal distance

1.50 dB at 2432.3 Hz Ok

Ok


2025-03-12 上午 07:25 ACQUA 6.1.110

Limits

lower
Fit into tolerance

5.3 Frequency Response 2N DF HANB

TIA-5050 (2018-01) \ Measurements \ Narrowband



Absolute minimal distance

2.19 dB at 2571.8 Hz Ok

Ok

2025-03-12 上午 07:32 ACQUA 6.1.110

Limits

lower
Fit into tolerance




#3 WiFi 5.3GHz EVS NB 24.4kbps

SMD	Status	Single Value Description	Single Value
Overall Receive Delay NB	Done	Delay (Cross) [ms]	206.7
5.1a Receive Volume Control Performance 8N NB	Ok	Speech Level [dB[SPL]]	91.11
5.1b Receive Volume Control Performance 2N NB	Ok	Speech Level [dB[SPL]]	88.14
5.2 RCV Distortion and Noise - 400 Hz 8N NB	Ok	Distortion (Noise) [dB], 0.0 dB	30.89
5.2 RCV Distortion and Noise - 500 Hz 8N NB	Ok	Distortion (Noise) [dB], 0.0 dB	27.73
5.2 RCV Distortion and Noise - 630 Hz 8N NB	Ok	Distortion (Noise) [dB], 0.0 dB	26.40
5.2 RCV Distortion and Noise - 800 Hz 8N NB	Ok	Distortion (Noise) [dB], 0.0 dB	24.61
5.2 RCV Distortion and Noise - 1000 Hz 8N NB	Ok	Distortion (Noise) [dB], 0.0 dB	22.66
5.2 RCV Distortion and Noise - 1250 Hz 8N NB	Ok	Distortion (Noise) [dB], 0.0 dB	20.55
5.2 RCV Distortion and Noise - 1600 Hz 8N NB	Ok	Distortion (Noise) [dB], 0.0 dB	26.59
5.2 RCV Distortion and Noise - 2000 Hz 8N NB	Ok	Distortion (Noise) [dB], 0.0 dB	23.61
5.2 RCV Distortion and Noise - 2500 Hz 8N NB	Ok	Distortion (Noise) [dB], 0.0 dB	30.34
5.2 RCV Distortion and Noise - 3150 Hz 8N NB	Ok	Distortion (Noise) [dB], 0.0 dB	40.27
5.2 RCV Distortion and Noise - 400 Hz 2N NB	Ok	Distortion (Noise) [dB], 0.0 dB	30.22
5.2 RCV Distortion and Noise - 500 Hz 2N NB	Ok	Distortion (Noise) [dB], 0.0 dB	28.75
5.2 RCV Distortion and Noise - 630 Hz 2N NB	Ok	Distortion (Noise) [dB], 0.0 dB	21.69
5.2 RCV Distortion and Noise - 800 Hz 2N NB	Ok	Distortion (Noise) [dB], 0.0 dB	22.09
5.2 RCV Distortion and Noise - 1000 Hz 2N NB	Ok	Distortion (Noise) [dB], 0.0 dB	21.88
5.2 RCV Distortion and Noise - 1250 Hz 2N NB	Ok	Distortion (Noise) [dB], 0.0 dB	22.88
5.2 RCV Distortion and Noise - 1600 Hz 2N NB	Ok	Distortion (Noise) [dB], 0.0 dB	23.14
5.2 RCV Distortion and Noise - 2000 Hz 2N NB	Ok	Distortion (Noise) [dB], 0.0 dB	21.79
5.2 RCV Distortion and Noise - 2500 Hz 2N NB	Ok	Distortion (Noise) [dB], 0.0 dB	26.72
5.2 RCV Distortion and Noise - 3150 Hz 2N NB	Ok	Distortion (Noise) [dB], 0.0 dB	40.97
5.3 Frequency Response 8N DF HANB	Ok	Min. dist. to tolerance scheme [dB], 2571.8 Hz	1.94
5.3 Frequency Response 2N DF HANB	Ok	Min. dist. to tolerance scheme [dB], 2571.8 Hz	1.76

Overall Receive Delay NB

TIA-5050 (2018-01) \ Measurements \ Narrowband \ Preparation - Delay measurement




Channel	Delay	Correlation
RCV*Source	206.7 ms	41.76 %

2025-02-04 上午 07:09 ACQUA 6.1.100

5.1a Receive Volume Control Performance 8N NB

TIA-5050 (2018-01) \ Measurements \ Narrowband



Channel	Speech level	Activity	
RCV	91.11 dB[SPL]	62.70%	Ok

Ok

2025-02-04 上午 07:10 ACQUA 6.1.100


Limits

lower
76.00 dB[SPL]



5.1b Receive Volume Control Performance 2N NB

TIA-5050 (2018-01) \ Measurements \ Narrowband



Channel	Speech level	Activity	
RCV	88.14 dB[SPL]	50.80%	Ok

Ok

2025-02-04 上午 06:11 ACQUA 6.1.100


Limits

lower
76.00 dB[SPL]



5.2 RCV Distortion and Noise - 400 Hz 8N NB

TIA-5050 (2018-01) \ Measurements \ Narrowband \ 5.2 Receive Distortion and Noise 8N change frequency range



Distortion (Noise) RCV (packed): 30.89 dB (2.86%) Ok

Ok


2025-02-04 上午 07:10 ACQUA 6.1.100

Limits

lower
20.00 dB

5.2 RCV Distortion and Noise - 500 Hz 8N NB

TIA-5050 (2018-01) \ Measurements \ Narrowband \ 5.2 Receive Distortion and Noise 8N change frequency range



Distortion (Noise) RCV (packed): 27.73 dB (4.11%) Ok

Ok

2025-02-04 上午 07:11 ACQUA 6.1.100

Limits

lower
20.00 dB

5.2 RCV Distortion and Noise - 630 Hz 8N NB

TIA-5050 (2018-01) \ Measurements \ Narrowband \ 5.2 Receive Distortion and Noise 8N change frequency range



Distortion (Noise) RCV (packed): 26.40 dB (4.78%) Ok

Ok

2025-02-04 上午 07:11 ACQUA 6.1.100


Limits

lower
20.00 dB



5.2 RCV Distortion and Noise - 800 Hz 8N NB

TIA-5050 (2018-01) \ Measurements \ Narrowband \ 5.2 Receive Distortion and Noise 8N change frequency range



Distortion (Noise) RCV (packed): 24.61 dB (5.88%) Ok

Ok

2025-02-04 上午 07:12 ACQUA 6.1.100

Limits

lower
20.00 dB



5.2 RCV Distortion and Noise - 1000 Hz 8N NB

TIA-5050 (2018-01) \ Measurements \ Narrowband \ 5.2 Receive Distortion and Noise 8N change frequency range



Distortion (Noise) RCV (packed): 22.66 dB (7.36%) Ok

Ok

2025-02-04 上午 07:13 ACQUA 6.1.100


Limits

lower
20.00 dB



5.2 RCV Distortion and Noise - 1250 Hz 8N NB

TIA-5050 (2018-01) \ Measurements \ Narrowband \ 5.2 Receive Distortion and Noise 8N change frequency range



Distortion (Noise) RCV (packed): 20.55 dB (9.39%) Ok

Ok

2025-02-04 上午 07:13 ACQUA 6.1.100


Limits

lower
20.00 dB



5.2 RCV Distortion and Noise - 1600 Hz 8N NB

TIA-5050 (2018-01) \ Measurements \ Narrowband \ 5.2 Receive Distortion and Noise 8N change frequency range



Distortion (Noise) RCV (packed): 26.59 dB (4.68%) Ok

Ok


2025-02-04 上午 07:14 ACQUA 6.1.100

Limits

lower
20.00 dB

5.2 RCV Distortion and Noise - 2000 Hz 8N NB

TIA-5050 (2018-01) \ Measurements \ Narrowband \ 5.2 Receive Distortion and Noise 8N change frequency range



Distortion (Noise) RCV (packed): 23.61 dB (6.60%) Ok

Ok


2025-02-04 上午 07:14 ACQUA 6.1.100

Limits

lower
20.00 dB

5.2 RCV Distortion and Noise - 2500 Hz 8N NB

TIA-5050 (2018-01) \ Measurements \ Narrowband \ 5.2 Receive Distortion and Noise 8N change frequency range



Distortion (Noise) RCV (packed): 30.34 dB (3.04%) Ok

Ok

2025-02-04 上午 07:15 ACQUA 6.1.100


Limits

lower
20.00 dB



5.2 RCV Distortion and Noise - 3150 Hz 8N NB

TIA-5050 (2018-01) \ Measurements \ Narrowband \ 5.2 Receive Distortion and Noise 8N change frequency range



Distortion (Noise) RCV (packed): 40.27 dB (0.97%) Ok

Ok


2025-02-04 上午 07:15 ACQUA 6.1.100

Limits

lower
20.00 dB

5.2 RCV Distortion and Noise - 400 Hz 2N NB

TIA-5050 (2018-01) \ Measurements \ Narrowband \ 5.2 Receive Distortion and Noise 2N change frequency range



Distortion (Noise) RCV (packed): 30.22 dB (3.08%) Ok

Ok


2025-02-04 上午 07:18 ACQUA 6.1.100

Limits

lower
20.00 dB

5.2 RCV Distortion and Noise - 500 Hz 2N NB

TIA-5050 (2018-01) \ Measurements \ Narrowband \ 5.2 Receive Distortion and Noise 2N change frequency range



Distortion (Noise) RCV (packed): 28.75 dB (3.65%) Ok

Ok


2025-02-04 上午 07:19 ACQUA 6.1.100

Limits

lower
20.00 dB

5.2 RCV Distortion and Noise - 630 Hz 2N NB

TIA-5050 (2018-01) \ Measurements \ Narrowband \ 5.2 Receive Distortion and Noise 2N change frequency range



Distortion (Noise) RCV (packed): 21.69 dB (8.23%) Ok

Ok


2025-02-04 上午 07:20 ACQUA 6.1.100

Limits

lower
20.00 dB

5.2 RCV Distortion and Noise - 800 Hz 2N NB

TIA-5050 (2018-01) \ Measurements \ Narrowband \ 5.2 Receive Distortion and Noise 2N change frequency range



Distortion (Noise) RCV (packed): 22.09 dB (7.86%) Ok

Ok

2025-02-04 上午 07:20 ACQUA 6.1.100


Limits

lower
20.00 dB



5.2 RCV Distortion and Noise - 1000 Hz 2N NB

TIA-5050 (2018-01) \ Measurements \ Narrowband \ 5.2 Receive Distortion and Noise 2N change frequency range



Distortion (Noise) RCV (packed): 21.88 dB (8.05%) Ok

Ok

2025-02-04 上午 07:29 ACQUA 6.1.100


Limits

lower
20.00 dB



5.2 RCV Distortion and Noise - 1250 Hz 2N NB

TIA-5050 (2018-01) \ Measurements \ Narrowband \ 5.2 Receive Distortion and Noise 2N change frequency range



Distortion (Noise) RCV (packed): 22.88 dB (7.18%) Ok

Ok

2025-02-04 上午 07:30 ACQUA 6.1.100


Limits

lower
20.00 dB



5.2 RCV Distortion and Noise - 1600 Hz 2N NB

TIA-5050 (2018-01) \ Measurements \ Narrowband \ 5.2 Receive Distortion and Noise 2N change frequency range



Distortion (Noise) RCV (packed): 23.14 dB (6.96%) Ok

Ok


2025-02-04 上午 07:22 ACQUA 6.1.100

Limits

lower
20.00 dB

5.2 RCV Distortion and Noise - 2000 Hz 2N NB

TIA-5050 (2018-01) \ Measurements \ Narrowband \ 5.2 Receive Distortion and Noise 2N change frequency range



Distortion (Noise) RCV (packed): 21.79 dB (8.13%) Ok

Ok

2025-02-04 上午 07:23 ACQUA 6.1.100


Limits

lower
20.00 dB



5.2 RCV Distortion and Noise - 2500 Hz 2N NB

TIA-5050 (2018-01) \ Measurements \ Narrowband \ 5.2 Receive Distortion and Noise 2N change frequency range



Distortion (Noise) RCV (packed): 26.72 dB (4.61%) Ok

Ok

2025-02-04 上午 07:23 ACQUA 6.1.100


Limits

lower
20.00 dB



5.2 RCV Distortion and Noise - 3150 Hz 2N NB

TIA-5050 (2018-01) \ Measurements \ Narrowband \ 5.2 Receive Distortion and Noise 2N change frequency range



Distortion (Noise) RCV (packed): 40.97 dB (0.89%) Ok

Ok


2025-02-04 上午 07:24 ACQUA 6.1.100

Limits

lower
20.00 dB

5.3 Frequency Response 8N DF HANB

TIA-5050 (2018-01) \ Measurements \ Narrowband



Absolute minimal distance

1.94 dB at 2571.8 Hz Ok

Ok


2025-02-04 上午 07:16 ACQUA 6.1.100

Limits

lower
Fit into tolerance

5.3 Frequency Response 2N DF HANB

TIA-5050 (2018-01) \ Measurements \ Narrowband



Absolute minimal distance

1.76 dB at 2571.8 Hz Ok

Ok

2025-02-04 上午 07:24 ACQUA 6.1.100

Limits

lower
Fit into tolerance



Appendix A. Volume Control Evaluation Results

<Evaluation results for KDB 285076 D05 2.b>




#4 GSM1900 AMR NB 4.75kbps

SMD	Status	Single Value Description	Single Value
Overall Receive Delay NB	Done	Delay (Cross) [ms]	210.9
5.1a Receive Volume Control Performance 8N NB	Ok	Speech Level [dB[SPL]]	90.76
5.1b Receive Volume Control Performance 2N NB	Ok	Speech Level [dB[SPL]]	87.48

Overall Receive Delay NB

TIA-5050 (2018-01) \ Measurements \ Narrowband \ Preparation - Delay measurement




Channel	Delay	Correlation
RCV*Source	210.9 ms	33.60 %

2025-02-04 上午 04:05 ACQUA 6.1.100

5.1a Receive Volume Control Performance 8N NB

TIA-5050 (2018-01) \ Measurements \ Narrowband



Channel	Speech level	Activity	
RCV	90.76 dB[SPL]	66.12%	Ok

Ok


2025-02-04 上午 04:08 ACQUA 6.1.100

Limits

lower
76.00 dB[SPL]

5.1b Receive Volume Control Performance 2N NB

TIA-5050 (2018-01) \ Measurements \ Narrowband



Channel	Speech level	Activity	
RCV	87.48 dB[SPL]	50.99%	Ok

Ok

2025-02-04 上午 04:06 ACQUA 6.1.100

Limits

lower
76.00 dB[SPL]




#5 WCDMA IV AMR NB 12.2kbps

SMD	Status	Single Value Description	Single Value
Overall Receive Delay NB	Done	Delay (Cross) [ms]	199.5
5.1a Receive Volume Control Performance 8N NB	Ok	Speech Level [dB[SPL]]	89.77
5.1b Receive Volume Control Performance 2N NB	Ok	Speech Level [dB[SPL]]	87.33

Overall Receive Delay NB

TIA-5050 (2018-01) \ Measurements \ Narrowband \ Preparation - Delay measurement




Channel	Delay	Correlation
RCV*Source	199.5 ms	56.94 %

2025-02-04 上午 03:34 ACQUA 6.1.100

5.1a Receive Volume Control Performance 8N NB

TIA-5050 (2018-01) \ Measurements \ Narrowband



Channel	Speech level	Activity	
RCV	89.77 dB[SPL]	59.05%	Ok

Ok


2025-02-04 上午 03:35 ACQUA 6.1.100

Limits

lower
76.00 dB[SPL]

5.1b Receive Volume Control Performance 2N NB

TIA-5050 (2018-01) \ Measurements \ Narrowband



Channel	Speech level	Activity	
RCV	87.33 dB[SPL]	34.05%	Ok

Ok

2025-02-04 上午 03:45 ACQUA 6.1.100

Limits

lower
76.00 dB[SPL]




#6 LTE Band 12 AMR WB 6.60kbps

SMD	Status	Single Value Description	Single Value
Overall Receive Delay WB	Done	Delay (Cross) [ms]	229.6
5.1a Receive Volume Control Performance 8N WB	Ok	Speech Level [dB[SPL]]	89.91
5.1b Receive Volume Control Performance 2N WB	Ok	Speech Level [dB[SPL]]	86.87

Overall Receive Delay WB

TIA-5050 (2018-01) \ Measurements \ Wideband \ Preparation - Delay measurement

20250114




Channel	Delay	Correlation
RCV*Source	229.6 ms	25.64 %

2025-01-15 上午 02:49 ACQUA 6.1.100

5.1a Receive Volume Control Performance 8N WB

TIA-5050 (2018-01) \ Measurements \ Wideband

20250114



Channel	Speech level	Activity	
RCV	89.91 dB[SPL]	54.82%	Ok

Ok

2025-01-15 上午 02:54 ACQUA 6.1.100


Limits

lower
76.00 dB[SPL]

5.1b Receive Volume Control Performance 2N WB

TIA-5050 (2018-01) \ Measurements \ Wideband

20250114



Channel	Speech level	Activity	
RCV	86.87 dB[SPL]	40.70%	Ok

Ok

2025-01-15 上午 02:50 ACQUA 6.1.100

Limits

lower
76.00 dB[SPL]




#7 FR1 n41 EVS NB 5.9kbps

SMD	Status	Single Value Description	Single Value
Overall Receive Delay NB	Done	Delay (Cross) [ms]	200.6
5.1a Receive Volume Control Performance 8N NB	Ok	Speech Level [dB[SPL]]	90.40
5.1b Receive Volume Control Performance 2N NB	Ok	Speech Level [dB[SPL]]	87.05

Overall Receive Delay NB

TIA-5050 (2018-01) \ Measurements \ Narrowband \ Preparation - Delay measurement




Channel	Delay	Correlation
RCV*Source	200.6 ms	39.73 %

2025-03-13 下午 12:00 ACQUA 6.1.110

5.1a Receive Volume Control Performance 8N NB

TIA-5050 (2018-01) \ Measurements \ Narrowband



Channel	Speech level	Activity	
RCV	90.40 dB[SPL]	60.79%	Ok

Ok


2025-03-13 下午 12:20 ACQUA 6.1.110

Limits

lower
76.00 dB[SPL]

5.1b Receive Volume Control Performance 2N NB

TIA-5050 (2018-01) \ Measurements \ Narrowband



Channel	Speech level	Activity	
RCV	87.05 dB[SPL]	44.61%	Ok

Ok

2025-03-13 下午 12:00 ACQUA 6.1.110

Limits

lower
76.00 dB[SPL]




#8 WiFi 2.4GHz EVS NB 5.9kbps

SMD	Status	Single Value Description	Single Value
Overall Receive Delay NB	Done	Delay (Cross) [ms]	196.2
5.1a Receive Volume Control Performance 8N NB	Ok	Speech Level [dB[SPL]]	90.24
5.1b Receive Volume Control Performance 2N NB	Ok	Speech Level [dB[SPL]]	87.04

Overall Receive Delay NB

TIA-5050 (2018-01) \ Measurements \ Narrowband \ Preparation - Delay measurement




Channel	Delay	Correlation
RCV*Source	196.2 ms	17.76 %

2025-01-17 下午 04:42 ACQUA 6.1.100

5.1a Receive Volume Control Performance 8N NB

TIA-5050 (2018-01) \ Measurements \ Narrowband



Channel	Speech level	Activity	
RCV	90.24 dB[SPL]	56.76%	Ok

Ok


2025-01-17 下午 04:43 ACQUA 6.1.100

Limits

lower
76.00 dB[SPL]

5.1b Receive Volume Control Performance 2N NB

TIA-5050 (2018-01) \ Measurements \ Narrowband



Channel	Speech level	Activity	
RCV	87.04 dB[SPL]	45.31%	Ok

Ok

2025-01-17 下午 04:43 ACQUA 6.1.100

Limits

lower
76.00 dB[SPL]