





FR1 n66 / 5MHz / DFT-S OFDM / 256QAM

Lowest Band Edge / 1RB0

Highest Band Edge / 1RBmax



Lowest Band Edge / Full RB

Highest Band Edge / Full RB





FR1 n66 / 5MHz / CP OFDM / QPSK / Full RB

Lowest Band Edge



Highest Band Edge





FR1 n66 / 10MHz / DFT-s-OFDM / PI/2 BPSK

Lowest Band Edge / Full RB



Highest Band Edge / Full RB



FR1 n66 / 10MHz / DFT-s-OFDM / QPSK

Lowest Band Edge / Full RB



Highest Band Edge / Full RB






FR1 n66 / 10MHz / DFT-s-OFDM / 16QAM

Lowest Band Edge / Full RB




Highest Band Edge / Full RB




FR1 n66 / 10MHz / DFT-s-OFDM / 64QAM

Lowest Band Edge / Full RB




Highest Band Edge / Full RB






FR1 n66 / 10MHz / DFT-s-OFDM / 256QAM

Lowest Band Edge / Full RB




Highest Band Edge / Full RB




FR1 n66 / 10MHz / CP OFDM / QPSK / Full RB

Lowest Band Edge




Highest Band Edge






FR1 n66 / 15MHz / DFT-s-OFDM / PI/2 BPSK

Lowest Band Edge / Full RB




Highest Band Edge / Full RB



FR1 n66 / 15MHz / DFT-s-OFDM / QPSK

Lowest Band Edge / Full RB



Highest Band Edge / Full RB






FR1 n66 / 15MHz / DFT-s-OFDM / 16QAM

Lowest Band Edge / Full RB


Highest Band Edge / Full RB



FR1 n66 / 15MHz / DFT-s-OFDM / 64QAM

Lowest Band Edge / Full RB


Highest Band Edge / Full RB






FR1 n66 / 15MHz / DFT-s-OFDM / 256QAM

Lowest Band Edge / Full RB




Highest Band Edge / Full RB




FR1 n66 / 15MHz / CP OFDM / QPSK / Full RB

Lowest Band Edge




Highest Band Edge





FR1 n66 / 20MHz / DFT-s-OFDM / PI/2 BPSK

Lowest Band Edge / Full RB




Highest Band Edge / Full RB



FR1 n66 / 20MHz / DFT-s-OFDM / QPSK

Lowest Band Edge / Full RB




Highest Band Edge / Full RB





FR1 n66 / 20MHz / DFT-s-OFDM / 16QAM

Lowest Band Edge / Full RB




Highest Band Edge / Full RB



FR1 n66 / 20MHz / DFT-s-OFDM / 64QAM

Lowest Band Edge / Full RB



Highest Band Edge / Full RB






FR1 n66 / 20MHz / DFT-s-OFDM / 256QAM

Lowest Band Edge / Full RB




Highest Band Edge / Full RB




FR1 n66 / 20MHz / CP OFDM / QPSK / Full RB

Lowest Band Edge



Highest Band Edge





FR1 n66 / 25MHz / DFT-s-OFDM / PI/2 BPSK

Lowest Band Edge / Full RB




Highest Band Edge / Full RB



FR1 n66 / 25MHz / DFT-s-OFDM / QPSK

Lowest Band Edge / Full RB




Highest Band Edge / Full RB






FR1 n66 / 25MHz / DFT-s-OFDM / 16QAM

Lowest Band Edge / Full RB




Highest Band Edge / Full RB



FR1 n66 / 25MHz / DFT-s-OFDM / 64QAM

Lowest Band Edge / Full RB



Highest Band Edge / Full RB





FR1 n66 / 25MHz / DFT-s-OFDM / 256QAM

Lowest Band Edge / Full RB



Highest Band Edge / Full RB




FR1 n66 / 25MHz / CP OFDM / QPSK / Full RB

Lowest Band Edge



Highest Band Edge





FR1 n66 / 30MHz / DFT-s-OFDM / PI/2 BPSK

Lowest Band Edge / Full RB




Highest Band Edge / Full RB



FR1 n66 / 30MHz / DFT-s-OFDM / QPSK

Lowest Band Edge / Full RB



Highest Band Edge / Full RB





FR1 n66 / 30MHz / DFT-s-OFDM / 16QAM

Lowest Band Edge / Full RB




Highest Band Edge / Full RB



FR1 n66 / 30MHz / DFT-s-OFDM / 64QAM

Lowest Band Edge / Full RB



Highest Band Edge / Full RB





FR1 n66 / 30MHz / DFT-s-OFDM / 256QAM

Lowest Band Edge / Full RB




Highest Band Edge / Full RB



FR1 n66 / 30MHz / CP OFDM / QPSK / Full RB

Lowest Band Edge




Highest Band Edge





FR1 n66 / 40MHz / DFT-s-OFDM / PI/2 BPSK

Lowest Band Edge / Full RB




Highest Band Edge / Full RB



FR1 n66 / 40MHz / DFT-s-OFDM / QPSK

Lowest Band Edge / Full RB




Highest Band Edge / Full RB





FR1 n66 / 40MHz / DFT-s-OFDM / 16QAM

Lowest Band Edge / Full RB




Highest Band Edge / Full RB



FR1 n66 / 40MHz / DFT-s-OFDM / 64QAM

Lowest Band Edge / Full RB



Highest Band Edge / Full RB





FR1 n66 / 40MHz / DFT-s-OFDM / 256QAM

Lowest Band Edge / Full RB



Highest Band Edge / Full RB




FR1 n66 / 40MHz / CP OFDM / QPSK / Full RB

Lowest Band Edge



Highest Band Edge







Conducted Spurious Emission

FR1 n66 / 5MHz / DFT-S OFDM / QPSK / 1RB1


Lowest Channel



Middle Channel



Highest Channel



Frequency Stability

Test Conditions		FR1 n66 (BPSK) / Middle Channel	Limit
Temperature (°C)	Voltage (Volt)	BW 20MHz	Note 2.
		Deviation (ppm)	Result
50	Normal Voltage	0.0061	PASS
40	Normal Voltage	0.0017	
30	Normal Voltage	0.0052	
20(Ref.)	Normal Voltage	0.0000	
10	Normal Voltage	0.0026	
0	Normal Voltage	0.0057	
-10	Normal Voltage	0.0017	
-20	Normal Voltage	0.0010	
-30	Normal Voltage	0.0005	
20	Maximum Voltage	0.0009	
20	Normal Voltage	0.0000	
20	Battery End Point	0.0087	

Note:

1. Normal Voltage = 3.9 V. ; Battery End Point (BEP) = 3.6 V. ; Maximum Voltage = 4.5 V.
2. The frequency fundamental emissions stay within the authorized frequency block.



Appendix B. Test Results of Radiated Test

B1. Summary of each worse mode

Mode	Part	Band	Ch	Freq (MHz)	Level (dBm)	Det	Ant Factor (dB)	Amp\Cbl (dB)	Filter (dB)	EIRPCF (dB)	Reading (dBuV)	Limit (dBm)	Margin (dB)	Pol	Ant
1	Part 24E	NR SA n2	L	5554	-45.89	RMS	32.81	-21.86	0.73	-95.23	37.66	-13.00	-32.89	H	2
2	Part 24E	NR SA n2	L	7405	-56.17	RMS	36.80	-21.26	0.42	-95.23	23.10	-13.00	-43.17	V	0
3	Part 24E	EN-DC B5+n2	M	5614	-54.96	RMS	32.98	-21.85	0.74	-95.23	28.40	-13.00	-41.96	V	2
5	Part 27L	NR SA n66	M	5209	-43.81	RMS	32.56	-21.75	0.40	-95.23	40.21	-13.00	-30.81	V	2
6	Part 27L	NR SA n66	H	5284	-53.57	RMS	32.33	-21.77	0.50	-95.23	30.60	-13.00	-40.57	V	0
7	Part 27L	EN-DC B5+n66	M	5209	-36.96	RMS	32.56	-21.75	0.40	-95.23	47.06	-13.00	-23.96	V	2




Ant. 2

Part 24E Mode 1

NR SA n2 20M Ch372000 1RB1 BPSK

L




Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_240624 Horizontal

: SA n2 20M Ch372000 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	3703.00	-61.04	RMS		29.62	-23.21	0.85	-95.23	0.00	-13.00	-48.04	Horizontal
2	5554.00	-45.89	RMS		32.81	-21.86	0.73	-95.23	37.66	-13.00	-32.89	Horizontal
3	7405.00	-56.31	RMS		36.80	-21.26	0.42	-95.23	22.96	-13.00	-43.31	Horizontal



Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_240624 Vertical

: SA n2 20M Ch372000 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	3703.00	-61.49	RMS		29.62	-23.21	0.85	-95.23	26.48	-13.00	-48.49	Vertical
2	5554.00	-47.77	RMS		32.81	-21.86	0.73	-95.23	35.78	-13.00	-34.77	Vertical
3	7405.00	-56.28	RMS		36.80	-21.26	0.42	-95.23	22.99	-13.00	-43.28	Vertical




Ant. 2

Part 24E Mode 1

NR SA n2 20M Ch376000 1RB1 BPSK

M




Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_240624 Horizontal

: SA n2 20M Ch376000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1		g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	3743.00	-61.02	RMS	29.94	-23.16	0.84	-95.23	26.59	-13.00	-48.02 Horizontal
2	5614.00	-47.91	RMS	32.98	-21.85	0.74	-95.23	35.45	-13.00	-34.91 Horizontal
3	7485.00	-56.49	RMS	36.73	-21.21	0.39	-95.23	22.83	-13.00	-43.49 Horizontal



Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_240624 Vertical

: SA n2 20M Ch376000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1		g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	3743.00	-60.25	RMS	29.94	-23.16	0.84	-95.23	27.36	-13.00	-47.25 Vertical
2	5614.00	-48.59	RMS	32.98	-21.85	0.74	-95.23	34.77	-13.00	-35.59 Vertical
3	7485.00	-56.04	RMS	36.73	-21.21	0.39	-95.23	23.28	-13.00	-43.04 Vertical




Ant. 2

Part 24E Mode 1

NR SA n2 20M Ch380000 1RB1 BPSK

H




Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_240624 Horizontal

: SA n2 20M Ch380000 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	3783.00	-61.65	RMS	30.07	-23.10	0.83	-95.23	25.78	-13.00	-48.65	Horizontal			
2	5674.00	-51.11	RMS	33.34	-21.81	0.71	-95.23	31.88	-13.00	-38.11	Horizontal			
3	7565.00	-56.27	RMS	36.60	-21.23	0.37	-95.23	23.22	-13.00	-43.27	Horizontal			



Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_240624 Vertical

: SA n2 20M Ch380000 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	3783.00	-61.80	RMS	30.07	-23.10	0.83	-95.23	25.63	-13.00	-48.80	Vertical			
2	5674.00	-51.55	RMS	33.34	-21.81	0.71	-95.23	31.44	-13.00	-38.55	Vertical			
3	7565.00	-56.48	RMS	36.60	-21.23	0.37	-95.23	23.01	-13.00	-43.48	Vertical			




Ant. 2

Part 24E Mode 3


EN-DC B5+n2 10M + 20M Ch20525 1RB0 QPSK + Ch376000 1RB1 BPSK

M



Site : 03CH21-HY
Condition: -13 1m BBHA9170_1223_240624 Horizontal
: LTE Band 5 10M Ch 20525 1RB0 QPSK
: SA n2 20M Ch376000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	3743.00	-60.32	RMS	29.94	-23.16	0.84	-95.23	27.29	-13.00	-47.32 Horizontal
2	5614.00	-56.49	RMS	32.98	-21.85	0.74	-95.23	26.87	-13.00	-43.49 Horizontal
3	7485.00	-55.94	RMS	36.73	-21.21	0.39	-95.23	23.38	-13.00	-42.94 Horizontal



Site : 03CH21-HY
Condition: -13 1m BBHA9170_1223_240624 Vertical
: LTE Band 5 10M Ch 20525 1RB0 QPSK
: SA n2 20M Ch376000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	3743.00	-60.55	RMS	29.94	-23.16	0.84	-95.23	27.06	-13.00	-47.55 Vertical
2	5614.00	-54.96	RMS	32.98	-21.85	0.74	-95.23	28.40	-13.00	-41.96 Vertical
3	7485.00	-55.39	RMS	36.73	-21.21	0.39	-95.23	23.93	-13.00	-42.39 Vertical




Ant. 0

Part 24E Mode 2

NR SA n2 20M Ch372000 1RB1 BPSK

L




Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_240624 Horizontal

: SA n2 20M Ch372000 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	3703.00	-62.08	RMS	29.62	-23.21	0.85	-95.23	0.00	-13.00	-49.08	Horizontal	
2	5554.00	-60.03	RMS	32.81	-21.86	0.73	-95.23	23.52	-13.00	-47.03	Horizontal	
3	7405.00	-56.21	RMS	36.80	-21.26	0.42	-95.23	23.06	-13.00	-43.21	Horizontal	



Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_240624 Vertical

: SA n2 20M Ch372000 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	3703.00	-62.67	RMS	29.62	-23.21	0.85	-95.23	25.30	-13.00	-49.67	Vertical	
2	5554.00	-58.34	RMS	32.81	-21.86	0.73	-95.23	25.21	-13.00	-45.34	Vertical	
3	7405.00	-56.17	RMS	36.80	-21.26	0.42	-95.23	23.10	-13.00	-43.17	Vertical	




Ant. 0

Part 24E Mode 2

NR SA n2 20M Ch376000 1RB1 BPSK

M




Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_240624 Horizontal

: SA n2 20M Ch376000 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	3743.00	-61.34	RMS	29.94	-23.16	0.84	-95.23	26.27	-13.00	-48.34	Horizontal	
2	5614.00	-59.52	RMS	32.98	-21.85	0.74	-95.23	23.84	-13.00	-46.52	Horizontal	
3	7485.00	-56.39	RMS	36.73	-21.21	0.39	-95.23	22.93	-13.00	-43.39	Horizontal	



Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_240624 Vertical

: SA n2 20M Ch376000 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	3743.00	-61.64	RMS	29.94	-23.16	0.84	-95.23	25.97	-13.00	-48.64	Vertical	
2	5614.00	-56.85	RMS	32.98	-21.85	0.74	-95.23	26.51	-13.00	-43.85	Vertical	
3	7485.00	-56.26	RMS	36.73	-21.21	0.39	-95.23	23.06	-13.00	-43.26	Vertical	




Ant. 0

Part 24E Mode 2

NR SA n2 20M Ch380000 1RB1 BPSK

H




Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_240624 Horizontal

: SA n2 20M Ch380000 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB		dBuV	dBm	dB		
1	3783.00	-61.74	RMS	30.07	-23.10	0.83	-95.23	25.69	-13.00	-48.74	Horizontal			
2	5674.00	-59.62	RMS	33.34	-21.81	0.71	-95.23	23.37	-13.00	-46.62	Horizontal			
3	7565.00	-56.42	RMS	36.60	-21.23	0.37	-95.23	23.07	-13.00	-43.42	Horizontal			



Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_240624 Vertical

: SA n2 20M Ch380000 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB		dBuV	dBm	dB		
1	3783.00	-61.41	RMS	30.07	-23.10	0.83	-95.23	26.02	-13.00	-48.41	Vertical			
2	5674.00	-59.16	RMS	33.34	-21.81	0.71	-95.23	23.83	-13.00	-46.16	Vertical			
3	7565.00	-56.35	RMS	36.60	-21.23	0.37	-95.23	23.14	-13.00	-43.35	Vertical			




Ant. 2

Part 27L Mode 5

NR SA n66 20M Ch344000 1RB1 BPSK

L




Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_240711 Horizontal

: SA n66 20M Ch344000 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Reading	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	3423.00	-61.14	RMS	28.39	-23.26	1.08	-95.23	27.88	-13.00	-48.14	Horizontal	
2	5134.00	-46.63	RMS	32.67	-21.73	0.40	-95.23	37.26	-13.00	-33.63	Horizontal	
3	6845.00	-57.13	RMS	36.29	-21.50	0.44	-95.23	22.87	-13.00	-44.13	Horizontal	



Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_240711 Vertical

: SA n66 20M Ch344000 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Reading	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	3423.00	-62.03	RMS	28.39	-23.26	1.08	-95.23	26.99	-13.00	-49.03	Vertical	
2	5134.00	-45.73	RMS	32.67	-21.73	0.40	-95.23	38.16	-13.00	-32.73	Vertical	
3	6845.00	-57.15	RMS	36.29	-21.50	0.44	-95.23	22.85	-13.00	-44.15	Vertical	




Ant. 2

Part 27L Mode 5

NR SA n66 20M Ch349000 1RB1 BPSK

M




Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_240711 Horizontal

: SA n66 20M Ch349000 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	3473.00	-59.00	RMS	28.64	-23.31	1.02	-95.23	29.88	-13.00	-46.00	Horizontal			
2	5209.00	-47.08	RMS	32.56	-21.75	0.40	-95.23	36.94	-13.00	-34.08	Horizontal			
3	6945.00	-56.70	RMS	36.30	-21.51	0.45	-95.23	23.29	-13.00	-43.70	Horizontal			



Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_240711 Vertical

: SA n66 20M Ch349000 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	3473.00	-62.59	RMS	28.64	-23.31	1.02	-95.23	26.29	-13.00	-49.59	Vertical			
2	5209.00	-43.81	RMS	32.56	-21.75	0.40	-95.23	40.21	-13.00	-30.81	Vertical			
3	6945.00	-56.68	RMS	36.30	-21.51	0.45	-95.23	23.31	-13.00	-43.68	Vertical			




Ant. 2

Part 27L Mode 5

NR SA n66 20M Ch354000 1RB1 BPSK

H




Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_240711 Horizontal

: SA n66 20M Ch354000 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	3523.00	-58.43	RMS	28.98	-23.34	0.96	-95.23	30.20	-13.00	-45.43	Horizontal	
2	5284.00	-48.69	RMS	32.33	-21.77	0.50	-95.23	35.48	-13.00	-35.69	Horizontal	
3	7045.00	-56.70	RMS	36.30	-21.47	0.46	-95.23	23.24	-13.00	-43.70	Horizontal	



Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_240711 Vertical

: SA n66 20M Ch354000 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	3523.00	-61.74	RMS	28.98	-23.34	0.96	-95.23	26.89	-13.00	-48.74	Vertical	
2	5284.00	-45.49	RMS	32.33	-21.77	0.50	-95.23	38.68	-13.00	-32.49	Vertical	
3	7045.00	-56.75	RMS	36.30	-21.47	0.46	-95.23	23.19	-13.00	-43.75	Vertical	




Ant. 2

Part 27L Mode 7

EN-DC B5+n66 10M + 10M Ch20525 1RB0 QPSK + Ch349000 1RB1 BPSK

M




Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_240711 Horizontal

: LTE Band 5 10M Ch20525 1RB0 QPSK

: SA n66 20M Ch349000 1RB1 BPSK

	Freq	Level	Detector	Ant		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	Amp\Cb		1						
	MHz	dBm											
1	3473.00	-59.96	RMS	28.64	-23.31	1.02	-95.23		28.92	-13.00	-46.96		Horizontal
2	5209.00	-42.36	RMS	32.56	-21.75	0.40	-95.23		41.66	-13.00	-29.36		Horizontal
3	6945.00	-56.33	RMS	36.30	-21.51	0.45	-95.23		23.66	-13.00	-43.33		Horizontal



Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_240711 Vertical

: LTE Band 5 10M Ch20525 1RB0 QPSK

: SA n66 20M Ch349000 1RB1 BPSK

	Freq	Level	Detector	Ant		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	Amp\Cb		1						
	MHz	dBm											
1	3473.00	-61.88	RMS	28.64	-23.31	1.02	-95.23		27.00	-13.00	-48.88		Vertical
2	5209.00	-36.96	RMS	32.56	-21.75	0.40	-95.23		47.06	-13.00	-23.96		Vertical
3	6945.00	-56.42	RMS	36.30	-21.51	0.45	-95.23		23.57	-13.00	-43.42		Vertical




Ant. 0

Part 27L Mode 6

NR SA n66 20M Ch344000 1RB1 BPSK

L




Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_240711 Horizontal

: SA n66 20M Ch344000 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Reading	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	3423.00	-63.55	RMS		28.39	-23.26	1.08	-95.23	25.47	-13.00	-50.55	Horizontal
2	5134.00	-57.75	RMS		32.67	-21.73	0.40	-95.23	26.14	-13.00	-44.75	Horizontal
3	6845.00	-56.97	RMS		36.29	-21.50	0.44	-95.23	23.03	-13.00	-43.97	Horizontal



Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_240711 Vertical

: SA n66 20M Ch344000 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Reading	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	3423.00	-63.80	RMS		28.39	-23.26	1.08	-95.23	25.22	-13.00	-50.80	Vertical
2	5134.00	-56.03	RMS		32.67	-21.73	0.40	-95.23	27.86	-13.00	-43.03	Vertical
3	6845.00	-57.13	RMS		36.29	-21.50	0.44	-95.23	22.87	-13.00	-44.13	Vertical




Ant. 0

Part 27L Mode 6

NR SA n66 20M Ch349000 1RB1 BPSK

M




Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_240711 Horizontal

: SA n66 20M Ch349000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	1		dB	dB					
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB		
1	3473.00	-61.75	RMS		28.64	-23.31	1.02	-95.23	27.13	-13.00	-48.75		Horizontal
2	5209.00	-55.12	RMS		32.56	-21.75	0.40	-95.23	28.90	-13.00	-42.12		Horizontal
3	6945.00	-56.59	RMS		36.30	-21.51	0.45	-95.23	23.40	-13.00	-43.59		Horizontal



Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_240711 Vertical

: SA n66 20M Ch349000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	1		dB	dB					
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB		
1	3473.00	-61.50	RMS		28.64	-23.31	1.02	-95.23	27.38	-13.00	-48.50		Vertical
2	5209.00	-54.32	RMS		32.56	-21.75	0.40	-95.23	29.70	-13.00	-41.32		Vertical
3	6945.00	-56.88	RMS		36.30	-21.51	0.45	-95.23	23.11	-13.00	-43.88		Vertical




Ant. 0

Part 27L Mode 6

NR SA n66 20M Ch354000 1RB1 BPSK

H




Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_240711 Horizontal

: SA n66 20M Ch354000 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Reading	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	3523.00	-62.67	RMS	28.98	-23.34	0.96	-95.23	25.96	-13.00	-49.67	Horizontal	
2	5284.00	-56.62	RMS	32.33	-21.77	0.50	-95.23	27.55	-13.00	-43.62	Horizontal	
3	7045.00	-56.41	RMS	36.30	-21.47	0.46	-95.23	23.53	-13.00	-43.41	Horizontal	



Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_240711 Vertical

: SA n66 20M Ch354000 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Reading	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	3523.00	-62.90	RMS	28.98	-23.34	0.96	-95.23	25.73	-13.00	-49.90	Vertical	
2	5284.00	-53.57	RMS	32.33	-21.77	0.50	-95.23	30.60	-13.00	-40.57	Vertical	
3	7045.00	-56.63	RMS	36.30	-21.47	0.46	-95.23	23.31	-13.00	-43.63	Vertical	

—THE END—