




<Ant. 0>

Part 27L Mode 12


LTE B66 10M Ch132022 1RB0 QPSK

L



Site : 03CH23-HY
Condition: -13 3m 9120D_1212_240321 Horizontal
: LTE Band 66 10M Ch132022 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
				Factor	1						
	MHz	dBm			dB	dB	dB	dBuV	dBm	dB	
1	3421.00	-60.53	RMS	29.66	-23.66	2.09	-95.23	26.61	-13.00	-47.53	Horizontal
2	5132.00	-49.99	RMS	33.00	-22.74	1.79	-95.23	33.19	-13.00	-36.99	Horizontal
3	6842.00	-55.55	RMS	35.92	-22.88	1.89	-95.23	24.75	-13.00	-42.55	Horizontal



Site : 03CH23-HY
Condition: -13 3m 9120D_1212_240321 Vertical
: LTE Band 66 10M Ch132022 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
				Factor	1						
	MHz	dBm			dB	dB	dB	dBuV	dBm	dB	
1	3421.00	-60.56	RMS	29.66	-23.66	2.09	-95.23	26.58	-13.00	-47.56	Vertical
2	5132.00	-54.72	RMS	33.00	-22.74	1.79	-95.23	28.46	-13.00	-41.72	Vertical
3	6842.00	-55.32	RMS	35.92	-22.88	1.89	-95.23	24.98	-13.00	-42.32	Vertical




<Ant. 0>

Part 27L Mode 12

LTE B66 10M Ch132322 1RB0 QPSK

M




Site : 03CH23-HY

Condition: -13 3m 9120D_1212_240321 Horizontal

: LTE Band 66 10M Ch132322 1RB0 QPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin g	Limit		Margin	Pol
				Factor	1				dBm	dB		
1	3481.00	-60.15	RMS	29.60	-23.56	2.03	-95.23	27.01	-13.00	-47.15	Horizontal	
2	5222.00	-52.61	RMS	33.01	-22.80	1.83	-95.23	30.58	-13.00	-39.61	Horizontal	
3	6962.00	-55.69	RMS	35.90	-23.11	1.93	-95.23	24.82	-13.00	-42.69	Horizontal	



Site : 03CH23-HY

Condition: -13 3m 9120D_1212_240321 Vertical

: LTE Band 66 10M Ch132322 1RB0 QPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin g	Limit		Margin	Pol
				Factor	1				dBm	dB		
1	3481.00	-61.00	RMS	29.60	-23.56	2.03	-95.23	26.16	-13.00	-48.00	Vertical	
2	5222.00	-53.67	RMS	33.01	-22.80	1.83	-95.23	29.52	-13.00	-40.67	Vertical	
3	6962.00	-55.84	RMS	35.90	-23.11	1.93	-95.23	24.67	-13.00	-42.84	Vertical	




<Ant. 0>

Part 27L Mode 12


LTE B66 10M Ch132622 1RB0 QPSK

H



Site : 03CH23-HY
Condition: -13 3m 9120D_1212_240321 Horizontal
: LTE Band 66 10M Ch132622 1RB0 QPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin g	Limit		Margin	Pol
				Factor	1				dBm	dB		
1	3541.00	-60.47	RMS	29.68	-23.44	1.98	-95.23	26.54	-13.00	-47.47	Horizontal	
2	5312.00	-50.39	RMS	32.90	-22.60	1.92	-95.23	32.62	-13.00	-37.39	Horizontal	
3	7082.00	-55.20	RMS	36.33	-23.15	1.99	-95.23	24.86	-13.00	-42.20	Horizontal	



Site : 03CH23-HY
Condition: -13 3m 9120D_1212_240321 Vertical
: LTE Band 66 10M Ch132622 1RB0 QPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin g	Limit		Margin	Pol
				Factor	1				dBm	dB		
1	3541.00	-60.64	RMS	29.68	-23.44	1.98	-95.23	26.37	-13.00	-47.64	Vertical	
2	5312.00	-54.41	RMS	32.90	-22.60	1.92	-95.23	28.60	-13.00	-41.41	Vertical	
3	7082.00	-55.24	RMS	36.33	-23.15	1.99	-95.23	24.82	-13.00	-42.24	Vertical	




<Ant. 2>


Part 27M Mode 29

LTE CA B7C Ch20850 + Ch21048

L



	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	5040.00	-57.71	RMS	32.80	-22.59	1.75	-95.23	25.56	-25.00	-32.71 Horizontal
2	7560.00	-54.38	RMS	36.90	-23.03	2.00	-95.23	24.98	-25.00	-29.38 Horizontal
3	10080.00	-53.56	RMS	37.46	-23.83	2.25	-95.23	25.79	-25.00	-28.56 Horizontal



	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	5040.00	-57.73	RMS	32.80	-22.59	1.75	-95.23	25.54	-25.00	-32.73 Vertical
2	7560.00	-54.47	RMS	36.90	-23.03	2.00	-95.23	24.89	-25.00	-29.47 Vertical
3	10080.00	-53.63	RMS	37.46	-23.83	2.25	-95.23	25.72	-25.00	-28.63 Vertical




<Ant. 2>


Part 27M Mode 29

LTE CA B7C Ch21001 + Ch21199

M



	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	5070.00	-57.77	RMS	32.80	-22.64	1.76	-95.23	25.54	-25.00	-32.77 Horizontal
2	7605.00	-54.63	RMS	36.90	-23.11	2.00	-95.23	24.81	-25.00	-29.63 Horizontal
3	10140.00	-54.14	RMS	37.58	-23.86	2.27	-95.23	25.10	-25.00	-29.14 Horizontal



	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	5070.00	-58.49	RMS	32.80	-22.64	1.76	-95.23	24.82	-25.00	-33.49 Vertical
2	7605.00	-54.60	RMS	36.90	-23.11	2.00	-95.23	24.84	-25.00	-29.60 Vertical
3	10140.00	-54.19	RMS	37.58	-23.86	2.27	-95.23	25.05	-25.00	-29.19 Vertical




<Ant. 2>


Part 27M Mode 29

LTE CA B7C Ch21152 + Ch21350

H



	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	5100.00	-57.74	RMS	32.80	-22.69	1.77	-95.23	0.00	-25.00	-32.74
2	7650.00	-54.24	RMS	36.90	-23.16	2.01	-95.23	25.24	-25.00	-29.24
3	10200.00	-53.17	RMS	37.60	-23.89	2.28	-95.23	26.07	-25.00	-28.17



	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	5100.00	-57.36	RMS	32.80	-22.69	1.77	-95.23	25.98	-25.00	-32.36
2	7650.00	-53.40	RMS	36.90	-23.16	2.01	-95.23	26.08	-25.00	-28.40
3	10200.00	-53.22	RMS	37.60	-23.89	2.28	-95.23	26.02	-25.00	-28.22




<Ant. 2>

Part 27M Mode 35

LTE CA B38C Ch37850 + Ch38048

L




Site : 03CH23-HY

Condition: -25 3m DRH18-E_LE2C05A18EN_240620 Horizontal

: LTE Band 38 20M Ch37850 1RB99 QPSK

: LTE Band 38 20M Ch38048 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	5180.00	-58.88	RMS	32.74	-23.21	1.69	-95.23	25.13	-25.00	-33.88 Horizontal
2	7770.00	-54.75	RMS	36.90	-23.70	2.02	-95.23	25.26	-25.00	-29.75 Horizontal
3	10360.00	-53.76	RMS	37.56	-24.29	2.43	-95.23	25.77	-25.00	-28.76 Horizontal



Site : 03CH23-HY

Condition: -25 3m DRH18-E_LE2C05A18EN_240620 Vertical

: LTE Band 38 20M Ch37850 1RB99 QPSK

: LTE Band 38 20M Ch38048 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	5180.00	-56.47	RMS	32.74	-23.21	1.69	-95.23	27.54	-25.00	-31.47 Vertical
2	7770.00	-52.45	RMS	36.90	-23.70	2.02	-95.23	27.56	-25.00	-27.45 Vertical
3	10360.00	-53.88	RMS	37.56	-24.29	2.43	-95.23	25.65	-25.00	-28.88 Vertical




<Ant. 2>

Part 27M Mode 35

LTE CA B38C Ch37901 + Ch38099

M




Site : 03CH23-HY

Condition: -25 3m DRH18-E_LE2C05A18EN_240620 Horizontal

: LTE Band 38 20M Ch37901 1RB99 QPSK

: LTE Band 38 20M Ch38099 1RB0 QPSK

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		Factor	1			dBuV	dBm		
1	5190.00	-57.46	RMS	32.72	-23.23	1.69	-95.23	26.59	-25.00	-32.46	Horizontal
2	7785.00	-54.93	RMS	36.90	-23.71	2.03	-95.23	25.08	-25.00	-29.93	Horizontal
3	10380.00	-53.93	RMS	37.48	-24.30	2.44	-95.23	25.68	-25.00	-28.93	Horizontal



Site : 03CH23-HY

Condition: -25 3m DRH18-E_LE2C05A18EN_240620 Vertical

: LTE Band 38 20M Ch37901 1RB99 QPSK

: LTE Band 38 20M Ch38099 1RB0 QPSK

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		Factor	1			dBuV	dBm		
1	5190.00	-56.87	RMS	32.72	-23.23	1.69	-95.23	27.18	-25.00	-31.87	Vertical
2	7785.00	-52.11	RMS	36.90	-23.71	2.03	-95.23	27.90	-25.00	-27.11	Vertical
3	10380.00	-53.68	RMS	37.48	-24.30	2.44	-95.23	25.93	-25.00	-28.68	Vertical




<Ant. 2>

Part 27M Mode 35

LTE CA B38C Ch37952 + Ch38150

H




Site : 03CH23-HY

Condition: -25 3m DRH18-E_LE2C05A18EN_240620 Horizontal

: LTE Band 38 20M Ch37952 1RB99 QPSK

: LTE Band 38 20M Ch38150 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	5200.00	-58.08	RMS	32.70	-23.26	1.69	-95.23	26.02	-25.00	-33.08 Horizontal
2	7800.00	-55.06	RMS	36.90	-23.73	2.03	-95.23	24.97	-25.00	-30.06 Horizontal
3	10400.00	-54.13	RMS	37.40	-24.31	2.44	-95.23	25.57	-25.00	-29.13 Horizontal



Site : 03CH23-HY

Condition: -25 3m DRH18-E_LE2C05A18EN_240620 Vertical

: LTE Band 38 20M Ch37952 1RB99 QPSK

: LTE Band 38 20M Ch38150 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	5200.00	-53.17	RMS	32.70	-23.26	1.69	-95.23	30.93	-25.00	-28.17 Vertical
2	7800.00	-52.95	RMS	36.90	-23.73	2.03	-95.23	27.08	-25.00	-27.95 Vertical
3	10400.00	-53.60	RMS	37.40	-24.31	2.44	-95.23	26.10	-25.00	-28.60 Vertical




<Ant. 0>


Part 27M Mode 30

LTE CA B7C Ch20850 + Ch21048

L



	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		Factor	dB			dBuV	dBm		
1	5040.00	-58.00	RMS	32.80	-22.59	1.75	-95.23	25.27	-25.00	-33.00	Horizontal
2	7560.00	-50.67	RMS	36.90	-23.03	2.00	-95.23	28.69	-25.00	-25.67	Horizontal
3	10080.00	-53.89	RMS	37.46	-23.83	2.25	-95.23	25.46	-25.00	-28.89	Horizontal



	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		Factor	dB			dBuV	dBm		
1	5040.00	-58.03	RMS	32.80	-22.59	1.75	-95.23	25.24	-25.00	-33.03	Vertical
2	7560.00	-45.46	RMS	36.90	-23.03	2.00	-95.23	33.90	-25.00	-20.46	Vertical
3	10080.00	-54.03	RMS	37.46	-23.83	2.25	-95.23	25.32	-25.00	-29.03	Vertical




<Ant. 0>

Part 27M Mode 30

LTE CA B7C Ch21001 + Ch21199

M




Site : 03CH23-HY

Condition: -25 1m SHF_1223_230710 Horizontal

: LTE CA Band 7C 20M Ch21001 1RB99 QPSK

: LTE CA Band 7C 20M Ch21199 1RB0 QPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	EIRPCF		Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB		dBuV	dBm	dB	
1	5070.00	-58.27	RMS	32.80	-22.64	1.76	-95.23	25.04	-25.00	-33.27	Horizontal		
2	7605.00	-49.46	RMS	36.90	-23.11	2.00	-95.23	29.98	-25.00	-24.46	Horizontal		
3	10140.00	-54.12	RMS	37.58	-23.86	2.27	-95.23	25.12	-25.00	-29.12	Horizontal		



Site : 03CH23-HY

Condition: -25 1m SHF_1223_230710 Vertical

: LTE CA Band 7C 20M Ch21001 1RB99 QPSK

: LTE CA Band 7C 20M Ch21199 1RB0 QPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	EIRPCF		Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB		dBuV	dBm	dB	
1	5070.00	-58.56	RMS	32.80	-22.64	1.76	-95.23	24.75	-25.00	-33.56	Vertical		
2	7605.00	-44.82	RMS	36.90	-23.11	2.00	-95.23	34.62	-25.00	-19.82	Vertical		
3	10140.00	-54.19	RMS	37.58	-23.86	2.27	-95.23	25.05	-25.00	-29.19	Vertical		




<Ant. 0>


Part 27M Mode 30

LTE CA B7C Ch21152 + Ch21350

H



	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		Factor	dB			dBuV	dBm		
1	5100.00	-57.25	RMS	32.80	-22.69	1.77	-95.23	0.00	-25.00	-32.25	Horizontal
2	7650.00	-53.00	RMS	36.90	-23.16	2.01	-95.23	26.48	-25.00	-28.00	Horizontal
3	10200.00	-53.04	RMS	37.60	-23.89	2.28	-95.23	26.20	-25.00	-28.04	Horizontal



	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		Factor	dB			dBuV	dBm		
1	5100.00	-57.64	RMS	32.80	-22.69	1.77	-95.23	25.70	-25.00	-32.64	Vertical
2	7650.00	-54.04	RMS	36.90	-23.16	2.01	-95.23	25.44	-25.00	-29.04	Vertical
3	10200.00	-53.27	RMS	37.60	-23.89	2.28	-95.23	25.97	-25.00	-28.27	Vertical




<Ant. 0>

Part 27M Mode 36

LTE CA B38C Ch37850 + Ch38048

L




Site : 03CH23-HY

Condition: -25 3m DRH18-E_LE2C05A18EN_240620 Horizontal

: LTE Band 38 20M Ch37850 1RB99 QPSK

: LTE Band 38 20M Ch38048 1RB0 QPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	EIRPCF		Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB		dBuV	dBm	dB	
1	5180.00	-58.87	RMS	32.74	-23.21	1.69	-95.23	25.14	-25.00	-33.87	Horizontal		
2	7770.00	-52.39	RMS	36.90	-23.70	2.02	-95.23	27.62	-25.00	-27.39	Horizontal		
3	10360.00	-53.76	RMS	37.56	-24.29	2.43	-95.23	25.77	-25.00	-28.76	Horizontal		



Site : 03CH23-HY

Condition: -25 3m DRH18-E_LE2C05A18EN_240620 Vertical

: LTE Band 38 20M Ch37850 1RB99 QPSK

: LTE Band 38 20M Ch38048 1RB0 QPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	EIRPCF		Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB		dBuV	dBm	dB	
1	5180.00	-53.78	RMS	32.74	-23.21	1.69	-95.23	30.23	-25.00	-28.78	Vertical		
2	7770.00	-54.74	RMS	36.90	-23.70	2.02	-95.23	25.27	-25.00	-29.74	Vertical		
3	10360.00	-53.65	RMS	37.56	-24.29	2.43	-95.23	25.88	-25.00	-28.65	Vertical		




<Ant. 0>

Part 27M Mode 36

LTE CA B38C Ch37901 + Ch38099

M




Site : 03CH23-HY

Condition: -25 3m DRH18-E_LE2C05A18EN_240620 Horizontal

: LTE Band 38 20M Ch37901 1RB99 QPSK

: LTE Band 38 20M Ch38099 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Readin g	Limit	Margin	Pol	
	MHz	dBm			dB	dB	dB	dBuV	dBm	dB		
1	5190.00	-58.17	RMS		32.72	-23.23	1.69	-95.23	25.88	-25.00	-33.17	Horizontal
2	7785.00	-54.28	RMS		36.90	-23.71	2.03	-95.23	25.73	-25.00	-29.28	Horizontal
3	10380.00	-54.00	RMS		37.48	-24.30	2.44	-95.23	25.61	-25.00	-29.00	Horizontal



Site : 03CH23-HY

Condition: -25 3m DRH18-E_LE2C05A18EN_240620 Vertical

: LTE Band 38 20M Ch37901 1RB99 QPSK

: LTE Band 38 20M Ch38099 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	5190.00	-55.68	RMS	32.72	-23.23	1.69	-95.23	28.37	-25.00	-30.68	Vertical
2	7785.00	-49.69	RMS	36.90	-23.71	2.03	-95.23	30.32	-25.00	-24.69	Vertical
3	10380.00	-53.64	RMS	37.48	-24.30	2.44	-95.23	25.97	-25.00	-28.64	Vertical




<Ant. 0>

Part 27M Mode 36

LTE CA B38C Ch37952 + Ch38150

H




Site : 03CH23-HY

Condition: -25 3m DRH18-E_LE2C05A18EN_240620 Horizontal

: LTE Band 38 20M Ch37952 1RB99 QPSK

: LTE Band 38 20M Ch38150 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	5200.00	-55.81	RMS	32.70	-23.26	1.69	-95.23	28.29	-25.00	-30.81 Horizontal
2	7800.00	-52.02	RMS	36.90	-23.73	2.03	-95.23	28.01	-25.00	-27.02 Horizontal
3	10400.00	-54.34	RMS	37.40	-24.31	2.44	-95.23	25.36	-25.00	-29.34 Horizontal



Site : 03CH23-HY

Condition: -25 3m DRH18-E_LE2C05A18EN_240620 Vertical

: LTE Band 38 20M Ch37952 1RB99 QPSK

: LTE Band 38 20M Ch38150 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	5200.00	-54.82	RMS	32.70	-23.26	1.69	-95.23	29.28	-25.00	-29.82 Vertical
2	7800.00	-54.40	RMS	36.90	-23.73	2.03	-95.23	25.63	-25.00	-29.40 Vertical
3	10400.00	-54.11	RMS	37.40	-24.31	2.44	-95.23	25.59	-25.00	-29.11 Vertical

—THE END—