




EUT Mode


802.11ax HE20 52RU37

Plot on Channel 5955 MHz




Date: 7.JUN.2024 02:36:39

Plot on Channel 6435 MHz




Date: 7.JUN.2024 04:25:42

Plot on Channel 6535 MHz



Date: 7.JUN.2024 05:10:59

Plot on Channel 6895 MHz




Date: 26.JUN.2024 00:47:38



EUT Mode


802.11ax HE20 52RU38

Plot on Channel 6195 MHz




Date: 7 JUN 2024 03:13:18

Plot on Channel 6475 MHz




Date: 7 JUN 2024 04:43:09

Plot on Channel 6695 MHz



Date: 7 JUN 2024 05:27:19

Plot on Channel 6995 MHz




Date: 7 JUN 2024 06:27:19



EUT Mode


802.11ax HE20 52RU40

Plot on Channel 6415 MHz




Date: 7 JUN 2024 03:53:32

Plot on Channel 6515 MHz




Date: 7 JUN 2024 04:59:12

Plot on Channel 6855 MHz



Date: 7 JUN 2024 05:42:13


Plot on Channel 6875 MHz



Date: 7 JUN 2024 06:00:52



Plot on Channel 7095 MHz






EUT Mode


802.11ax HE20 106RU53

Plot on Channel 5955 MHz




Date: 7.JUN.2024 02:48:48

Plot on Channel 6195 MHz




Date: 7.JUN.2024 03:27:24

Plot on Channel 6435 MHz



Date: 7.JUN.2024 04:30:41


Plot on Channel 6475 MHz



Date: 7.JUN.2024 04:51:06




Plot on Channel 6535 MHz




Date: 7.JUN.2024 05:15:40

Plot on Channel 6695 MHz




Date: 7.JUN.2024 05:34:58

Plot on Channel 6895 MHz



Date: 26.JUN.2024 01:33:37

Plot on Channel 6995 MHz




Date: 7.JUN.2024 06:34:07



EUT Mode


802.11ax HE20 106RU54

Plot on Channel 6415 MHz




Date: 7 JUN 2024 04:00:23

Plot on Channel 6515 MHz




Date: 7 JUN 2024 05:03:23

Plot on Channel 6855 MHz



Date: 7 JUN 2024 05:45:02


Plot on Channel 6875 MHz



Date: 7 JUN 2024 06:08:39



Plot on Channel 7095 MHz






MIMO <Ant. 4+3(4)>

EUT Mode


802.11ax HE40 Full RU

Plot on Channel 5965 MHz




Date: 6.JUN.2024 04:27:04

Plot on Channel 6205 MHz




Date: 6.JUN.2024 04:50:13

Plot on Channel 6405 MHz



Date: 6.JUN.2024 05:00:06


Plot on Channel 6445 MHz




Date: 6.JUN.2024 05:20:39




Plot on Channel 6485 MHz




Plot on Channel 6525 MHz



Plot on Channel 6565 MHz




Plot on Channel 6685 MHz






Plot on Channel 6845 MHz




Date: 6.JUN.2024 06:41:26

Plot on Channel 6885 MHz




Date: 6.JUN.2024 07:08:51

Plot on Channel 6925 MHz




Date: 26.JUN.2024 19:18:57

Plot on Channel 7005 MHz



Date: 6.JUN.2024 07:28:04

Plot on Channel 7085 MHz



Date: 6.JUN.2024 07:50:31




MIMO <Ant. 4+3(3)>

EUT Mode


802.11ax HE40 Full RU

Plot on Channel 5965 MHz




Date: 6.JUN.2024 04:28:25

Plot on Channel 6205 MHz




Date: 6.JUN.2024 04:51:33

Plot on Channel 6405 MHz



Date: 6.JUN.2024 05:01:54


Plot on Channel 6445 MHz




Date: 6.JUN.2024 05:21:55




Plot on Channel 6485 MHz




Plot on Channel 6525 MHz



Plot on Channel 6565 MHz




Plot on Channel 6685 MHz






Plot on Channel 6845 MHz




Date: 6.JUN.2024 07:03:15

Plot on Channel 6885 MHz




Date: 6.JUN.2024 07:10:13

Plot on Channel 6925 MHz




Date: 26.JUN.2024 19:20:47

Plot on Channel 7005 MHz



Date: 6.JUN.2024 07:29:11

Plot on Channel 7085 MHz



Date: 6.JUN.2024 07:52:19




MIMO <Ant. 4+3(4)>

EUT Mode


802.11ax HE80 Full RU

Plot on Channel 5985 MHz




Date: 4.JUN.2024 03:04:05

Plot on Channel 6225 MHz




Date: 4.JUN.2024 03:00:57

Plot on Channel 6465 MHz



Date: 4.JUN.2024 03:14:29


Plot on Channel 6545 MHz




Date: 4.JUN.2024 03:18:05




Plot on Channel 6625 MHz




Plot on Channel 6705 MHz



Plot on Channel 6785 MHz




Plot on Channel 6865 MHz






Plot on Channel 6945 MHz



Plot on Channel 7025 MHz






MIMO <Ant. 4+3(3)>

EUT Mode


802.11ax HE80 Full RU

Plot on Channel 5985 MHz




Date: 4.JUN.2024 03:05:07

Plot on Channel 6225 MHz




Date: 4.JUN.2024 03:02:10

Plot on Channel 6385 MHz



Date: 4.JUN.2024 03:09:27


Plot on Channel 6465 MHz




Date: 4.JUN.2024 03:15:40




Plot on Channel 6545 MHz




Plot on Channel 6625 MHz



Plot on Channel 6705 MHz




Plot on Channel 6785 MHz






Plot on Channel 6865 MHz




Date: 4.JUN.2024 03:36:57

Plot on Channel 6945 MHz



Date: 4.JUN.2024 03:42:08

Plot on Channel 7025 MHz



Date: 4.JUN.2024 03:48:21




Appendix B. AC Conducted Emission Test Results

Test Engineer :	Calvin Wang	Temperature :	23~26°C
		Relative Humidity :	45~55%

EUT Information

Test Mode : Mode 1
 Test Voltage : 120Vac/60Hz
 Phase : Line

Full Spectrum




Final_Result

Frequency (MHz)	QuasiPeak (dBuV)	CAverage (dBuV)	Limit (dBuV)	Margin (dB)	Line	Filter	Corr. (dB)
0.152250	---	37.29	55.88	18.59	L1	OFF	19.8
0.152250	52.28	---	65.88	13.60	L1	OFF	19.8
0.170250	---	34.30	54.95	20.65	L1	OFF	19.8
0.170250	48.97	---	64.95	15.98	L1	OFF	19.8
0.181500	---	30.59	54.42	23.83	L1	OFF	19.8
0.181500	45.58	---	64.42	18.84	L1	OFF	19.8
0.228750	---	28.87	52.50	23.63	L1	OFF	19.8
0.228750	40.35	---	62.50	22.15	L1	OFF	19.8
0.534750	---	25.78	46.00	20.22	L1	OFF	19.8
0.534750	28.82	---	56.00	27.18	L1	OFF	19.8
1.731750	---	25.01	46.00	20.99	L1	OFF	19.9
1.731750	27.28	---	56.00	28.72	L1	OFF	19.9
9.327750	---	26.62	50.00	23.38	L1	OFF	20.2
9.327750	28.39	---	60.00	31.61	L1	OFF	20.2

EUT Information

Test Mode : Mode 1
 Test Voltage : 120Vac/60Hz
 Phase : Neutral

Full Spectrum



Final_Result

Frequency (MHz)	QuasiPeak (dBuV)	CAverage (dBuV)	Limit (dBuV)	Margin (dB)	Line	Filter	Corr. (dB)
0.152250	---	34.34	55.88	21.54	N	OFF	19.8
0.152250	51.28	---	65.88	14.60	N	OFF	19.8
0.172500	---	35.65	54.84	19.19	N	OFF	19.8
0.172500	49.89	---	64.84	14.95	N	OFF	19.8
0.231000	---	26.62	52.41	25.79	N	OFF	19.8
0.231000	38.07	---	62.41	24.34	N	OFF	19.8
0.260250	---	27.40	51.42	24.02	N	OFF	19.8
0.260250	36.21	---	61.42	25.21	N	OFF	19.8
0.539250	---	25.86	46.00	20.14	N	OFF	19.8
0.539250	30.03	---	56.00	25.97	N	OFF	19.8
9.692250	---	26.54	50.00	23.46	N	OFF	20.3
9.692250	28.38	---	60.00	31.62	N	OFF	20.3



Appendix C. Radiated Spurious Emission Test Data

Test Engineer :	Ken Kuo, Tim Lee and Wilson Wu	Temperature :	21.7~23.5°C
		Relative Humidity :	55.2~62.4%

C1. Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	U-NII-5	5.945~6.425	4+3	802.11a	1	5955	6Mbps	-	-
Mode 2	U-NII-5	5.945~6.425	4+3	802.11ax HE20	1	5955	MCS0	-	-
Mode 3	U-NII-5	5.945~6.425	4+3	802.11ax HE40	3	5965	MCS0	-	-
Mode 4	U-NII-5	5.945~6.425	4+3	802.11ax HE80	7	5985	MCS0	-	-
Mode 5	U-NII-5	5.945~6.425	4+3	802.11ax HE80	55	6225	MCS0	-	-
Mode 6	U-NII-5	5.945~6.425	4+3	802.11ax HE80	87	6385	MCS0	-	-
Mode 7	U-NII-6	6.425~6.525	4+3	802.11ax HE80	103	6465	MCS0	-	-
Mode 8	U-NII-6	6.425~6.525	4+3	802.11ax HE80	119	6545	MCS0	-	-
Mode 9	U-NII-7	6.525~6.875	4+3	802.11ax HE80	135	6625	MCS0	-	-
Mode 10	U-NII-7	6.525~6.875	4+3	802.11ax HE80	151	6705	MCS0	-	-
Mode 11	U-NII-7	6.525~6.875	4+3	802.11ax HE80	167	6785	MCS0	-	-
Mode 12	U-NII-8	6.875~7.125	4+3	802.11a	229	7095	6Mbps	-	-
Mode 13	U-NII-8	6.875~7.125	4+3	802.11ax HE20	229	7095	MCS0	-	-
Mode 14	U-NII-8	6.875~7.125	4+3	802.11ax HE40	227	7085	MCS0	-	-
Mode 15	U-NII-8	6.875~7.125	4+3	802.11ax HE80	183	6865	MCS0	-	-
Mode 16	U-NII-8	6.875~7.125	4+3	802.11ax HE80	199	6945	MCS0	-	-
Mode 17	U-NII-8	6.875~7.125	4+3	802.11ax HE80	215	7025	MCS0	-	-
Mode 18	U-NII-5	5.945~6.425	4+3	802.11ax HE80	7	5985	MCS0	-	LF
Mode 19	U-NII-5	5.945~6.425	4+3	802.11ax HE80	7	5985	MCS0	-	SHF
Mode 20	U-NII-5	5.945~6.425	4+3	802.11ax HE20	1	5955	MCS0	Partial 26/0	-
Mode 21	U-NII-5	5.945~6.425	4+3	802.11ax HE20	1	5955	MCS0	Partial 52/37	-
Mode 22	U-NII-5	5.945~6.425	4+3	802.11ax HE20	1	5955	MCS0	Partial 106/53	-
Mode 23	U-NII-8	6.875~7.125	4+3	802.11ax HE20	229	7095	MCS0	Partial 26/8	-
Mode 24	U-NII-8	6.875~7.125	4+3	802.11ax HE20	229	7095	MCS0	Partial 52/40	-
Mode 25	U-NII-8	6.875~7.125	4+3	802.11ax HE20	229	7095	MCS0	Partial 106/54	-







C2. Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
1	802.11a	1	5924.71	47.03	68.20	-21.17	H	Avg.	Pass	-	Band Edge
	802.11a	1	-	-	-	-	-	-	-	-	Harmonic
2	802.11ax HE20	1	5923.67	47.10	68.20	-21.10	H	Avg.	Pass	-	Band Edge
	802.11ax HE20	1	-	-	-	-	-	-	-	-	Harmonic
3	802.11ax HE40	3	5924.82	53.43	68.20	-14.77	V	Avg.	Pass	-	Band Edge
	802.11ax HE40	3	-	-	-	-	-	-	-	-	Harmonic
4	802.11ax HE80	7	5924.20	65.13	68.20	-3.07	V	Avg.	Pass	-	Band Edge
	802.11ax HE80	7	17955.00	49.24	54.00	-4.76	H	Avg.	Pass	-	Harmonic
5	802.11ax HE80	55	-	-	-	-	-	-	-	-	Band Edge
	802.11ax HE80	55	12450.00	46.26	54.00	-7.74	V	Avg.	Pass	-	Harmonic
6	802.11ax HE80	87	-	-	-	-	-	-	-	-	Band Edge
	802.11ax HE80	87	12770.00	54.26	88.20	-33.94	V	Peak	Pass	-	Harmonic
7	802.11ax HE80	103	-	-	-	-	-	-	-	-	Band Edge
	802.11ax HE80	103	12930.00	54.76	88.20	-33.44	V	Peak	Pass	-	Harmonic
8	802.11ax HE80	119	-	-	-	-	-	-	-	-	Band Edge
	802.11ax HE80	119	13090.00	54.83	88.20	-33.37	H	Peak	Pass	-	Harmonic
9	802.11ax HE80	135	-	-	-	-	-	-	-	-	Band Edge
	802.11ax HE80	135	13250.00	46.27	54.00	-7.73	H	Avg.	Pass	-	Harmonic
10	802.11ax HE80	151	-	-	-	-	-	-	-	-	Band Edge
	802.11ax HE80	151	13410.00	54.91	88.20	-33.29	V	Peak	Pass	-	Harmonic
11	802.11ax HE80	167	-	-	-	-	-	-	-	-	Band Edge
	802.11ax HE80	167	13570.00	55.30	88.20	-32.90	V	Peak	Pass	-	Harmonic
12	802.11a	229	7242.21	51.18	68.20	-17.02	H	Avg.	Pass	-	Band Edge
	802.11a	229	-	-	-	-	-	-	-	-	Harmonic
13	802.11ax HE20	229	7189.36	51.26	68.20	-16.94	V	Avg.	Pass	-	Band Edge
	802.11ax HE20	229	-	-	-	-	-	-	-	-	Harmonic
14	802.11ax HE40	227	7126.28	56.89	68.20	-11.31	H	Avg.	Pass	-	Band Edge
	802.11ax HE40	227	-	-	-	-	-	-	-	-	Harmonic
15	802.11ax HE80	183	-	-	-	-	-	-	-	-	Band Edge
	802.11ax HE80	183	13730.00	54.28	88.20	-33.92	H	Peak	Pass	-	Harmonic







Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
16	802.11ax HE80	199	-	-	-	-	-	-	-	-	Band Edge
	802.11ax HE80	199	13890.00	54.38	88.20	-33.82	H	Peak	Pass	-	Harmonic
17	802.11ax HE80	215	7125.98	58.41	68.20	-9.79	H	Avg.	Pass	-	Band Edge
	802.11ax HE80	215	14050.00	54.56	88.20	-33.64	H	Peak	Pass	-	Harmonic
18	LF	7	715.79	39.08	46.00	-6.92	H	Peak	Pass	-	LF
19	SHF	7	-	-	-	-	-	-	-	-	SHF
20	802.11ax HE20	1	5869.20	46.33	68.20	-21.87	H	Avg.	Pass	Partial 26/0	Band Edge
	802.11ax HE20	1	-	-	-	-	-	-	-	Partial 26/0	Harmonic
21	802.11ax HE20	1	5896.24	46.41	68.20	-21.79	H	Avg.	Pass	Partial 52/37	Band Edge
	802.11ax HE20	1	-	-	-	-	-	-	-	Partial 52/37	Harmonic
22	802.11ax HE20	1	5916.91	46.35	68.20	-21.85	V	Avg.	Pass	Partial 106/53	Band Edge
	802.11ax HE20	1	-	-	-	-	-	-	-	Partial 106/53	Harmonic
23	802.11ax HE20	229	7231.52	51.39	68.20	-16.81	H	Avg.	Pass	Partial 26/8	Band Edge
	802.11ax HE20	229	-	-	-	-	-	-	-	Partial 26/8	Harmonic
24	802.11ax HE20	229	7230.59	51.33	68.20	-16.87	V	Avg.	Pass	Partial 52/40	Band Edge
	802.11ax HE20	229	-	-	-	-	-	-	-	Partial 52/40	Harmonic
25	802.11ax HE20	229	7146.73	51.49	68.20	-16.71	H	Avg.	Pass	Partial 106/54	Band Edge
	802.11ax HE20	229	-	-	-	-	-	-	-	Partial 106/54	Harmonic



		1																																																																																								
Mode	Band Edge																																																																																									
	U-NII-5_5.945~6.425_802.11a_CH1_5955MHz																																																																																									
ANT	4+3																																																																																									
Pol.	Horizontal						Fundamental																																																																																			
Peak																																																																																										
	Site : 03CH12-HY Condition: PEAK_BE(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 5923.93</td><td>60.58</td><td>88.20</td><td>-27.62</td><td>48.31</td><td>34.30</td><td>11.56</td><td>33.59</td><td>0.00</td><td>100 266 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 5923.93	60.58	88.20	-27.62	48.31	34.30	11.56	33.59	0.00	100 266 PEAK	Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 5955.00</td><td>105.24</td><td>-----</td><td>-----</td><td>92.91</td><td>34.29</td><td>11.66</td><td>33.62</td><td>0.00</td><td>100 266 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 5955.00	105.24	-----	-----	92.91	34.29	11.66	33.62	0.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																	
1 5923.93	60.58	88.20	-27.62	48.31	34.30	11.56	33.59	0.00	100 266 PEAK																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																	
1 5955.00	105.24	-----	-----	92.91	34.29	11.66	33.62	0.00	100 266 PEAK																																																																																	
Avg																																																																																										
	Site : 03CH12-HY Condition: AVG_BE(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz SWT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 5924.71</td><td>47.03</td><td>68.20</td><td>-21.17</td><td>34.75</td><td>34.30</td><td>11.57</td><td>33.59</td><td>0.00</td><td>100 266 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 5924.71	47.03	68.20	-21.17	34.75	34.30	11.57	33.59	0.00	100 266 AVERAGE	Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz SWT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 5955.00</td><td>98.42</td><td>-----</td><td>-----</td><td>86.09</td><td>34.29</td><td>11.66</td><td>33.62</td><td>0.00</td><td>100 266 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 5955.00	98.42	-----	-----	86.09	34.29	11.66	33.62	0.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																	
1 5924.71	47.03	68.20	-21.17	34.75	34.30	11.57	33.59	0.00	100 266 AVERAGE																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																	
1 5955.00	98.42	-----	-----	86.09	34.29	11.66	33.62	0.00	100 266 AVERAGE																																																																																	







Mode	1																																																																																	
	Band Edge																																																																																	
	U-NII-5_5.945~6.425_802.11a_CH1_5955MHz																																																																																	
ANT	4+3																																																																																	
Pol.	Vertical	Fundamental																																																																																
Peak	 Site : 03CH12-HY Condition: PEAK_BE(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 5899.49</td><td>56.08</td><td>88.20</td><td>-32.12</td><td>43.87</td><td>34.30</td><td>11.48</td><td>33.57</td><td>0.00</td><td>300 64 PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 5899.49	56.08	88.20	-32.12	43.87	34.30	11.48	33.57	0.00	300 64 PEAK	 Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 5955.00</td><td>90.62</td><td>-----</td><td>-----</td><td>78.29</td><td>34.29</td><td>11.66</td><td>33.62</td><td>0.00</td><td>300 64 PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 5955.00	90.62	-----	-----	78.29	34.29	11.66	33.62	0.00	300 64 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																									
1 5899.49	56.08	88.20	-32.12	43.87	34.30	11.48	33.57	0.00	300 64 PEAK																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																									
1 5955.00	90.62	-----	-----	78.29	34.29	11.66	33.62	0.00	300 64 PEAK																																																																									
Avg	 Site : 03CH12-HY Condition: AVG_BE(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:1.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 5911.97</td><td>46.42</td><td>68.20</td><td>-21.78</td><td>34.18</td><td>34.30</td><td>11.52</td><td>33.58</td><td>0.00</td><td>300 64 AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 5911.97	46.42	68.20	-21.78	34.18	34.30	11.52	33.58	0.00	300 64 AVERAGE	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:1.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 5955.00</td><td>83.94</td><td>-----</td><td>-----</td><td>71.61</td><td>34.29</td><td>11.66</td><td>33.62</td><td>0.00</td><td>300 64 AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 5955.00	83.94	-----	-----	71.61	34.29	11.66	33.62	0.00	300 64 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																									
1 5911.97	46.42	68.20	-21.78	34.18	34.30	11.52	33.58	0.00	300 64 AVERAGE																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																									
1 5955.00	83.94	-----	-----	71.61	34.29	11.66	33.62	0.00	300 64 AVERAGE																																																																									







Mode	2																																																																																									
	Band Edge																																																																																									
	U-NII-5_5.945~6.425_802.11ax HE20_CH1_5955MHz																																																																																									
ANT	4+3																																																																																									
Pol.	Horizontal	Fundamental																																																																																								
Peak	Site : 03CH12-HY Condition: PEAK_BE(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5924.84</td><td>60.62</td><td>88.20</td><td>-27.58</td><td>48.34</td><td>34.30</td><td>11.57</td><td>33.59</td><td>0.00</td><td>112</td><td>265</td><td>PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5924.84	60.62	88.20	-27.58	48.34	34.30	11.57	33.59	0.00	112	265	PEAK	Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>105.05</td><td>-----</td><td>-----</td><td>92.72</td><td>34.29</td><td>11.66</td><td>33.62</td><td>0.00</td><td>112</td><td>265</td><td>PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5955.00	105.05	-----	-----	92.72	34.29	11.66	33.62	0.00	112	265	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5924.84	60.62	88.20	-27.58	48.34	34.30	11.57	33.59	0.00	112	265	PEAK																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5955.00	105.05	-----	-----	92.72	34.29	11.66	33.62	0.00	112	265	PEAK																																																																														
Avg	Site : 03CH12-HY Condition: AVG_BE(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz SWT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5923.67</td><td>47.10</td><td>68.20</td><td>-21.10</td><td>34.83</td><td>34.30</td><td>11.56</td><td>33.59</td><td>0.00</td><td>112</td><td>265</td><td>AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5923.67	47.10	68.20	-21.10	34.83	34.30	11.56	33.59	0.00	112	265	AVERAGE	Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz SWT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>97.75</td><td>-----</td><td>-----</td><td>85.42</td><td>34.29</td><td>11.66</td><td>33.62</td><td>0.00</td><td>112</td><td>265</td><td>AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5955.00	97.75	-----	-----	85.42	34.29	11.66	33.62	0.00	112	265	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5923.67	47.10	68.20	-21.10	34.83	34.30	11.56	33.59	0.00	112	265	AVERAGE																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5955.00	97.75	-----	-----	85.42	34.29	11.66	33.62	0.00	112	265	AVERAGE																																																																														







Mode	2																																																																																							
	Band Edge																																																																																							
	U-NII-5_5.945~6.425_802.11ax HE20_CH1_5955MHz																																																																																							
ANT	4+3																																																																																							
Pol.	Vertical	Fundamental																																																																																						
Peak	 Site : 03CH12-HY Condition: PEAK_BE(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5895.59</td><td>56.37</td><td>88.20</td><td>-31.83</td><td>44.19</td><td>34.28</td><td>11.47</td><td>33.57</td><td>0.00</td><td>316</td><td>0</td><td>PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5895.59	56.37	88.20	-31.83	44.19	34.28	11.47	33.57	0.00	316	0	PEAK	 Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5955.00</td><td>101.34</td><td>-----</td><td>-----</td><td>89.01</td><td>34.28</td><td>11.68</td><td>33.63</td><td>0.00</td><td>316</td><td>0</td><td>PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5955.00	101.34	-----	-----	89.01	34.28	11.68	33.63	0.00	316	0	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1 5895.59	56.37	88.20	-31.83	44.19	34.28	11.47	33.57	0.00	316	0	PEAK																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1 5955.00	101.34	-----	-----	89.01	34.28	11.68	33.63	0.00	316	0	PEAK																																																																													
Avg	 Site : 03CH12-HY Condition: AVG_BE(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:1.000kHz SWT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5920.03</td><td>46.58</td><td>68.20</td><td>-21.62</td><td>34.32</td><td>34.30</td><td>11.55</td><td>33.59</td><td>0.00</td><td>316</td><td>0</td><td>AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5920.03	46.58	68.20	-21.62	34.32	34.30	11.55	33.59	0.00	316	0	AVERAGE	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:1.000kHz SWT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5955.00</td><td>94.31</td><td>-----</td><td>-----</td><td>81.98</td><td>34.28</td><td>11.68</td><td>33.63</td><td>0.00</td><td>316</td><td>0</td><td>AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5955.00	94.31	-----	-----	81.98	34.28	11.68	33.63	0.00	316	0	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1 5920.03	46.58	68.20	-21.62	34.32	34.30	11.55	33.59	0.00	316	0	AVERAGE																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1 5955.00	94.31	-----	-----	81.98	34.28	11.68	33.63	0.00	316	0	AVERAGE																																																																													



		3																																																																																								
Mode	Band Edge																																																																																									
	U-NII-5_5.945~6.425_802.11ax HE40_CH3_5965MHz																																																																																									
ANT	4+3																																																																																									
Pol.	Horizontal						Fundamental																																																																																			
Peak																																																																																										
	Site : 03CH12-HY Condition: PEAK_BE(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 5923.56</td><td>65.23</td><td>88.20</td><td>-22.97</td><td>52.96</td><td>34.30</td><td>11.56</td><td>33.59</td><td>0.00</td><td>100 262 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 5923.56	65.23	88.20	-22.97	52.96	34.30	11.56	33.59	0.00	100 262 PEAK	Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 5965.00</td><td>106.53</td><td>-----</td><td>-----</td><td>94.20</td><td>34.27</td><td>11.70</td><td>33.64</td><td>0.00</td><td>100 262 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 5965.00	106.53	-----	-----	94.20	34.27	11.70	33.64	0.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																	
1 5923.56	65.23	88.20	-22.97	52.96	34.30	11.56	33.59	0.00	100 262 PEAK																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																	
1 5965.00	106.53	-----	-----	94.20	34.27	11.70	33.64	0.00	100 262 PEAK																																																																																	
Avg																																																																																										
	Site : 03CH12-HY Condition: AVG_BE(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 5924.96</td><td>51.32</td><td>68.20</td><td>-16.88</td><td>39.04</td><td>34.30</td><td>11.57</td><td>33.59</td><td>0.00</td><td>100 262 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 5924.96	51.32	68.20	-16.88	39.04	34.30	11.57	33.59	0.00	100 262 AVERAGE	Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 5965.00</td><td>98.13</td><td>-----</td><td>-----</td><td>85.00</td><td>34.27</td><td>11.70</td><td>33.64</td><td>0.00</td><td>100 262 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 5965.00	98.13	-----	-----	85.00	34.27	11.70	33.64	0.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																	
1 5924.96	51.32	68.20	-16.88	39.04	34.30	11.57	33.59	0.00	100 262 AVERAGE																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																	
1 5965.00	98.13	-----	-----	85.00	34.27	11.70	33.64	0.00	100 262 AVERAGE																																																																																	



		3																																																																																																													
Mode	Band Edge																																																																																																														
	U-NII-5_5.945~6.425_802.11ax HE40_CH3_5965MHz																																																																																																														
ANT	4+3																																																																																																														
Pol.	Vertical						Fundamental																																																																																																								
Peak																																																																																																															
	Site : 03CH12-HY Condition: PEAK_BE(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto						Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto																																																																																																								
Avg																																																																																																															
	Site : 03CH12-HY Condition: AVG_BE(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:1.000kHz SMT:Auto						Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:1.000kHz SMT:Auto																																																																																																								
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.54</td><td>64.20</td><td>88.20</td><td>-24.00</td><td>51.93</td><td>34.30</td><td>11.56</td><td>33.59</td><td>0.00</td><td>294</td><td>360</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.54	64.20	88.20	-24.00	51.93	34.30	11.56	33.59	0.00	294	360	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>102.93</td><td>-----</td><td>-----</td><td>90.60</td><td>34.27</td><td>11.70</td><td>33.64</td><td>0.00</td><td>294</td><td>360</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	102.93	-----	-----	90.60	34.27	11.70	33.64	0.00	294	360	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5924.54	64.20	88.20	-24.00	51.93	34.30	11.56	33.59	0.00	294	360	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5965.00	102.93	-----	-----	90.60	34.27	11.70	33.64	0.00	294	360	PEAK																																																																																																			