





Mode	13	
	Harmonic	
	6E UNII-7_6.525-6.875_802.11a_CH117_6535MHz	
ANT	4+3	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	<p>Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 HORIZONTAL</p>	<p>Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 VERTICAL</p>
	<p>Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 HORIZONTAL</p>	<p>Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 VERTICAL</p>



Mode	13	
	Harmonic	
	6E UNII-7_6.525-6.875_802.11a_CH117_6535MHz	
ANT	4+3	
Pol.	Horizontal	Vertical
31G ~40G Avg	 <p>Site : 03CH12-HY Condition: AVG(UNII)_6E 1m SHF_00993_231124 HORIZONTAL</p>	 <p>Site : 03CH12-HY Condition: AVG(UNII)_6E 1m SHF_00993_231124 VERTICAL</p>



Mode	14																																								
	Band Edge																																								
	6E UNII-7_6.525-6.875_802.11a_CH149_6695MHZ																																								
ANT	4+3																																								
Pol.	Horizontal	Fundamental																																							
Peak	Blank	<p>Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6695.00</td> <td>111.86</td> <td>-----</td> <td>96.96</td> <td>36.20</td> <td>12.56</td> <td>33.86</td> <td>0.00</td> <td>275</td> <td>52 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6695.00	111.86	-----	96.96	36.20	12.56	33.86	0.00	275	52 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1	6695.00	111.86	-----	96.96	36.20	12.56	33.86	0.00	275	52 PEAK																															
Avg	Blank	<p>Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBN:1.000kHz SMT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6695.00</td> <td>104.89</td> <td>-----</td> <td>89.99</td> <td>36.20</td> <td>12.56</td> <td>33.86</td> <td>0.00</td> <td>275</td> <td>52 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6695.00	104.89	-----	89.99	36.20	12.56	33.86	0.00	275	52 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1	6695.00	104.89	-----	89.99	36.20	12.56	33.86	0.00	275	52 AVERAGE																															



Mode	14																																								
	Band Edge																																								
	6E UNII-7_6.525-6.875_802.11a_CH149_6695MHZ																																								
ANT	4+3																																								
Pol.	Vertical	Fundamental																																							
Peak	Blank	<p>Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6695.00</td> <td>109.32</td> <td>-----</td> <td>94.45</td> <td>36.18</td> <td>12.55</td> <td>33.86</td> <td>0.00</td> <td>270</td> <td>355 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6695.00	109.32	-----	94.45	36.18	12.55	33.86	0.00	270	355 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1	6695.00	109.32	-----	94.45	36.18	12.55	33.86	0.00	270	355 PEAK																															
Avg	Blank	<p>Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:1.000kHz SMT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6695.00</td> <td>102.89</td> <td>-----</td> <td>88.02</td> <td>36.18</td> <td>12.55</td> <td>33.86</td> <td>0.00</td> <td>270</td> <td>355 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6695.00	102.89	-----	88.02	36.18	12.55	33.86	0.00	270	355 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1	6695.00	102.89	-----	88.02	36.18	12.55	33.86	0.00	270	355 AVERAGE																															





Mode	14																																																																																																																											
	Harmonic																																																																																																																											
	6E UNII-7_6.525-6.875_802.11a_CH149_6695MHz																																																																																																																											
ANT	4+3																																																																																																																											
Pol.	Horizontal	Vertical																																																																																																																										
Peak Avg	<p>Site : 03CH12-HY Condition: PEAK(UNII)_6E 1m SHF_00993_231124 HORIZONTAL</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13390.00</td> <td>53.30</td> <td>74.00</td> <td>-20.70</td> <td>58.14</td> <td>40.10</td> <td>20.53</td> <td>66.42</td> <td>0.95</td> <td>220</td> <td>66 PEAK</td> </tr> <tr> <td>2 13390.00</td> <td>43.53</td> <td>54.00</td> <td>-10.47</td> <td>48.37</td> <td>40.10</td> <td>20.53</td> <td>66.42</td> <td>0.95</td> <td>220</td> <td>66 Average</td> </tr> <tr> <td>3 20085.00</td> <td>31.82</td> <td>74.00</td> <td>-42.18</td> <td>34.45</td> <td>37.53</td> <td>22.43</td> <td>53.05</td> <td>-9.54</td> <td>--</td> <td>-- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13390.00	53.30	74.00	-20.70	58.14	40.10	20.53	66.42	0.95	220	66 PEAK	2 13390.00	43.53	54.00	-10.47	48.37	40.10	20.53	66.42	0.95	220	66 Average	3 20085.00	31.82	74.00	-42.18	34.45	37.53	22.43	53.05	-9.54	--	-- Peak	<p>Site : 03CH12-HY Condition: PEAK(UNII)_6E 1m SHF_00993_231124 VERTICAL</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13390.00</td> <td>54.15</td> <td>74.00</td> <td>-19.85</td> <td>58.99</td> <td>40.10</td> <td>20.53</td> <td>66.42</td> <td>0.95</td> <td>131</td> <td>123 PEAK</td> </tr> <tr> <td>2 13390.00</td> <td>44.41</td> <td>54.00</td> <td>-9.59</td> <td>49.25</td> <td>40.10</td> <td>20.53</td> <td>66.42</td> <td>0.95</td> <td>131</td> <td>123 Average</td> </tr> <tr> <td>3 20085.00</td> <td>30.51</td> <td>74.00</td> <td>-43.49</td> <td>33.14</td> <td>37.53</td> <td>22.43</td> <td>53.05</td> <td>-9.54</td> <td>--</td> <td>-- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13390.00	54.15	74.00	-19.85	58.99	40.10	20.53	66.42	0.95	131	123 PEAK	2 13390.00	44.41	54.00	-9.59	49.25	40.10	20.53	66.42	0.95	131	123 Average	3 20085.00	30.51	74.00	-43.49	33.14	37.53	22.43	53.05	-9.54	--	-- Peak
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1 13390.00	53.30	74.00	-20.70	58.14	40.10	20.53	66.42	0.95	220	66 PEAK																																																																																																																		
2 13390.00	43.53	54.00	-10.47	48.37	40.10	20.53	66.42	0.95	220	66 Average																																																																																																																		
3 20085.00	31.82	74.00	-42.18	34.45	37.53	22.43	53.05	-9.54	--	-- Peak																																																																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1 13390.00	54.15	74.00	-19.85	58.99	40.10	20.53	66.42	0.95	131	123 PEAK																																																																																																																		
2 13390.00	44.41	54.00	-9.59	49.25	40.10	20.53	66.42	0.95	131	123 Average																																																																																																																		
3 20085.00	30.51	74.00	-43.49	33.14	37.53	22.43	53.05	-9.54	--	-- Peak																																																																																																																		



Mode	14	
	Harmonic	
	6E UNII-7_6.525-6.875_802.11a_CH149_6695MHz	
ANT	4+3	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	<p>Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 HORIZONTAL</p>	<p>Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 VERTICAL</p>
	17.7G ~18G Avg	<p>Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 HORIZONTAL</p>



Mode	14	
	Harmonic	
	6E UNII-7_6.525-6.875_802.11a_CH149_6695MHz	
ANT	4+3	
Pol.	Horizontal	Vertical
31G ~40G Avg	 <p>Site : 03CH12-HY Condition: AVG(UNII)_6E 1m SHF_00993_231124 HORIZONTAL</p>	 <p>Site : 03CH12-HY Condition: AVG(UNII)_6E 1m SHF_00993_231124 VERTICAL</p>



Mode	15																																								
	Band Edge																																								
	6E UNII-7_6.525-6.875_802.11a_CH181_6855MHz																																								
ANT	4+3																																								
Pol.	Horizontal	Fundamental																																							
Peak	Blank	<p>Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6855.00</td> <td>111.98</td> <td>-----</td> <td>96.86</td> <td>36.10</td> <td>12.88</td> <td>33.86</td> <td>0.00</td> <td>367</td> <td>17 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6855.00	111.98	-----	96.86	36.10	12.88	33.86	0.00	367	17 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1	6855.00	111.98	-----	96.86	36.10	12.88	33.86	0.00	367	17 PEAK																															
Avg	Blank	<p>Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz SMT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6855.00</td> <td>105.71</td> <td>-----</td> <td>90.59</td> <td>36.10</td> <td>12.88</td> <td>33.86</td> <td>0.00</td> <td>367</td> <td>17 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6855.00	105.71	-----	90.59	36.10	12.88	33.86	0.00	367	17 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1	6855.00	105.71	-----	90.59	36.10	12.88	33.86	0.00	367	17 AVERAGE																															



Mode	15																																									
	Band Edge																																									
	6E UNII-7_6.525-6.875_802.11a_CH181_6855MHZ																																									
ANT	4+3																																									
Pol.	Vertical	Fundamental																																								
Peak	Blank	<p>Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6855.00</td> <td>105.97</td> <td>-----</td> <td>90.85</td> <td>36.10</td> <td>12.88</td> <td>33.86</td> <td>0.00</td> <td>353</td> <td>67</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6855.00	105.97	-----	90.85	36.10	12.88	33.86	0.00	353	67	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1	6855.00	105.97	-----	90.85	36.10	12.88	33.86	0.00	353	67	PEAK																															
Avg	Blank	<p>Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:1.000kHz SMT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6855.00</td> <td>100.97</td> <td>-----</td> <td>85.85</td> <td>36.10</td> <td>12.88</td> <td>33.86</td> <td>0.00</td> <td>353</td> <td>67</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6855.00	100.97	-----	85.85	36.10	12.88	33.86	0.00	353	67	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1	6855.00	100.97	-----	85.85	36.10	12.88	33.86	0.00	353	67	AVERAGE																															



Mode	15																																																																																																													
	Harmonic																																																																																																													
	6E UNII-7_6.525-6.875_802.11a_CH181_6855MHz																																																																																																													
ANT	4+3																																																																																																													
Pol.	Horizontal	Vertical																																																																																																												
Peak Avg	<p>Site : 03CH12-HY Condition: PEAK(UNII)_6E 1m SHF_00993_231124 HORIZONTAL</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>13710.00</td> <td>53.61</td> <td>88.20</td> <td>-34.59</td> <td>58.13</td> <td>40.40</td> <td>20.57</td> <td>66.52</td> <td>1.03</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>20565.00</td> <td>30.70</td> <td>74.00</td> <td>-43.30</td> <td>32.53</td> <td>37.76</td> <td>22.74</td> <td>52.79</td> <td>-9.54</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13710.00	53.61	88.20	-34.59	58.13	40.40	20.57	66.52	1.03	--	--	Peak	2	20565.00	30.70	74.00	-43.30	32.53	37.76	22.74	52.79	-9.54	--	--	Peak	<p>Site : 03CH12-HY Condition: PEAK(UNII)_6E 1m SHF_00993_231124 VERTICAL</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>13710.00</td> <td>52.98</td> <td>88.20</td> <td>-35.22</td> <td>57.50</td> <td>40.40</td> <td>20.57</td> <td>66.52</td> <td>1.03</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>20565.00</td> <td>31.65</td> <td>74.00</td> <td>-42.35</td> <td>33.48</td> <td>37.76</td> <td>22.74</td> <td>52.79</td> <td>-9.54</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13710.00	52.98	88.20	-35.22	57.50	40.40	20.57	66.52	1.03	--	--	Peak	2	20565.00	31.65	74.00	-42.35	33.48	37.76	22.74	52.79	-9.54	--	--	Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																					
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	13710.00	53.61	88.20	-34.59	58.13	40.40	20.57	66.52	1.03	--	--	Peak																																																																																																		
2	20565.00	30.70	74.00	-43.30	32.53	37.76	22.74	52.79	-9.54	--	--	Peak																																																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	13710.00	52.98	88.20	-35.22	57.50	40.40	20.57	66.52	1.03	--	--	Peak																																																																																																		
2	20565.00	31.65	74.00	-42.35	33.48	37.76	22.74	52.79	-9.54	--	--	Peak																																																																																																		



Mode	15	
	Harmonic	
	6E UNII-7_6.525-6.875_802.11a_CH181_6855MHz	
ANT	4+3	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	<p>Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 HORIZONTAL</p>	<p>Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 VERTICAL</p>
	17.7G ~18G Avg	<p>Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 HORIZONTAL</p>



Mode	15	
	Harmonic	
	6E UNII-7_6.525-6.875_802.11a_CH181_6855MHz	
ANT	4+3	
Pol.	Horizontal	Vertical
31G ~40G Avg	<p>Site : 03CH12-HY Condition: AVG(UNII)_6E 1m SHF_00993_231124 HORIZONTAL</p>	<p>Site : 03CH12-HY Condition: AVG(UNII)_6E 1m SHF_00993_231124 VERTICAL</p>



Mode	16																																									
	Band Edge																																									
	6E UNII-7_6.525-6.875_11ax HE20_CH117_Full RU_6535MHz																																									
ANT	4+3																																									
Pol.	Horizontal	Fundamental																																								
Peak	Blank	<p>Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6535.00</td> <td>110.16</td> <td>-----</td> <td>96.41</td> <td>35.48</td> <td>12.13</td> <td>33.86</td> <td>0.00</td> <td>320</td> <td>68</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6535.00	110.16	-----	96.41	35.48	12.13	33.86	0.00	320	68	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1	6535.00	110.16	-----	96.41	35.48	12.13	33.86	0.00	320	68	PEAK																															
Avg	Blank	<p>Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz SMT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6535.00</td> <td>102.91</td> <td>-----</td> <td>89.11</td> <td>35.52</td> <td>12.14</td> <td>33.86</td> <td>0.00</td> <td>320</td> <td>68</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6535.00	102.91	-----	89.11	35.52	12.14	33.86	0.00	320	68	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1	6535.00	102.91	-----	89.11	35.52	12.14	33.86	0.00	320	68	AVERAGE																															



Mode	16																																									
	Band Edge																																									
	6E UNII-7_6.525-6.875_11ax HE20_CH117_Full RU_6535MHz																																									
ANT	4+3																																									
Pol.	Vertical	Fundamental																																								
Peak	Blank	<p>Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6535.00</td> <td>110.18</td> <td>-----</td> <td>96.43</td> <td>35.48</td> <td>12.13</td> <td>33.86</td> <td>0.00</td> <td>275</td> <td>359</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6535.00	110.18	-----	96.43	35.48	12.13	33.86	0.00	275	359	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1	6535.00	110.18	-----	96.43	35.48	12.13	33.86	0.00	275	359	PEAK																															
Avg	Blank	<p>Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:1.000kHz SMT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6535.00</td> <td>102.12</td> <td>-----</td> <td>88.32</td> <td>35.52</td> <td>12.14</td> <td>33.86</td> <td>0.00</td> <td>275</td> <td>359</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6535.00	102.12	-----	88.32	35.52	12.14	33.86	0.00	275	359	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1	6535.00	102.12	-----	88.32	35.52	12.14	33.86	0.00	275	359	AVERAGE																															



Mode	16																																																																																																													
	Harmonic																																																																																																													
	6E UNII-7_6.525-6.875_11ax HE20_CH117_Full RU_6535MHz																																																																																																													
ANT	4+3																																																																																																													
Pol.	Horizontal	Vertical																																																																																																												
Peak Avg	<p>Site : 03CH12-HY Condition: PEAK(UUNI)_6E 1m SHF_00993_231124 HORIZONTAL</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>13070.00</td> <td>54.40</td> <td>88.20</td> <td>-33.80</td> <td>60.15</td> <td>39.66</td> <td>20.66</td> <td>66.93</td> <td>0.86</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>19605.00</td> <td>29.33</td> <td>74.00</td> <td>-44.67</td> <td>32.18</td> <td>37.68</td> <td>22.27</td> <td>53.26</td> <td>-9.54</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13070.00	54.40	88.20	-33.80	60.15	39.66	20.66	66.93	0.86	--	--	PEAK	2	19605.00	29.33	74.00	-44.67	32.18	37.68	22.27	53.26	-9.54	--	--	Peak	<p>Site : 03CH12-HY Condition: PEAK(UUNI)_6E 1m SHF_00993_231124 VERTICAL</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>13070.00</td> <td>53.45</td> <td>88.20</td> <td>-34.75</td> <td>59.20</td> <td>39.66</td> <td>20.66</td> <td>66.93</td> <td>0.86</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>19605.00</td> <td>30.65</td> <td>74.00</td> <td>-43.35</td> <td>33.50</td> <td>37.68</td> <td>22.27</td> <td>53.26</td> <td>-9.54</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13070.00	53.45	88.20	-34.75	59.20	39.66	20.66	66.93	0.86	--	--	PEAK	2	19605.00	30.65	74.00	-43.35	33.50	37.68	22.27	53.26	-9.54	--	--	Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																					
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	13070.00	54.40	88.20	-33.80	60.15	39.66	20.66	66.93	0.86	--	--	PEAK																																																																																																		
2	19605.00	29.33	74.00	-44.67	32.18	37.68	22.27	53.26	-9.54	--	--	Peak																																																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	13070.00	53.45	88.20	-34.75	59.20	39.66	20.66	66.93	0.86	--	--	PEAK																																																																																																		
2	19605.00	30.65	74.00	-43.35	33.50	37.68	22.27	53.26	-9.54	--	--	Peak																																																																																																		



Mode	16	
	Harmonic	
	6E UNII-7_6.525-6.875_11ax HE20_CH117_Full RU_6535MHz	
ANT	4+3	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	<p>Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 HORIZONTAL</p>	<p>Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 VERTICAL</p>
	<p>Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 HORIZONTAL</p>	<p>Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 VERTICAL</p>
17.7G ~18G Avg		



Mode	16	
	Harmonic	
	6E UNII-7_6.525-6.875_11ax HE20_CH117_Full RU_6535MHz	
ANT	4+3	
Pol.	Horizontal	Vertical
31G ~40G Avg	<p>Site : 03CH12-HY Condition: AVG(UNII)_6E 1m SHF_00993_231124 HORIZONTAL</p>	<p>Site : 03CH12-HY Condition: AVG(UNII)_6E 1m SHF_00993_231124 VERTICAL</p>



Mode	17																																									
	Band Edge																																									
	6E UNII-7_6.525-6.875_11ax HE20_CH149_Full RU_6695MHz																																									
ANT	4+3																																									
Pol.	Horizontal	Fundamental																																								
Peak	Blank	<p>Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6695.00</td> <td>111.39</td> <td>-----</td> <td>96.49</td> <td>36.20</td> <td>12.56</td> <td>33.86</td> <td>0.00</td> <td>334</td> <td>30</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6695.00	111.39	-----	96.49	36.20	12.56	33.86	0.00	334	30	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1	6695.00	111.39	-----	96.49	36.20	12.56	33.86	0.00	334	30	PEAK																															
Avg	Blank	<p>Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz SMT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6695.00</td> <td>104.04</td> <td>-----</td> <td>89.17</td> <td>36.18</td> <td>12.55</td> <td>33.86</td> <td>0.00</td> <td>334</td> <td>30</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6695.00	104.04	-----	89.17	36.18	12.55	33.86	0.00	334	30	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1	6695.00	104.04	-----	89.17	36.18	12.55	33.86	0.00	334	30	AVERAGE																															



Mode	17																																									
	Band Edge																																									
	6E UNII-7_6.525-6.875_11ax HE20_CH149_Full RU_6695MHz																																									
ANT	4+3																																									
Pol.	Vertical	Fundamental																																								
Peak	Blank	<p>Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6695.00</td> <td>107.18</td> <td>-----</td> <td>92.28</td> <td>36.20</td> <td>12.56</td> <td>33.86</td> <td>0.00</td> <td>299</td> <td>207</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6695.00	107.18	-----	92.28	36.20	12.56	33.86	0.00	299	207	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1	6695.00	107.18	-----	92.28	36.20	12.56	33.86	0.00	299	207	PEAK																															
Avg	Blank	<p>Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:1.000kHz SMT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6695.00</td> <td>100.00</td> <td>-----</td> <td>85.73</td> <td>36.18</td> <td>12.55</td> <td>33.86</td> <td>0.00</td> <td>299</td> <td>207</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6695.00	100.00	-----	85.73	36.18	12.55	33.86	0.00	299	207	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1	6695.00	100.00	-----	85.73	36.18	12.55	33.86	0.00	299	207	AVERAGE																															





Mode	17																																																																																																																									
	Harmonic																																																																																																																									
	6E UNII-7_6.525-6.875_11ax HE20_CH149_Full RU_6695MHz																																																																																																																									
ANT	4+3																																																																																																																									
Pol.	Horizontal	Vertical																																																																																																																								
Peak Avg	<p>Site : 03CH12-HY Condition: PEAK(UNII)_6E 1m SHF_00993_231124 HORIZONTAL</p> <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13390.00</td> <td>53.92</td> <td>74.00</td> <td>-20.08</td> <td>58.76</td> <td>40.10</td> <td>20.53</td> <td>66.42</td> <td>0.95</td> <td>207 58 PEAK</td> </tr> <tr> <td>2 13390.00</td> <td>44.24</td> <td>54.00</td> <td>-9.76</td> <td>49.08</td> <td>40.10</td> <td>20.53</td> <td>66.42</td> <td>0.95</td> <td>207 58 Average</td> </tr> <tr> <td>3 20085.00</td> <td>30.11</td> <td>74.00</td> <td>-43.89</td> <td>32.74</td> <td>37.53</td> <td>22.43</td> <td>53.05</td> <td>-9.54</td> <td>-- -- Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13390.00	53.92	74.00	-20.08	58.76	40.10	20.53	66.42	0.95	207 58 PEAK	2 13390.00	44.24	54.00	-9.76	49.08	40.10	20.53	66.42	0.95	207 58 Average	3 20085.00	30.11	74.00	-43.89	32.74	37.53	22.43	53.05	-9.54	-- -- Peak	<p>Site : 03CH12-HY Condition: PEAK(UNII)_6E 1m SHF_00993_231124 VERTICAL</p> <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13390.00</td> <td>54.48</td> <td>74.00</td> <td>-19.52</td> <td>59.32</td> <td>40.10</td> <td>20.53</td> <td>66.42</td> <td>0.95</td> <td>135 129 PEAK</td> </tr> <tr> <td>2 13390.00</td> <td>44.83</td> <td>54.00</td> <td>-9.17</td> <td>49.67</td> <td>40.10</td> <td>20.53</td> <td>66.42</td> <td>0.95</td> <td>135 129 Average</td> </tr> <tr> <td>3 20085.00</td> <td>31.28</td> <td>74.00</td> <td>-42.72</td> <td>33.91</td> <td>37.53</td> <td>22.43</td> <td>53.05</td> <td>-9.54</td> <td>-- -- Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13390.00	54.48	74.00	-19.52	59.32	40.10	20.53	66.42	0.95	135 129 PEAK	2 13390.00	44.83	54.00	-9.17	49.67	40.10	20.53	66.42	0.95	135 129 Average	3 20085.00	31.28	74.00	-42.72	33.91	37.53	22.43	53.05	-9.54	-- -- Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																	
1 13390.00	53.92	74.00	-20.08	58.76	40.10	20.53	66.42	0.95	207 58 PEAK																																																																																																																	
2 13390.00	44.24	54.00	-9.76	49.08	40.10	20.53	66.42	0.95	207 58 Average																																																																																																																	
3 20085.00	30.11	74.00	-43.89	32.74	37.53	22.43	53.05	-9.54	-- -- Peak																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																	
1 13390.00	54.48	74.00	-19.52	59.32	40.10	20.53	66.42	0.95	135 129 PEAK																																																																																																																	
2 13390.00	44.83	54.00	-9.17	49.67	40.10	20.53	66.42	0.95	135 129 Average																																																																																																																	
3 20085.00	31.28	74.00	-42.72	33.91	37.53	22.43	53.05	-9.54	-- -- Peak																																																																																																																	



Mode	17	
	Harmonic	
	6E UNII-7_6.525-6.875_11ax HE20_CH149_Full RU_6695MHz	
ANT	4+3	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	<p>Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 HORIZONTAL</p>	<p>Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 VERTICAL</p>
	17.7G ~18G Avg	<p>Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 HORIZONTAL</p>



Mode	17	
	Harmonic	
	6E UNII-7_6.525-6.875_11ax HE20_CH149_Full RU_6695MHz	
ANT	4+3	
Pol.	Horizontal	Vertical
31G -40G Avg	 <p>Site : 03CH12-HY Condition: AVG(UNII)_6E 1m SHF_00993_231124 HORIZONTAL</p>	 <p>Site : 03CH12-HY Condition: AVG(UNII)_6E 1m SHF_00993_231124 VERTICAL</p>



Mode	18																																									
	Band Edge																																									
	6E UNII-7_6.525-6.875_11ax HE20_CH181_Full RU_6855MHz																																									
ANT	4+3																																									
Pol.	Horizontal	Fundamental																																								
Peak	Blank	<p>Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6855.00</td> <td>111.70</td> <td>-----</td> <td>96.58</td> <td>36.10</td> <td>12.88</td> <td>33.86</td> <td>0.00</td> <td>348</td> <td>16</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6855.00	111.70	-----	96.58	36.10	12.88	33.86	0.00	348	16	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1	6855.00	111.70	-----	96.58	36.10	12.88	33.86	0.00	348	16	PEAK																															
Avg	Blank	<p>Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz SMT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6855.00</td> <td>104.63</td> <td>-----</td> <td>89.58</td> <td>36.10</td> <td>12.89</td> <td>33.86</td> <td>0.00</td> <td>348</td> <td>16</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6855.00	104.63	-----	89.58	36.10	12.89	33.86	0.00	348	16	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1	6855.00	104.63	-----	89.58	36.10	12.89	33.86	0.00	348	16	AVERAGE																															



Mode	18																																						
	Band Edge																																						
	6E UNII-7_6.525-6.875_11ax HE20_CH181_Full RU_6855MHz																																						
ANT	4+3																																						
Pol.	Vertical	Fundamental																																					
Peak	Blank	<p>Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6855.00</td> <td>107.28</td> <td>-----</td> <td>92.15</td> <td>36.10</td> <td>12.89</td> <td>33.86</td> <td>0.00</td> <td>268 350 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	6855.00	107.28	-----	92.15	36.10	12.89	33.86	0.00	268 350 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																															
1	6855.00	107.28	-----	92.15	36.10	12.89	33.86	0.00	268 350 PEAK																														
Avg	Blank	<p>Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:1.000kHz SMT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6855.00</td> <td>100.62</td> <td>-----</td> <td>85.49</td> <td>36.10</td> <td>12.89</td> <td>33.86</td> <td>0.00</td> <td>268 350 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	6855.00	100.62	-----	85.49	36.10	12.89	33.86	0.00	268 350 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																															
1	6855.00	100.62	-----	85.49	36.10	12.89	33.86	0.00	268 350 AVERAGE																														





Mode	18																																																																																																					
	Harmonic																																																																																																					
	6E UNII-7_6.525-6.875_11ax HE20_CH181_Full RU_6855MHz																																																																																																					
ANT	4+3																																																																																																					
Pol.	Horizontal	Vertical																																																																																																				
Peak																																																																																																						
Avg																																																																																																						
	<p>Site : 03CH12-HY Condition: PEAK(UNII)_6E 1m SHF_00993_231124 HORIZONTAL</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13710.00</td> <td>53.38</td> <td>88.20</td> <td>-34.82</td> <td>57.90</td> <td>40.40</td> <td>20.57</td> <td>66.52</td> <td>1.03</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>2 20565.00</td> <td>30.30</td> <td>74.00</td> <td>-43.70</td> <td>32.13</td> <td>37.76</td> <td>22.74</td> <td>52.79</td> <td>-9.54</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13710.00	53.38	88.20	-34.82	57.90	40.40	20.57	66.52	1.03	--	PEAK	2 20565.00	30.30	74.00	-43.70	32.13	37.76	22.74	52.79	-9.54	--	Peak	<p>Site : 03CH12-HY Condition: PEAK(UNII)_6E 1m SHF_00993_231124 VERTICAL</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13710.00</td> <td>53.23</td> <td>88.20</td> <td>-34.97</td> <td>57.75</td> <td>40.40</td> <td>20.57</td> <td>66.52</td> <td>1.03</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>2 20565.00</td> <td>30.85</td> <td>74.00</td> <td>-43.15</td> <td>32.68</td> <td>37.76</td> <td>22.74</td> <td>52.79</td> <td>-9.54</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13710.00	53.23	88.20	-34.97	57.75	40.40	20.57	66.52	1.03	--	PEAK	2 20565.00	30.85	74.00	-43.15	32.68	37.76	22.74	52.79	-9.54	--	Peak
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1 13710.00	53.38	88.20	-34.82	57.90	40.40	20.57	66.52	1.03	--	PEAK																																																																																												
2 20565.00	30.30	74.00	-43.70	32.13	37.76	22.74	52.79	-9.54	--	Peak																																																																																												
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1 13710.00	53.23	88.20	-34.97	57.75	40.40	20.57	66.52	1.03	--	PEAK																																																																																												
2 20565.00	30.85	74.00	-43.15	32.68	37.76	22.74	52.79	-9.54	--	Peak																																																																																												



Mode	18	
	Harmonic	
	6E UNII-7_6.525-6.875_11ax HE20_CH181_Full RU_6855MHz	
ANT	4+3	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	<p>Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 HORIZONTAL</p>	<p>Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 VERTICAL</p>
	17.7G ~18G Avg	<p>Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 HORIZONTAL</p>



Mode	18	
	Harmonic	
	6E UNII-7_6.525-6.875_11ax HE20_CH181_Full RU_6855MHz	
ANT	4+3	
Pol.	Horizontal	Vertical
31G -40G Avg	 <p>Site : 03CH12-HY Condition: AVG(UNII)_6E 1m SHF_00993_231124 HORIZONTAL</p>	 <p>Site : 03CH12-HY Condition: AVG(UNII)_6E 1m SHF_00993_231124 VERTICAL</p>



Mode	19																																									
	Band Edge																																									
	6E UNII-7_6.525-6.875_11ax HE40_CH123_Full RU_6565MHz																																									
ANT	4+3																																									
Pol.	Horizontal	Fundamental																																								
Peak	Blank	<p>Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6565.00</td> <td>110.09</td> <td>-----</td> <td>95.99</td> <td>35.74</td> <td>12.22</td> <td>33.86</td> <td>0.00</td> <td>387</td> <td>42</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6565.00	110.09	-----	95.99	35.74	12.22	33.86	0.00	387	42	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1	6565.00	110.09	-----	95.99	35.74	12.22	33.86	0.00	387	42	PEAK																															
Avg	Blank	<p>Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz SMT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6565.00</td> <td>100.94</td> <td>-----</td> <td>86.91</td> <td>35.69</td> <td>12.20</td> <td>33.86</td> <td>0.00</td> <td>387</td> <td>42</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6565.00	100.94	-----	86.91	35.69	12.20	33.86	0.00	387	42	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1	6565.00	100.94	-----	86.91	35.69	12.20	33.86	0.00	387	42	AVERAGE																															







Mode	19																																									
	Band Edge																																									
	6E UNII-7_6.525-6.875_11ax HE40_CH123_Full RU_6565MHz																																									
ANT	4+3																																									
Pol.	Vertical	Fundamental																																								
Peak	Blank	<p>Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6565.00</td> <td>106.69</td> <td>-----</td> <td>92.66</td> <td>35.69</td> <td>12.20</td> <td>33.86</td> <td>0.00</td> <td>287</td> <td>350</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6565.00	106.69	-----	92.66	35.69	12.20	33.86	0.00	287	350	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1	6565.00	106.69	-----	92.66	35.69	12.20	33.86	0.00	287	350	PEAK																															
Avg	Blank	<p>Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:1.000kHz SMT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6565.00</td> <td>100.00</td> <td>-----</td> <td>85.90</td> <td>35.74</td> <td>12.22</td> <td>33.86</td> <td>0.00</td> <td>287</td> <td>350</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6565.00	100.00	-----	85.90	35.74	12.22	33.86	0.00	287	350	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1	6565.00	100.00	-----	85.90	35.74	12.22	33.86	0.00	287	350	AVERAGE																															





Mode	19																																																																																																									
	Harmonic																																																																																																									
	6E UNII-7_6.525-6.875_11ax HE40_CH123_Full RU_6565MHz																																																																																																									
ANT	4+3																																																																																																									
Pol.	Horizontal	Vertical																																																																																																								
Peak Avg	<p>Site : 03CH12-HY Condition: PEAK(UNII)_6E 1m SHF_00993_231124 HORIZONTAL</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>13130.00</td> <td>53.88</td> <td>88.20</td> <td>-34.32</td> <td>59.53</td> <td>39.66</td> <td>20.64</td> <td>66.83</td> <td>0.88</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>19695.00</td> <td>30.44</td> <td>74.00</td> <td>-43.56</td> <td>33.41</td> <td>37.50</td> <td>22.29</td> <td>53.22</td> <td>-9.54</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13130.00	53.88	88.20	-34.32	59.53	39.66	20.64	66.83	0.88	--	PEAK	2	19695.00	30.44	74.00	-43.56	33.41	37.50	22.29	53.22	-9.54	--	Peak	<p>Site : 03CH12-HY Condition: PEAK(UNII)_6E 1m SHF_00993_231124 VERTICAL</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>13130.00</td> <td>53.91</td> <td>88.20</td> <td>-34.29</td> <td>59.56</td> <td>39.66</td> <td>20.64</td> <td>66.83</td> <td>0.88</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>19695.00</td> <td>30.05</td> <td>74.00</td> <td>-43.95</td> <td>33.02</td> <td>37.50</td> <td>22.29</td> <td>53.22</td> <td>-9.54</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13130.00	53.91	88.20	-34.29	59.56	39.66	20.64	66.83	0.88	--	PEAK	2	19695.00	30.05	74.00	-43.95	33.02	37.50	22.29	53.22	-9.54	--	Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	13130.00	53.88	88.20	-34.32	59.53	39.66	20.64	66.83	0.88	--	PEAK																																																																																															
2	19695.00	30.44	74.00	-43.56	33.41	37.50	22.29	53.22	-9.54	--	Peak																																																																																															
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																		
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	13130.00	53.91	88.20	-34.29	59.56	39.66	20.64	66.83	0.88	--	PEAK																																																																																															
2	19695.00	30.05	74.00	-43.95	33.02	37.50	22.29	53.22	-9.54	--	Peak																																																																																															



Mode	19	
	Harmonic	
	6E UNII-7_6.525-6.875_11ax HE40_CH123_Full RU_6565MHz	
ANT	4+3	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 <p>Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 HORIZONTAL</p>	 <p>Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 VERTICAL</p>
17.7G ~18G Avg	 <p>Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 HORIZONTAL</p>	 <p>Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 VERTICAL</p>



Mode	19	
	Harmonic	
	6E UNII-7_6.525-6.875_11ax HE40_CH123_Full RU_6565MHz	
ANT	4+3	
Pol.	Horizontal	Vertical
31G ~40G Avg	 <p>Site : 03CH12-HY Condition: AVG(UNII)_6E 1m SHF_00993_231124 HORIZONTAL</p>	 <p>Site : 03CH12-HY Condition: AVG(UNII)_6E 1m SHF_00993_231124 VERTICAL</p>



Mode	20																																								
	Band Edge																																								
	6E UNII-7_6.525-6.875_11ax HE40_CH147_Full RU_6685MHz																																								
ANT	4+3																																								
Pol.	Horizontal	Fundamental																																							
Peak	Blank	<p>Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6685.00</td> <td>108.88</td> <td>-----</td> <td>94.04</td> <td>36.17</td> <td>12.53</td> <td>33.86</td> <td>0.00</td> <td>256</td> <td>65 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6685.00	108.88	-----	94.04	36.17	12.53	33.86	0.00	256	65 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1	6685.00	108.88	-----	94.04	36.17	12.53	33.86	0.00	256	65 PEAK																															
Avg	Blank	<p>Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz SMT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6685.00</td> <td>101.13</td> <td>-----</td> <td>86.29</td> <td>36.17</td> <td>12.53</td> <td>33.86</td> <td>0.00</td> <td>256</td> <td>65 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6685.00	101.13	-----	86.29	36.17	12.53	33.86	0.00	256	65 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1	6685.00	101.13	-----	86.29	36.17	12.53	33.86	0.00	256	65 AVERAGE																															



Mode	20																																									
	Band Edge																																									
	6E UNII-7_6.525-6.875_11ax HE40_CH147_Full RU_6685MHz																																									
ANT	4+3																																									
Pol.	Vertical	Fundamental																																								
Peak	Blank	<p>Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6685.00</td> <td>106.76</td> <td>-----</td> <td>91.92</td> <td>36.17</td> <td>12.53</td> <td>33.86</td> <td>0.00</td> <td>278</td> <td>355</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6685.00	106.76	-----	91.92	36.17	12.53	33.86	0.00	278	355	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1	6685.00	106.76	-----	91.92	36.17	12.53	33.86	0.00	278	355	PEAK																															
Avg	Blank	<p>Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:1.000kHz SMT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6685.00</td> <td>99.22</td> <td>-----</td> <td>84.35</td> <td>36.18</td> <td>12.55</td> <td>33.86</td> <td>0.00</td> <td>278</td> <td>355</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6685.00	99.22	-----	84.35	36.18	12.55	33.86	0.00	278	355	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1	6685.00	99.22	-----	84.35	36.18	12.55	33.86	0.00	278	355	AVERAGE																															





Mode	20																																																																																																																									
	Harmonic																																																																																																																									
	6E UNII-7_6.525-6.875_11ax HE40_CH147_Full RU_6685MHz																																																																																																																									
ANT	4+3																																																																																																																									
Pol.	Horizontal	Vertical																																																																																																																								
Peak Avg	<p>Site : 03CH12-HY Condition: PEAK(UNII)_6E 1m SHF_00993_231124 HORIZONTAL</p> <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13370.00</td> <td>53.99</td> <td>74.00</td> <td>-20.01</td> <td>58.06</td> <td>40.10</td> <td>20.54</td> <td>66.45</td> <td>0.94</td> <td>211 60 PEAK</td> </tr> <tr> <td>2 13370.00</td> <td>44.45</td> <td>54.00</td> <td>-9.55</td> <td>49.32</td> <td>40.10</td> <td>20.54</td> <td>66.45</td> <td>0.94</td> <td>60 Average</td> </tr> <tr> <td>3 20055.00</td> <td>31.47</td> <td>74.00</td> <td>-42.53</td> <td>34.08</td> <td>37.59</td> <td>22.41</td> <td>53.07</td> <td>-9.54</td> <td>-- -- PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13370.00	53.99	74.00	-20.01	58.06	40.10	20.54	66.45	0.94	211 60 PEAK	2 13370.00	44.45	54.00	-9.55	49.32	40.10	20.54	66.45	0.94	60 Average	3 20055.00	31.47	74.00	-42.53	34.08	37.59	22.41	53.07	-9.54	-- -- PEAK	<p>Site : 03CH12-HY Condition: PEAK(UNII)_6E 1m SHF_00993_231124 VERTICAL</p> <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13370.00</td> <td>53.21</td> <td>74.00</td> <td>-20.79</td> <td>58.08</td> <td>40.10</td> <td>20.54</td> <td>66.45</td> <td>0.94</td> <td>136 125 PEAK</td> </tr> <tr> <td>2 13370.00</td> <td>44.30</td> <td>54.00</td> <td>-9.70</td> <td>49.17</td> <td>40.10</td> <td>20.54</td> <td>66.45</td> <td>0.94</td> <td>136 125 Average</td> </tr> <tr> <td>3 20055.00</td> <td>30.65</td> <td>74.00</td> <td>-43.35</td> <td>33.26</td> <td>37.59</td> <td>22.41</td> <td>53.07</td> <td>-9.54</td> <td>-- -- PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13370.00	53.21	74.00	-20.79	58.08	40.10	20.54	66.45	0.94	136 125 PEAK	2 13370.00	44.30	54.00	-9.70	49.17	40.10	20.54	66.45	0.94	136 125 Average	3 20055.00	30.65	74.00	-43.35	33.26	37.59	22.41	53.07	-9.54	-- -- PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																	
1 13370.00	53.99	74.00	-20.01	58.06	40.10	20.54	66.45	0.94	211 60 PEAK																																																																																																																	
2 13370.00	44.45	54.00	-9.55	49.32	40.10	20.54	66.45	0.94	60 Average																																																																																																																	
3 20055.00	31.47	74.00	-42.53	34.08	37.59	22.41	53.07	-9.54	-- -- PEAK																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																	
1 13370.00	53.21	74.00	-20.79	58.08	40.10	20.54	66.45	0.94	136 125 PEAK																																																																																																																	
2 13370.00	44.30	54.00	-9.70	49.17	40.10	20.54	66.45	0.94	136 125 Average																																																																																																																	
3 20055.00	30.65	74.00	-43.35	33.26	37.59	22.41	53.07	-9.54	-- -- PEAK																																																																																																																	



Mode	20	
	Harmonic	
	6E UNII-7_6.525-6.875_11ax HE40_CH147_Full RU_6685MHz	
ANT	4+3	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	<p>Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 HORIZONTAL</p>	<p>Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 VERTICAL</p>
	17.7G ~18G Avg	<p>Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 HORIZONTAL</p>



Mode	20	
	Harmonic	
	6E UNII-7_6.525-6.875_11ax HE40_CH147_Full RU_6685MHz	
ANT	4+3	
Pol.	Horizontal	Vertical
31G ~40G Avg	 <p>Site : 03CH12-HY Condition: AVG(UNII)_6E 1m SHF_00993_231124 HORIZONTAL</p>	 <p>Site : 03CH12-HY Condition: AVG(UNII)_6E 1m SHF_00993_231124 VERTICAL</p>



Mode	21																																								
	Band Edge																																								
	6E UNII-7_6.525-6.875_11ax HE40_CH179_Full RU_6845MHz																																								
ANT	4+3																																								
Pol.	Horizontal	Fundamental																																							
Peak	Blank	<p>Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6845.00</td> <td>110.54</td> <td>-----</td> <td>95.43</td> <td>36.10</td> <td>12.87</td> <td>33.86</td> <td>0.00</td> <td>358</td> <td>21 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6845.00	110.54	-----	95.43	36.10	12.87	33.86	0.00	358	21 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1	6845.00	110.54	-----	95.43	36.10	12.87	33.86	0.00	358	21 PEAK																															
Avg	Blank	<p>Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz SMT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6845.00</td> <td>101.76</td> <td>-----</td> <td>86.64</td> <td>36.10</td> <td>12.88</td> <td>33.86</td> <td>0.00</td> <td>358</td> <td>21 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6845.00	101.76	-----	86.64	36.10	12.88	33.86	0.00	358	21 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1	6845.00	101.76	-----	86.64	36.10	12.88	33.86	0.00	358	21 AVERAGE																															







Mode	21																																									
	Band Edge																																									
	6E UNII-7_6.525-6.875_11ax HE40_CH179_Full RU_6845MHz																																									
ANT	4+3																																									
Pol.	Vertical	Fundamental																																								
Peak	Blank	<p>Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6845.00</td> <td>104.97</td> <td>-----</td> <td>89.85</td> <td>36.10</td> <td>12.88</td> <td>33.86</td> <td>0.00</td> <td>281</td> <td>348</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6845.00	104.97	-----	89.85	36.10	12.88	33.86	0.00	281	348	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1	6845.00	104.97	-----	89.85	36.10	12.88	33.86	0.00	281	348	PEAK																															
Avg	Blank	<p>Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:1.000kHz SMT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6845.00</td> <td>98.05</td> <td>-----</td> <td>82.93</td> <td>36.10</td> <td>12.88</td> <td>33.86</td> <td>0.00</td> <td>281</td> <td>348</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6845.00	98.05	-----	82.93	36.10	12.88	33.86	0.00	281	348	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1	6845.00	98.05	-----	82.93	36.10	12.88	33.86	0.00	281	348	AVERAGE																															



Mode	21																																																																																																													
	Harmonic																																																																																																													
	6E UNII-7_6.525-6.875_11ax HE40_CH179_Full RU_6845MHz																																																																																																													
ANT	4+3																																																																																																													
Pol.	Horizontal	Vertical																																																																																																												
Peak Avg	<p>Site : 03CH12-HY Condition: PEAK(UNII)_6E 1m SHF_00993_231124 HORIZONTAL</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>13690.00</td> <td>52.84</td> <td>88.20</td> <td>-35.36</td> <td>57.36</td> <td>40.38</td> <td>20.56</td> <td>66.49</td> <td>1.03</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>20535.00</td> <td>30.64</td> <td>74.00</td> <td>-43.36</td> <td>32.48</td> <td>37.73</td> <td>22.76</td> <td>52.79</td> <td>-9.54</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13690.00	52.84	88.20	-35.36	57.36	40.38	20.56	66.49	1.03	--	--	PEAK	2	20535.00	30.64	74.00	-43.36	32.48	37.73	22.76	52.79	-9.54	--	--	PEAK	<p>Site : 03CH12-HY Condition: PEAK(UNII)_6E 1m SHF_00993_231124 VERTICAL</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>13690.00</td> <td>52.83</td> <td>88.20</td> <td>-35.37</td> <td>57.35</td> <td>40.38</td> <td>20.56</td> <td>66.49</td> <td>1.03</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>20535.00</td> <td>30.92</td> <td>74.00</td> <td>-43.08</td> <td>32.76</td> <td>37.73</td> <td>22.76</td> <td>52.79</td> <td>-9.54</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13690.00	52.83	88.20	-35.37	57.35	40.38	20.56	66.49	1.03	--	--	PEAK	2	20535.00	30.92	74.00	-43.08	32.76	37.73	22.76	52.79	-9.54	--	--	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																					
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	13690.00	52.84	88.20	-35.36	57.36	40.38	20.56	66.49	1.03	--	--	PEAK																																																																																																		
2	20535.00	30.64	74.00	-43.36	32.48	37.73	22.76	52.79	-9.54	--	--	PEAK																																																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	13690.00	52.83	88.20	-35.37	57.35	40.38	20.56	66.49	1.03	--	--	PEAK																																																																																																		
2	20535.00	30.92	74.00	-43.08	32.76	37.73	22.76	52.79	-9.54	--	--	PEAK																																																																																																		



Mode	21	
	Harmonic	
	6E UNII-7_6.525-6.875_11ax HE40_CH179_Full RU_6845MHz	
ANT	4+3	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 <p>Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 HORIZONTAL</p>	 <p>Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 VERTICAL</p>
17.7G ~18G Avg	 <p>Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 HORIZONTAL</p>	 <p>Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 VERTICAL</p>



Mode	21	
	Harmonic	
	6E UNII-7_6.525-6.875_11ax HE40_CH179_Full RU_6845MHz	
ANT	4+3	
Pol.	Horizontal	Vertical
31G ~40G Avg	<p>Site : 03CH12-HY Condition: AVG(UNII)_6E 1m SHF_00993_231124 HORIZONTAL</p>	<p>Site : 03CH12-HY Condition: AVG(UNII)_6E 1m SHF_00993_231124 VERTICAL</p>



Mode	22																																									
	Band Edge																																									
	6E UNII-7_6.525-6.875_11ax HE80_CH135_Full RU_6625MHZ																																									
ANT	4+3																																									
Pol.	Horizontal	Fundamental																																								
Peak	Blank	<p>Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6625.00</td> <td>107.26</td> <td>-----</td> <td>92.71</td> <td>36.05</td> <td>12.36</td> <td>33.86</td> <td>0.00</td> <td>287</td> <td>287</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6625.00	107.26	-----	92.71	36.05	12.36	33.86	0.00	287	287	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1	6625.00	107.26	-----	92.71	36.05	12.36	33.86	0.00	287	287	PEAK																															
Avg	Blank	<p>Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:3.000kHz SMT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6625.00</td> <td>99.04</td> <td>-----</td> <td>84.52</td> <td>36.03</td> <td>12.35</td> <td>33.86</td> <td>0.00</td> <td>287</td> <td>287</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6625.00	99.04	-----	84.52	36.03	12.35	33.86	0.00	287	287	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1	6625.00	99.04	-----	84.52	36.03	12.35	33.86	0.00	287	287	AVERAGE																															



Mode	22																																									
	Band Edge																																									
	6E UNII-7_6.525-6.875_11ax HE80_CH135_Full RU_6625MHz																																									
ANT	4+3																																									
Pol.	Vertical	Fundamental																																								
Peak	Blank	<p>Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6625.00</td> <td>104.59</td> <td>-----</td> <td>90.07</td> <td>36.03</td> <td>12.35</td> <td>33.86</td> <td>0.00</td> <td>297</td> <td>356</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6625.00	104.59	-----	90.07	36.03	12.35	33.86	0.00	297	356	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1	6625.00	104.59	-----	90.07	36.03	12.35	33.86	0.00	297	356	PEAK																															
Avg	Blank	<p>Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:3.000kHz SMT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6625.00</td> <td>97.09</td> <td>-----</td> <td>82.57</td> <td>36.03</td> <td>12.35</td> <td>33.86</td> <td>0.00</td> <td>297</td> <td>356</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6625.00	97.09	-----	82.57	36.03	12.35	33.86	0.00	297	356	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1	6625.00	97.09	-----	82.57	36.03	12.35	33.86	0.00	297	356	AVERAGE																															





Mode	22																																																																																																																																					
	Harmonic																																																																																																																																					
	6E UNII-7_6.525-6.875_11ax HE80_CH135_Full RU_6625MHz																																																																																																																																					
ANT	4+3																																																																																																																																					
Pol.	Horizontal	Vertical																																																																																																																																				
Peak Avg	<p>Site : 03CH12-HY Condition: PEAK(UNII)_6E 1m SHF_00993_231124 HORIZONTAL</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>13250.00</td> <td>54.20</td> <td>74.00</td> <td>-19.80</td> <td>59.54</td> <td>39.80</td> <td>20.59</td> <td>66.64</td> <td>0.91</td> <td>205</td> <td>56</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>13250.00</td> <td>44.43</td> <td>54.00</td> <td>-9.57</td> <td>49.77</td> <td>39.80</td> <td>20.59</td> <td>66.64</td> <td>0.91</td> <td>205</td> <td>56</td> <td>Average</td> </tr> <tr> <td>3</td> <td>19875.00</td> <td>31.11</td> <td>74.00</td> <td>-42.89</td> <td>33.82</td> <td>37.65</td> <td>22.33</td> <td>53.15</td> <td>-9.54</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	13250.00	54.20	74.00	-19.80	59.54	39.80	20.59	66.64	0.91	205	56	PEAK	2	13250.00	44.43	54.00	-9.57	49.77	39.80	20.59	66.64	0.91	205	56	Average	3	19875.00	31.11	74.00	-42.89	33.82	37.65	22.33	53.15	-9.54	--	--	PEAK	<p>Site : 03CH12-HY Condition: PEAK(UNII)_6E 1m SHF_00993_231124 VERTICAL</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>13250.00</td> <td>53.32</td> <td>74.00</td> <td>-20.68</td> <td>58.66</td> <td>39.80</td> <td>20.59</td> <td>66.64</td> <td>0.91</td> <td>130</td> <td>117</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>13250.00</td> <td>43.58</td> <td>54.00</td> <td>-10.42</td> <td>48.92</td> <td>39.80</td> <td>20.59</td> <td>66.64</td> <td>0.91</td> <td>130</td> <td>117</td> <td>Average</td> </tr> <tr> <td>3</td> <td>19875.00</td> <td>30.89</td> <td>74.00</td> <td>-43.11</td> <td>33.60</td> <td>37.65</td> <td>22.33</td> <td>53.15</td> <td>-9.54</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	13250.00	53.32	74.00	-20.68	58.66	39.80	20.59	66.64	0.91	130	117	PEAK	2	13250.00	43.58	54.00	-10.42	48.92	39.80	20.59	66.64	0.91	130	117	Average	3	19875.00	30.89	74.00	-43.11	33.60	37.65	22.33	53.15	-9.54	--	--	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																														
1	13250.00	54.20	74.00	-19.80	59.54	39.80	20.59	66.64	0.91	205	56	PEAK																																																																																																																										
2	13250.00	44.43	54.00	-9.57	49.77	39.80	20.59	66.64	0.91	205	56	Average																																																																																																																										
3	19875.00	31.11	74.00	-42.89	33.82	37.65	22.33	53.15	-9.54	--	--	PEAK																																																																																																																										
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																														
1	13250.00	53.32	74.00	-20.68	58.66	39.80	20.59	66.64	0.91	130	117	PEAK																																																																																																																										
2	13250.00	43.58	54.00	-10.42	48.92	39.80	20.59	66.64	0.91	130	117	Average																																																																																																																										
3	19875.00	30.89	74.00	-43.11	33.60	37.65	22.33	53.15	-9.54	--	--	PEAK																																																																																																																										



Mode	22	
	Harmonic	
	6E UNII-7_6.525-6.875_11ax HE80_CH135_Full RU_6625MHz	
ANT	4+3	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	<p>Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 HORIZONTAL</p>	<p>Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 VERTICAL</p>
	17.7G ~18G Avg	<p>Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 HORIZONTAL</p>



Mode	22	
	Harmonic	
	6E UNII-7_6.525-6.875_11ax HE80_CH135_Full RU_6625MHz	
ANT	4+3	
Pol.	Horizontal	Vertical
31G -40G Avg	 <p>Site : 03CH12-HY Condition: AVG(UNII)_6E 1m SHF_00993_231124 HORIZONTAL</p>	 <p>Site : 03CH12-HY Condition: AVG(UNII)_6E 1m SHF_00993_231124 VERTICAL</p>



Mode	23																																							
	Band Edge																																							
	6E UNII-7_6.525-6.875_11ax HE80_CH151_Full RU_6705MHz																																							
ANT	4+3																																							
Pol.	Horizontal	Fundamental																																						
Peak	Blank	<p>Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 6705.00</td> <td>106.26</td> <td>-----</td> <td>-----</td> <td>91.36</td> <td>36.20</td> <td>12.56</td> <td>33.86</td> <td>0.00</td> <td>326 40 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 6705.00	106.26	-----	-----	91.36	36.20	12.56	33.86	0.00	326 40 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																															
1 6705.00	106.26	-----	-----	91.36	36.20	12.56	33.86	0.00	326 40 PEAK																															
Avg	Blank	<p>Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:3.000kHz SMT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 6705.00</td> <td>98.00</td> <td>-----</td> <td>-----</td> <td>83.16</td> <td>36.17</td> <td>12.61</td> <td>33.86</td> <td>0.00</td> <td>326 40 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 6705.00	98.00	-----	-----	83.16	36.17	12.61	33.86	0.00	326 40 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																															
1 6705.00	98.00	-----	-----	83.16	36.17	12.61	33.86	0.00	326 40 AVERAGE																															



Mode	23																																									
	Band Edge																																									
	6E UNII-7_6.525-6.875_11ax HE80_CH151_Full RU_6705MHz																																									
ANT	4+3																																									
Pol.	Vertical	Fundamental																																								
Peak	Blank	<p>Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6705.00</td> <td>104.73</td> <td>-----</td> <td>89.81</td> <td>36.18</td> <td>12.60</td> <td>33.86</td> <td>0.00</td> <td>278</td> <td>349</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6705.00	104.73	-----	89.81	36.18	12.60	33.86	0.00	278	349	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1	6705.00	104.73	-----	89.81	36.18	12.60	33.86	0.00	278	349	PEAK																															
Avg	Blank	<p>Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:3.000kHz SMT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6705.00</td> <td>97.36</td> <td>-----</td> <td>82.49</td> <td>36.18</td> <td>12.55</td> <td>33.86</td> <td>0.00</td> <td>278</td> <td>349</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6705.00	97.36	-----	82.49	36.18	12.55	33.86	0.00	278	349	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1	6705.00	97.36	-----	82.49	36.18	12.55	33.86	0.00	278	349	AVERAGE																															





Mode	23																																																																																																													
	Harmonic																																																																																																													
	6E UNII-7_6.525-6.875_11ax HE80_CH151_Full RU_6705MHz																																																																																																													
ANT	4+3																																																																																																													
Pol.	Horizontal	Vertical																																																																																																												
Peak Avg	<p>Site : 03CH12-HY Condition: PEAK(UNII)_6E 1m SHF_00993_231124 HORIZONTAL</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>13410.00</td> <td>55.15</td> <td>88.20</td> <td>-33.05</td> <td>59.89</td> <td>40.16</td> <td>20.53</td> <td>66.38</td> <td>0.95</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>20115.00</td> <td>30.97</td> <td>74.00</td> <td>-43.03</td> <td>33.58</td> <td>37.50</td> <td>22.46</td> <td>53.03</td> <td>-9.54</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13410.00	55.15	88.20	-33.05	59.89	40.16	20.53	66.38	0.95	--	--	PEAK	2	20115.00	30.97	74.00	-43.03	33.58	37.50	22.46	53.03	-9.54	--	--	Peak	<p>Site : 03CH12-HY Condition: PEAK(UNII)_6E 1m SHF_00993_231124 VERTICAL</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>13410.00</td> <td>54.35</td> <td>88.20</td> <td>-33.85</td> <td>59.09</td> <td>40.16</td> <td>20.53</td> <td>66.38</td> <td>0.95</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>20115.00</td> <td>31.03</td> <td>74.00</td> <td>-42.97</td> <td>33.64</td> <td>37.50</td> <td>22.46</td> <td>53.03</td> <td>-9.54</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13410.00	54.35	88.20	-33.85	59.09	40.16	20.53	66.38	0.95	--	--	PEAK	2	20115.00	31.03	74.00	-42.97	33.64	37.50	22.46	53.03	-9.54	--	--	Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																					
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	13410.00	55.15	88.20	-33.05	59.89	40.16	20.53	66.38	0.95	--	--	PEAK																																																																																																		
2	20115.00	30.97	74.00	-43.03	33.58	37.50	22.46	53.03	-9.54	--	--	Peak																																																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	13410.00	54.35	88.20	-33.85	59.09	40.16	20.53	66.38	0.95	--	--	PEAK																																																																																																		
2	20115.00	31.03	74.00	-42.97	33.64	37.50	22.46	53.03	-9.54	--	--	Peak																																																																																																		



Mode	23	
	Harmonic	
	6E UNII-7_6.525-6.875_11ax HE80_CH151_Full RU_6705MHz	
ANT	4+3	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	<p>Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 HORIZONTAL</p>	<p>Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 VERTICAL</p>
	<p>Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 HORIZONTAL</p>	<p>Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 VERTICAL</p>
17.7G ~18G Avg		



Mode	23	
	Harmonic	
	6E UNII-7_6.525-6.875_11ax HE80_CH151_Full RU_6705MHz	
ANT	4+3	
Pol.	Horizontal	Vertical
31G -40G Avg	 <p>Site : 03CH12-HY Condition: AVG(UNII)_6E 1m SHF_00993_231124 HORIZONTAL</p>	 <p>Site : 03CH12-HY Condition: AVG(UNII)_6E 1m SHF_00993_231124 VERTICAL</p>



Mode	24																																									
	Band Edge																																									
	6E UNII-7_6.525-6.875_11ax HE80_CH167_Full RU_6785MHz																																									
ANT	4+3																																									
Pol.	Horizontal	Fundamental																																								
Peak	Blank	<p>Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6785.00</td> <td>105.48</td> <td>-----</td> <td>90.46</td> <td>36.10</td> <td>12.78</td> <td>33.86</td> <td>0.00</td> <td>298</td> <td>45</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6785.00	105.48	-----	90.46	36.10	12.78	33.86	0.00	298	45	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1	6785.00	105.48	-----	90.46	36.10	12.78	33.86	0.00	298	45	PEAK																															
Avg	Blank	<p>Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:3.000kHz SMT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6785.00</td> <td>97.81</td> <td>-----</td> <td>82.75</td> <td>36.10</td> <td>12.82</td> <td>33.86</td> <td>0.00</td> <td>298</td> <td>45</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6785.00	97.81	-----	82.75	36.10	12.82	33.86	0.00	298	45	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1	6785.00	97.81	-----	82.75	36.10	12.82	33.86	0.00	298	45	AVERAGE																															



Mode	24																																									
	Band Edge																																									
	6E UNII-7_6.525-6.875_11ax HE80_CH167_Full RU_6785MHz																																									
ANT	4+3																																									
Pol.	Vertical	Fundamental																																								
Peak	Blank	<p>Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6785.00</td> <td>102.48</td> <td>-----</td> <td>87.46</td> <td>36.10</td> <td>12.78</td> <td>33.86</td> <td>0.00</td> <td>263</td> <td>345</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6785.00	102.48	-----	87.46	36.10	12.78	33.86	0.00	263	345	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1	6785.00	102.48	-----	87.46	36.10	12.78	33.86	0.00	263	345	PEAK																															
Avg	Blank	<p>Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:3.000kHz SMT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6785.00</td> <td>96.10</td> <td>-----</td> <td>81.10</td> <td>36.10</td> <td>12.76</td> <td>33.86</td> <td>0.00</td> <td>263</td> <td>345</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6785.00	96.10	-----	81.10	36.10	12.76	33.86	0.00	263	345	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1	6785.00	96.10	-----	81.10	36.10	12.76	33.86	0.00	263	345	AVERAGE																															





Mode	24																																																																																																									
	Harmonic																																																																																																									
	6E UNII-7_6.525-6.875_11ax HE80_CH167_Full RU_6785MHz																																																																																																									
ANT	4+3																																																																																																									
Pol.	Horizontal	Vertical																																																																																																								
Peak Avg	<p>Site : 03CH12-HY Condition: PEAK(UNII)_6E 1m SHF_00993_231124 HORIZONTAL</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>13570.00</td> <td>54.35</td> <td>88.20</td> <td>-33.85</td> <td>58.55</td> <td>40.62</td> <td>20.52</td> <td>66.33</td> <td>0.99</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>20355.00</td> <td>29.36</td> <td>74.00</td> <td>-44.64</td> <td>31.41</td> <td>37.72</td> <td>22.66</td> <td>52.89</td> <td>-9.54</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13570.00	54.35	88.20	-33.85	58.55	40.62	20.52	66.33	0.99	--	PEAK	2	20355.00	29.36	74.00	-44.64	31.41	37.72	22.66	52.89	-9.54	--	Peak	<p>Site : 03CH12-HY Condition: PEAK(UNII)_6E 1m SHF_00993_231124 VERTICAL</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>13570.00</td> <td>54.21</td> <td>88.20</td> <td>-33.99</td> <td>58.41</td> <td>40.62</td> <td>20.52</td> <td>66.33</td> <td>0.99</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>20355.00</td> <td>29.97</td> <td>74.00</td> <td>-44.03</td> <td>32.02</td> <td>37.72</td> <td>22.66</td> <td>52.89</td> <td>-9.54</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13570.00	54.21	88.20	-33.99	58.41	40.62	20.52	66.33	0.99	--	PEAK	2	20355.00	29.97	74.00	-44.03	32.02	37.72	22.66	52.89	-9.54	--	Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	13570.00	54.35	88.20	-33.85	58.55	40.62	20.52	66.33	0.99	--	PEAK																																																																																															
2	20355.00	29.36	74.00	-44.64	31.41	37.72	22.66	52.89	-9.54	--	Peak																																																																																															
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																		
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	13570.00	54.21	88.20	-33.99	58.41	40.62	20.52	66.33	0.99	--	PEAK																																																																																															
2	20355.00	29.97	74.00	-44.03	32.02	37.72	22.66	52.89	-9.54	--	Peak																																																																																															



Mode	24	
	Harmonic	
	6E UNII-7_6.525-6.875_11ax HE80_CH167_Full RU_6785MHz	
ANT	4+3	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	<p>Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 HORIZONTAL</p>	<p>Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 VERTICAL</p>
	<p>Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 HORIZONTAL</p>	<p>Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 VERTICAL</p>



Mode	24	
	Harmonic	
	6E UNII-7_6.525-6.875_11ax HE80_CH167_Full RU_6785MHz	
ANT	4+3	
Pol.	Horizontal	Vertical
31G -40G Avg	 <p>Site : 03CH12-HY Condition: AVG(UNII)_6E 1m SHF_00993_231124 HORIZONTAL</p>	 <p>Site : 03CH12-HY Condition: AVG(UNII)_6E 1m SHF_00993_231124 VERTICAL</p>







Mode	25																																																																																																																																																																																							
	LF																																																																																																																																																																																							
	6E UNII-5_5.925-6.425_11ax HE20_CH1_Full RU_5955MHz																																																																																																																																																																																							
ANT	4+3																																																																																																																																																																																							
Pol.	Horizontal	Vertical																																																																																																																																																																																						
QP/ Peak	<p>Site : 03CH12-HY Condition: QP 3m Bilog_37059_20231103 HORIZONTAL</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Limit (dBuV/m)</th> <th>Line Margin (dB)</th> <th>Read Level (dBuV)</th> <th>Ant Factor (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp Factor (dB)</th> <th>Aux Factor (dB)</th> <th>APos (cm)</th> <th>TPos (deg)</th> <th>Remark</th> </tr> </thead> <tbody> <tr><td>1</td><td>44.55</td><td>24.96</td><td>40.00</td><td>-15.04</td><td>35.90</td><td>17.48</td><td>1.24</td><td>29.67</td><td>0.01</td><td>--</td><td>--</td><td>Peak</td></tr> <tr><td>2</td><td>200.72</td><td>35.89</td><td>43.50</td><td>-7.61</td><td>48.13</td><td>15.04</td><td>2.41</td><td>29.79</td><td>0.10</td><td>--</td><td>--</td><td>Peak</td></tr> <tr><td>3</td><td>271.53</td><td>33.07</td><td>46.00</td><td>-12.93</td><td>40.90</td><td>18.90</td><td>2.73</td><td>29.62</td><td>0.16</td><td>--</td><td>--</td><td>Peak</td></tr> <tr><td>4</td><td>274.44</td><td>34.17</td><td>46.00</td><td>-11.83</td><td>42.05</td><td>18.81</td><td>2.75</td><td>29.61</td><td>0.17</td><td>--</td><td>--</td><td>Peak</td></tr> <tr><td>5</td><td>733.25</td><td>38.84</td><td>46.00</td><td>-7.16</td><td>34.88</td><td>28.08</td><td>4.51</td><td>28.96</td><td>0.33</td><td>--</td><td>--</td><td>Peak</td></tr> <tr><td>6</td><td>896.21</td><td>38.38</td><td>46.00</td><td>-7.62</td><td>32.72</td><td>29.12</td><td>4.72</td><td>28.52</td><td>0.34</td><td>--</td><td>--</td><td>Peak</td></tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read Level (dBuV)	Ant Factor (dB/m)	Cable Loss (dB)	Preamp Factor (dB)	Aux Factor (dB)	APos (cm)	TPos (deg)	Remark	1	44.55	24.96	40.00	-15.04	35.90	17.48	1.24	29.67	0.01	--	--	Peak	2	200.72	35.89	43.50	-7.61	48.13	15.04	2.41	29.79	0.10	--	--	Peak	3	271.53	33.07	46.00	-12.93	40.90	18.90	2.73	29.62	0.16	--	--	Peak	4	274.44	34.17	46.00	-11.83	42.05	18.81	2.75	29.61	0.17	--	--	Peak	5	733.25	38.84	46.00	-7.16	34.88	28.08	4.51	28.96	0.33	--	--	Peak	6	896.21	38.38	46.00	-7.62	32.72	29.12	4.72	28.52	0.34	--	--	Peak	<p>Site : 03CH12-HY Condition: QP 3m Bilog_37059_20231103 VERTICAL</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Limit (dBuV/m)</th> <th>Line Margin (dB)</th> <th>Read Level (dBuV)</th> <th>Ant Factor (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp Factor (dB)</th> <th>Aux Factor (dB)</th> <th>APos (cm)</th> <th>TPos (deg)</th> <th>Remark</th> </tr> </thead> <tbody> <tr><td>1</td><td>44.55</td><td>32.68</td><td>40.00</td><td>-7.32</td><td>43.62</td><td>17.48</td><td>1.24</td><td>29.67</td><td>0.01</td><td>--</td><td>--</td><td>Peak</td></tr> <tr><td>2</td><td>93.05</td><td>33.37</td><td>43.50</td><td>-10.13</td><td>46.16</td><td>15.36</td><td>1.69</td><td>29.91</td><td>0.07</td><td>--</td><td>--</td><td>Peak</td></tr> <tr><td>3</td><td>263.77</td><td>28.39</td><td>46.00</td><td>-17.61</td><td>35.17</td><td>20.04</td><td>2.68</td><td>29.64</td><td>0.14</td><td>--</td><td>--</td><td>Peak</td></tr> <tr><td>4</td><td>276.38</td><td>28.00</td><td>46.00</td><td>-18.00</td><td>35.90</td><td>18.78</td><td>2.76</td><td>29.61</td><td>0.17</td><td>--</td><td>--</td><td>Peak</td></tr> <tr><td>5</td><td>707.06</td><td>38.94</td><td>46.00</td><td>-7.06</td><td>36.48</td><td>26.83</td><td>4.32</td><td>29.00</td><td>0.31</td><td>--</td><td>--</td><td>Peak</td></tr> <tr><td>6</td><td>901.06</td><td>39.05</td><td>46.00</td><td>-6.95</td><td>33.30</td><td>29.19</td><td>4.73</td><td>28.51</td><td>0.34</td><td>--</td><td>--</td><td>Peak</td></tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read Level (dBuV)	Ant Factor (dB/m)	Cable Loss (dB)	Preamp Factor (dB)	Aux Factor (dB)	APos (cm)	TPos (deg)	Remark	1	44.55	32.68	40.00	-7.32	43.62	17.48	1.24	29.67	0.01	--	--	Peak	2	93.05	33.37	43.50	-10.13	46.16	15.36	1.69	29.91	0.07	--	--	Peak	3	263.77	28.39	46.00	-17.61	35.17	20.04	2.68	29.64	0.14	--	--	Peak	4	276.38	28.00	46.00	-18.00	35.90	18.78	2.76	29.61	0.17	--	--	Peak	5	707.06	38.94	46.00	-7.06	36.48	26.83	4.32	29.00	0.31	--	--	Peak	6	901.06	39.05	46.00	-6.95	33.30	29.19	4.73	28.51	0.34	--	--	Peak
Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read Level (dBuV)	Ant Factor (dB/m)	Cable Loss (dB)	Preamp Factor (dB)	Aux Factor (dB)	APos (cm)	TPos (deg)	Remark																																																																																																																																																																												
1	44.55	24.96	40.00	-15.04	35.90	17.48	1.24	29.67	0.01	--	--	Peak																																																																																																																																																																												
2	200.72	35.89	43.50	-7.61	48.13	15.04	2.41	29.79	0.10	--	--	Peak																																																																																																																																																																												
3	271.53	33.07	46.00	-12.93	40.90	18.90	2.73	29.62	0.16	--	--	Peak																																																																																																																																																																												
4	274.44	34.17	46.00	-11.83	42.05	18.81	2.75	29.61	0.17	--	--	Peak																																																																																																																																																																												
5	733.25	38.84	46.00	-7.16	34.88	28.08	4.51	28.96	0.33	--	--	Peak																																																																																																																																																																												
6	896.21	38.38	46.00	-7.62	32.72	29.12	4.72	28.52	0.34	--	--	Peak																																																																																																																																																																												
Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read Level (dBuV)	Ant Factor (dB/m)	Cable Loss (dB)	Preamp Factor (dB)	Aux Factor (dB)	APos (cm)	TPos (deg)	Remark																																																																																																																																																																												
1	44.55	32.68	40.00	-7.32	43.62	17.48	1.24	29.67	0.01	--	--	Peak																																																																																																																																																																												
2	93.05	33.37	43.50	-10.13	46.16	15.36	1.69	29.91	0.07	--	--	Peak																																																																																																																																																																												
3	263.77	28.39	46.00	-17.61	35.17	20.04	2.68	29.64	0.14	--	--	Peak																																																																																																																																																																												
4	276.38	28.00	46.00	-18.00	35.90	18.78	2.76	29.61	0.17	--	--	Peak																																																																																																																																																																												
5	707.06	38.94	46.00	-7.06	36.48	26.83	4.32	29.00	0.31	--	--	Peak																																																																																																																																																																												
6	901.06	39.05	46.00	-6.95	33.30	29.19	4.73	28.51	0.34	--	--	Peak																																																																																																																																																																												



Mode	26	
	SHF	
	6E UNII-5_5.925-6.425_11ax HE20_CH1_Full RU_5955MHz	
ANT	4+3	
Pol.	Horizontal	Vertical
Peak	<p>Site : 03CH12-HY Condition: PEAK(UNII)_6E 1m SHF_00993_231124 HORIZONTAL</p>	<p>Site : 03CH12-HY Condition: PEAK(UNII)_6E 1m SHF_00993_231124 VERTICAL</p>







Mode	27																																																																																	
	Band Edge																																																																																	
	U-NII-5_5.945~6.425_802.11ax HE20_CH1_Partial 26/0_5955MHz																																																																																	
ANT	4+3																																																																																	
Pol.	Horizontal	Fundamental																																																																																
Peak	 <p>Site : 03CH12-HY Condition: PEAK_BE(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5923.67</td> <td>55.73</td> <td>88.20</td> <td>-32.47</td> <td>43.46</td> <td>34.30</td> <td>11.56</td> <td>33.59</td> <td>0.00</td> <td>155</td> <td>21</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5923.67	55.73	88.20	-32.47	43.46	34.30	11.56	33.59	0.00	155	21	PEAK	 <p>Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5955.00</td> <td>109.60</td> <td>-----</td> <td>-----</td> <td>97.28</td> <td>34.30</td> <td>11.64</td> <td>33.62</td> <td>0.00</td> <td>155</td> <td>21</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5955.00	109.60	-----	-----	97.28	34.30	11.64	33.62	0.00	155	21	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	5923.67	55.73	88.20	-32.47	43.46	34.30	11.56	33.59	0.00	155	21	PEAK																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	5955.00	109.60	-----	-----	97.28	34.30	11.64	33.62	0.00	155	21	PEAK																																																																						
Avg	 <p>Site : 03CH12-HY Condition: AVG_BE(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz SWT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5912.88</td> <td>47.20</td> <td>68.20</td> <td>-21.00</td> <td>34.95</td> <td>34.30</td> <td>11.53</td> <td>33.58</td> <td>0.00</td> <td>155</td> <td>21</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5912.88	47.20	68.20	-21.00	34.95	34.30	11.53	33.58	0.00	155	21	AVERAGE	 <p>Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz SWT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5955.00</td> <td>103.18</td> <td>-----</td> <td>-----</td> <td>90.86</td> <td>34.30</td> <td>11.64</td> <td>33.62</td> <td>0.00</td> <td>155</td> <td>21</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5955.00	103.18	-----	-----	90.86	34.30	11.64	33.62	0.00	155	21	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	5912.88	47.20	68.20	-21.00	34.95	34.30	11.53	33.58	0.00	155	21	AVERAGE																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	5955.00	103.18	-----	-----	90.86	34.30	11.64	33.62	0.00	155	21	AVERAGE																																																																						







Mode	27																																																																																			
	Band Edge																																																																																			
	U-NII-5_5.945~6.425_802.11ax HE20_CH1_Partial 26/0_5955MHz																																																																																			
ANT	4+3																																																																																			
Pol.	Vertical	Fundamental																																																																																		
Peak	<p>Site : 03CH12-HY Condition: PEAK_BE(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5826.56</td> <td>56.11</td> <td>88.20</td> <td>-32.09</td> <td>44.31</td> <td>34.05</td> <td>11.25</td> <td>33.50</td> <td>0.00</td> <td>400</td> <td>179</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5826.56	56.11	88.20	-32.09	44.31	34.05	11.25	33.50	0.00	400	179	PEAK	<p>Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5955.00</td> <td>105.98</td> <td>-----</td> <td>-----</td> <td>93.66</td> <td>34.30</td> <td>11.64</td> <td>33.62</td> <td>0.00</td> <td>400</td> <td>179</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	105.98	-----	-----	93.66	34.30	11.64	33.62	0.00	400	179	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5826.56	56.11	88.20	-32.09	44.31	34.05	11.25	33.50	0.00	400	179	PEAK																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5955.00	105.98	-----	-----	93.66	34.30	11.64	33.62	0.00	400	179	PEAK																																																																								
Avg	<p>Site : 03CH12-HY Condition: AVG_BE(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:1.000kHz SWT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5882.33</td> <td>46.20</td> <td>68.20</td> <td>-22.00</td> <td>34.09</td> <td>34.23</td> <td>11.43</td> <td>33.55</td> <td>0.00</td> <td>400</td> <td>179</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5882.33	46.20	68.20	-22.00	34.09	34.23	11.43	33.55	0.00	400	179	AVERAGE	<p>Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:1.000kHz SWT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5955.00</td> <td>99.25</td> <td>-----</td> <td>-----</td> <td>86.93</td> <td>34.30</td> <td>11.64</td> <td>33.62</td> <td>0.00</td> <td>400</td> <td>179</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	99.25	-----	-----	86.93	34.30	11.64	33.62	0.00	400	179	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5882.33	46.20	68.20	-22.00	34.09	34.23	11.43	33.55	0.00	400	179	AVERAGE																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5955.00	99.25	-----	-----	86.93	34.30	11.64	33.62	0.00	400	179	AVERAGE																																																																								



Mode	28																																																																																			
	Band Edge																																																																																			
	U-NII-5_5.945~6.425_802.11ax HE20_CH1_Partial 52/37_5955MHz																																																																																			
ANT	4+3																																																																																			
Pol.	Horizontal	Fundamental																																																																																		
Peak	 <p>Site : 03CH12-HY Condition: PEAK_BE(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5919.38</td> <td>59.45</td> <td>88.20</td> <td>-28.75</td> <td>47.19</td> <td>34.30</td> <td>11.55</td> <td>33.59</td> <td>0.00</td> <td>146</td> <td>24</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5919.38	59.45	88.20	-28.75	47.19	34.30	11.55	33.59	0.00	146	24	PEAK	 <p>Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5955.00</td> <td>110.49</td> <td>-----</td> <td>-----</td> <td>98.17</td> <td>34.30</td> <td>11.64</td> <td>33.62</td> <td>0.00</td> <td>146</td> <td>24</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	110.49	-----	-----	98.17	34.30	11.64	33.62	0.00	146	24	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5919.38	59.45	88.20	-28.75	47.19	34.30	11.55	33.59	0.00	146	24	PEAK																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5955.00	110.49	-----	-----	98.17	34.30	11.64	33.62	0.00	146	24	PEAK																																																																								
Avg	 <p>Site : 03CH12-HY Condition: AVG_BE(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz SWT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5917.17</td> <td>49.26</td> <td>68.20</td> <td>-18.94</td> <td>37.01</td> <td>34.30</td> <td>11.54</td> <td>33.59</td> <td>0.00</td> <td>146</td> <td>24</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5917.17	49.26	68.20	-18.94	37.01	34.30	11.54	33.59	0.00	146	24	AVERAGE	 <p>Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz SWT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5955.00</td> <td>103.41</td> <td>-----</td> <td>-----</td> <td>91.09</td> <td>34.30</td> <td>11.64</td> <td>33.62</td> <td>0.00</td> <td>146</td> <td>24</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	103.41	-----	-----	91.09	34.30	11.64	33.62	0.00	146	24	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5917.17	49.26	68.20	-18.94	37.01	34.30	11.54	33.59	0.00	146	24	AVERAGE																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5955.00	103.41	-----	-----	91.09	34.30	11.64	33.62	0.00	146	24	AVERAGE																																																																								



Mode	28																																																																																			
	Band Edge																																																																																			
	U-NII-5_5.945~6.425_802.11ax HE20_CH1_Partial 52/37_5955MHz																																																																																			
ANT	4+3																																																																																			
Pol.	Vertical	Fundamental																																																																																		
Peak	 <p>Site : 03CH12-HY Condition: PEAK_BE(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5914.31</td> <td>56.42</td> <td>88.20</td> <td>-31.78</td> <td>44.17</td> <td>34.30</td> <td>11.53</td> <td>33.58</td> <td>0.00</td> <td>287</td> <td>0</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5914.31	56.42	88.20	-31.78	44.17	34.30	11.53	33.58	0.00	287	0	PEAK	 <p>Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5955.00</td> <td>106.85</td> <td>-----</td> <td>-----</td> <td>94.53</td> <td>34.30</td> <td>11.64</td> <td>33.62</td> <td>0.00</td> <td>287</td> <td>0</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	106.85	-----	-----	94.53	34.30	11.64	33.62	0.00	287	0	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5914.31	56.42	88.20	-31.78	44.17	34.30	11.53	33.58	0.00	287	0	PEAK																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5955.00	106.85	-----	-----	94.53	34.30	11.64	33.62	0.00	287	0	PEAK																																																																								
Avg	 <p>Site : 03CH12-HY Condition: AVG_BE(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:1.000kHz SWT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5917.30</td> <td>47.32</td> <td>68.20</td> <td>-20.88</td> <td>35.07</td> <td>34.30</td> <td>11.54</td> <td>33.59</td> <td>0.00</td> <td>287</td> <td>0</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5917.30	47.32	68.20	-20.88	35.07	34.30	11.54	33.59	0.00	287	0	AVERAGE	 <p>Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:1.000kHz SWT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5955.00</td> <td>98.51</td> <td>-----</td> <td>-----</td> <td>86.19</td> <td>34.30</td> <td>11.64</td> <td>33.62</td> <td>0.00</td> <td>287</td> <td>0</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	98.51	-----	-----	86.19	34.30	11.64	33.62	0.00	287	0	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5917.30	47.32	68.20	-20.88	35.07	34.30	11.54	33.59	0.00	287	0	AVERAGE																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5955.00	98.51	-----	-----	86.19	34.30	11.64	33.62	0.00	287	0	AVERAGE																																																																								



Mode	29																																																																																	
	Band Edge																																																																																	
	U-NII-5_5.945~6.425_802.11ax HE20_CH1_Partial 106/53_5955MHz																																																																																	
ANT	4+3																																																																																	
Pol.	Horizontal	Fundamental																																																																																
Peak	<p>Site : 03CH12-HY Condition: PEAK_BE(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5924.97</td> <td>74.15</td> <td>88.20</td> <td>-14.05</td> <td>61.87</td> <td>34.30</td> <td>11.57</td> <td>33.59</td> <td>0.00</td> <td>147</td> <td>19</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5924.97	74.15	88.20	-14.05	61.87	34.30	11.57	33.59	0.00	147	19	PEAK	<p>Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5955.00</td> <td>112.37</td> <td>-----</td> <td>-----</td> <td>100.05</td> <td>34.30</td> <td>11.64</td> <td>33.62</td> <td>0.00</td> <td>147</td> <td>19</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5955.00	112.37	-----	-----	100.05	34.30	11.64	33.62	0.00	147	19	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	5924.97	74.15	88.20	-14.05	61.87	34.30	11.57	33.59	0.00	147	19	PEAK																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	5955.00	112.37	-----	-----	100.05	34.30	11.64	33.62	0.00	147	19	PEAK																																																																						
Avg	<p>Site : 03CH12-HY Condition: AVG_BE(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz SWT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5924.45</td> <td>57.55</td> <td>68.20</td> <td>-10.65</td> <td>45.28</td> <td>34.30</td> <td>11.56</td> <td>33.59</td> <td>0.00</td> <td>147</td> <td>19</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5924.45	57.55	68.20	-10.65	45.28	34.30	11.56	33.59	0.00	147	19	AVERAGE	<p>Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz SWT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5955.00</td> <td>103.98</td> <td>-----</td> <td>-----</td> <td>91.65</td> <td>34.29</td> <td>11.66</td> <td>33.62</td> <td>0.00</td> <td>147</td> <td>19</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5955.00	103.98	-----	-----	91.65	34.29	11.66	33.62	0.00	147	19	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	5924.45	57.55	68.20	-10.65	45.28	34.30	11.56	33.59	0.00	147	19	AVERAGE																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	5955.00	103.98	-----	-----	91.65	34.29	11.66	33.62	0.00	147	19	AVERAGE																																																																						



Mode	29																																																																																	
	Band Edge																																																																																	
	U-NII-5_5.945~6.425_802.11ax HE20_CH1_Partial 106/53_5955MHz																																																																																	
ANT	4+3																																																																																	
Pol.	Vertical	Fundamental																																																																																
Peak	<p>Site : 03CH12-HY Condition: PEAK_BE(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5922.50</td> <td>65.93</td> <td>88.20</td> <td>-22.27</td> <td>53.66</td> <td>34.30</td> <td>11.56</td> <td>33.59</td> <td>0.00</td> <td>300</td> <td>0</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5922.50	65.93	88.20	-22.27	53.66	34.30	11.56	33.59	0.00	300	0	PEAK	<p>Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5955.00</td> <td>108.00</td> <td>-----</td> <td>-----</td> <td>95.68</td> <td>34.30</td> <td>11.64</td> <td>33.62</td> <td>0.00</td> <td>300</td> <td>0</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5955.00	108.00	-----	-----	95.68	34.30	11.64	33.62	0.00	300	0	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	5922.50	65.93	88.20	-22.27	53.66	34.30	11.56	33.59	0.00	300	0	PEAK																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	5955.00	108.00	-----	-----	95.68	34.30	11.64	33.62	0.00	300	0	PEAK																																																																						
Avg	<p>Site : 03CH12-HY Condition: AVG_BE(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:1.000kHz SWT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5924.97</td> <td>53.94</td> <td>68.20</td> <td>-14.26</td> <td>41.66</td> <td>34.30</td> <td>11.57</td> <td>33.59</td> <td>0.00</td> <td>300</td> <td>0</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5924.97	53.94	68.20	-14.26	41.66	34.30	11.57	33.59	0.00	300	0	AVERAGE	<p>Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:1.000kHz SWT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5955.00</td> <td>99.65</td> <td>-----</td> <td>-----</td> <td>87.32</td> <td>34.29</td> <td>11.66</td> <td>33.62</td> <td>0.00</td> <td>300</td> <td>0</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5955.00	99.65	-----	-----	87.32	34.29	11.66	33.62	0.00	300	0	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	5924.97	53.94	68.20	-14.26	41.66	34.30	11.57	33.59	0.00	300	0	AVERAGE																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	5955.00	99.65	-----	-----	87.32	34.29	11.66	33.62	0.00	300	0	AVERAGE																																																																						




Appendix D. Duty Cycle Plots

<For Radiated Spurious Emission test>


Antenna	Band	Duty Cycle(%)	T(us)	1/T(kHz)	VBW Setting
4+3	6GHz 802.11a	93.44	1425	0.70	1kHz
4+3	6GHz 802.11ax HE20 Full RU	91.19	1035	0.97	1kHz
4+3	6GHz 802.11ax HE20 26 RU	97.88	1617	0.62	1kHz
4+3	6GHz 802.11ax HE20 52 RU	97.98	1458	0.69	1kHz
4+3	6GHz 802.11ax HE20 106 RU	97.60	1302	0.77	1kHz
4+3	6GHz 802.11ax HE40 Full RU	90.99	1010	0.99	1kHz
4+3	6GHz 802.11ax HE80 Full RU	86.39	730	1.37	3kHz

MIMO <Ant. 4+3>







6GHz 802.11ax HE20 26 RU




6GHz 802.11ax HE20 52 RU




6GHz 802.11ax HE20 106 RU



6GHz 802.11ax HE40 Full RU



6GHz 802.11ax HE80 Full RU






<For Conducted test>

Antenna	Band	Duty Cycle(%)	T(us)	Duty Factor(dB)
4+3	802.11a for Ant 4	93.72	1432	0.28
4+3	802.11a for Ant 3	93.46	1430	0.29
4+3	6GHz 802.11ax HE20 Full RU for Ant 4	91.27	1045	0.40
4+3	6GHz 802.11ax HE20 Full RU for Ant 3	91.27	1045	0.40
4+3	6GHz 802.11ax HE20 26 RU for Ant 4	89.47	850	0.48
4+3	6GHz 802.11ax HE20 26 RU for Ant 3	89.47	850	0.48
4+3	6GHz 802.11ax HE20 52 RU for Ant 4	88.57	775	0.53
4+3	6GHz 802.11ax HE20 52 RU for Ant 3	88.57	775	0.53
4+3	6GHz 802.11ax HE20 106 RU for Ant 4	87.42	695	0.58
4+3	6GHz 802.11ax HE20 106 RU for Ant 3	87.34	690	0.59
4+3	6GHz 802.11ax HE40 Full RU for Ant 4	91.11	1025	0.40
4+3	6GHz 802.11ax HE40 Full RU for Ant 3	91.15	1030	0.40
4+3	6GHz 802.11ax HE80 Full RU for Ant 4	88.24	750	0.54
4+3	6GHz 802.11ax HE80 Full RU for Ant 3	88.24	750	0.54

MIMO <Ant. 4>



—THE END—



Appendix E. Spot Check Evaluation on GTF7P, G3Y12

Conducted power test and radiated spurious emission test configurations were selected from the worst cases identified in the reference model and tested to demonstrate the test data from reference model remains representative for the variant model.

The deviation between the spot check and the referenced values is within 3dB, therefore data referencing is justified according to the guidance in the ECR inquiry

Test Item	Mode	A4RGXQ96 Reference Worst Result	A4RGTF7P Variant Check Result	Difference (dB)
Conducted Power (dBm)	WWAN GPRS 850 Class 8 CH128	32.60	32.32	0.28
	WWAN GPRS 1900 Class 8 CH512	29.28	29.21	0.07
	WWAN WCDMA Band V RMC 12.2K CH4182	24.77	24.62	0.15
	WWAN LTE Band 5 10MHz 1RB0 QPSK Mid	24.72	24.71	0.01
	WWAN LTE Band 7 20MHz 1RB0 QPSK Mid	24.45	24.33	0.12
	WWAN LTE Band 12 10MHz 1RB0 QPSK Mid	24.66	24.66	0.00
	WWAN LTE Band 26 (90S) 5MHz 1RB0 QPSK High	24.70	24.65	0.05
	WWAN LTE Band 41 HPUE 15MHz 1RB37 QPSK Mid	26.43	26.36	0.07
	WWAN NR n5 10MHz 1RB1 QPSK Low	25.18	25.02	0.16
	WWAN NR n7 25MHz 1RB1 QPSK High	24.83	24.58	0.25
	WWAN NR n12 15MHz 36RB18 BPSK Low	24.88	24.84	0.04
	WWAN NR n26 5MHz 1RB23 QPSK Low	25.19	24.92	0.27
	WWAN NR n41 HPUE 100MHz 1RB1 QPSK Low	27.15	26.96	0.19
	WWAN NR n77 HPUE 50MHz 1RB1 QPSK Low	27.20	26.93	0.27

Test Item	Mode	ANT	A4RGXQ96 Reference Worst Result	A4RGTF7P Variant Check Result	Difference (dB)
Conducted Power (dBm)	BT (BR 1Mbps CH39)	4	20.69	20.59	0.10
	BLE / BT EDR (BLE 2Mbps CH19)	4	20.20	20.16	0.04
	BLE CS GFSK_DTS (2Mbps CH38)	4	20.50	20.30	0.20
	BLE CS ASK_FHSS (2Mbps CH38)	4	20.29	20.12	0.17
	WiFi 2.4GHz (HE20 CH06 Full RU)	4+3	23.98	23.85	0.13
	WiFi 5GHz (11a CH169)	4+3	22.55	22.29	0.26
	WiFi 6GHz (11a CH049)	4+3	21.69	21.60	0.09



Test Item	Mode	ANT	A4RGXQ96 Reference Worst Result	A4RGTF7P Variant Check Result	Difference (dB)
Field Strength (dBuV/m)	NFC 13.56MHz	-	25.45	23.86	1.59
Radiated Spurious Emission (dBuV/m)	NFC 13.56MHz	-	-3.19	-3.27	0.08
Radiated Spurious Emission (dBm)	WWAN GSM 850 CH189	0	-18.90	-21.23	2.33
	WWAN GSM 1900 CH512	2	-20.77	-22.79	2.02
	WWAN WCDMA Band V CH4132	0	-41.92	-43.94	2.02
	WWAN LTE Band 26 10MHz 1RB0 QPSK High	0	-32.45	-32.71	0.26
	WWAN LTE Band 7 10MHz 1RB0 QPSK High	0	-21.91	-23.47	1.56
	WWAN LTE Band 12 10MHz 1RB0 QPSK Low	1	-32.20	-33.22	1.02
	WWAN LTE Band 26 (90S) 15MHz 1RB0 QPSK Mid	0	-20.42	-22.30	1.88
	WWAN LTE Band 41 HPUE 10MHz 1RB0 QPSK Low	0	-10.25	-11.23	0.98
	WWAN NR n26 20MHz 1RB1 BPSK High	1	-29.65	-31.05	1.40
	WWAN NR n7 20MHz 1RB1 BPSK Low	0	-21.64	-21.87	0.23
	WWAN NR n12 10MHz 1RB1 BPSK Low	1	-35.23	-36.03	0.80
	WWAN NR n26 (90S) 15MHz 1RB1 BPSK Mid	1	-31.65	-33.29	1.64
	WWAN NR n41 20MHz 1RB1 BPSK Mid	2	-12.22	-14.37	2.15
	WWAN NR n77 HPUE (27Q) 20MHz 1RB1 BPSK Low	6	-20.74	-22.69	1.95
		2	-37.09	-39.98	2.89

Test Item	Mode	ANT	A4RGXQ96 Reference Worst Result	A4RGTF7P Variant Check Result	Difference (dB)
Radiated Spurious Emission (dBuV/m)	BT (BR 1Mbps CH78)	4	-16.58	-19.44	2.86
	BLE / BT EDR (BLE 1Mbps CH39)	4	-4.11	-6.08	1.97
	BLE CS GFSK_DTS (2Mbps CH76)	3	-1.95	-2.16	0.21
	BLE CS ASK_FHSS (2Mbps CH76)	3	-10.53	-11.69	1.16
	WiFi 2.4GHz (HE20 CH12 Full RU)	4+3	-1.58	-2.78	1.20
	WiFi 5GHz (HE20 CH136 Full RU)	4+3	-1.52	-2.24	0.72
	WiFi 6GHz (11a CH001)	4+3	-1.89	-2.39	0.50

Note: BLE CS means BLE Channel Sounding.



Reference detail Section

Rule Part	Equipment Class	Wireless Technology	Rule Part & Frequency Band	Reference FCC ID (Parent)	Type Grant/ Permissive Change	Reference Exhibit	Full report referenced	FCC ID Filling (Variant)
15E	6CD	WiFi	§15.407 6GHz	A4RGXQ96	Original Grant	GXQ96_FCC Part 15E_WLAN B5_B7 Standard Client	Y	A4RGTF7P



List of Measuring Equipment

Table with 9 columns: Instrument, Brand Name, Model No., Serial No., Characteristics, Calibration Date, Test Date, Due Date, Remark. It lists various measuring equipment such as antennas, amplifiers, spectrum analyzers, and signal generators.

—THE END—