




MIMO <Ant. 4+3(4)>

EUT Mode


802.11be EHT40 FullIRU

Plot on 5965 MHz




Date: 8.APR.2025 18:28:25

Plot on 6205 MHz




Date: 8.APR.2025 18:31:13

Plot on 6405 MHz



Date: 8.APR.2025 18:35:22


Plot on 6565 MHz




Date: 8.APR.2025 18:39:15



Plot on 6685 MHz



Plot on 6845 MHz






MIMO <Ant. 4+3(3)>

EUT Mode


802.11be EHT40 FullIRU

Plot on 5965 MHz




Date: 8.APR.2025 18:29:36

Plot on 6205 MHz




Date: 8.APR.2025 18:32:13

Plot on 6405 MHz



Date: 8.APR.2025 18:36:21


Plot on 6565 MHz




Date: 8.APR.2025 18:38:09



Plot on 6685 MHz



Plot on 6845 MHz






MIMO <Ant. 4+3(4)>

EUT Mode


802.11be EHT80 FullIRU

Plot on 5985 MHz




Date: 23.APR.2025 11:02:44

Plot on 6225 MHz




Date: 9.APR.2025 11:17:00

Plot on 6385 MHz



Date: 9.APR.2025 11:20:16


Plot on 6625 MHz




Date: 9.APR.2025 11:33:49



Plot on 6705 MHz



Plot on 6785 MHz






EUT Mode


802.11be EHT80 Puncture20 1

Plot on 6385 MHz



Date: 9.APR.2025 15:47:41

Plot on 6785 MHz




Date: 9.APR.2025 16:15:10



EUT Mode


802.11be EHT80 Puncture20 2

Plot on 6225 MHz



Date: 9.APR.2025 15:31:32

Plot on 6705 MHz




Date: 9.APR.2025 16:05:31




EUT Mode

802.11be EHT80 Puncture20 4

Plot on 6225 MHz



Plot on 6705 MHz






EUT Mode


802.11be EHT80 Puncture20 8

Plot on 5985 MHz



Date: 23.APR.2025 11:12:47

Plot on 6625 MHz



Date: 9.APR.2025 15:53:12




MIMO <Ant. 4+3(3)>

EUT Mode


802.11be EHT80 FullIRU

Plot on 5985 MHz




Date: 23.APR.2025 11:01:30

Plot on 6225 MHz




Date: 9.APR.2025 11:18:02

Plot on 6385 MHz



Date: 9.APR.2025 11:22:23



Plot on 6625 MHz



Date: 9.APR.2025 11:37:20

Plot on 6705 MHz

Plot on 6785 MHz






EUT Mode


802.11be EHT80 Puncture20 1

Plot on 6385 MHz



Date: 9.APR.2025 15:48:09

Plot on 6785 MHz




Date: 9.APR.2025 16:15:33



EUT Mode


802.11be EHT80 Puncture20 2

Plot on 6225 MHz



Date: 9.APR.2025 15:31:59

Plot on 6705 MHz




Date: 9.APR.2025 16:06:02



EUT Mode


802.11be EHT80 Puncture20 4

Plot on 6225 MHz



Date: 9.APR.2025 15:19:51

Plot on 6705 MHz




Date: 9.APR.2025 16:00:09




EUT Mode

802.11be EHT80 Puncture20 8

Plot on 5985 MHz



Plot on 6625 MHz






MIMO <Ant. 4+3(4)>


EUT Mode

802.11be EHT160 FullIRU


Plot on 6025 MHz




Plot on 6185 MHz



Plot on 6345 MHz



Plot on 6665 MHz






EUT Mode

802.11be EHT160 Puncture20 1

Plot on 6345 MHz






EUT Mode

802.11be EHT160 Puncture20 16

Plot on 6185 MHz







EUT Mode

802.11be EHT160 Puncture20 128

Plot on 6025 MHz



Plot on 6665 MHz






EUT Mode

802.11be EHT160 Puncture40 3

Plot on 6345 MHz






EUT Mode

802.11be EHT160 Puncture40 48

Plot on 6185 MHz






EUT Mode


802.11be EHT160 Puncture40 192

Plot on 6025 MHz



Date: 23.APR.2025 11:26:42

Plot on 6665 MHz



Date: 9.APR.2025 12:26:15




MIMO <Ant. 4+3(3)>

EUT Mode


802.11be EHT160 FullIRU

Plot on 6025 MHz




Date: 23.APR.2025 11:15:02

Plot on 6185 MHz




Date: 9.APR.2025 12:08:34

Plot on 6345 MHz



Date: 9.APR.2025 12:11:13

Plot on 6665 MHz




Date: 9.APR.2025 12:15:38



EUT Mode

802.11be EHT160 Puncture20 1

Plot on 6345 MHz






EUT Mode

802.11be EHT160 Puncture20 16

Plot on 6185 MHz







EUT Mode

802.11be EHT160 Puncture20 128

Plot on 6025 MHz



Plot on 6665 MHz






EUT Mode

802.11be EHT160 Puncture40 3

Plot on 6345 MHz






EUT Mode

802.11be EHT160 Puncture40 48

Plot on 6185 MHz






EUT Mode


802.11be EHT160 Puncture40 192

Plot on 6025 MHz



Date: 23.APR.2025 11:20:36

Plot on 6665 MHz



Date: 9.APR.2025 12:26:52



Appendix B. AC Conducted Emission Test Results


Test Engineer :	Louis Chung	Temperature :	23.1~24.8℃
		Relative Humidity :	43.3~46.7%

EUT Information

Report NO :
Test Mode :
Test Voltage :
Phase :

4N0920
Mode 1
120Vac/60Hz
Line

Full Spectrum



Final_Result


Frequency (MHz)	QuasiPeak (dBuV)	CAverage (dBuV)	Limit (dBuV)	Margin (dB)	Line	Filter	Corr. (dB)
0.159000	---	29.40	55.52	26.12	L1	OFF	19.8
0.159000	48.60	---	65.52	16.92	L1	OFF	19.8
0.195000	---	26.64	53.82	27.18	L1	OFF	19.8
0.195000	43.42	---	63.82	20.40	L1	OFF	19.8
0.213000	---	27.31	53.09	25.78	L1	OFF	19.8
0.213000	42.75	---	63.09	20.34	L1	OFF	19.8
0.237750	---	22.16	52.17	30.01	L1	OFF	19.8
0.237750	38.81	---	62.17	23.36	L1	OFF	19.8
0.264750	---	17.78	51.28	33.50	L1	OFF	19.8
0.264750	31.16	---	61.28	30.12	L1	OFF	19.8
0.411000	---	27.29	47.63	20.34	L1	OFF	19.8
0.411000	35.84	---	57.63	21.79	L1	OFF	19.8
0.550500	---	21.09	46.00	24.91	L1	OFF	19.8
0.550500	32.17	---	56.00	23.83	L1	OFF	19.8
0.685500	---	14.79	46.00	31.21	L1	OFF	19.8
0.685500	35.42	---	56.00	20.58	L1	OFF	19.8
0.784500	---	14.23	46.00	31.77	L1	OFF	19.8
0.784500	32.16	---	56.00	23.84	L1	OFF	19.8
1.099500	---	13.98	46.00	32.02	L1	OFF	19.8

1.099500	34.23	---	56.00	21.77	L1	OFF	19.8
1.178250	---	14.28	46.00	31.72	L1	OFF	19.8
1.178250	35.51	---	56.00	20.49	L1	OFF	19.8
1.308750	---	12.92	46.00	33.08	L1	OFF	19.8
1.308750	32.95	---	56.00	23.05	L1	OFF	19.8
12.943500	---	25.79	50.00	24.21	L1	OFF	20.3
12.943500	32.99	---	60.00	27.01	L1	OFF	20.3
21.790500	---	22.30	50.00	27.70	L1	OFF	20.7
21.790500	27.62	---	60.00	32.38	L1	OFF	20.7

EUT Information

Report NO : 4N0920
Test Mode : Mode 1
Test Voltage : 120Vac/60Hz
Phase : Neutral

Full Spectrum



Final_Result

Frequency (MHz)	QuasiPeak (dBuV)	CAverage (dBuV)	Limit (dBuV)	Margin (dB)	Line	PE	Corr. (dB)
0.152160	41.55	---	65.88	24.33	N	FLO	20.0
0.152160	---	24.81	55.88	31.07	N	FLO	20.0
0.181500	45.70	---	64.42	18.72	N	FLO	20.0
0.181500	---	29.11	54.42	25.31	N	FLO	20.0
0.184740	42.39	---	64.27	21.88	N	FLO	20.0
0.184740	---	26.37	54.27	27.90	N	FLO	20.0
0.206250	30.18	---	63.36	33.18	N	FLO	20.0
0.206250	---	17.50	53.36	35.86	N	FLO	20.0
0.239460	39.60	---	62.12	22.52	N	FLO	20.0
0.239460	---	25.47	52.12	26.65	N	FLO	20.0
0.391470	35.47	---	58.03	22.56	N	FLO	20.0
0.391470	---	20.51	48.03	27.52	N	FLO	20.0
0.528000	30.33	---	56.00	25.67	N	FLO	20.0
0.528000	---	17.03	46.00	28.97	N	FLO	20.0
0.683250	33.95	---	56.00	22.05	N	FLO	20.0
0.683250	---	20.81	46.00	25.19	N	FLO	20.0
0.793500	29.93	---	56.00	26.07	N	FLO	20.0
0.793500	---	17.42	46.00	28.58	N	FLO	20.0
1.182750	34.81	---	56.00	21.19	N	FLO	20.0

1.182750	---	17.52	46.00	28.48	N	FLO	20.0
13.022250	32.12	---	60.00	27.88	N	FLO	20.5
13.022250	---	25.67	50.00	24.33	N	FLO	20.5
27.669750	26.23	---	60.00	33.77	N	FLO	21.0
27.669750	---	22.51	50.00	27.49	N	FLO	21.0



Appendix C. Radiated Spurious Emission Test Data

Test Engineer :	John Chuang, David Dai and Sam Chou	Temperature :	19.1~20.1°C
		Relative Humidity :	65~69.8%



C1. Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	U-NII-5	5.925-6.425	4+3	802.11a	1	5955	6Mbps	-	-
Mode 2	U-NII-5	5.925-6.425	4+3	802.11a	49	6195	6Mbps	-	-
Mode 3	U-NII-5	5.925-6.425	4+3	802.11a	93	6415	6Mbps	-	-
Mode 4	U-NII-5	5.925-6.425	4+3	802.11be EHT20	1	5955	MCS0	Full RU	-
Mode 5	U-NII-5	5.925-6.425	4+3	802.11be EHT20	1	5955	MCS0	Partial_26/0RU	-
Mode 6	U-NII-5	5.925-6.425	4+3	802.11be EHT20	1	5955	MCS0	Partial_52/37RU	-
Mode 7	U-NII-5	5.925-6.425	4+3	802.11be EHT20	1	5955	MCS0	Partial_106/53RU	-
Mode 8	U-NII-5	5.925-6.425	4+3	802.11be EHT20	49	6195	MCS0	Full RU	-
Mode 9	U-NII-5	5.925-6.425	4+3	802.11be EHT20	93	6415	MCS0	Full RU	-
Mode 10	U-NII-5	5.925-6.425	4+3	802.11be EHT40	3	5965	MCS0	Full RU	-
Mode 11	U-NII-5	5.925-6.425	4+3	802.11be EHT40	51	6205	MCS0	Full RU	-



Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 12	U-NII-5	5.925-6.425	4+3	802.11be EHT40	91	6405	MCS0	Full RU	-
Mode 13	U-NII-5	5.925-6.425	4+3	802.11be EHT80	7	5985	MCS0	Full RU	-
Mode 14	U-NII-5	5.925-6.425	4+3	802.11be EHT80	55	6225	MCS0	Full RU	-
Mode 15	U-NII-5	5.925-6.425	4+3	802.11be EHT80	87	6385	MCS0	Full RU	-
Mode 16	U-NII-5	5.925-6.425	4+3	802.11be EHT160	15	6025	MCS0	Full RU	-
Mode 17	U-NII-5	5.925-6.425	4+3	802.11be EHT160	47	6185	MCS0	Full RU	-
Mode 18	U-NII-5	5.925-6.425	4+3	802.11be EHT160	79	6345	MCS0	Full RU	-
Mode 19	U-NII-7	6.525-6.875	4+3	802.11a	117	6535	6Mbps	-	-
Mode 20	U-NII-7	6.525-6.875	4+3	802.11a	149	6695	6Mbps	-	-
Mode 21	U-NII-7	6.525-6.875	4+3	802.11a	181	6855	6Mbps	-	-
Mode 22	U-NII-7	6.525-6.875	4+3	802.11be EHT20	117	6535	MCS0	Full RU	-



Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 23	U-NII-7	6.525-6.875	4+3	802.11be EHT20	149	6695	MCS0	Full RU	-
Mode 24	U-NII-7	6.525-6.875	4+3	802.11be EHT20	181	6855	MCS0	Full RU	-
Mode 25	U-NII-7	6.525-6.875	4+3	802.11be EHT40	123	6565	MCS0	Full RU	-
Mode 26	U-NII-7	6.525-6.875	4+3	802.11be EHT40	147	6685	MCS0	Full RU	-
Mode 27	U-NII-7	6.525-6.875	4+3	802.11be EHT40	179	6845	MCS0	Full RU	-
Mode 28	U-NII-7	6.525-6.875	4+3	802.11be EHT80	135	6625	MCS0	Full RU	-
Mode 29	U-NII-7	6.525-6.875	4+3	802.11be EHT80	151	6705	MCS0	Full RU	-
Mode 30	U-NII-7	6.525-6.875	4+3	802.11be EHT80	167	6785	MCS0	Full RU	-
Mode 31	U-NII-7	6.525-6.875	4+3	802.11be EHT160	143	6665	MCS0	Full RU	-
Mode 32	U-NII-5	5.925-6.425	4+3	802.11be EHT160	15	6025	MCS0	Full RU	LF



C2. Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
1	802.11a	1	5924.97	57.53	68.20	-10.67	V	Avg.	Pass	-	Band Edge
	802.11a	1	17865.00	46.33	54.00	-7.67	H	Avg.	Pass	-	Harmonic
2	802.11a	49	-	-	-	-	-	-	-	-	Band Edge
	802.11a	49	12390.00	40.67	54.00	-13.33	V	Avg.	Pass	-	Harmonic
3	802.11a	93	-	-	-	-	-	-	-	-	Band Edge
	802.11a	93	19245.00	41.09	54.00	-12.91	H	Avg.	Pass	-	Harmonic
4	802.11be EHT20	1	5924.97	58.18	68.20	-10.02	V	Avg.	Pass	Full RU	Band Edge
	802.11be EHT20	1	17865.00	46.29	54.00	-7.71	V	Avg.	Pass	Full RU	Harmonic
5	802.11be EHT20	1	5913.14	57.66	68.20	-10.54	V	Avg.	Pass	Partial_26/0RU	Band Edge
	802.11be EHT20	1	-	-	-	-	-	-	-	Partial_26/0RU	Harmonic
6	802.11be EHT20	1	5918.60	54.80	68.20	-13.40	V	Avg.	Pass	Partial_52/37RU	Band Edge



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
6	802.11be EHT20	1	-	-	-	-	-	-	-	Partial_52/37RU	Harmonic
7	802.11be EHT20	1	5923.67	54.82	68.20	-13.38	V	Avg.	Pass	Partial_106/53RU	Band Edge
	802.11be EHT20	1	-	-	-	-	-	-	-	Partial_106/53RU	Harmonic
8	802.11be EHT20	49	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11be EHT20	49	12390.00	40.66	54.00	-13.34	V	Avg.	Pass	Full RU	Harmonic
9	802.11be EHT20	93	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11be EHT20	93	19245.00	36.93	54.00	-17.07	H	Avg.	Pass	Full RU	Harmonic
10	802.11be EHT40	3	5924.96	64.38	68.20	-3.82	V	Avg.	Pass	Full RU	Band Edge
	802.11be EHT40	3	11930.00	40.63	54.00	-13.37	V	Avg.	Pass	Full RU	Harmonic
11	802.11be EHT40	51	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11be EHT40	51	12410.00	40.84	54.00	-13.16	H	Avg.	Pass	Full RU	Harmonic



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
12	802.11be EHT40	91	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11be EHT40	91	19215.00	35.08	54.00	-18.92	H	Avg.	Pass	Full RU	Harmonic
13	802.11be EHT80	7	5923.56	65.19	68.20	-3.01	V	Avg.	Pass	Full RU	Band Edge
	802.11be EHT80	7	17955.00	48.11	54.00	-5.89	V	Avg.	Pass	Full RU	Harmonic
14	802.11be EHT80	55	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11be EHT80	55	12450.00	41.59	54.00	-12.41	H	Avg.	Pass	Full RU	Harmonic
15	802.11be EHT80	87	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11be EHT80	87	19155.00	42.10	54.00	-11.90	H	Avg.	Pass	Full RU	Harmonic
16	802.11be EHT160	15	5908.80	65.75	68.20	-2.45	V	Avg.	Pass	Full RU	Band Edge
	802.11be EHT160	15	12050.00	42.47	54.00	-11.53	V	Avg.	Pass	Full RU	Harmonic
17	802.11be EHT160	47	-	-	-	-	-	-	-	Full RU	Band Edge



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
17	802.11be EHT160	47	12370.00	42.20	54.00	-11.80	H	Avg.	Pass	Full RU	Harmonic
18	802.11be EHT160	79	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11be EHT160	79	12690.00	42.49	54.00	-11.51	V	Avg.	Pass	Full RU	Harmonic
19	802.11a	117	-	-	-	-	-	-	-	-	Band Edge
	802.11a	117	19605.00	41.16	54.00	-12.84	H	Avg.	Pass	-	Harmonic
20	802.11a	149	-	-	-	-	-	-	-	-	Band Edge
	802.11a	149	13390.00	42.05	54.00	-11.95	V	Avg.	Pass	-	Harmonic
21	802.11a	181	-	-	-	-	-	-	-	-	Band Edge
	802.11a	181	20565.00	38.19	54.00	-15.81	H	Avg.	Pass	-	Harmonic
22	802.11be EHT20	117	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11be EHT20	117	19605.00	40.64	54.00	-13.36	H	Avg.	Pass	Full RU	Harmonic







Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
23	802.11be EHT20	149	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11be EHT20	149	20085.00	45.65	54.00	-8.35	H	Avg.	Pass	Full RU	Harmonic
24	802.11be EHT20	181	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11be EHT20	181	20565.00	38.14	54.00	-15.86	V	Avg.	Pass	Full RU	Harmonic
25	802.11be EHT40	123	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11be EHT40	123	19695.00	40.78	54.00	-13.22	H	Avg.	Pass	Full RU	Harmonic
26	802.11be EHT40	147	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11be EHT40	147	13370.00	41.85	54.00	-12.15	H	Avg.	Pass	Full RU	Harmonic
27	802.11be EHT40	179	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11be EHT40	179	20535.00	32.08	54.00	-21.92	H	Avg.	Pass	Full RU	Harmonic
28	802.11be EHT80	135	-	-	-	-	-	-	-	Full RU	Band Edge



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
28	802.11be EHT80	135	13250.00	43.06	54.00	-10.94	V	Avg.	Pass	Full RU	Harmonic
29	802.11be EHT80	151	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11be EHT80	151	20115.00	32.89	54.00	-21.11	V	Avg.	Pass	Full RU	Harmonic
30	802.11be EHT80	167	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11be EHT80	167	20355.00	40.85	74.00	-33.15	V	Peak	Pass	Full RU	Harmonic
31	802.11be EHT160	143	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11be EHT160	143	13330.00	42.92	54.00	-11.08	H	Avg.	Pass	Full RU	Harmonic
32	LF	15	93.05	35.57	43.50	-7.93	V	Peak	Pass	-	LF





Mode	1																																																																																												
	Band Edge																																																																																												
	U-NII-5_5.925-6.425_802.11a_CH1_5955MHz																																																																																												
ANT	4+3																																																																																												
Pol.	Horizontal						Fundamental																																																																																						
Peak																																																																																													
	Site : 03CH20-HY Condition: PEAK_BE(UNII)_6E 3m HF_91200_02360_241101 HORIZONTAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5924.71</td><td>68.38</td><td>88.20</td><td>-19.82</td><td>58.23</td><td>34.30</td><td>13.78</td><td>37.93</td><td>0.00</td><td>100</td><td>301</td><td>PEAK</td></tr></tbody></table>							Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5924.71	68.38	88.20	-19.82	58.23	34.30	13.78	37.93	0.00	100	301	PEAK	Site : 03CH20-HY Condition: PEAK(UNII)_6E 3m HF_91200_02360_241101 HORIZONTAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>108.13</td><td>-----</td><td>-----</td><td>97.96</td><td>34.28</td><td>13.82</td><td>37.93</td><td>0.00</td><td>100</td><td>301</td><td>PEAK</td></tr></tbody></table>							Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5955.00	108.13	-----	-----	97.96	34.28	13.82	37.93	0.00	100	301
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																	
1	5924.71	68.38	88.20	-19.82	58.23	34.30	13.78	37.93	0.00	100	301	PEAK																																																																																	
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																	
1	5955.00	108.13	-----	-----	97.96	34.28	13.82	37.93	0.00	100	301	PEAK																																																																																	
Avg																																																																																													
	Site : 03CH20-HY Condition: AVG_BE(UNII)_6E 3m HF_91200_02360_241101 HORIZONTAL : RBW:1000.000kHz VBN:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5924.97</td><td>56.39</td><td>68.20</td><td>-11.81</td><td>46.24</td><td>34.30</td><td>13.78</td><td>37.93</td><td>0.00</td><td>100</td><td>301</td><td>AVERAGE</td></tr></tbody></table>							Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5924.97	56.39	68.20	-11.81	46.24	34.30	13.78	37.93	0.00	100	301	AVERAGE	Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91200_02360_241101 HORIZONTAL : RBW:1000.000kHz VBN:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>102.71</td><td>-----</td><td>-----</td><td>92.54</td><td>34.28</td><td>13.82</td><td>37.93</td><td>0.00</td><td>100</td><td>301</td><td>AVERAGE</td></tr></tbody></table>							Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5955.00	102.71	-----	-----	92.54	34.28	13.82	37.93	0.00	100	301
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																	
1	5924.97	56.39	68.20	-11.81	46.24	34.30	13.78	37.93	0.00	100	301	AVERAGE																																																																																	
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																	
1	5955.00	102.71	-----	-----	92.54	34.28	13.82	37.93	0.00	100	301	AVERAGE																																																																																	





		1																																																																										
Mode	Band Edge																																																																											
	U-NII-5_5.925-6.425_802.11a_CH1_5955MHz																																																																											
ANT	4+3																																																																											
Pol.	Vertical						Fundamental																																																																					
Peak																																																																												
	Site : 03CH20-HY Condition: PEAK_BE(UNII)_6E 3m HF_91200_02360_241101 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><td>1 5924.84</td><td>68.95</td><td>88.20</td><td>-19.25</td><td>58.80</td><td>34.30</td><td>13.78</td><td>37.93</td><td>0.00</td><td>100</td><td>75 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			1 5924.84	68.95	88.20	-19.25	58.80	34.30	13.78	37.93	0.00	100	75 PEAK	Site : 03CH20-HY Condition: PEAK(UNII)_6E 3m HF_91200_02360_241101 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><td>1 5955.00</td><td>112.42</td><td>-----</td><td>-----</td><td>102.26</td><td>34.26</td><td>13.83</td><td>37.93</td><td>0.00</td><td>100</td><td>75 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			1 5955.00	112.42	-----	-----	102.26	34.26	13.83	37.93	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																				
1 5924.84	68.95	88.20	-19.25	58.80	34.30	13.78	37.93	0.00	100	75 PEAK																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																				
1 5955.00	112.42	-----	-----	102.26	34.26	13.83	37.93	0.00	100	75 PEAK																																																																		
Avg																																																																												
	Site : 03CH20-HY Condition: AVG_BE(UNII)_6E 3m HF_91200_02360_241101 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><td>1 5924.97</td><td>57.53</td><td>68.20</td><td>-10.67</td><td>47.38</td><td>34.30</td><td>13.78</td><td>37.93</td><td>0.00</td><td>100</td><td>75 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			1 5924.97	57.53	68.20	-10.67	47.38	34.30	13.78	37.93	0.00	100	75 AVERAGE	Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91200_02360_241101 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><td>1 5955.00</td><td>105.35</td><td>-----</td><td>-----</td><td>95.18</td><td>34.28</td><td>13.82</td><td>37.93</td><td>0.00</td><td>100</td><td>75 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			1 5955.00	105.35	-----	-----	95.18	34.28	13.82	37.93	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																				
1 5924.97	57.53	68.20	-10.67	47.38	34.30	13.78	37.93	0.00	100	75 AVERAGE																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																				
1 5955.00	105.35	-----	-----	95.18	34.28	13.82	37.93	0.00	100	75 AVERAGE																																																																		





Mode	1																																																																																																																																																																																																																											
	Harmonic																																																																																																																																																																																																																											
	U-NII-5_5.925-6.425_802.11a_CH1_5955MHz																																																																																																																																																																																																																											
ANT	4+3																																																																																																																																																																																																																											
Pol.	Horizontal	Vertical																																																																																																																																																																																																																										
Peak Avg	 Site : 03CH20-HY Condition: PEAK(UNII)_6E 1m BBHA9170_1223_240624 HORIZONTAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11910.00</td><td>52.08</td><td>74.00</td><td>-21.92</td><td>36.01</td><td>39.00</td><td>19.77</td><td>42.00</td><td>0.10</td><td>251</td><td>30</td><td>PEAK</td></tr><tr><td>2</td><td>11910.00</td><td>40.61</td><td>54.00</td><td>-13.39</td><td>24.54</td><td>39.00</td><td>19.77</td><td>42.00</td><td>0.10</td><td>251</td><td>30</td><td>Average</td></tr><tr><td>3</td><td>17865.00</td><td>56.99</td><td>74.00</td><td>-17.01</td><td>35.50</td><td>42.05</td><td>24.44</td><td>45.30</td><td>0.30</td><td>100</td><td>332</td><td>PEAK</td></tr><tr><td>4</td><td>17865.00</td><td>46.33</td><td>54.00</td><td>-7.67</td><td>24.84</td><td>42.05</td><td>24.44</td><td>45.30</td><td>0.30</td><td>100</td><td>332</td><td>Average</td></tr><tr><td>5</td><td>29775.00</td><td>49.22</td><td>88.20</td><td>-38.98</td><td>48.73</td><td>40.20</td><td>31.82</td><td>61.99</td><td>-9.54</td><td>160</td><td>326</td><td>Peak</td></tr><tr><td>6</td><td>29775.00</td><td>38.25</td><td>68.20</td><td>-29.95</td><td>37.76</td><td>40.20</td><td>31.82</td><td>61.99</td><td>-9.54</td><td>160</td><td>326</td><td>Average</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11910.00	52.08	74.00	-21.92	36.01	39.00	19.77	42.00	0.10	251	30	PEAK	2	11910.00	40.61	54.00	-13.39	24.54	39.00	19.77	42.00	0.10	251	30	Average	3	17865.00	56.99	74.00	-17.01	35.50	42.05	24.44	45.30	0.30	100	332	PEAK	4	17865.00	46.33	54.00	-7.67	24.84	42.05	24.44	45.30	0.30	100	332	Average	5	29775.00	49.22	88.20	-38.98	48.73	40.20	31.82	61.99	-9.54	160	326	Peak	6	29775.00	38.25	68.20	-29.95	37.76	40.20	31.82	61.99	-9.54	160	326	Average	 Site : 03CH20-HY Condition: PEAK(UNII)_6E 1m BBHA9170_1223_240624 VERTICAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11910.00</td><td>50.49</td><td>74.00</td><td>-23.51</td><td>34.42</td><td>39.00</td><td>19.77</td><td>42.00</td><td>0.10</td><td>400</td><td>99</td><td>PEAK</td></tr><tr><td>2</td><td>11910.00</td><td>40.62</td><td>54.00</td><td>-13.38</td><td>24.55</td><td>39.00</td><td>19.77</td><td>42.00</td><td>0.10</td><td>400</td><td>99</td><td>Average</td></tr><tr><td>3</td><td>17865.00</td><td>56.08</td><td>74.00</td><td>-17.92</td><td>34.59</td><td>42.05</td><td>24.44</td><td>45.30</td><td>0.30</td><td>300</td><td>141</td><td>PEAK</td></tr><tr><td>4</td><td>17865.00</td><td>46.32</td><td>54.00</td><td>-7.68</td><td>24.83</td><td>42.05</td><td>24.44</td><td>45.30</td><td>0.30</td><td>300</td><td>141</td><td>Average</td></tr><tr><td>5</td><td>29775.00</td><td>48.21</td><td>88.20</td><td>-39.99</td><td>47.72</td><td>40.20</td><td>31.82</td><td>61.99</td><td>-9.54</td><td>164</td><td>323</td><td>Peak</td></tr><tr><td>6</td><td>29775.00</td><td>37.57</td><td>68.20</td><td>-30.63</td><td>37.00</td><td>40.20</td><td>31.82</td><td>61.99</td><td>-9.54</td><td>164</td><td>323</td><td>Average</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11910.00	50.49	74.00	-23.51	34.42	39.00	19.77	42.00	0.10	400	99	PEAK	2	11910.00	40.62	54.00	-13.38	24.55	39.00	19.77	42.00	0.10	400	99	Average	3	17865.00	56.08	74.00	-17.92	34.59	42.05	24.44	45.30	0.30	300	141	PEAK	4	17865.00	46.32	54.00	-7.68	24.83	42.05	24.44	45.30	0.30	300	141	Average	5	29775.00	48.21	88.20	-39.99	47.72	40.20	31.82	61.99	-9.54	164	323	Peak	6	29775.00	37.57	68.20	-30.63	37.00	40.20	31.82	61.99	-9.54	164	323	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																																																		
1	11910.00	52.08	74.00	-21.92	36.01	39.00	19.77	42.00	0.10	251	30	PEAK																																																																																																																																																																																																																
2	11910.00	40.61	54.00	-13.39	24.54	39.00	19.77	42.00	0.10	251	30	Average																																																																																																																																																																																																																
3	17865.00	56.99	74.00	-17.01	35.50	42.05	24.44	45.30	0.30	100	332	PEAK																																																																																																																																																																																																																
4	17865.00	46.33	54.00	-7.67	24.84	42.05	24.44	45.30	0.30	100	332	Average																																																																																																																																																																																																																
5	29775.00	49.22	88.20	-38.98	48.73	40.20	31.82	61.99	-9.54	160	326	Peak																																																																																																																																																																																																																
6	29775.00	38.25	68.20	-29.95	37.76	40.20	31.82	61.99	-9.54	160	326	Average																																																																																																																																																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																																																		
1	11910.00	50.49	74.00	-23.51	34.42	39.00	19.77	42.00	0.10	400	99	PEAK																																																																																																																																																																																																																
2	11910.00	40.62	54.00	-13.38	24.55	39.00	19.77	42.00	0.10	400	99	Average																																																																																																																																																																																																																
3	17865.00	56.08	74.00	-17.92	34.59	42.05	24.44	45.30	0.30	300	141	PEAK																																																																																																																																																																																																																
4	17865.00	46.32	54.00	-7.68	24.83	42.05	24.44	45.30	0.30	300	141	Average																																																																																																																																																																																																																
5	29775.00	48.21	88.20	-39.99	47.72	40.20	31.82	61.99	-9.54	164	323	Peak																																																																																																																																																																																																																
6	29775.00	37.57	68.20	-30.63	37.00	40.20	31.82	61.99	-9.54	164	323	Average																																																																																																																																																																																																																





Mode	1	
	Harmonic	
	U-NII-5_5.925-6.425_802.11a_CH1_5955MHz	
ANT	4+3	
Pol.	Horizontal	Vertical
17G ~18G Avg	 Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91200_02360_241101 HORIZONTAL	 Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91200_02360_241101 VERTICAL





Mode	2																																					
	Band Edge																																					
	U-NII-5_5.925-6.425_802.11a_CH49_6195MHz																																					
ANT	4+3																																					
Pol.	Horizontal	Fundamental																																				
Peak	Blank	 Site : 03CH20-HY Condition: PEAK(UNII)_6E 3m HF_91200_02360_241101 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 6195.00 110.50 -----</td><td>100.07</td><td>34.29</td><td>14.08</td><td>37.94</td><td>0.00</td><td>282</td><td>21</td><td>PEAK</td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Factor		MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg									1 6195.00 110.50 -----	100.07	34.29	14.08	37.94	0.00	282	21	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																														
Freq Level Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Factor																															
MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg																																						
1 6195.00 110.50 -----	100.07	34.29	14.08	37.94	0.00	282	21	PEAK																														
Avg	Blank	 Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91200_02360_241101 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 6195.00 104.14 -----</td><td>93.71</td><td>34.29</td><td>14.08</td><td>37.94</td><td>0.00</td><td>282</td><td>21</td><td>AVERAGE</td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Factor		MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg									1 6195.00 104.14 -----	93.71	34.29	14.08	37.94	0.00	282	21	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																														
Freq Level Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Factor																															
MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg																																						
1 6195.00 104.14 -----	93.71	34.29	14.08	37.94	0.00	282	21	AVERAGE																														





Mode	2																																					
	Band Edge																																					
	U-NII-5_5.925-6.425_802.11a_CH49_6195MHz																																					
ANT	4+3																																					
Pol.	Vertical	Fundamental																																				
Peak	Blank	 Site : 03CH20-HY Condition: PEAK(UNII)_6E 3m HF_91200_02360_241101 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 6195.00 111.95 -----</td><td>101.52</td><td>34.29</td><td>14.08</td><td>37.94</td><td>0.00</td><td>100</td><td>296</td><td>PEAK</td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Factor		MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg									1 6195.00 111.95 -----	101.52	34.29	14.08	37.94	0.00	100	296	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																												
Freq Level Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Factor																															
MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg																																						
1 6195.00 111.95 -----	101.52	34.29	14.08	37.94	0.00	100	296	PEAK																														
Avg	Blank	 Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91200_02360_241101 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 6195.00 105.41 -----</td><td>94.98</td><td>34.29</td><td>14.08</td><td>37.94</td><td>0.00</td><td>100</td><td>296</td><td>AVERAGE</td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Factor		MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg									1 6195.00 105.41 -----	94.98	34.29	14.08	37.94	0.00	100	296	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																												
Freq Level Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Factor																															
MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg																																						
1 6195.00 105.41 -----	94.98	34.29	14.08	37.94	0.00	100	296	AVERAGE																														





Mode	2																																																																																																																																																																																																																													
	Harmonic																																																																																																																																																																																																																													
	U-NII-5_5.925-6.425_802.11a_CH49_6195MHz																																																																																																																																																																																																																													
ANT	4+3																																																																																																																																																																																																																													
Pol.	Horizontal	Vertical																																																																																																																																																																																																																												
Peak Avg	 Site : 03CH20-HY Condition: PEAK(UNII)_6E 1m BBHA9170_1223_240624 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1 12390.00</td><td>51.18</td><td>74.00</td><td>-22.82</td><td>34.87</td><td>38.94</td><td>20.17</td><td>42.92</td><td>0.12</td><td>215</td></tr><tr><td>2 12390.00</td><td>40.65</td><td>54.00</td><td>-13.35</td><td>24.34</td><td>38.94</td><td>20.17</td><td>42.92</td><td>0.12</td><td>215</td></tr><tr><td>3 18585.00</td><td>50.35</td><td>74.00</td><td>-23.65</td><td>60.41</td><td>38.30</td><td>24.96</td><td>63.78</td><td>-9.54</td><td>146</td></tr><tr><td>4 18585.00</td><td>39.13</td><td>54.00</td><td>-14.87</td><td>49.19</td><td>38.30</td><td>24.96</td><td>63.78</td><td>-9.54</td><td>146</td></tr><tr><td>5 24780.00</td><td>42.24</td><td>88.20</td><td>-45.96</td><td>43.68</td><td>39.34</td><td>28.97</td><td>60.21</td><td>-9.54</td><td>160</td></tr><tr><td>6 24780.00</td><td>32.02</td><td>68.20</td><td>-36.18</td><td>33.46</td><td>39.34</td><td>28.97</td><td>60.21</td><td>-9.54</td><td>160</td></tr><tr><td>7 30975.00</td><td>49.41</td><td>88.20</td><td>-38.79</td><td>47.78</td><td>40.35</td><td>32.61</td><td>61.79</td><td>-9.54</td><td>159</td></tr><tr><td>8 30975.00</td><td>39.13</td><td>68.20</td><td>-29.07</td><td>37.50</td><td>40.35</td><td>32.61</td><td>61.79</td><td>-9.54</td><td>159</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1 12390.00	51.18	74.00	-22.82	34.87	38.94	20.17	42.92	0.12	215	2 12390.00	40.65	54.00	-13.35	24.34	38.94	20.17	42.92	0.12	215	3 18585.00	50.35	74.00	-23.65	60.41	38.30	24.96	63.78	-9.54	146	4 18585.00	39.13	54.00	-14.87	49.19	38.30	24.96	63.78	-9.54	146	5 24780.00	42.24	88.20	-45.96	43.68	39.34	28.97	60.21	-9.54	160	6 24780.00	32.02	68.20	-36.18	33.46	39.34	28.97	60.21	-9.54	160	7 30975.00	49.41	88.20	-38.79	47.78	40.35	32.61	61.79	-9.54	159	8 30975.00	39.13	68.20	-29.07	37.50	40.35	32.61	61.79	-9.54	159	 Site : 03CH20-HY Condition: PEAK(UNII)_6E 1m BBHA9170_1223_240624 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1 12390.00</td><td>51.11</td><td>74.00</td><td>-22.89</td><td>34.00</td><td>38.94</td><td>20.17</td><td>42.92</td><td>0.12</td><td>100</td></tr><tr><td>2 12390.00</td><td>40.67</td><td>54.00</td><td>-13.33</td><td>24.36</td><td>38.94</td><td>20.17</td><td>42.92</td><td>0.12</td><td>100</td></tr><tr><td>3 18585.00</td><td>48.56</td><td>74.00</td><td>-25.44</td><td>58.62</td><td>38.30</td><td>24.96</td><td>63.78</td><td>-9.54</td><td>142</td></tr><tr><td>4 18585.00</td><td>37.72</td><td>54.00</td><td>-16.28</td><td>47.78</td><td>38.30</td><td>24.96</td><td>63.78</td><td>-9.54</td><td>142</td></tr><tr><td>5 24780.00</td><td>43.30</td><td>88.20</td><td>-44.90</td><td>44.74</td><td>39.34</td><td>28.97</td><td>60.21</td><td>-9.54</td><td>160</td></tr><tr><td>6 24780.00</td><td>33.92</td><td>68.20</td><td>-34.28</td><td>35.36</td><td>39.34</td><td>28.97</td><td>60.21</td><td>-9.54</td><td>160</td></tr><tr><td>7 30975.00</td><td>50.70</td><td>88.20</td><td>-37.50</td><td>49.07</td><td>40.35</td><td>32.61</td><td>61.79</td><td>-9.54</td><td>156</td></tr><tr><td>8 30975.00</td><td>40.35</td><td>68.20</td><td>-27.85</td><td>38.72</td><td>40.35</td><td>32.61</td><td>61.79</td><td>-9.54</td><td>156</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1 12390.00	51.11	74.00	-22.89	34.00	38.94	20.17	42.92	0.12	100	2 12390.00	40.67	54.00	-13.33	24.36	38.94	20.17	42.92	0.12	100	3 18585.00	48.56	74.00	-25.44	58.62	38.30	24.96	63.78	-9.54	142	4 18585.00	37.72	54.00	-16.28	47.78	38.30	24.96	63.78	-9.54	142	5 24780.00	43.30	88.20	-44.90	44.74	39.34	28.97	60.21	-9.54	160	6 24780.00	33.92	68.20	-34.28	35.36	39.34	28.97	60.21	-9.54	160	7 30975.00	50.70	88.20	-37.50	49.07	40.35	32.61	61.79	-9.54	156	8 30975.00	40.35	68.20	-27.85	38.72	40.35	32.61	61.79	-9.54	156
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																																																																																																																																																					
1 12390.00	51.18	74.00	-22.82	34.87	38.94	20.17	42.92	0.12	215																																																																																																																																																																																																																					
2 12390.00	40.65	54.00	-13.35	24.34	38.94	20.17	42.92	0.12	215																																																																																																																																																																																																																					
3 18585.00	50.35	74.00	-23.65	60.41	38.30	24.96	63.78	-9.54	146																																																																																																																																																																																																																					
4 18585.00	39.13	54.00	-14.87	49.19	38.30	24.96	63.78	-9.54	146																																																																																																																																																																																																																					
5 24780.00	42.24	88.20	-45.96	43.68	39.34	28.97	60.21	-9.54	160																																																																																																																																																																																																																					
6 24780.00	32.02	68.20	-36.18	33.46	39.34	28.97	60.21	-9.54	160																																																																																																																																																																																																																					
7 30975.00	49.41	88.20	-38.79	47.78	40.35	32.61	61.79	-9.54	159																																																																																																																																																																																																																					
8 30975.00	39.13	68.20	-29.07	37.50	40.35	32.61	61.79	-9.54	159																																																																																																																																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																																																																																																																																																					
1 12390.00	51.11	74.00	-22.89	34.00	38.94	20.17	42.92	0.12	100																																																																																																																																																																																																																					
2 12390.00	40.67	54.00	-13.33	24.36	38.94	20.17	42.92	0.12	100																																																																																																																																																																																																																					
3 18585.00	48.56	74.00	-25.44	58.62	38.30	24.96	63.78	-9.54	142																																																																																																																																																																																																																					
4 18585.00	37.72	54.00	-16.28	47.78	38.30	24.96	63.78	-9.54	142																																																																																																																																																																																																																					
5 24780.00	43.30	88.20	-44.90	44.74	39.34	28.97	60.21	-9.54	160																																																																																																																																																																																																																					
6 24780.00	33.92	68.20	-34.28	35.36	39.34	28.97	60.21	-9.54	160																																																																																																																																																																																																																					
7 30975.00	50.70	88.20	-37.50	49.07	40.35	32.61	61.79	-9.54	156																																																																																																																																																																																																																					
8 30975.00	40.35	68.20	-27.85	38.72	40.35	32.61	61.79	-9.54	156																																																																																																																																																																																																																					





Mode	2	
	Harmonic	
	U-NII-5_5.925-6.425_802.11a_CH49_6195MHz	
ANT	4+3	
Pol.	Horizontal	Vertical
17G ~18G Avg	 Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91200_02360_241101 HORIZONTAL	 Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91200_02360_241101 VERTICAL





Mode	3																																									
	Band Edge																																									
	U-NII-5_5.925-6.425_802.11a_CH93_6415MHz																																									
ANT	4+3																																									
Pol.	Horizontal	Fundamental																																								
Peak	Blank	 Site : 03CH20-HY Condition: PEAK(UNII)_6E 3m HF_91200_02360_241101 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>6415.00</td><td>111.96</td><td>-----</td><td>100.71</td><td>34.88</td><td>14.32</td><td>37.95</td><td>0.00</td><td>300 71 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	6415.00	111.96	-----	100.71	34.88	14.32	37.95	0.00	300 71 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																	
1	6415.00	111.96	-----	100.71	34.88	14.32	37.95	0.00	300 71 PEAK																																	
Avg	Blank	 Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91200_02360_241101 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>6415.00</td><td>105.73</td><td>-----</td><td>94.48</td><td>34.88</td><td>14.32</td><td>37.95</td><td>0.00</td><td>300 71 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	6415.00	105.73	-----	94.48	34.88	14.32	37.95	0.00	300 71 AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																	
1	6415.00	105.73	-----	94.48	34.88	14.32	37.95	0.00	300 71 AVERAGE																																	





Mode	3																																									
	Band Edge																																									
	U-NII-5_5.925-6.425_802.11a_CH93_6415MHz																																									
ANT	4+3																																									
Pol.	Vertical	Fundamental																																								
Peak	Blank	 Site : 03CH20-HY Condition: PEAK(UNII)_6E 3m HF_91200_02360_241101 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>6415.00</td><td>111.09</td><td>-----</td><td>99.84</td><td>34.88</td><td>14.32</td><td>37.95</td><td>0.00</td><td>102 289 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	6415.00	111.09	-----	99.84	34.88	14.32	37.95	0.00	102 289 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																	
1	6415.00	111.09	-----	99.84	34.88	14.32	37.95	0.00	102 289 PEAK																																	
Avg	Blank	 Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91200_02360_241101 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>6415.00</td><td>105.69</td><td>-----</td><td>94.44</td><td>34.88</td><td>14.32</td><td>37.95</td><td>0.00</td><td>102 289 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	6415.00	105.69	-----	94.44	34.88	14.32	37.95	0.00	102 289 AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																	
1	6415.00	105.69	-----	94.44	34.88	14.32	37.95	0.00	102 289 AVERAGE																																	







Mode	3																																																																																																																																																																	
	Harmonic																																																																																																																																																																	
	U-NII-5_5.925-6.425_802.11a_CH93_6415MHz																																																																																																																																																																	
ANT	4+3																																																																																																																																																																	
Pol.	Horizontal	Vertical																																																																																																																																																																
Peak Avg	 Site : 03CH20-HY Condition: PEAK(U-NII)_6E 1m B8HA9170_1223_240624 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 12830.00</td><td>52.39</td><td>88.20</td><td>-35.81</td><td>35.01</td><td>39.56</td><td>20.54</td><td>42.85</td><td>0.13</td><td>-- -- PEAK</td></tr><tr><td>2 19245.00</td><td>53.05</td><td>74.00</td><td>-20.95</td><td>62.67</td><td>38.01</td><td>25.41</td><td>63.50</td><td>-9.54</td><td>100 54 PEAK</td></tr><tr><td>3 19245.00</td><td>41.09</td><td>54.00</td><td>-12.91</td><td>50.71</td><td>38.01</td><td>25.41</td><td>63.50</td><td>-9.54</td><td>101 324 Average</td></tr><tr><td>4 32075.00</td><td>50.16</td><td>88.20</td><td>-38.04</td><td>47.29</td><td>40.50</td><td>33.22</td><td>61.31</td><td>-9.54</td><td>190 296 PEAK</td></tr><tr><td>5 32075.00</td><td>37.96</td><td>68.20</td><td>-30.24</td><td>35.09</td><td>40.50</td><td>33.22</td><td>61.31</td><td>-9.54</td><td>190 296 Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 12830.00	52.39	88.20	-35.81	35.01	39.56	20.54	42.85	0.13	-- -- PEAK	2 19245.00	53.05	74.00	-20.95	62.67	38.01	25.41	63.50	-9.54	100 54 PEAK	3 19245.00	41.09	54.00	-12.91	50.71	38.01	25.41	63.50	-9.54	101 324 Average	4 32075.00	50.16	88.20	-38.04	47.29	40.50	33.22	61.31	-9.54	190 296 PEAK	5 32075.00	37.96	68.20	-30.24	35.09	40.50	33.22	61.31	-9.54	190 296 Average	 Site : 03CH20-HY Condition: PEAK(U-NII)_6E 1m B8HA9170_1223_240624 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 12830.00</td><td>51.68</td><td>88.20</td><td>-36.52</td><td>34.30</td><td>39.56</td><td>20.54</td><td>42.85</td><td>0.13</td><td>-- -- PEAK</td></tr><tr><td>2 19245.00</td><td>51.10</td><td>74.00</td><td>-22.90</td><td>60.72</td><td>38.01</td><td>25.41</td><td>63.50</td><td>-9.54</td><td>101 324 PEAK</td></tr><tr><td>3 19245.00</td><td>39.26</td><td>54.00</td><td>-14.74</td><td>48.88</td><td>38.01</td><td>25.41</td><td>63.50</td><td>-9.54</td><td>101 324 Average</td></tr><tr><td>4 32075.00</td><td>51.45</td><td>88.20</td><td>-36.75</td><td>48.58</td><td>40.50</td><td>33.22</td><td>61.31</td><td>-9.54</td><td>101 20 PEAK</td></tr><tr><td>5 32075.00</td><td>39.38</td><td>68.20</td><td>-28.82</td><td>36.51</td><td>40.50</td><td>33.22</td><td>61.31</td><td>-9.54</td><td>101 20 Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 12830.00	51.68	88.20	-36.52	34.30	39.56	20.54	42.85	0.13	-- -- PEAK	2 19245.00	51.10	74.00	-22.90	60.72	38.01	25.41	63.50	-9.54	101 324 PEAK	3 19245.00	39.26	54.00	-14.74	48.88	38.01	25.41	63.50	-9.54	101 324 Average	4 32075.00	51.45	88.20	-36.75	48.58	40.50	33.22	61.31	-9.54	101 20 PEAK	5 32075.00	39.38	68.20	-28.82	36.51	40.50	33.22	61.31	-9.54	101 20 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																																																									
1 12830.00	52.39	88.20	-35.81	35.01	39.56	20.54	42.85	0.13	-- -- PEAK																																																																																																																																																									
2 19245.00	53.05	74.00	-20.95	62.67	38.01	25.41	63.50	-9.54	100 54 PEAK																																																																																																																																																									
3 19245.00	41.09	54.00	-12.91	50.71	38.01	25.41	63.50	-9.54	101 324 Average																																																																																																																																																									
4 32075.00	50.16	88.20	-38.04	47.29	40.50	33.22	61.31	-9.54	190 296 PEAK																																																																																																																																																									
5 32075.00	37.96	68.20	-30.24	35.09	40.50	33.22	61.31	-9.54	190 296 Average																																																																																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																																																									
1 12830.00	51.68	88.20	-36.52	34.30	39.56	20.54	42.85	0.13	-- -- PEAK																																																																																																																																																									
2 19245.00	51.10	74.00	-22.90	60.72	38.01	25.41	63.50	-9.54	101 324 PEAK																																																																																																																																																									
3 19245.00	39.26	54.00	-14.74	48.88	38.01	25.41	63.50	-9.54	101 324 Average																																																																																																																																																									
4 32075.00	51.45	88.20	-36.75	48.58	40.50	33.22	61.31	-9.54	101 20 PEAK																																																																																																																																																									
5 32075.00	39.38	68.20	-28.82	36.51	40.50	33.22	61.31	-9.54	101 20 Average																																																																																																																																																									



Mode	3	
	Harmonic	
	U-NII-5_5.925-6.425_802.11a_CH93_6415MHz	
ANT	4+3	
Pol.	Horizontal	Vertical
17G ~18G Avg	 Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91200_02360_241101 HORIZONTAL	 Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91200_02360_241101 VERTICAL



Mode	4																																																																																																	
	Band Edge																																																																																																	
	U-NII-5_5.925-6.425_802.11be EHT20_CH1_Full RU_5955MHz																																																																																																	
ANT	4+3																																																																																																	
Pol.	Horizontal						Fundamental																																																																																											
Peak																																																																																																		
	Site : 03CH20-HY Condition: PEAK_BE(UNII)_6E 3m HF_91200_02360_241101 HORIZONTAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5925.50</td><td>69.26</td><td>88.20</td><td>-18.94</td><td>59.11</td><td>34.30</td><td>13.78</td><td>37.93</td><td>0.00</td><td>300</td><td>25 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5925.50	69.26	88.20	-18.94	59.11	34.30	13.78	37.93	0.00	300	25 PEAK	Site : 03CH20-HY Condition: PEAK(UNII)_6E 3m HF_91200_02360_241101 HORIZONTAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5955.00</td><td>110.91</td><td>-----</td><td>-----</td><td>100.75</td><td>34.26</td><td>13.83</td><td>37.93</td><td>0.00</td><td>300</td><td>25 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5955.00	110.91	-----	-----	100.75	34.26	13.83	37.93	0.00	300
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																								
1 5925.50	69.26	88.20	-18.94	59.11	34.30	13.78	37.93	0.00	300	25 PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																								
1 5955.00	110.91	-----	-----	100.75	34.26	13.83	37.93	0.00	300	25 PEAK																																																																																								
Avg																																																																																																		
	Site : 03CH20-HY Condition: AVG_BE(UNII)_6E 3m HF_91200_02360_241101 HORIZONTAL : RBW:1000.000kHz VBN:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5924.58</td><td>57.29</td><td>68.20</td><td>-10.91</td><td>47.14</td><td>34.30</td><td>13.78</td><td>37.93</td><td>0.00</td><td>300</td><td>25 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5924.58	57.29	68.20	-10.91	47.14	34.30	13.78	37.93	0.00	300	25 AVERAGE	Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91200_02360_241101 HORIZONTAL : RBW:1000.000kHz VBN:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5955.00</td><td>103.33</td><td>-----</td><td>-----</td><td>93.16</td><td>34.28</td><td>13.82</td><td>37.93</td><td>0.00</td><td>300</td><td>25 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5955.00	103.33	-----	-----	93.16	34.28	13.82	37.93	0.00	300
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																								
1 5924.58	57.29	68.20	-10.91	47.14	34.30	13.78	37.93	0.00	300	25 AVERAGE																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																								
1 5955.00	103.33	-----	-----	93.16	34.28	13.82	37.93	0.00	300	25 AVERAGE																																																																																								