










Mode	10	
	Harmonic	
	2400-2483.5_Bluetooth-LE_ASK_CH02_2404MHz	
ANT	4	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH11-HY Condition: AVG_54 3m 91280_01620_240828 HORIZONTAL	 Site : 03CH11-HY Condition: AVG_54 3m 91280_01620_240828 VERTICAL
	 Site : 03CH11-HY Condition: AVG_54 3m 91280_01620_240828 HORIZONTAL	 Site : 03CH11-HY Condition: AVG_54 3m 91280_01620_240828 VERTICAL





Mode	11																																																																				
	Band Edge - L																																																																				
	2400-2483.5_Bluetooth-LE_ASK_CH38_2440MHz																																																																				
ANT	4																																																																				
Pol.	Horizontal						Fundamental																																																														
Peak																																																																					
	Site : 03CH11-HY Condition: PEAK_BE_74 3m 91200_01620_240828 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2349.26</td><td>53.48</td><td>74.00</td><td>-20.52</td><td>42.38</td><td>27.19</td><td>7.13</td><td>33.24</td><td>10.02</td><td>104</td><td>236</td><td>PEAK</td></tr><tr><td>2</td><td>2349.26</td><td>1.91</td><td>54.00</td><td>-52.09</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>104</td><td>236</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2349.26	53.48	74.00	-20.52	42.38	27.19	7.13	33.24	10.02	104	236	PEAK	2	2349.26	1.91	54.00	-52.09	--	--	--	--	--	104	236	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	2349.26	53.48	74.00	-20.52	42.38	27.19	7.13	33.24	10.02	104	236	PEAK																																																									
2	2349.26	1.91	54.00	-52.09	--	--	--	--	--	104	236	AVERAGE																																																									
	Site : 03CH11-HY Condition: PEAK_74 3m 91200_01620_240828 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2440.00</td><td>113.63</td><td>-----</td><td>-----</td><td>101.90</td><td>27.60</td><td>7.26</td><td>33.16</td><td>10.03</td><td>104</td><td>236</td><td>PEAK</td></tr><tr><td>2</td><td>2440.00</td><td>62.06</td><td>-----</td><td>-----</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>104</td><td>236</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2440.00	113.63	-----	-----	101.90	27.60	7.26	33.16	10.03	104	236	PEAK	2	2440.00	62.06	-----	-----	--	--	--	--	--	104	236	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	2440.00	113.63	-----	-----	101.90	27.60	7.26	33.16	10.03	104	236	PEAK																																																									
2	2440.00	62.06	-----	-----	--	--	--	--	--	104	236	AVERAGE																																																									




Mode	11																																																								
	Band Edge - R																																																								
	2400-2483.5_Bluetooth-LE_ASK_CH38_2440MHz																																																								
ANT	4																																																								
Pol.	Horizontal	Fundamental																																																							
Peak	 Site : 03CH11-HY Condition: PEAK_BE_74 3m 91280_01620_240828 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2497.24</td><td>54.25</td><td>74.00</td><td>-19.75</td><td>42.00</td><td>27.90</td><td>7.34</td><td>33.10</td><td>10.03</td><td>104</td><td>236</td><td>PEAK</td></tr><tr><td>2</td><td>2497.24</td><td>2.68</td><td>54.00</td><td>-51.32</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>104</td><td>236</td><td>AVERAGE</td></tr></table>		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2497.24	54.25	74.00	-19.75	42.00	27.90	7.34	33.10	10.03	104	236	PEAK	2	2497.24	2.68	54.00	-51.32	--	--	--	--	--	--	104	236	AVERAGE	Blank
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																													
1	2497.24	54.25	74.00	-19.75	42.00	27.90	7.34	33.10	10.03	104	236	PEAK																																													
2	2497.24	2.68	54.00	-51.32	--	--	--	--	--	--	104	236	AVERAGE																																												





Mode	11																																																																																																																												
	Band Edge - L																																																																																																																												
	2400-2483.5_Bluetooth-LE_ASK_CH38_2440MHz																																																																																																																												
ANT	4																																																																																																																												
Pol.	Vertical						Fundamental																																																																																																																						
Peak																																																																																																																													
	Site : 03CH11-HY Condition: PEAK_BE_74 3m 91200_01620_240828 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto						Site : 03CH11-HY Condition: PEAK_74 3m 91200_01620_240828 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto																																																																																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2332.10</td><td>53.25</td><td>74.00</td><td>-20.75</td><td>42.28</td><td>27.10</td><td>7.11</td><td>33.25</td><td>10.01</td><td>378</td><td>142</td><td>PEAK</td></tr><tr><td>2</td><td>2332.10</td><td>1.68</td><td>54.00</td><td>-52.32</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>378</td><td>142</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2332.10	53.25	74.00	-20.75	42.28	27.10	7.11	33.25	10.01	378	142	PEAK	2	2332.10	1.68	54.00	-52.32	--	--	--	--	--	378	142	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2440.00</td><td>109.22</td><td>-----</td><td>-----</td><td>97.49</td><td>27.60</td><td>7.26</td><td>33.16</td><td>10.03</td><td>378</td><td>142</td><td>PEAK</td></tr><tr><td>2</td><td>2440.00</td><td>57.65</td><td>-----</td><td>-----</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>378</td><td>142</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2440.00	109.22	-----	-----	97.49	27.60	7.26	33.16	10.03	378	142	PEAK	2	2440.00	57.65	-----	-----	--	--	--	--	--	378	142
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	2332.10	53.25	74.00	-20.75	42.28	27.10	7.11	33.25	10.01	378	142	PEAK																																																																																																																	
2	2332.10	1.68	54.00	-52.32	--	--	--	--	--	378	142	AVERAGE																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	2440.00	109.22	-----	-----	97.49	27.60	7.26	33.16	10.03	378	142	PEAK																																																																																																																	
2	2440.00	57.65	-----	-----	--	--	--	--	--	378	142	AVERAGE																																																																																																																	







Mode	11																																																										
	Band Edge - R																																																										
	2400-2483.5_Bluetooth-LE_ASK_CH38_2440MHz																																																										
ANT	4																																																										
Pol.	Vertical	Fundamental																																																									
Peak	 Site : 03CH11-HY Condition: PEAK_BE_74 3m 91280_01620_240828 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2488.78</td><td>54.07</td><td>74.00</td><td>-19.93</td><td>41.94</td><td>27.89</td><td>7.32</td><td>33.11</td><td>10.03</td><td>384</td><td>0</td><td>PEAK</td></tr><tr><td>2</td><td>2488.78</td><td>2.50</td><td>54.00</td><td>-51.50</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>384</td><td>0</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2488.78	54.07	74.00	-19.93	41.94	27.89	7.32	33.11	10.03	384	0	PEAK	2	2488.78	2.50	54.00	-51.50	--	--	--	--	--	384	0	AVERAGE	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																	
1	2488.78	54.07	74.00	-19.93	41.94	27.89	7.32	33.11	10.03	384	0	PEAK																																															
2	2488.78	2.50	54.00	-51.50	--	--	--	--	--	384	0	AVERAGE																																															



Mode	11																																																																																																																																																																								
	Harmonic																																																																																																																																																																								
	2400-2483.5_Bluetooth-LE_ASK_CH38_2440MHz																																																																																																																																																																								
ANT	4																																																																																																																																																																								
Pol.	Horizontal										Vertical																																																																																																																																																														
Peak Avg	 Site : 03CH11-HY Condition: PEAK_74 3m 91280_01620_240828 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4880.00</td><td>41.18</td><td>74.00</td><td>-32.82</td><td>63.29</td><td>32.72</td><td>11.33</td><td>66.70</td><td>0.54</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>4880.00</td><td>-10.39</td><td>54.00</td><td>-64.39</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>7320.00</td><td>43.33</td><td>74.00</td><td>-30.67</td><td>57.44</td><td>36.76</td><td>14.60</td><td>65.78</td><td>0.31</td><td>--</td><td>PEAK</td></tr><tr><td>4</td><td>7320.00</td><td>-8.24</td><td>54.00</td><td>-62.24</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>Average</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4880.00	41.18	74.00	-32.82	63.29	32.72	11.33	66.70	0.54	--	PEAK	2	4880.00	-10.39	54.00	-64.39	--	--	--	--	--	--	Average	3	7320.00	43.33	74.00	-30.67	57.44	36.76	14.60	65.78	0.31	--	PEAK	4	7320.00	-8.24	54.00	-62.24	--	--	--	--	--	--	Average	 Site : 03CH11-HY Condition: PEAK_74 3m 91280_01620_240828 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4880.00</td><td>43.75</td><td>74.00</td><td>-30.25</td><td>65.86</td><td>32.72</td><td>11.33</td><td>66.70</td><td>0.54</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>4880.00</td><td>-7.82</td><td>54.00</td><td>-61.82</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>7320.00</td><td>43.21</td><td>74.00</td><td>-30.79</td><td>57.32</td><td>36.76</td><td>14.60</td><td>65.78</td><td>0.31</td><td>--</td><td>PEAK</td></tr><tr><td>4</td><td>7320.00</td><td>-8.36</td><td>54.00</td><td>-62.36</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4880.00	43.75	74.00	-30.25	65.86	32.72	11.33	66.70	0.54	--	PEAK	2	4880.00	-7.82	54.00	-61.82	--	--	--	--	--	--	Average	3	7320.00	43.21	74.00	-30.79	57.32	36.76	14.60	65.78	0.31	--	PEAK	4	7320.00	-8.36	54.00	-62.36	--	--	--	--	--	--	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																															
1	4880.00	41.18	74.00	-32.82	63.29	32.72	11.33	66.70	0.54	--	PEAK																																																																																																																																																														
2	4880.00	-10.39	54.00	-64.39	--	--	--	--	--	--	Average																																																																																																																																																														
3	7320.00	43.33	74.00	-30.67	57.44	36.76	14.60	65.78	0.31	--	PEAK																																																																																																																																																														
4	7320.00	-8.24	54.00	-62.24	--	--	--	--	--	--	Average																																																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																															
1	4880.00	43.75	74.00	-30.25	65.86	32.72	11.33	66.70	0.54	--	PEAK																																																																																																																																																														
2	4880.00	-7.82	54.00	-61.82	--	--	--	--	--	--	Average																																																																																																																																																														
3	7320.00	43.21	74.00	-30.79	57.32	36.76	14.60	65.78	0.31	--	PEAK																																																																																																																																																														
4	7320.00	-8.36	54.00	-62.36	--	--	--	--	--	--	Average																																																																																																																																																														



Mode	11	
	Harmonic	
	2400-2483.5_Bluetooth-LE_ASK_CH38_2440MHz	
ANT	4	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH11-HY Condition: AVG_54 3m 91280_01620_240828 HORIZONTAL	 Site : 03CH11-HY Condition: AVG_54 3m 91280_01620_240828 VERTICAL
	 Site : 03CH11-HY Condition: AVG_54 3m 91280_01620_240828 HORIZONTAL	 Site : 03CH11-HY Condition: AVG_54 3m 91280_01620_240828 VERTICAL





Mode	12																																																																																																																											
	Band Edge																																																																																																																											
	2400-2483.5_Bluetooth-LE_ASK_CH76_2478MHz																																																																																																																											
ANT	4																																																																																																																											
Pol.	Horizontal						Fundamental																																																																																																																					
Peak	Site : 03CH11-HY Condition: PEAK_BE_74 3m 91200_01620_240828 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.52</td><td>67.78</td><td>74.00</td><td>-6.22</td><td>55.71</td><td>27.84</td><td>7.32</td><td>33.12</td><td>10.03</td><td>253</td><td>PEAK</td></tr><tr><td>2</td><td>2483.52</td><td>16.21</td><td>54.00</td><td>-37.79</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>100</td><td>253 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.52	67.78	74.00	-6.22	55.71	27.84	7.32	33.12	10.03	253	PEAK	2	2483.52	16.21	54.00	-37.79	--	--	--	--	--	100	253 AVERAGE	Site : 03CH11-HY Condition: PEAK_74 3m 91200_01620_240828 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2478.00</td><td>116.16</td><td>-----</td><td>-----</td><td>104.16</td><td>27.78</td><td>7.31</td><td>33.12</td><td>10.03</td><td>100</td><td>253</td><td>PEAK</td></tr><tr><td>2</td><td>2478.00</td><td>64.59</td><td>-----</td><td>-----</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>100</td><td>253</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2478.00	116.16	-----	-----	104.16	27.78	7.31	33.12	10.03	100	253	PEAK	2	2478.00	64.59	-----	-----	--	--	--	--	--	100	253	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	2483.52	67.78	74.00	-6.22	55.71	27.84	7.32	33.12	10.03	253	PEAK																																																																																																																	
2	2483.52	16.21	54.00	-37.79	--	--	--	--	--	100	253 AVERAGE																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	2478.00	116.16	-----	-----	104.16	27.78	7.31	33.12	10.03	100	253	PEAK																																																																																																																
2	2478.00	64.59	-----	-----	--	--	--	--	--	100	253	AVERAGE																																																																																																																







Mode	12																																																																																																																													
	Band Edge																																																																																																																													
	2400-2483.5_Bluetooth-LE_ASK_CH76_2478MHz																																																																																																																													
ANT	4																																																																																																																													
Pol.	Vertical						Fundamental																																																																																																																							
Peak	Site : 03CH11-HY Condition: PEAK_BE_74 3m 91200_01620_240828 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.61</td><td>62.82</td><td>74.00</td><td>-11.18</td><td>50.75</td><td>27.84</td><td>7.32</td><td>33.12</td><td>10.03</td><td>400</td><td>137</td><td>PEAK</td></tr><tr><td>2</td><td>2483.61</td><td>11.25</td><td>54.00</td><td>-42.75</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>400</td><td>137</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.61	62.82	74.00	-11.18	50.75	27.84	7.32	33.12	10.03	400	137	PEAK	2	2483.61	11.25	54.00	-42.75	--	--	--	--	--	400	137	AVERAGE	Site : 03CH11-HY Condition: PEAK_74 3m 91200_01620_240828 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2478.00</td><td>110.18</td><td>-----</td><td>-----</td><td>98.18</td><td>27.78</td><td>7.31</td><td>33.12</td><td>10.03</td><td>400</td><td>137</td><td>PEAK</td></tr><tr><td>2</td><td>2478.00</td><td>58.61</td><td>-----</td><td>-----</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>400</td><td>137</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2478.00	110.18	-----	-----	98.18	27.78	7.31	33.12	10.03	400	137	PEAK	2	2478.00	58.61	-----	-----	--	--	--	--	--	400	137	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	2483.61	62.82	74.00	-11.18	50.75	27.84	7.32	33.12	10.03	400	137	PEAK																																																																																																																		
2	2483.61	11.25	54.00	-42.75	--	--	--	--	--	400	137	AVERAGE																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	2478.00	110.18	-----	-----	98.18	27.78	7.31	33.12	10.03	400	137	PEAK																																																																																																																		
2	2478.00	58.61	-----	-----	--	--	--	--	--	400	137	AVERAGE																																																																																																																		



Mode	12																																																																																															
	Harmonic																																																																																															
	2400-2483.5_Bluetooth-LE_ASK_CH76_2478MHz																																																																																															
ANT	4																																																																																															
Pol.	Horizontal						Vertical																																																																																									
Peak Avg																																																																																																
	Site : 03CH11-HY Condition: PEAK_74 3m 91280_01620_240828 HORIZONTAL						Site : 03CH11-HY Condition: PEAK_74 3m 91280_01620_240828 VERTICAL																																																																																									
<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4956.00</td><td>41.69</td><td>74.00</td><td>-32.31</td><td>63.07</td><td>33.01</td><td>11.68</td><td>66.64</td><td>0.57</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>4956.00</td><td>-9.88</td><td>54.00</td><td>-63.88</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>7434.00</td><td>44.38</td><td>74.00</td><td>-29.62</td><td>59.03</td><td>36.26</td><td>14.70</td><td>65.92</td><td>0.31</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>7434.00</td><td>-7.19</td><td>54.00</td><td>-61.19</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>Average</td></tr></table>														Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m		dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4956.00	41.69	74.00	-32.31	63.07	33.01	11.68	66.64	0.57	--	--	--	Peak	2	4956.00	-9.88	54.00	-63.88	--	--	--	--	--	--	--	--	Average	3	7434.00	44.38	74.00	-29.62	59.03	36.26	14.70	65.92	0.31	--	--	--	Peak	4	7434.00	-7.19	54.00	-61.19	--	--	--	--	--	--	--	--	Average
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																			
	MHz	dBuV/m	dBuV/m		dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1	4956.00	41.69	74.00	-32.31	63.07	33.01	11.68	66.64	0.57	--	--	--	Peak																																																																																			
2	4956.00	-9.88	54.00	-63.88	--	--	--	--	--	--	--	--	Average																																																																																			
3	7434.00	44.38	74.00	-29.62	59.03	36.26	14.70	65.92	0.31	--	--	--	Peak																																																																																			
4	7434.00	-7.19	54.00	-61.19	--	--	--	--	--	--	--	--	Average																																																																																			



Mode	12	
	Harmonic	
	2400-2483.5_Bluetooth-LE_ASK_CH76_2478MHz	
ANT	4	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH11-HY Condition: AVG_54 3m 91280_01620_240828 HORIZONTAL	 Site : 03CH11-HY Condition: AVG_54 3m 91280_01620_240828 VERTICAL
	 Site : 03CH11-HY Condition: AVG_54 3m 91280_01620_240828 HORIZONTAL	 Site : 03CH11-HY Condition: AVG_54 3m 91280_01620_240828 VERTICAL





<Ant. 3>



<1Mbps>

	1																																																																				
Mode	Band Edge																																																																				
	2400-2483.5_Bluetooth-LE_ASK_CH02_2404MHz																																																																				
ANT	3																																																																				
Pol.	Horizontal						Fundamental																																																														
Peak																																																																					
	Site : 03CH11-HY Condition: PEAK_BE_74 3m 91200_01620_240828 HORIZONTAL Plane : X with adapter_open																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.90</td><td>54.11</td><td>74.00</td><td>-19.89</td><td>52.96</td><td>27.30</td><td>7.19</td><td>33.34</td><td>0.00</td><td>157</td><td>162</td><td>PEAK</td></tr><tr><td>2</td><td>2389.90</td><td>2.44</td><td>54.00</td><td>-51.56</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>157</td><td>162</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.90	54.11	74.00	-19.89	52.96	27.30	7.19	33.34	0.00	157	162	PEAK	2	2389.90	2.44	54.00	-51.56	--	--	--	--	--	157	162	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	2389.90	54.11	74.00	-19.89	52.96	27.30	7.19	33.34	0.00	157	162	PEAK																																																									
2	2389.90	2.44	54.00	-51.56	--	--	--	--	--	157	162	AVERAGE																																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2404.00</td><td>114.47</td><td>-----</td><td>-----</td><td>113.19</td><td>27.40</td><td>7.21</td><td>33.33</td><td>0.00</td><td>157</td><td>162</td><td>PEAK</td></tr><tr><td>2</td><td>2404.00</td><td>62.80</td><td>-----</td><td>-----</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>157</td><td>162</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2404.00	114.47	-----	-----	113.19	27.40	7.21	33.33	0.00	157	162	PEAK	2	2404.00	62.80	-----	-----	--	--	--	--	--	157	162	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	2404.00	114.47	-----	-----	113.19	27.40	7.21	33.33	0.00	157	162	PEAK																																																									
2	2404.00	62.80	-----	-----	--	--	--	--	--	157	162	AVERAGE																																																									







Mode	1																																																																																																																			
	Band Edge																																																																																																																			
	2400-2483.5_Bluetooth-LE_ASK_CH02_2404MHz																																																																																																																			
ANT	3																																																																																																																			
Pol.	Vertical	Fundamental																																																																																																																		
Peak	 Site : 03CH11-HY Condition: PEAK_BE_74 3m 91200_01620_240828 VERTICAL Plane : X with adapter_open <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.71</td><td>53.30</td><td>74.00</td><td>-20.70</td><td>52.15</td><td>27.30</td><td>7.19</td><td>33.34</td><td>0.00</td><td>400</td><td>46</td><td>PEAK</td></tr><tr><td>2</td><td>2389.71</td><td>1.63</td><td>54.00</td><td>-52.37</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>400</td><td>46</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.71	53.30	74.00	-20.70	52.15	27.30	7.19	33.34	0.00	400	46	PEAK	2	2389.71	1.63	54.00	-52.37	--	--	--	--	--	400	46	AVERAGE	 Site : 03CH11-HY Condition: PEAK_74 3m 91200_01620_240828 VERTICAL Plane : X with adapter_open <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2404.00</td><td>112.92</td><td>-----</td><td>-----</td><td>111.64</td><td>27.40</td><td>7.21</td><td>33.33</td><td>0.00</td><td>400</td><td>46</td><td>PEAK</td></tr><tr><td>2</td><td>2404.00</td><td>61.25</td><td>-----</td><td>-----</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>400</td><td>46</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2404.00	112.92	-----	-----	111.64	27.40	7.21	33.33	0.00	400	46	PEAK	2	2404.00	61.25	-----	-----	--	--	--	--	--	400	46	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																										
1	2389.71	53.30	74.00	-20.70	52.15	27.30	7.19	33.34	0.00	400	46	PEAK																																																																																																								
2	2389.71	1.63	54.00	-52.37	--	--	--	--	--	400	46	AVERAGE																																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																										
1	2404.00	112.92	-----	-----	111.64	27.40	7.21	33.33	0.00	400	46	PEAK																																																																																																								
2	2404.00	61.25	-----	-----	--	--	--	--	--	400	46	AVERAGE																																																																																																								





Mode	1																																																																			
	Harmonic																																																																			
	2400-2483.5_Bluetooth-LE_ASK_CH02_2404MHz																																																																			
ANT	3																																																																			
Pol.	Horizontal						Vertical																																																													
Peak Avg																																																																				
	Site : 03CH11-HY Condition: PEAK_74 3m 91200_01620_240828 HORIZONTAL																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4808.00</td><td>40.92</td><td>74.00</td><td>-33.08</td><td>63.83</td><td>32.35</td><td>10.99</td><td>66.75</td><td>0.50</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>4808.00</td><td>-10.65</td><td>54.00</td><td>-64.65</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>Average</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4808.00	40.92	74.00	-33.08	63.83	32.35	10.99	66.75	0.50	--	--	PEAK	2	4808.00	-10.65	54.00	-64.65	--	--	--	--	--	--	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	4808.00	40.92	74.00	-33.08	63.83	32.35	10.99	66.75	0.50	--	--	PEAK																																																								
2	4808.00	-10.65	54.00	-64.65	--	--	--	--	--	--	--	Average																																																								
Site : 03CH11-HY Condition: PEAK_74 3m 91200_01620_240828 VERTICAL																																																																				
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4808.00</td><td>39.98</td><td>74.00</td><td>-34.02</td><td>62.89</td><td>32.35</td><td>10.99</td><td>66.75</td><td>0.50</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>4808.00</td><td>-11.58</td><td>54.00</td><td>-65.58</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>Average</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4808.00	39.98	74.00	-34.02	62.89	32.35	10.99	66.75	0.50	--	--	PEAK	2	4808.00	-11.58	54.00	-65.58	--	--	--	--	--	--	--	Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	4808.00	39.98	74.00	-34.02	62.89	32.35	10.99	66.75	0.50	--	--	PEAK																																																								
2	4808.00	-11.58	54.00	-65.58	--	--	--	--	--	--	--	Average																																																								




Mode	1	
	Harmonic	
	2400-2483.5_Bluetooth-LE_ASK_CH02_2404MHz	
ANT	3	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH11-HY Condition: AVG_54 3m 91280_01620_240828 HORIZONTAL	 Site : 03CH11-HY Condition: AVG_54 3m 91280_01620_240828 VERTICAL
	 Site : 03CH11-HY Condition: AVG_54 3m 91280_01620_240828 HORIZONTAL	 Site : 03CH11-HY Condition: AVG_54 3m 91280_01620_240828 VERTICAL





Mode	2																																																																																																																												
	Band Edge - L																																																																																																																												
	2400-2483.5_Bluetooth-LE_ASK_CH38_2440MHz																																																																																																																												
ANT	3																																																																																																																												
Pol.	Horizontal						Fundamental																																																																																																																						
Peak																																																																																																																													
	Site : 03CH11-HY Condition: PEAK_BE_74 3m 91200_01620_240828 HORIZONTAL Plane : X with adapter_open						Site : 03CH11-HY Condition: PEAK_74 3m 91200_01620_240828 HORIZONTAL Plane : X with adapter_open																																																																																																																						
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2389.43</td><td>45.64</td><td>74.00</td><td>-28.36</td><td>44.50</td><td>27.29</td><td>7.19</td><td>33.34</td><td>0.00</td><td>100</td><td>158</td><td>PEAK</td></tr><tr><td>2</td><td>2389.43</td><td>-6.03</td><td>54.00</td><td>-60.03</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>100</td><td>158</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.43	45.64	74.00	-28.36	44.50	27.29	7.19	33.34	0.00	100	158	PEAK	2	2389.43	-6.03	54.00	-60.03	--	--	--	--	--	100	158	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2440.00</td><td>114.57</td><td>-----</td><td>-----</td><td>113.02</td><td>27.60</td><td>7.26</td><td>33.31</td><td>0.00</td><td>100</td><td>158</td><td>PEAK</td></tr><tr><td>2</td><td>2440.00</td><td>62.90</td><td>-----</td><td>-----</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>100</td><td>158</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2440.00	114.57	-----	-----	113.02	27.60	7.26	33.31	0.00	100	158	PEAK	2	2440.00	62.90	-----	-----	--	--	--	--	--	100	158
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	2389.43	45.64	74.00	-28.36	44.50	27.29	7.19	33.34	0.00	100	158	PEAK																																																																																																																	
2	2389.43	-6.03	54.00	-60.03	--	--	--	--	--	100	158	AVERAGE																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	2440.00	114.57	-----	-----	113.02	27.60	7.26	33.31	0.00	100	158	PEAK																																																																																																																	
2	2440.00	62.90	-----	-----	--	--	--	--	--	100	158	AVERAGE																																																																																																																	




Mode	2																																																									
	Band Edge - R																																																									
	2400-2483.5_Bluetooth-LE_ASK_CH38_2440MHz																																																									
ANT	3																																																									
Pol.	Horizontal	Fundamental																																																								
Peak	 Site : 03CH11-HY Condition: PEAK_BE_74 3m 91280_01620_240828 HORIZONTAL Plane : X with adapter_open <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2484.94</td><td>46.87</td><td>74.00</td><td>-27.13</td><td></td><td>44.98</td><td>27.85</td><td>7.32</td><td>33.28</td><td>0.00</td><td>100</td><td>150</td><td>PEAK</td></tr><tr><td>2</td><td>2484.94</td><td>-4.00</td><td>54.00</td><td>-58.00</td><td></td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>100</td><td>150</td><td>AVERAGE</td></tr></table>		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	dB	cm	deg		1	2484.94	46.87	74.00	-27.13		44.98	27.85	7.32	33.28	0.00	100	150	PEAK	2	2484.94	-4.00	54.00	-58.00		--	--	--	--	--	100	150	AVERAGE	Blank
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
	MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	dB	cm	deg																																														
1	2484.94	46.87	74.00	-27.13		44.98	27.85	7.32	33.28	0.00	100	150	PEAK																																													
2	2484.94	-4.00	54.00	-58.00		--	--	--	--	--	100	150	AVERAGE																																													





Mode	2																																																																																																															
	Band Edge - L																																																																																																															
	2400-2483.5_Bluetooth-LE_ASK_CH38_2440MHz																																																																																																															
ANT	3																																																																																																															
Pol.	Vertical	Fundamental																																																																																																														
Peak	 Site : 03CH11-HY Condition: PEAK_BE_74 3m 91200_01620_240828 VERTICAL Plane : X with adapter_open <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.30</td><td>43.15</td><td>74.00</td><td>-30.85</td><td>42.01</td><td>27.29</td><td>7.19</td><td>33.34</td><td>0.00</td><td>300</td><td>52 PEAK</td></tr><tr><td>2</td><td>2389.30</td><td>-8.52</td><td>54.00</td><td>-62.52</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>300</td><td>52 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.30	43.15	74.00	-30.85	42.01	27.29	7.19	33.34	0.00	300	52 PEAK	2	2389.30	-8.52	54.00	-62.52	--	--	--	--	--	300	52 AVERAGE	 Site : 03CH11-HY Condition: PEAK_74 3m 91200_01620_240828 VERTICAL Plane : X with adapter_open <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2440.00</td><td>111.37</td><td>-----</td><td>-----</td><td>109.82</td><td>27.60</td><td>7.26</td><td>33.31</td><td>0.00</td><td>300</td><td>52 PEAK</td></tr><tr><td>2</td><td>2440.00</td><td>59.70</td><td>-----</td><td>-----</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>300</td><td>52 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2440.00	111.37	-----	-----	109.82	27.60	7.26	33.31	0.00	300	52 PEAK	2	2440.00	59.70	-----	-----	--	--	--	--	--	300	52 AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	2389.30	43.15	74.00	-30.85	42.01	27.29	7.19	33.34	0.00	300	52 PEAK																																																																																																					
2	2389.30	-8.52	54.00	-62.52	--	--	--	--	--	300	52 AVERAGE																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	2440.00	111.37	-----	-----	109.82	27.60	7.26	33.31	0.00	300	52 PEAK																																																																																																					
2	2440.00	59.70	-----	-----	--	--	--	--	--	300	52 AVERAGE																																																																																																					







Mode	2																																																									
	Band Edge - R																																																									
	2400-2483.5_Bluetooth-LE_ASK_CH38_2440MHz																																																									
ANT	3																																																									
Pol.	Vertical	Fundamental																																																								
Peak	 Site : 03CH11-HY Condition: PEAK_BE_74 3m 91280_01620_240828 VERTICAL Plane : X with adapter_open <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2489.14</td><td>44.97</td><td>74.00</td><td>-29.03</td><td></td><td>43.04</td><td>27.89</td><td>7.32</td><td>33.28</td><td>0.00</td><td>300</td><td>52</td><td>PEAK</td></tr><tr><td>2</td><td>2489.14</td><td>-6.70</td><td>54.00</td><td>-60.70</td><td></td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>300</td><td>52</td><td>AVERAGE</td></tr></table>		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2489.14	44.97	74.00	-29.03		43.04	27.89	7.32	33.28	0.00	300	52	PEAK	2	2489.14	-6.70	54.00	-60.70		--	--	--	--	--	300	52	AVERAGE	Blank
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																														
1	2489.14	44.97	74.00	-29.03		43.04	27.89	7.32	33.28	0.00	300	52	PEAK																																													
2	2489.14	-6.70	54.00	-60.70		--	--	--	--	--	300	52	AVERAGE																																													





Mode	2																																																																																														
	Harmonic																																																																																														
	2400-2483.5_Bluetooth-LE_ASK_CH38_2440MHz																																																																																														
ANT	3																																																																																														
Pol.	Horizontal						Vertical																																																																																								
Peak Avg																																																																																															
	Site : 03CH11-HY Condition: PEAK_74 3m 91280_01620_240828 HORIZONTAL						Site : 03CH11-HY Condition: PEAK_74 3m 91280_01620_240828 VERTICAL																																																																																								
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4880.00</td><td>40.96</td><td>74.00</td><td>-33.04</td><td>63.07</td><td>32.72</td><td>11.33</td><td>66.70</td><td>0.54</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>4880.00</td><td>-10.61</td><td>54.00</td><td>-64.61</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>7320.00</td><td>43.83</td><td>74.00</td><td>-30.17</td><td>57.94</td><td>36.76</td><td>14.60</td><td>65.78</td><td>0.31</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>4</td><td>7320.00</td><td>-7.74</td><td>54.00</td><td>-61.74</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>Average</td></tr></table>														Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4880.00	40.96	74.00	-33.04	63.07	32.72	11.33	66.70	0.54	--	--	PEAK	2	4880.00	-10.61	54.00	-64.61	--	--	--	--	--	--	--	Average	3	7320.00	43.83	74.00	-30.17	57.94	36.76	14.60	65.78	0.31	--	--	PEAK	4	7320.00	-7.74	54.00	-61.74	--	--	--	--	--	--	--	Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	4880.00	40.96	74.00	-33.04	63.07	32.72	11.33	66.70	0.54	--	--	PEAK																																																																																			
2	4880.00	-10.61	54.00	-64.61	--	--	--	--	--	--	--	Average																																																																																			
3	7320.00	43.83	74.00	-30.17	57.94	36.76	14.60	65.78	0.31	--	--	PEAK																																																																																			
4	7320.00	-7.74	54.00	-61.74	--	--	--	--	--	--	--	Average																																																																																			





Mode	2	
	Harmonic	
	2400-2483.5_Bluetooth-LE_ASK_CH38_2440MHz	
ANT	3	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH11-HY Condition: AVG_54 3m 91280_01620_240828 HORIZONTAL	 Site : 03CH11-HY Condition: AVG_54 3m 91280_01620_240828 VERTICAL
	 Site : 03CH11-HY Condition: AVG_54 3m 91280_01620_240828 HORIZONTAL	 Site : 03CH11-HY Condition: AVG_54 3m 91280_01620_240828 VERTICAL





Mode	3																																																																																																																													
	Band Edge																																																																																																																													
	2400-2483.5_Bluetooth-LE_ASK_CH76_2478MHz																																																																																																																													
ANT	3																																																																																																																													
Pol.	Horizontal						Fundamental																																																																																																																							
Peak	 Site : 03CH11-HY Condition: PEAK_BE_74 3m 91200_01620_240828 HORIZONTAL Plane : 7F <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.57</td><td>62.40</td><td>74.00</td><td>-11.60</td><td>60.52</td><td>27.84</td><td>7.32</td><td>33.28</td><td>0.00</td><td>200</td><td>164</td><td>PEAK</td></tr><tr><td>2</td><td>2483.57</td><td>10.73</td><td>54.00</td><td>-43.27</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>200</td><td>164</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.57	62.40	74.00	-11.60	60.52	27.84	7.32	33.28	0.00	200	164	PEAK	2	2483.57	10.73	54.00	-43.27	--	--	--	--	--	200	164	AVERAGE	 Site : 03CH11-HY Condition: PEAK_74 3m 91200_01620_240828 HORIZONTAL Plane : 7F <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2478.00</td><td>113.97</td><td>-----</td><td>-----</td><td>112.16</td><td>27.78</td><td>7.31</td><td>33.28</td><td>0.00</td><td>200</td><td>164</td><td>PEAK</td></tr><tr><td>2</td><td>2478.00</td><td>62.30</td><td>-----</td><td>-----</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>200</td><td>164</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2478.00	113.97	-----	-----	112.16	27.78	7.31	33.28	0.00	200	164	PEAK	2	2478.00	62.30	-----	-----	--	--	--	--	--	200	164	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	2483.57	62.40	74.00	-11.60	60.52	27.84	7.32	33.28	0.00	200	164	PEAK																																																																																																																		
2	2483.57	10.73	54.00	-43.27	--	--	--	--	--	200	164	AVERAGE																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	2478.00	113.97	-----	-----	112.16	27.78	7.31	33.28	0.00	200	164	PEAK																																																																																																																		
2	2478.00	62.30	-----	-----	--	--	--	--	--	200	164	AVERAGE																																																																																																																		







Mode	3																																																																																																																													
	Band Edge																																																																																																																													
	2400-2483.5_Bluetooth-LE_ASK_CH76_2478MHz																																																																																																																													
ANT	3																																																																																																																													
Pol.	Vertical						Fundamental																																																																																																																							
Peak	 Site : 03CH11-HY Condition: PEAK_BE_74 3m 91200_01620_240828 VERTICAL Plane : 7F <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.57</td><td>50.42</td><td>74.00</td><td>-23.58</td><td>48.54</td><td>27.84</td><td>7.32</td><td>33.28</td><td>0.00</td><td>200</td><td>81</td><td>PEAK</td></tr><tr><td>2</td><td>2483.57</td><td>-1.25</td><td>54.00</td><td>-55.25</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>200</td><td>81</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.57	50.42	74.00	-23.58	48.54	27.84	7.32	33.28	0.00	200	81	PEAK	2	2483.57	-1.25	54.00	-55.25	--	--	--	--	--	200	81	AVERAGE	 Site : 03CH11-HY Condition: PEAK_74 3m 91200_01620_240828 VERTICAL Plane : 7F <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2478.00</td><td>100.28</td><td>-----</td><td>-----</td><td>98.47</td><td>27.78</td><td>7.31</td><td>33.28</td><td>0.00</td><td>200</td><td>81</td><td>PEAK</td></tr><tr><td>2</td><td>2478.00</td><td>48.61</td><td>-----</td><td>-----</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>200</td><td>81</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2478.00	100.28	-----	-----	98.47	27.78	7.31	33.28	0.00	200	81	PEAK	2	2478.00	48.61	-----	-----	--	--	--	--	--	200	81	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	2483.57	50.42	74.00	-23.58	48.54	27.84	7.32	33.28	0.00	200	81	PEAK																																																																																																																		
2	2483.57	-1.25	54.00	-55.25	--	--	--	--	--	200	81	AVERAGE																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	2478.00	100.28	-----	-----	98.47	27.78	7.31	33.28	0.00	200	81	PEAK																																																																																																																		
2	2478.00	48.61	-----	-----	--	--	--	--	--	200	81	AVERAGE																																																																																																																		



Mode	3																																																																																														
	Harmonic																																																																																														
	2400-2483.5_Bluetooth-LE_ASK_CH76_2478MHz																																																																																														
ANT	3																																																																																														
Pol.	Horizontal						Vertical																																																																																								
Peak Avg																																																																																															
	Site : 03CH11-HY Condition: PEAK_74 3m 91280_01620_240828 HORIZONTAL						Site : 03CH11-HY Condition: PEAK_74 3m 91280_01620_240828 VERTICAL																																																																																								
<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4956.00</td><td>41.83</td><td>74.00</td><td>-32.17</td><td>63.21</td><td>33.01</td><td>11.68</td><td>66.64</td><td>0.57</td><td>--</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>4956.00</td><td>-9.74</td><td>54.00</td><td>-63.74</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>7434.00</td><td>43.05</td><td>74.00</td><td>-30.95</td><td>57.70</td><td>36.26</td><td>14.70</td><td>65.92</td><td>0.31</td><td>--</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>4</td><td>7434.00</td><td>-8.52</td><td>54.00</td><td>-62.52</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>Average</td></tr></table>													Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4956.00	41.83	74.00	-32.17	63.21	33.01	11.68	66.64	0.57	--	--	--	PEAK	2	4956.00	-9.74	54.00	-63.74	--	--	--	--	--	--	--	--	Average	3	7434.00	43.05	74.00	-30.95	57.70	36.26	14.70	65.92	0.31	--	--	--	PEAK	4	7434.00	-8.52	54.00	-62.52	--	--	--	--	--	--	--	--	Average
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																			
1	4956.00	41.83	74.00	-32.17	63.21	33.01	11.68	66.64	0.57	--	--	--	PEAK																																																																																		
2	4956.00	-9.74	54.00	-63.74	--	--	--	--	--	--	--	--	Average																																																																																		
3	7434.00	43.05	74.00	-30.95	57.70	36.26	14.70	65.92	0.31	--	--	--	PEAK																																																																																		
4	7434.00	-8.52	54.00	-62.52	--	--	--	--	--	--	--	--	Average																																																																																		





Mode	3	
	Harmonic	
	2400-2483.5_Bluetooth-LE_ASK_CH76_2478MHz	
ANT	3	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH11-HY Condition: AVG_54 3m 91280_01620_240828 HORIZONTAL	 Site : 03CH11-HY Condition: AVG_54 3m 91280_01620_240828 VERTICAL
	 Site : 03CH11-HY Condition: AVG_54 3m 91280_01620_240828 HORIZONTAL	 Site : 03CH11-HY Condition: AVG_54 3m 91280_01620_240828 VERTICAL





Mode	4																																																																																																					
	SHF																																																																																																					
	2400-2483.5_ Bluetooth-LE_ASK_CH76_2478MHz																																																																																																					
ANT	3																																																																																																					
Pol.	Horizontal	Vertical																																																																																																				
Peak	Site : 03CH11-HY Condition: PEAK_74 1m SHF_1223_240624 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 25644.33</td><td>34.36</td><td>74.00</td><td>-39.64</td><td>35.42</td><td>39.20</td><td>29.78</td><td>60.50</td><td>-9.54</td><td>100 50 PEAK</td></tr><tr><td>2 25644.33</td><td>-17.31</td><td>54.00</td><td>-71.31</td><td>-16.25</td><td>39.20</td><td>29.78</td><td>60.50</td><td>-9.54</td><td>100 50 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 25644.33	34.36	74.00	-39.64	35.42	39.20	29.78	60.50	-9.54	100 50 PEAK	2 25644.33	-17.31	54.00	-71.31	-16.25	39.20	29.78	60.50	-9.54	100 50 AVERAGE	Site : 03CH11-HY Condition: PEAK_74 1m SHF_1223_240624 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 25670.43</td><td>35.09</td><td>74.00</td><td>-38.91</td><td>36.17</td><td>39.16</td><td>29.80</td><td>60.50</td><td>-9.54</td><td>100 10 PEAK</td></tr><tr><td>2 25670.43</td><td>-16.58</td><td>54.00</td><td>-70.58</td><td>-15.50</td><td>39.16</td><td>29.80</td><td>60.50</td><td>-9.54</td><td>100 10 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 25670.43	35.09	74.00	-38.91	36.17	39.16	29.80	60.50	-9.54	100 10 PEAK	2 25670.43	-16.58	54.00	-70.58	-15.50	39.16	29.80	60.50	-9.54	100 10 AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1 25644.33	34.36	74.00	-39.64	35.42	39.20	29.78	60.50	-9.54	100 50 PEAK																																																																																													
2 25644.33	-17.31	54.00	-71.31	-16.25	39.20	29.78	60.50	-9.54	100 50 AVERAGE																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1 25670.43	35.09	74.00	-38.91	36.17	39.16	29.80	60.50	-9.54	100 10 PEAK																																																																																													
2 25670.43	-16.58	54.00	-70.58	-15.50	39.16	29.80	60.50	-9.54	100 10 AVERAGE																																																																																													





Mode	5																																																																																																																								
	LF																																																																																																																								
	2400-2483.5_ Bluetooth-LE_ ASK_ CH76_ 2478MHz																																																																																																																								
ANT	3																																																																																																																								
Pol.	Horizontal						Vertical																																																																																																																		
QPI Peak																																																																																																																									
	Site : 03CH11-HY Condition: QP 3m BIL06_37059801_241127 HORIZONTAL																																																																																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>32.91</td><td>27.79</td><td>40.00</td><td>-12.21</td><td>35.96</td><td>23.26</td><td>0.89</td><td>32.37</td><td>0.05</td><td>100</td><td>256</td><td>QP</td></tr><tr><td>2</td><td>93.05</td><td>32.37</td><td>43.50</td><td>-11.13</td><td>47.94</td><td>15.28</td><td>1.43</td><td>32.32</td><td>0.04</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>159.98</td><td>27.05</td><td>43.50</td><td>-16.45</td><td>40.54</td><td>16.74</td><td>1.89</td><td>32.26</td><td>0.14</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>179.38</td><td>31.94</td><td>43.50</td><td>-11.56</td><td>46.71</td><td>15.32</td><td>1.98</td><td>32.22</td><td>0.15</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>5</td><td>868.32</td><td>30.58</td><td>46.00</td><td>-15.42</td><td>28.50</td><td>29.38</td><td>4.21</td><td>31.63</td><td>0.12</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>6</td><td>953.44</td><td>32.43</td><td>46.00</td><td>-13.57</td><td>27.46</td><td>31.08</td><td>4.53</td><td>30.86</td><td>0.22</td><td>--</td><td>--</td><td>Peak</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	32.91	27.79	40.00	-12.21	35.96	23.26	0.89	32.37	0.05	100	256	QP	2	93.05	32.37	43.50	-11.13	47.94	15.28	1.43	32.32	0.04	--	--	Peak	3	159.98	27.05	43.50	-16.45	40.54	16.74	1.89	32.26	0.14	--	--	Peak	4	179.38	31.94	43.50	-11.56	46.71	15.32	1.98	32.22	0.15	--	--	Peak	5	868.32	30.58	46.00	-15.42	28.50	29.38	4.21	31.63	0.12	--	--	Peak	6	953.44	32.43	46.00	-13.57	27.46	31.08	4.53	30.86	0.22	--	--	Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	32.91	27.79	40.00	-12.21	35.96	23.26	0.89	32.37	0.05	100	256	QP																																																																																																													
2	93.05	32.37	43.50	-11.13	47.94	15.28	1.43	32.32	0.04	--	--	Peak																																																																																																													
3	159.98	27.05	43.50	-16.45	40.54	16.74	1.89	32.26	0.14	--	--	Peak																																																																																																													
4	179.38	31.94	43.50	-11.56	46.71	15.32	1.98	32.22	0.15	--	--	Peak																																																																																																													
5	868.32	30.58	46.00	-15.42	28.50	29.38	4.21	31.63	0.12	--	--	Peak																																																																																																													
6	953.44	32.43	46.00	-13.57	27.46	31.08	4.53	30.86	0.22	--	--	Peak																																																																																																													
	Site : 03CH11-HY Condition: QP 3m BIL06_37059801_241127 VERTICAL																																																																																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>32.91</td><td>29.64</td><td>40.00</td><td>-10.36</td><td>37.81</td><td>23.26</td><td>0.89</td><td>32.37</td><td>0.05</td><td>100</td><td>302</td><td>QP</td></tr><tr><td>2</td><td>67.83</td><td>29.82</td><td>40.00</td><td>-10.18</td><td>48.45</td><td>12.39</td><td>1.25</td><td>32.32</td><td>0.05</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>91.11</td><td>32.93</td><td>43.50</td><td>-10.57</td><td>48.67</td><td>15.14</td><td>1.40</td><td>32.33</td><td>0.05</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>177.44</td><td>31.40</td><td>43.50</td><td>-12.10</td><td>46.09</td><td>15.42</td><td>1.97</td><td>32.23</td><td>0.15</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>5</td><td>919.49</td><td>32.87</td><td>46.00</td><td>-13.13</td><td>29.73</td><td>29.70</td><td>4.40</td><td>31.19</td><td>0.23</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>6</td><td>952.47</td><td>33.89</td><td>46.00</td><td>-12.11</td><td>28.95</td><td>31.07</td><td>4.53</td><td>30.87</td><td>0.21</td><td>--</td><td>--</td><td>Peak</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	32.91	29.64	40.00	-10.36	37.81	23.26	0.89	32.37	0.05	100	302	QP	2	67.83	29.82	40.00	-10.18	48.45	12.39	1.25	32.32	0.05	--	--	Peak	3	91.11	32.93	43.50	-10.57	48.67	15.14	1.40	32.33	0.05	--	--	Peak	4	177.44	31.40	43.50	-12.10	46.09	15.42	1.97	32.23	0.15	--	--	Peak	5	919.49	32.87	46.00	-13.13	29.73	29.70	4.40	31.19	0.23	--	--	Peak	6	952.47	33.89	46.00	-12.11	28.95	31.07	4.53	30.87	0.21	--	--	Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	32.91	29.64	40.00	-10.36	37.81	23.26	0.89	32.37	0.05	100	302	QP																																																																																																													
2	67.83	29.82	40.00	-10.18	48.45	12.39	1.25	32.32	0.05	--	--	Peak																																																																																																													
3	91.11	32.93	43.50	-10.57	48.67	15.14	1.40	32.33	0.05	--	--	Peak																																																																																																													
4	177.44	31.40	43.50	-12.10	46.09	15.42	1.97	32.23	0.15	--	--	Peak																																																																																																													
5	919.49	32.87	46.00	-13.13	29.73	29.70	4.40	31.19	0.23	--	--	Peak																																																																																																													
6	952.47	33.89	46.00	-12.11	28.95	31.07	4.53	30.87	0.21	--	--	Peak																																																																																																													





<2Mbps>

Mode	4																																																																																																					
	Band Edge																																																																																																					
	2400-2483.5_Bluetooth-LE_ASK_CH02_2404MHz																																																																																																					
ANT	3																																																																																																					
Pol.	Horizontal	Fundamental																																																																																																				
Peak	 Site : 03CH11-HY Condition: PEAK_BE_74 3m 91200_01620_240828 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 2389.00</td><td>57.68</td><td>74.00 -16.32</td><td>46.36</td><td>27.30</td><td>7.19</td><td>33.20</td><td>10.03</td><td>157</td><td>159 PEAK</td></tr><tr><td>2 2389.00</td><td>6.11</td><td>54.00 -47.89</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>157</td><td>159 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2389.00	57.68	74.00 -16.32	46.36	27.30	7.19	33.20	10.03	157	159 PEAK	2 2389.00	6.11	54.00 -47.89	--	--	--	--	--	157	159 AVERAGE	 Site : 03CH11-HY Condition: PEAK_74 3m 91200_01620_240828 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 2404.00</td><td>115.61</td><td>-----</td><td>104.16</td><td>27.40</td><td>7.21</td><td>33.19</td><td>10.03</td><td>157</td><td>159 PEAK</td></tr><tr><td>2 2404.00</td><td>64.04</td><td>-----</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>157</td><td>159 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2404.00	115.61	-----	104.16	27.40	7.21	33.19	10.03	157	159 PEAK	2 2404.00	64.04	-----	--	--	--	--	--	157	159 AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1 2389.00	57.68	74.00 -16.32	46.36	27.30	7.19	33.20	10.03	157	159 PEAK																																																																																													
2 2389.00	6.11	54.00 -47.89	--	--	--	--	--	157	159 AVERAGE																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1 2404.00	115.61	-----	104.16	27.40	7.21	33.19	10.03	157	159 PEAK																																																																																													
2 2404.00	64.04	-----	--	--	--	--	--	157	159 AVERAGE																																																																																													







Mode	4																																																																																																																												
	Band Edge																																																																																																																												
	2400-2483.5_Bluetooth-LE_ASK_CH02_2404MHz																																																																																																																												
ANT	3																																																																																																																												
Pol.	Vertical						Fundamental																																																																																																																						
Peak																																																																																																																													
	Site : 03CH11-HY Condition: PEAK_BE_74 3m 91200_01620_240828 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto						Site : 03CH11-HY Condition: PEAK_74 3m 91200_01620_240828 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto																																																																																																																						
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2389.71</td><td>55.50</td><td>74.00</td><td>-18.50</td><td>44.18</td><td>27.30</td><td>7.19</td><td>33.20</td><td>10.03</td><td>400</td><td>48</td><td>PEAK</td></tr><tr><td>2</td><td>2389.71</td><td>3.93</td><td>54.00</td><td>-50.07</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>400</td><td>48</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.71	55.50	74.00	-18.50	44.18	27.30	7.19	33.20	10.03	400	48	PEAK	2	2389.71	3.93	54.00	-50.07	--	--	--	--	--	400	48	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2404.00</td><td>112.46</td><td>-----</td><td>-----</td><td>101.01</td><td>27.40</td><td>7.21</td><td>33.19</td><td>10.03</td><td>400</td><td>48</td><td>PEAK</td></tr><tr><td>2</td><td>2404.00</td><td>60.89</td><td>-----</td><td>-----</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>400</td><td>48</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2404.00	112.46	-----	-----	101.01	27.40	7.21	33.19	10.03	400	48	PEAK	2	2404.00	60.89	-----	-----	--	--	--	--	--	400	48
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	2389.71	55.50	74.00	-18.50	44.18	27.30	7.19	33.20	10.03	400	48	PEAK																																																																																																																	
2	2389.71	3.93	54.00	-50.07	--	--	--	--	--	400	48	AVERAGE																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	2404.00	112.46	-----	-----	101.01	27.40	7.21	33.19	10.03	400	48	PEAK																																																																																																																	
2	2404.00	60.89	-----	-----	--	--	--	--	--	400	48	AVERAGE																																																																																																																	





Mode	4																																																																					
	Harmonic																																																																					
	2400-2483.5_Bluetooth-LE_ASK_CH02_2404MHz																																																																					
ANT	3																																																																					
Pol.	Horizontal						Vertical																																																															
Peak Avg																																																																						
	Site : 03CH11-HY Condition: PEAK_74 3m 91200_01620_240828 HORIZONTAL						Site : 03CH11-HY Condition: PEAK_74 3m 91200_01620_240828 VERTICAL																																																															
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4808.00</td><td>40.59</td><td>74.00</td><td>-33.41</td><td>63.50</td><td>32.35</td><td>10.99</td><td>66.75</td><td>0.50</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>4808.00</td><td>-10.98</td><td>54.00</td><td>-64.98</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>Average</td></tr></table>															Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4808.00	40.59	74.00	-33.41	63.50	32.35	10.99	66.75	0.50	--	--	PEAK	2	4808.00	-10.98	54.00	-64.98	--	--	--	--	--	--	--	Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																												
1	4808.00	40.59	74.00	-33.41	63.50	32.35	10.99	66.75	0.50	--	--	PEAK																																																										
2	4808.00	-10.98	54.00	-64.98	--	--	--	--	--	--	--	Average																																																										




Mode	4	
	Harmonic	
	2400-2483.5_Bluetooth-LE_ASK_CH02_2404MHz	
ANT	3	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH11-HY Condition: AVG_54 3m 91280_01620_240828 HORIZONTAL	 Site : 03CH11-HY Condition: AVG_54 3m 91280_01620_240828 VERTICAL
	 Site : 03CH11-HY Condition: AVG_54 3m 91280_01620_240828 HORIZONTAL	 Site : 03CH11-HY Condition: AVG_54 3m 91280_01620_240828 VERTICAL





Mode	5																																																																																																																												
	Band Edge - L																																																																																																																												
	2400-2483.5_Bluetooth-LE_ASK_CH38_2440MHz																																																																																																																												
ANT	3																																																																																																																												
Pol.	Horizontal						Fundamental																																																																																																																						
Peak																																																																																																																													
	Site : 03CH11-HY Condition: PEAK_BE_74 3m 91200_01620_240828 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto						Site : 03CH11-HY Condition: PEAK_74 3m 91200_01620_240828 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto																																																																																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2385.53</td><td>53.67</td><td>74.00</td><td>-20.33</td><td>42.41</td><td>27.26</td><td>7.18</td><td>33.21</td><td>10.03</td><td>189</td><td>157</td><td>PEAK</td></tr><tr><td>2</td><td>2385.53</td><td>2.10</td><td>54.00</td><td>-51.90</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>189</td><td>157</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2385.53	53.67	74.00	-20.33	42.41	27.26	7.18	33.21	10.03	189	157	PEAK	2	2385.53	2.10	54.00	-51.90	--	--	--	--	--	189	157	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2440.00</td><td>115.56</td><td>-----</td><td>-----</td><td>103.83</td><td>27.60</td><td>7.26</td><td>33.16</td><td>10.03</td><td>189</td><td>157</td><td>PEAK</td></tr><tr><td>2</td><td>2440.00</td><td>63.99</td><td>-----</td><td>-----</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>189</td><td>157</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2440.00	115.56	-----	-----	103.83	27.60	7.26	33.16	10.03	189	157	PEAK	2	2440.00	63.99	-----	-----	--	--	--	--	--	189	157
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	2385.53	53.67	74.00	-20.33	42.41	27.26	7.18	33.21	10.03	189	157	PEAK																																																																																																																	
2	2385.53	2.10	54.00	-51.90	--	--	--	--	--	189	157	AVERAGE																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	2440.00	115.56	-----	-----	103.83	27.60	7.26	33.16	10.03	189	157	PEAK																																																																																																																	
2	2440.00	63.99	-----	-----	--	--	--	--	--	189	157	AVERAGE																																																																																																																	




Mode	5																																																								
	Band Edge - R																																																								
	2400-2483.5_Bluetooth-LE_ASK_CH38_2440MHz																																																								
ANT	3																																																								
Pol.	Horizontal	Fundamental																																																							
Peak	 Site : 03CH11-HY Condition: PEAK_BE_74 3m 91280_01620_240828 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2487.28</td><td>55.57</td><td>74.00</td><td>-18.43</td><td>43.46</td><td>27.87</td><td>7.32</td><td>33.11</td><td>10.03</td><td>189</td><td>157</td><td>PEAK</td></tr><tr><td>2</td><td>2487.28</td><td>4.00</td><td>54.00</td><td>-50.00</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>189</td><td>157</td><td>AVERAGE</td></tr></table>		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	2487.28	55.57	74.00	-18.43	43.46	27.87	7.32	33.11	10.03	189	157	PEAK	2	2487.28	4.00	54.00	-50.00	--	--	--	--	--	--	189	157	AVERAGE	Blank
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																												
1	2487.28	55.57	74.00	-18.43	43.46	27.87	7.32	33.11	10.03	189	157	PEAK																																													
2	2487.28	4.00	54.00	-50.00	--	--	--	--	--	--	189	157	AVERAGE																																												





Mode	5																																																																																																																									
	Band Edge - L																																																																																																																									
	2400-2483.5_Bluetooth-LE_ASK_CH38_2440MHz																																																																																																																									
ANT	3																																																																																																																									
Pol.	Vertical						Fundamental																																																																																																																			
Peak	 Site : 03CH11-HY Condition: PEAK_BE_74 3m 91200_01620_240828 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2383.45</td><td>54.24</td><td>74.00</td><td>-19.76</td><td>43.01</td><td>27.23</td><td>7.18</td><td>33.21</td><td>10.03</td><td>300</td><td>59 PEAK</td></tr><tr><td>2</td><td>2383.45</td><td>2.67</td><td>54.00</td><td>-51.33</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>300</td><td>59 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2383.45	54.24	74.00	-19.76	43.01	27.23	7.18	33.21	10.03	300	59 PEAK	2	2383.45	2.67	54.00	-51.33	--	--	--	--	--	300	59 AVERAGE	 Site : 03CH11-HY Condition: PEAK_74 3m 91200_01620_240828 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2440.00</td><td>110.09</td><td>-----</td><td>-----</td><td>99.16</td><td>27.60</td><td>7.26</td><td>33.16</td><td>10.03</td><td>300</td><td>59 PEAK</td></tr><tr><td>2</td><td>2440.00</td><td>59.32</td><td>-----</td><td>-----</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>300</td><td>59 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2440.00	110.09	-----	-----	99.16	27.60	7.26	33.16	10.03	300	59 PEAK	2	2440.00	59.32	-----	-----	--	--	--	--	--	300	59 AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	2383.45	54.24	74.00	-19.76	43.01	27.23	7.18	33.21	10.03	300	59 PEAK																																																																																																															
2	2383.45	2.67	54.00	-51.33	--	--	--	--	--	300	59 AVERAGE																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	2440.00	110.09	-----	-----	99.16	27.60	7.26	33.16	10.03	300	59 PEAK																																																																																																															
2	2440.00	59.32	-----	-----	--	--	--	--	--	300	59 AVERAGE																																																																																																															



Mode	5																																																							
	Band Edge - R																																																							
	2400-2483.5_Bluetooth-LE_ASK_CH38_2440MHz																																																							
ANT	3																																																							
Pol.	Vertical	Fundamental																																																						
Peak	 Site : 03CH11-HY Condition: PEAK_BE_74 3m 91280_01620_240828 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2497.90</td><td>54.70</td><td>74.00</td><td>-19.30</td><td>42.53</td><td>27.90</td><td>7.34</td><td>33.10</td><td>10.03</td><td>300</td><td>59</td><td>PEAK</td></tr><tr><td>2</td><td>2497.90</td><td>3.13</td><td>54.00</td><td>-50.87</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>300</td><td>59</td><td>AVERAGE</td></tr></table>		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2497.90	54.70	74.00	-19.30	42.53	27.90	7.34	33.10	10.03	300	59	PEAK	2	2497.90	3.13	54.00	-50.87	--	--	--	--	--	300	59	AVERAGE	Blank
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																												
1	2497.90	54.70	74.00	-19.30	42.53	27.90	7.34	33.10	10.03	300	59	PEAK																																												
2	2497.90	3.13	54.00	-50.87	--	--	--	--	--	300	59	AVERAGE																																												





Mode	5																																																																																														
	Harmonic																																																																																														
	2400-2483.5_Bluetooth-LE_ASK_CH38_2440MHz																																																																																														
ANT	3																																																																																														
Pol.	Horizontal						Vertical																																																																																								
Peak Avg																																																																																															
	Site : 03CH11-HY Condition: PEAK_74 3m 91280_01620_240828 HORIZONTAL						Site : 03CH11-HY Condition: PEAK_74 3m 91280_01620_240828 VERTICAL																																																																																								
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4880.00</td><td>41.82</td><td>74.00</td><td>-32.18</td><td>63.93</td><td>32.72</td><td>11.33</td><td>66.70</td><td>0.54</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>4880.00</td><td>-9.75</td><td>54.00</td><td>-63.75</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>7320.00</td><td>43.48</td><td>74.00</td><td>-30.52</td><td>57.59</td><td>36.76</td><td>14.60</td><td>65.78</td><td>0.31</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>4</td><td>7320.00</td><td>-8.09</td><td>54.00</td><td>-62.09</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>Average</td></tr></table>														Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4880.00	41.82	74.00	-32.18	63.93	32.72	11.33	66.70	0.54	--	--	PEAK	2	4880.00	-9.75	54.00	-63.75	--	--	--	--	--	--	--	Average	3	7320.00	43.48	74.00	-30.52	57.59	36.76	14.60	65.78	0.31	--	--	PEAK	4	7320.00	-8.09	54.00	-62.09	--	--	--	--	--	--	--	Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	4880.00	41.82	74.00	-32.18	63.93	32.72	11.33	66.70	0.54	--	--	PEAK																																																																																			
2	4880.00	-9.75	54.00	-63.75	--	--	--	--	--	--	--	Average																																																																																			
3	7320.00	43.48	74.00	-30.52	57.59	36.76	14.60	65.78	0.31	--	--	PEAK																																																																																			
4	7320.00	-8.09	54.00	-62.09	--	--	--	--	--	--	--	Average																																																																																			





Mode	5	
	Harmonic	
	2400-2483.5_Bluetooth-LE_ASK_CH38_2440MHz	
ANT	3	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Site : 03CH11-HY Condition: AVG_54 3m 91280_01620_240828 HORIZONTAL	Site : 03CH11-HY Condition: AVG_54 3m 91280_01620_240828 VERTICAL
	Site : 03CH11-HY Condition: AVG_54 3m 91280_01620_240828 HORIZONTAL	Site : 03CH11-HY Condition: AVG_54 3m 91280_01620_240828 VERTICAL





Mode	6																																																																																																																													
	Band Edge																																																																																																																													
	2400-2483.5_Bluetooth-LE_ASK_CH76_2478MHz																																																																																																																													
ANT	3																																																																																																																													
Pol.	Horizontal						Fundamental																																																																																																																							
Peak	 Site : 03CH11-HY Condition: PEAK_BE_74 3m 91200_01620_240828 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.63</td><td>65.47</td><td>74.00</td><td>-8.53</td><td>53.40</td><td>27.84</td><td>7.32</td><td>33.12</td><td>10.03</td><td>184</td><td>159</td><td>PEAK</td></tr><tr><td>2</td><td>2483.63</td><td>13.90</td><td>54.00</td><td>-40.10</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>184</td><td>159</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.63	65.47	74.00	-8.53	53.40	27.84	7.32	33.12	10.03	184	159	PEAK	2	2483.63	13.90	54.00	-40.10	--	--	--	--	--	184	159	AVERAGE	 Site : 03CH11-HY Condition: PEAK_74 3m 91200_01620_240828 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2478.00</td><td>115.97</td><td>-----</td><td>-----</td><td>103.97</td><td>27.78</td><td>7.31</td><td>33.12</td><td>10.03</td><td>184</td><td>159</td><td>PEAK</td></tr><tr><td>2</td><td>2478.00</td><td>64.40</td><td>-----</td><td>-----</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>184</td><td>159</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2478.00	115.97	-----	-----	103.97	27.78	7.31	33.12	10.03	184	159	PEAK	2	2478.00	64.40	-----	-----	--	--	--	--	--	184	159	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	2483.63	65.47	74.00	-8.53	53.40	27.84	7.32	33.12	10.03	184	159	PEAK																																																																																																																		
2	2483.63	13.90	54.00	-40.10	--	--	--	--	--	184	159	AVERAGE																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	2478.00	115.97	-----	-----	103.97	27.78	7.31	33.12	10.03	184	159	PEAK																																																																																																																		
2	2478.00	64.40	-----	-----	--	--	--	--	--	184	159	AVERAGE																																																																																																																		







Mode	6																																																																																																					
	Band Edge																																																																																																					
	2400-2483.5_Bluetooth-LE_ASK_CH76_2478MHz																																																																																																					
ANT	3																																																																																																					
Pol.	Vertical	Fundamental																																																																																																				
Peak	 Site : 03CH11-HY Condition: PEAK_BE_74 3m 91200_01620_240828 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>2483.54</td><td>63.24</td><td>74.00</td><td>-10.76</td><td>51.17</td><td>27.84</td><td>7.32</td><td>33.12</td><td>10.03 369 53 PEAK</td></tr><tr><td>2</td><td>2483.54</td><td>11.66</td><td>54.00</td><td>-42.34</td><td>--</td><td>--</td><td>--</td><td>--</td><td>369 53 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1	2483.54	63.24	74.00	-10.76	51.17	27.84	7.32	33.12	10.03 369 53 PEAK	2	2483.54	11.66	54.00	-42.34	--	--	--	--	369 53 AVERAGE	 Site : 03CH11-HY Condition: PEAK_74 3m 91200_01620_240828 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>2478.00</td><td>113.58</td><td>-----</td><td>-----</td><td>101.58</td><td>27.78</td><td>7.31</td><td>33.12</td><td>10.03 369 53 PEAK</td></tr><tr><td>2</td><td>2478.00</td><td>62.01</td><td>-----</td><td>-----</td><td>--</td><td>--</td><td>--</td><td>--</td><td>369 53 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1	2478.00	113.58	-----	-----	101.58	27.78	7.31	33.12	10.03 369 53 PEAK	2	2478.00	62.01	-----	-----	--	--	--	--	369 53 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																														
1	2483.54	63.24	74.00	-10.76	51.17	27.84	7.32	33.12	10.03 369 53 PEAK																																																																																													
2	2483.54	11.66	54.00	-42.34	--	--	--	--	369 53 AVERAGE																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																														
1	2478.00	113.58	-----	-----	101.58	27.78	7.31	33.12	10.03 369 53 PEAK																																																																																													
2	2478.00	62.01	-----	-----	--	--	--	--	369 53 AVERAGE																																																																																													



Mode	6																																																																																									
	Harmonic																																																																																									
	2400-2483.5_Bluetooth-LE_ASK_CH76_2478MHz																																																																																									
ANT	3																																																																																									
Pol.	Horizontal						Vertical																																																																																			
Peak Avg																																																																																										
	Site : 03CH11-HY Condition: PEAK_74 3m 91280_01620_240828 HORIZONTAL						Site : 03CH11-HY Condition: PEAK_74 3m 91280_01620_240828 VERTICAL																																																																																			
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4956.00</td><td>41.67</td><td>74.00</td><td>-32.33</td><td>63.05</td><td>33.01</td><td>11.68</td><td>66.64</td><td>0.57</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>4956.00</td><td>-9.90</td><td>54.00</td><td>-63.90</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>7434.00</td><td>44.38</td><td>74.00</td><td>-29.62</td><td>59.03</td><td>36.26</td><td>14.70</td><td>65.92</td><td>0.31</td><td>--</td><td>PEAK</td></tr><tr><td>4</td><td>7434.00</td><td>-7.19</td><td>54.00</td><td>-61.19</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>Average</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4956.00	41.67	74.00	-32.33	63.05	33.01	11.68	66.64	0.57	--	PEAK	2	4956.00	-9.90	54.00	-63.90	--	--	--	--	--	--	Average	3	7434.00	44.38	74.00	-29.62	59.03	36.26	14.70	65.92	0.31	--	PEAK	4	7434.00	-7.19	54.00	-61.19	--	--	--	--	--	--	Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	4956.00	41.67	74.00	-32.33	63.05	33.01	11.68	66.64	0.57	--	PEAK																																																																															
2	4956.00	-9.90	54.00	-63.90	--	--	--	--	--	--	Average																																																																															
3	7434.00	44.38	74.00	-29.62	59.03	36.26	14.70	65.92	0.31	--	PEAK																																																																															
4	7434.00	-7.19	54.00	-61.19	--	--	--	--	--	--	Average																																																																															




Mode	6	
	Harmonic	
	2400-2483.5_Bluetooth-LE_ASK_CH76_2478MHz	
ANT	3	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH11-HY Condition: AVG_54 3m 91280_01620_240828 HORIZONTAL	 Site : 03CH11-HY Condition: AVG_54 3m 91280_01620_240828 VERTICAL
	 Site : 03CH11-HY Condition: AVG_54 3m 91280_01620_240828 HORIZONTAL	 Site : 03CH11-HY Condition: AVG_54 3m 91280_01620_240828 VERTICAL



Appendix D. Duty Cycle Plots

<Ant. 4>



Note:

- Worst case Duty cycle = on time/100 milliseconds = $4 * 0.0435 / 100 = 0.16\%$
- Worst case Duty cycle correction factor = $20 * \log(\text{Duty cycle}) = -51.67 \text{ dB}$


Duty Cycle Correction Factor Consideration for AFH mode:

The maximum possible ON time:

$$0.0435 \text{ ms} \times 4 = 0.16 \text{ ms}$$

Worst case Duty Cycle Correction factor, which is derived from the maximum possible ON time,

$$20 \times \log(0.16 \text{ ms}/100 \text{ ms}) = -51.67 \text{ dB}$$

**Note:**

- Worst case Duty cycle = on time/100 milliseconds = $4 \times 0.044 / 100 = 0.18\%$
- Worst case Duty cycle correction factor = $20 \times \log(\text{Duty cycle}) = -51.57 \text{ dB}$

Duty Cycle Correction Factor Consideration for AFH mode:

The maximum possible ON time:


$$0.044 \text{ ms} \times 4 = 0.18 \text{ ms}$$

Worst case Duty Cycle Correction factor, which is derived from the maximum possible ON time,

$$20 \times \log(0.16 \text{ ms}/100 \text{ ms}) = -51.57 \text{ dB}$$



<Ant. 3>

**Note:**

- Worst case Duty cycle = on time/100 milliseconds = $4 \times 0.0435 / 100 = 0.16\%$
- Worst case Duty cycle correction factor = $20 \times \log(\text{Duty cycle}) = -51.67 \text{ dB}$


Duty Cycle Correction Factor Consideration for AFH mode:

The maximum possible ON time:

$$0.0435 \text{ ms} \times 4 = 0.16 \text{ ms}$$

Worst case Duty Cycle Correction factor, which is derived from the maximum possible ON time,

$$20 \times \log(0.16 \text{ ms}/100 \text{ ms}) = -51.67 \text{ dB}$$

**Note:**

- Worst case Duty cycle = on time/100 milliseconds = $4 \times 0.044 / 100 = 0.17\%$
- Worst case Duty cycle correction factor = $20 \times \log(\text{Duty cycle}) = -51.57 \text{ dB}$

Duty Cycle Correction Factor Consideration for AFH mode:

The maximum possible ON time:

$$0.044 \text{ ms} \times 5 = 0.17 \text{ ms}$$

Worst case Duty Cycle Correction factor, which is derived from the maximum possible ON time,

$$20 \times \log(0.2 \text{ ms}/100 \text{ ms}) = -51.57 \text{ dB}$$

————THE END————