




DFT-s-OFDM

NR Band n258B / 400MHz / QPSK

Lowest Band Edge / 1 RB



22:01:45 08.02.2025


Highest Band Edge / 1 RB



12:00:08 10.02.2025


NR Band n258B / 400MHz / 16QAM

Lowest Band Edge / 1 RB



21:53:22 08.02.2025

Highest Band Edge / 1 RB




12:06:12 10.02.2025




DFT-s-OFDM

NR Band n258B / 400MHz / 64QAM

Lowest Band Edge / 1 RB



Highest Band Edge / 1 RB







CP-OFDM

NR Band n258B / 50MHz / QPSK

Lowest Band Edge / 1 RB




Highest Band Edge / 1 RB




NR Band n258B / 100MHz / QPSK

Lowest Band Edge / 1 RB



Highest Band Edge / 1 RB







CP-OFDM

NR Band n258B / 200MHz / QPSK

Lowest Band Edge / 1 RB



Highest Band Edge / 1 RB



NR Band n258B / 300MHz / QPSK

Lowest Band Edge / 1 RB

Highest Band Edge / 1 RB







CP-OFDM

NR Band n258B / 400MHz / QPSK

Lowest Band Edge / 1 RB

Highest Band Edge / 1 RB





DFT-s-OFDM


NR Band n258B / 50MHz / QPSK

Lowest Band Edge / Full RB



17:33:12 08.02.2025


Highest Band Edge / Full RB



05:40:48 10.02.2025

NR Band n258B / 50MHz / 16QAM

Lowest Band Edge / Full RB



17:31:43 08.02.2025

Highest Band Edge / Full RB




05:55:04 10.02.2025




DFT-s-OFDM

NR Band n258B / 50MHz / 64QAM

Lowest Band Edge / Full RB




Highest Band Edge / Full RB




NR Band n258B / 100MHz / QPSK

Lowest Band Edge / Full RB



Highest Band Edge / Full RB






DFT-s-OFDM

NR Band n258B / 100MHz / 16QAM

Lowest Band Edge / Full RB




Highest Band Edge / Full RB




NR Band n258B / 100MHz / 64QAM

Lowest Band Edge / Full RB



Highest Band Edge / Full RB






DFT-s-OFDM


NR Band n258B / 200MHz / QPSK

Lowest Band Edge / Full RB



20:53:50 08.02.2025


Highest Band Edge / Full RB



03:57:57 20.02.2025


NR Band n258B / 200MHz / 16QAM

Lowest Band Edge / Full RB



20:52:18 08.02.2025

Highest Band Edge / Full RB



09:27:35 10.02.2025



DFT-s-OFDM


NR Band n258B / 200MHz / 64QAM

Lowest Band Edge / Full RB



20:50:57 08.02.2025


Highest Band Edge / Full RB



09:36:32 10.02.2025


NR Band n258B / 300MHz / QPSK

Lowest Band Edge / Full RB



21:41:08 08.02.2025

Highest Band Edge / Full RB




10:03:43 10.02.2025



DFT-s-OFDM


NR Band n258B / 300MHz / 16QAM

Lowest Band Edge / Full RB



21:43:09 08.02.2025


Highest Band Edge / Full RB



10:10:54 10.02.2025


NR Band n258B / 300MHz / 64QAM

Lowest Band Edge / Full RB



21:47:21 08.02.2025

Highest Band Edge / Full RB




10:16:22 10.02.2025



DFT-s-OFDM

NR Band n258B / 400MHz / QPSK

Lowest Band Edge / Full RB



Highest Band Edge / Full RB




NR Band n258B / 400MHz / 16QAM

Lowest Band Edge / Full RB



Highest Band Edge / Full RB







DFT-s-OFDM

NR Band n258B / 400MHz / 64QAM

Lowest Band Edge / Full RB

Highest Band Edge / Full RB






CP-OFDM


NR Band n258B / 50MHz / QPSK

Lowest Band Edge / Full RB



17:40:20 08.02.2025


Highest Band Edge / Full RB



06:36:38 10.02.2025


NR Band n258B / 100MHz / QPSK

Lowest Band Edge / Full RB



18:25:26 08.02.2025

Highest Band Edge / Full RB




08:28:42 10.02.2025



CP-OFDM


NR Band n258B / 200MHz / QPSK

Lowest Band Edge / Full RB



21:01:51 08.02.2025


Highest Band Edge / Full RB



09:43:01 10.02.2025


NR Band n258B / 300MHz / QPSK

Lowest Band Edge / Full RB



21:14:40 08.02.2025

Highest Band Edge / Full RB



10:24:04 10.02.2025





CP-OFDM

NR Band n258B / 400MHz / QPSK

Lowest Band Edge / Full RB

Highest Band Edge / Full RB




Spurious Emission

There is no significant spurious emission signal found for frequency started from 30MHz up to 18GHz.

Only the noise floor is reported.

NR Band n258B (30MHz-1GHz)


Horizontal



Site : 03CH23-HY
Condition : -13 ERP_20241229 HORIZONTAL
Projet : 4N0919
: n258b

Freq	Level	Over	Limit
MHz	dBm	dB	dBm
1	399.57	-66.22	-53.22 -13.00

Vertical




Site : 03CH23-HY
Condition : -13 ERP_20241229 VERTICAL
Projet : 4N0919
: n258b

Freq	Level	Over	Limit
MHz	dBm	dB	dBm
1	632.37	-63.09	-50.09 -13.00



NR Band n258B (1GHz-18GHz)


Horizontal



Site : 03CH23-HY
Condition : -13 EIRP_20241229 HORIZONTAL
Projet : 4N0920
: n258b

Freq	Level	Over	Limit
MHz	dBm	dB	dBm
1	17813.00	-35.53	-22.53 -13.00

Vertical




Site : 03CH23-HY
Condition : -13 EIRP_20241229 VERTICAL
Projet : 4N0920
: n258b

Freq	Level	Over	Limit
MHz	dBm	dB	dBm
1	17847.00	-34.73	-21.73 -13.00




Spurious emission between 18GHz to 40GHz worst case plot is reported as following.

DFT-s-OFDM

Remark: In band and out of band frequencies are omitted.



DFT-s-OFDM



Remark: In band and out of band frequencies are omitted.




DFT-s-OFDM

NR Band n258B QPSK (18-40GHz)	
Lowest Channel / 400MHz  intentionally blank	
Middle Channel / 400MHz  intentionally blank	
Highest Channel / 400MHz  intentionally blank	

Remark: In band and out of band frequencies are omitted.




CP-OFDM



Remark: In band and out of band frequencies are omitted.



CP-OFDM



Remark: In band and out of band frequencies are omitted.




CP-OFDM

NR Band n258B QPSK (18-40GHz)																		
Lowest Channel / 400MHz																		
 <table><tr><th>Range Low</th><th>Range Up</th><th>RBW</th><th>Power Abs</th><th>dBm</th></tr><tr><td>18.000 GHz</td><td>24.500 GHz</td><td>1.000 MHz</td><td>24.48466 GHz</td><td>-26.21 dBm</td><td>-13.21 dB</td></tr><tr><td>25.500 GHz</td><td>40.000 GHz</td><td>1.000 MHz</td><td>32.54338 GHz</td><td>-23.62 dBm</td><td>-10.62 dB</td></tr></table> 22:27:25 08.02.2025	Range Low	Range Up	RBW	Power Abs	dBm	18.000 GHz	24.500 GHz	1.000 MHz	24.48466 GHz	-26.21 dBm	-13.21 dB	25.500 GHz	40.000 GHz	1.000 MHz	32.54338 GHz	-23.62 dBm	-10.62 dB	intentionally blank
Range Low	Range Up	RBW	Power Abs	dBm														
18.000 GHz	24.500 GHz	1.000 MHz	24.48466 GHz	-26.21 dBm	-13.21 dB													
25.500 GHz	40.000 GHz	1.000 MHz	32.54338 GHz	-23.62 dBm	-10.62 dB													
Middle Channel / 400MHz																		
 <table><tr><th>Range Low</th><th>Range Up</th><th>RBW</th><th>Power Abs</th><th>dBm</th></tr><tr><td>18.000 GHz</td><td>24.500 GHz</td><td>1.000 MHz</td><td>23.87836 GHz</td><td>-27.01 dBm</td><td>-14.01 dB</td></tr><tr><td>25.500 GHz</td><td>40.000 GHz</td><td>1.000 MHz</td><td>32.60863 GHz</td><td>-19.83 dBm</td><td>-6.83 dB</td></tr></table> 06:34:29 09.02.2025	Range Low	Range Up	RBW	Power Abs	dBm	18.000 GHz	24.500 GHz	1.000 MHz	23.87836 GHz	-27.01 dBm	-14.01 dB	25.500 GHz	40.000 GHz	1.000 MHz	32.60863 GHz	-19.83 dBm	-6.83 dB	intentionally blank
Range Low	Range Up	RBW	Power Abs	dBm														
18.000 GHz	24.500 GHz	1.000 MHz	23.87836 GHz	-27.01 dBm	-14.01 dB													
25.500 GHz	40.000 GHz	1.000 MHz	32.60863 GHz	-19.83 dBm	-6.83 dB													
Highest Channel / 400MHz																		
 <table><tr><th>Range Low</th><th>Range Up</th><th>RBW</th><th>Power Abs</th><th>dBm</th></tr><tr><td>18.000 GHz</td><td>24.500 GHz</td><td>1.000 MHz</td><td>23.52648 GHz</td><td>-25.50 dBm</td><td>-16.50 dB</td></tr><tr><td>25.500 GHz</td><td>40.000 GHz</td><td>1.000 MHz</td><td>32.67388 GHz</td><td>-19.59 dBm</td><td>-6.59 dB</td></tr></table> 12:14:01 10.02.2025	Range Low	Range Up	RBW	Power Abs	dBm	18.000 GHz	24.500 GHz	1.000 MHz	23.52648 GHz	-25.50 dBm	-16.50 dB	25.500 GHz	40.000 GHz	1.000 MHz	32.67388 GHz	-19.59 dBm	-6.59 dB	intentionally blank
Range Low	Range Up	RBW	Power Abs	dBm														
18.000 GHz	24.500 GHz	1.000 MHz	23.52648 GHz	-25.50 dBm	-16.50 dB													
25.500 GHz	40.000 GHz	1.000 MHz	32.67388 GHz	-19.59 dBm	-6.59 dB													


Remark: In band and out of band frequencies are omitted.



There is no significant spurious emission signal found for frequency started from 40GHz up to 200GHz.
Only the noise floor is reported.




$$\begin{aligned}\text{Offset} &= \text{Antenna Factor (dB/m)} + \text{Cable Loss (dB)} + 107 + 20\log(D) - 104.8 \\ &= 42.6 + 1.18 + 107 + 20\log(1) - 104.8 = 45.98(\text{dB})\end{aligned}$$

NR Band n258B
(60GHz-90GHz)
Limit -13dBm/MHz, PASS


$$\text{Offset} = \text{Antenna Factor (dB/m)} + \text{Cable Loss (dB)} + 107 + 20\log(D) - 104.8$$

$$= 46.2 + 1.18 + 107 + 20\log(1) - 104.8 = 49.58 \text{ (dB)}$$


NR Band n258B
(90GHz-100GHz)
Limit -13dBm/MHz, PASS


$$\begin{aligned} \text{Offset} &= \text{Antenna Factor (dB/m)} + \text{Cable Loss (dB)} + 107 + 20\log(D) - 104.8 \\ &= 47.6 + 1.18 + 107 + 20\log(0.5) - 104.8 = 44.96 \text{ (dB)} \end{aligned}$$



Additional requirement for 24GHz bands: Limits of 47 CFR 30.203(d)(2) is applied.

For mobile equipment brought into use after September 1, 2027, the maximum conducted output power or the total radiated power of emissions in any 200 MHz of the 23.6-24.0 GHz band shall not exceed -39 dBW (for base stations) or -35 dBW (for mobile stations).



$$\begin{aligned}\text{Offset} &= \text{Antenna Factor (dB/m)} + \text{Cable Loss (dB)} + 107 + 20\log(D) - 104.8 \\ &= 39.5 + 3.46 + 107 + 20\log(1) - 104.8 = 45.16(\text{dB})\end{aligned}$$

Note: Channel power integration method is used to measure total power over 400MHz from 23.6GHz to 24GHz in order to show compliance against limit within any 200MHz interval.

Frequency Stability

Test Conditions		NR Band n258B / Middle Channel			Limit
Temperature (°C)	Voltage (Volt)	CW tone			Note 2.
		Frequency (GHz)	Deviation (kHz)	Deviation (ppm)	Result
50	Normal Voltage	24.99995804	68.931	2.757	Pass
40	Normal Voltage	24.99996803	58.941	2.358	
30	Normal Voltage	25.00000799	18.981	0.759	
20(Ref.)	Normal Voltage	25.00002697	0.000	0.000	
10	Normal Voltage	25.00006993	-42.957	1.718	
0	Normal Voltage	25.00012488	-97.902	3.916	
-10	Normal Voltage	25.00012587	-98.901	3.956	
-20	Normal Voltage	25.0000979	-70.929	2.837	
-30	Normal Voltage	25.00004695	-19.980	0.799	
20	Maximum Voltage	25.00001898	7.992	0.320	
20	Normal Voltage	25.00002597	0.999	0.040	
20	Battery End Point	25.00002298	3.996	0.160	

Note:

1. Normal Voltage = 3.9 V. ; Minimum Voltage = 3.6 V. ; Maximum Voltage = 4.5 V.
2. The frequency fundamental emissions stay within the operation band.

NR Band n260 AGH+V

Occupied Bandwidth

Mode	DFT-s-OFDM NR Band n260 : 99%OBW(MHz)								
BW	50MHz			100MHz			200MHz		
Mod.	QPSK	16QAM	64QAM	QPSK	16QAM	64QAM	QPSK	16QAM	64QAM
Lowest CH	46.15	46.04	46.08	91.24	91.11	91.12	191.13	190.96	191.09
Middle CH	45.84	45.94	46.08	90.97	91.06	91.05	191.10	190.87	191.01
Highest CH	46.05	46.00	46.11	91.12	91.18	91.19	190.74	190.94	191.23

Mode	DFT-s-OFDM NR Band n260 : 99%OBW(MHz)					
BW	300MHz			400MHz		
Mod.	QPSK	16QAM	64QAM	QPSK	16QAM	64QAM
Lowest CH	290.88	290.43	290.09	390.62	389.53	389.06
Middle CH	289.64	289.83	289.65	389.68	389.31	389.42
Highest CH	290.25	290.08	290.44	389.83	389.78	390.44

Mode	CP-OFDM NR Band n260 : 99%OBW(MHz)		
BW	50MHz	100MHz	200MHz
Mod.	QPSK	QPSK	QPSK
Lowest CH	46.13	94.10	194.99
Middle CH	45.91	93.89	194.01
Highest CH	46.26	94.08	194.42


Mode	CP-OFDM NR Band n260 : 99%OBW(MHz)	
BW	300MHz	400MHz
Mod.	QPSK	QPSK
Lowest CH	294.97	394.79
Middle CH	295.04	394.82
Highest CH	293.99	393.12




DFT-s-OFDM

NR Band n260


Lowest Channel / 50MHz / QPSK




Lowest Channel / 50MHz / 16QAM




Middle Channel / 50MHz / QPSK




Middle Channel / 50MHz / 16QAM



Highest Channel / 50MHz / QPSK




Highest Channel / 50MHz / 16QAM





DFT-s-OFDM






DFT-s-OFDM

NR Band n260


Lowest Channel / 100MHz / 16QAM




Lowest Channel / 100MHz / 64QAM




Middle Channel / 100MHz / 16QAM




Middle Channel / 100MHz / 64QAM



Highest Channel / 100MHz / 16QAM



Highest Channel / 100MHz / 64QAM






DFT-s-OFDM

NR Band n260

Lowest Channel / 200MHz / QPSK



Lowest Channel / 200MHz / 16QAM




Middle Channel / 200MHz / QPSK



Middle Channel / 200MHz / 16QAM



Highest Channel / 200MHz / QPSK




Highest Channel / 200MHz / 16QAM






DFT-s-OFDM





DFT-s-OFDM







DFT-s-OFDM

NR Band n260

Lowest Channel / 400MHz / QPSK



Lowest Channel / 400MHz / 16QAM



Middle Channel / 400MHz / QPSK



Middle Channel / 400MHz / 16QAM



Highest Channel / 400MHz / QPSK



Highest Channel / 400MHz / 16QAM





DFT-s-OFDM

NR Band n260

Lowest Channel / 400MHz / 64QAM




intentionally blank

Middle Channel / 400MHz / 64QAM



intentionally blank

Highest Channel / 400MHz / 64QAM




intentionally blank



CP-OFDM

NR Band n260


Lowest Channel / 50MHz / QPSK



Lowest Channel / 100MHz / QPSK




Middle Channel / 50MHz / QPSK



Middle Channel / 100MHz / QPSK



Highest Channel / 50MHz / QPSK



Highest Channel / 100MHz / QPSK






CP-OFDM

NR Band n260

Lowest Channel / 200MHz / QPSK



Lowest Channel / 300MHz / QPSK



Middle Channel / 200MHz / QPSK



Middle Channel / 300MHz / QPSK



Highest Channel / 200MHz / QPSK



Highest Channel / 300MHz / QPSK






CP-OFDM

NR Band n260

Lowest Channel / 400MHz / QPSK



intentionally blank

Middle Channel / 400MHz / QPSK



intentionally blank

Highest Channel / 400MHz / QPSK



intentionally blank

Radiated Out of Band Emissions

Mode			DFT-s-OFDM NR Band n260 : BE (dBm) 1 RB								
BW			50MHz			100MHz			200MHz		
Limit (dBm)			QPSK	16QAM	64QAM	QPSK	16QAM	64QAM	QPSK	16QAM	64QAM
Low CH	0~10%OB	≤ -5	-19.493	-5.75	-6.70	-5.89	-6.22	-9.42	-27.694	-12.17	-16.77
	>10%OB	≤ -13	-29.800	-23.90	-25.30	-28.39	-28.69	-30.51	-20.978	-15.25	-21.31
High CH	0~10%OB	≤ -5	-8.20	-9.45	-12.12	-8.46	-12.33	-15.11	-15.62	-16.33	-20.83
	>10%OB	≤ -13	-19.38	-21.82	-24.37	-27.66	-29.25	-30.14	-23.46	-26.29	-28.01
Result			Compliance								

Mode			DFT-s-OFDM NR Band n260 : BE (dBm) 1 RB					
BW			300MHz			400MHz		
Limit (dBm)			QPSK	16QAM	64QAM	QPSK	16QAM	64QAM
Low CH	0~10%OB	≤ -5	-29.861	-30.253	-18.05	-30.724	-31.151	-20.12
	>10%OB	≤ -13	-17.036	-19.280	-17.06	-17.721	-20.260	-19.11
High CH	0~10%OB	≤ -5	-16.24	-19.26	-22.32	-18.71	-21.15	-23.58
	>10%OB	≤ -13	-17.38	-18.80	-23.59	-16.84	-19.94	-25.84
Result			Compliance					

Mode			CP-OFDM NR Band n260 : BE (dBm) 1 RB		
BW			50MHz	100MHz	200MHz
Limit (dBm)			QPSK	QPSK	QPSK
Low CH	0~10%OB	≤ -5	-5.66	-7.57	-27.392
	>10%OB	≤ -13	-23.10	-29.65	-19.104
High CH	0~10%OB	≤ -5	-10.67	-11.34	-14.21
	>10%OB	≤ -13	-21.26	-29.32	-15.27
Result			Compliance		

Mode			CP-OFDM NR Band n260 : BE (dBm) 1 RB	
BW			300MHz	400MHz
Limit (dBm)			QPSK	QPSK
Low CH	0~10%OB	≤ -5	-30.389	-19.426
	>10%OB	≤ -13	-14.609	-14.859
High CH	0~10%OB	≤ -5	-17.03	-14.13
	>10%OB	≤ -13	-15.38	-19.36
Result			Compliance	

Mode			DFT-s-OFDM NR Band n260 : BE (dBm) Full RB								
BW			50MHz			100MHz			200MHz		
Limit (dBm)			QPSK	16QAM	64QAM	QPSK	16QAM	64QAM	QPSK	16QAM	64QAM
Low CH	0~10%OB	≤-5	-12.32	-16.52	-18.40	-14.30	-17.32	-19.36	-22.03	-23.88	-27.41
	>10%OB	≤-13	-15.99	-19.49	-24.48	-17.16	-21.51	-26.12	-25.66	-29.15	-32.36
High CH	0~10%OB	≤-5	-17.88	-20.05	-21.84	-23.45	-25.65	-27.99	-29.04	-30.42	-30.90
	>10%OB	≤-13	-22.11	-23.02	-25.97	-25.73	-27.36	-30.27	-31.65	-31.88	-32.04
Result			Compliance								

Mode			DFT-s-OFDM NR Band n260 : BE (dBm) Full RB					
BW			300MHz			400MHz		
Limit (dBm)			QPSK	16QAM	64QAM	QPSK	16QAM	64QAM
Low CH	0~10%OB	≤-5	-20.82	-24.10	-26.55	-20.29	-25.04	-29.90
	>10%OB	≤-13	-20.91	-24.92	-29.71	-21.32	-25.48	-30.99
High CH	0~10%OB	≤-5	-29.33	-30.80	-31.66	-29.27	-30.66	-31.84
	>10%OB	≤-13	-30.15	-31.04	-31.76	-28.77	-30.85	-31.73
Result			Compliance					

Mode			CP-OFDM NR Band n260 : BE (dBm) Full RB		
BW			50MHz	100MHz	200MHz
Limit (dBm)			QPSK	QPSK	QPSK
Low CH	0~10%OB	≤-5	-14.36	-16.58	-18.70
	>10%OB	≤-13	-17.12	-18.53	-22.08
High CH	0~10%OB	≤-5	-19.31	-21.84	-25.04
	>10%OB	≤-13	-21.71	-24.80	-29.56
Result			Compliance		

Mode			CP-OFDM NR Band n260 : BE (dBm) Full RB	
BW			300MHz	400MHz
Limit (dBm)			QPSK	QPSK
Low CH	0~10%OB	≤-5	-16.75	-20.05
	>10%OB	≤-13	-17.61	-21.34
High CH	0~10%OB	≤-5	-26.04	-26.65
	>10%OB	≤-13	-27.68	-28.23
Result			Compliance	





DFT-s-OFDM

NR Band n260 / 50MHz / QPSK

Lowest Band Edge / 1 RB



Highest Band Edge / 1 RB



NR Band n260 / 50MHz / 16QAM

Lowest Band Edge / 1 RB

Highest Band Edge / 1 RB







DFT-s-OFDM

NR Band n260 / 50MHz / 64QAM

Lowest Band Edge / 1 RB




Highest Band Edge / 1 RB



NR Band n260 / 100MHz / QPSK

Lowest Band Edge / 1 RB



Highest Band Edge / 1 RB






DFT-s-OFDM

NR Band n260 / 100MHz / 16QAM

Lowest Band Edge / 1 RB




Highest Band Edge / 1 RB



NR Band n260 / 100MHz / 64QAM

Lowest Band Edge / 1 RB




Highest Band Edge / 1 RB






Lowest Band Edge / 1 RB



Lowest Band Edge / 1 RB







DFT-s-OFDM

NR Band n260 / 200MHz / 64QAM

Lowest Band Edge / 1 RB




Highest Band Edge / 1 RB




NR Band n260 / 300MHz / QPSK

Lowest Band Edge / 1 RB



Highest Band Edge / 1 RB







DFT-s-OFDM

NR Band n260 / 300MHz / 16QAM

Lowest Band Edge / 1 RB



Highest Band Edge / 1 RB



NR Band n260 / 300MHz / 64QAM

Lowest Band Edge / 1 RB

Highest Band Edge / 1 RB







DFT-s-OFDM

NR Band n260 / 400MHz / QPSK

Lowest Band Edge / 1 RB



Highest Band Edge / 1 RB




NR Band n260 / 400MHz / 16QAM

Lowest Band Edge / 1 RB



Highest Band Edge / 1 RB






DFT-s-OFDM


NR Band n260 / 400MHz / 64QAM

Lowest Band Edge / 1 RB



10:43:41 07.02.2025

Highest Band Edge / 1 RB




13:26:54 08.02.2025



CP-OFDM


NR Band n260 / 50MHz / QPSK

Lowest Band Edge / 1 RB



03:17:21 07.02.2025


Highest Band Edge / 1 RB



03:56:27 08.02.2025

NR Band n260 / 100MHz / QPSK

Lowest Band Edge / 1 RB



03:32:39 07.02.2025

Highest Band Edge / 1 RB




04:57:09 08.02.2025




CP-OFDM

NR Band n260 / 200MHz / QPSK

Lowest Band Edge / 1 RB




Highest Band Edge / 1 RB




NR Band n260 / 300MHz / QPSK

Lowest Band Edge / 1 RB



Highest Band Edge / 1 RB







CP-OFDM

NR Band n260 / 400MHz / QPSK

Lowest Band Edge / 1 RB

Highest Band Edge / 1 RB







DFT-s-OFDM

NR Band n260 / 50MHz / QPSK

Lowest Band Edge / Full RB



Highest Band Edge / Full RB




NR Band n260 / 50MHz / 16QAM

Lowest Band Edge / Full RB



Highest Band Edge / Full RB






DFT-s-OFDM


NR Band n260 / 50MHz / 64QAM

Lowest Band Edge / Full RB



03:14:02 07.02.2025


Highest Band Edge / Full RB



03:53:07 08.02.2025


NR Band n260 / 100MHz / QPSK

Lowest Band Edge / Full RB



03:28:32 07.02.2025

Highest Band Edge / Full RB




04:54:15 08.02.2025



DFT-s-OFDM


NR Band n260 / 100MHz / 16QAM

Lowest Band Edge / Full RB



03:27:44 07.02.2025


Highest Band Edge / Full RB



04:53:00 08.02.2025


NR Band n260 / 100MHz / 64QAM

Lowest Band Edge / Full RB



03:26:52 07.02.2025

Highest Band Edge / Full RB



04:52:10 08.02.2025



DFT-s-OFDM

NR Band n260 / 200MHz / QPSK

Lowest Band Edge / Full RB



03:49:06 07.02.2025


Highest Band Edge / Full RB



10:23:57 08.02.2025

NR Band n260 / 200MHz / 16QAM

Lowest Band Edge / Full RB



03:48:05 07.02.2025

Highest Band Edge / Full RB




10:29:01 08.02.2025



DFT-s-OFDM

NR Band n260 / 200MHz / 64QAM

Lowest Band Edge / Full RB



03:47:00 07.02.2025


Highest Band Edge / Full RB



10:41:49 08.02.2025

NR Band n260 / 300MHz / QPSK

Lowest Band Edge / Full RB



09:08:56 07.02.2025

Highest Band Edge / Full RB



11:54:20 08.02.2025