




In-Band Emissions (Channel Mask)

MIMO <Ant. 3+4(3)>

EUT Mode


802.11a

Plot on 5955 MHz




01:34:55 AM 02/19/2025

Plot on 6195 MHz




01:37:12 AM 02/19/2025

Plot on 6415 MHz



01:39:28 AM 02/19/2025


Plot on 6535 MHz




01:41:43 AM 02/19/2025



Plot on 6695 MHz



Plot on 6855 MHz






MIMO <Ant. 3+4(4)>


EUT Mode

802.11a


Plot on 5955 MHz




Plot on 6195 MHz



Plot on 6415 MHz




Plot on 6535 MHz






Plot on 6695 MHz



Plot on 6855 MHz






MIMO <Ant. 3+4(3)>


EUT Mode

802.11be EHT20 Full RU


Plot on 5955 MHz




Plot on 6195 MHz



Plot on 6415 MHz




Plot on 6535 MHz






Plot on 6695 MHz



Plot on 6855 MHz







EUT Mode

802.11be EHT20 26RU0

Plot on 5955 MHz




Plot on 6535 MHz




EUT Mode

802.11be EHT20 26RU4

Plot on 6195 MHz




Plot on 6695 MHz






EUT Mode 802.11be EHT20 26RU8

Plot on 6415 MHz




Plot on 6855 MHz




EUT Mode 802.11be EHT20 52RU37

Plot on 5955 MHz




Plot on 6535 MHz




**EUT Mode** 802.11be EHT20 52RU38


Plot on 6195 MHz




Plot on 6695 MHz

**EUT Mode** 802.11be EHT20 52RU40

Plot on 6415 MHz



Plot on 6855 MHz







EUT Mode

802.11be EHT20 52T+26T70

Plot on 5955 MHz




Plot on 6535 MHz




EUT Mode

802.11be EHT20 52T+26T71

Plot on 6195 MHz



Plot on 6695 MHz







EUT Mode

802.11be EHT20 52T+26T72

Plot on 6415 MHz

Plot on 6855 MHz







EUT Mode

802.11be EHT20 106RU53


Plot on 5955 MHz




Plot on 6195 MHz



Plot on 6535 MHz



Plot on 6695 MHz







EUT Mode

802.11be EHT20 106RU54

Plot on 6415 MHz




Plot on 6855 MHz




EUT Mode

802.11be EHT20 106T+26T82

Plot on 5955 MHz



Plot on 6535 MHz







EUT Mode

802.11be EHT20 106T+26T83


Plot on 6195 MHz




Plot on 6415 MHz



Plot on 6695 MHz



Plot on 6855 MHz






MIMO <Ant. 3+4(4)>


EUT Mode

802.11be EHT20 Full RU


Plot on 5955 MHz




Plot on 6195 MHz



Plot on 6415 MHz




Plot on 6535 MHz






Plot on 6695 MHz




Plot on 6855 MHz






EUT Mode 802.11be EHT20 26RU0

Plot on 5955 MHz




Plot on 6535 MHz




EUT Mode 802.11be EHT20 26RU4

Plot on 6195 MHz




Plot on 6695 MHz






EUT Mode 802.11be EHT20 26RU8

Plot on 6415 MHz




Plot on 6855 MHz




EUT Mode 802.11be EHT20 52RU37

Plot on 5955 MHz




Plot on 6535 MHz






EUT Mode 802.11be EHT20 52RU38

Plot on 6195 MHz




Plot on 6695 MHz




EUT Mode 802.11be EHT20 52RU40

Plot on 6415 MHz




Plot on 6855 MHz






EUT Mode 802.11be EHT20 52T+26T70

Plot on 5955 MHz




Plot on 6535 MHz




EUT Mode 802.11be EHT20 52T+26T71

Plot on 6195 MHz



Plot on 6695 MHz







EUT Mode

802.11be EHT20 52T+26T72

Plot on 6415 MHz

Plot on 6855 MHz







EUT Mode

802.11be EHT20 106RU53


Plot on 5955 MHz




Plot on 6195 MHz



Plot on 6535 MHz




Plot on 6695 MHz






EUT Mode 802.11be EHT20 106RU54

Plot on 6415 MHz




Plot on 6855 MHz




EUT Mode 802.11be EHT20 106T+26T82

Plot on 5955 MHz




Plot on 6535 MHz






EUT Mode 802.11be EHT20 106T+26T83


Plot on 6195 MHz




Plot on 6415 MHz



Plot on 6695 MHz



Plot on 6855 MHz






MIMO <Ant. 3+4(3)>


EUT Mode

802.11be EHT40 Full RU


Plot on 5965 MHz




Plot on 6205 MHz



Plot on 6405 MHz




Plot on 6565 MHz






Plot on 6685 MHz



Plot on 6845 MHz






MIMO <Ant. 3+4(4)>


EUT Mode

802.11be EHT40 Full RU


Plot on 5965 MHz




Plot on 6205 MHz



Plot on 6405 MHz




Plot on 6565 MHz






Plot on 6685 MHz



Plot on 6845 MHz






MIMO <Ant. 3+4(3)>


EUT Mode

802.11be EHT80 Full RU


Plot on 5985 MHz




Plot on 6225 MHz



Plot on 6385 MHz




Plot on 6625 MHz






Plot on 6705 MHz



Plot on 6785 MHz







EUT Mode 802.11be EHT80 Puncture20 1

Plot on 6385 MHz

Plot on 6785 MHz



11:59:29 PM 02/18/2025




12:34:08 AM 02/19/2025


EUT Mode 802.11be EHT80 Puncture20 2

Plot on 6225 MHz

Plot on 6705 MHz



11:42:50 PM 02/18/2025



12:18:40 AM 02/19/2025





EUT Mode

802.11be EHT80 Puncture20 4

Plot on 6225 MHz

Plot on 6705 MHz





EUT Mode

802.11be EHT80 Puncture20 8

Plot on 5985 MHz

Plot on 6625 MHz






MIMO <Ant. 3+4(4)>


EUT Mode

802.11be EHT80 Full RU


Plot on 5985 MHz




Plot on 6225 MHz



Plot on 6385 MHz




Plot on 6625 MHz






Plot on 6705 MHz




Plot on 6785 MHz






EUT Mode 802.11be EHT80 Puncture20 1

Plot on 6385 MHz



12:30:46 AM 02/19/2025


Plot on 6785 MHz



01:05:28 AM 02/19/2025


EUT Mode 802.11be EHT80 Puncture20 2

Plot on 6225 MHz



12:14:07 AM 02/19/2025

Plot on 6705 MHz




12:49:57 AM 02/19/2025




EUT Mode 802.11be EHT80 Puncture20 4

Plot on 6225 MHz




Plot on 6705 MHz




EUT Mode 802.11be EHT80 Puncture20 8

Plot on 5985 MHz



Plot on 6625 MHz






MIMO <Ant. 3+4(3)>

EUT Mode


802.11be EHT160 Full RU

Plot on 6025 MHz




07:02:02 AM 02/24/2025

Plot on 6185 MHz




12:50:10 AM 02/19/2025

Plot on 6345 MHz





01:04:34 AM 02/19/2025

Plot on 6665 MHz




05:21:10 PM 02/19/2025


**EUT Mode** 802.11be EHT160 Puncture20 1**Plot on 6345 MHz****EUT Mode** 802.11be EHT160 Puncture20 16**Plot on 6185 MHz**

**EUT Mode** 802.11be EHT160 Puncture20 128


Plot on 6025 MHz



Plot on 6665 MHz


**EUT Mode** 802.11be EHT160 Puncture40 3

Plot on 6345 MHz




**EUT Mode** 802.11be EHT160 Puncture40 48


Plot on 6185 MHz

**EUT Mode** 802.11be EHT160 Puncture40 192

Plot on 6025 MHz



Plot on 6665 MHz






MIMO <Ant. 3+4(4)>


EUT Mode

802.11be EHT160 Full RU


Plot on 6025 MHz




Plot on 6185 MHz



Plot on 6345 MHz




Plot on 6665 MHz




**EUT Mode** 802.11be EHT160 Puncture20 1

Plot on 6345 MHz

**EUT Mode** 802.11be EHT160 Puncture20 16

Plot on 6185 MHz







EUT Mode

802.11be EHT160 Puncture20 128

Plot on 6025 MHz


Plot on 6665 MHz



EUT Mode


802.11be EHT160 Puncture40 3

Plot on 6345 MHz




**EUT Mode** 802.11be EHT160 Puncture40 48


Plot on 6185 MHz

**EUT Mode** 802.11be EHT160 Puncture40 192

Plot on 6025 MHz



Plot on 6665 MHz






Appendix B. AC Conducted Emission Test Results

Test Engineer :	Louis Chung	Temperature :	16.1~22.7℃
		Relative Humidity :	45.9~48.9%

EUT Information

Report NO : 4N0918
 Test Mode : Mode 1
 Test Voltage : 120Vac/60Hz
 Phase : Line

Full Spectrum




Final Result

Frequency (MHz)	QuasiPeak (dBuV)	CAverage (dBuV)	Limit (dBuV)	Margin (dB)	Line	Filter	Corr. (dB)
0.152250	---	22.73	55.88	33.15	L1	OFF	19.8
0.152250	47.14	---	65.88	18.74	L1	OFF	19.8
0.161250	---	22.91	55.40	32.49	L1	OFF	19.8
0.161250	44.51	---	65.40	20.89	L1	OFF	19.8
0.174750	---	39.89	54.73	14.84	L1	OFF	19.8
0.174750	52.99	---	64.73	11.74	L1	OFF	19.8
0.206250	---	11.89	53.36	41.47	L1	OFF	19.8
0.206250	38.40	---	63.36	24.96	L1	OFF	19.8
0.253500	---	22.99	51.64	28.65	L1	OFF	19.8
0.253500	36.98	---	61.64	24.66	L1	OFF	19.8
21.453000	---	23.45	50.00	26.55	L1	OFF	20.7
21.453000	28.87	---	60.00	31.13	L1	OFF	20.7

EUT Information

Report NO : 4N0918
 Test Mode : Mode 1
 Test Voltage : 120Vac/60Hz
 Phase : Neutral

Full Spectrum



Final_Result

Frequency (MHz)	QuasiPeak (dBuV)	CAverage (dBuV)	Limit (dBuV)	Margin (dB)	Line	Filter	Corr. (dB)
0.159000	---	22.26	55.52	33.26	N	OFF	19.8
0.159000	48.54	---	65.52	16.98	N	OFF	19.8
0.181500	---	16.83	54.42	37.59	N	OFF	19.8
0.181500	45.44	---	64.42	18.98	N	OFF	19.8
0.215250	---	32.98	53.00	20.02	N	OFF	19.8
0.215250	44.81	---	63.00	18.19	N	OFF	19.8
0.240000	---	11.96	52.10	40.14	N	OFF	19.8
0.240000	38.66	---	62.10	23.44	N	OFF	19.8
0.271815	---	29.22	51.06	21.84	N	OFF	19.8
0.271815	38.53	---	61.06	22.53	N	OFF	19.8
22.044750	---	22.78	50.00	27.22	N	OFF	20.8
22.044750	28.21	---	60.00	31.79	N	OFF	20.8



Appendix C. Radiated Spurious Emission Test Data

Test Engineer :	Bill Chang and York Huang	Temperature :	19.3~22.6°C
		Relative Humidity :	58.4~62.1%

C1. Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	U-NII-5	5.925-6.425	3+4	802.11a	1	5955	6Mbps	-	-
Mode 2	U-NII-5	5.925-6.425	3+4	802.11a	49	6195	6Mbps	-	-
Mode 3	U-NII-5	5.925-6.425	3+4	802.11a	93	6415	6Mbps	-	-
Mode 4	U-NII-5	5.925-6.425	3+4	802.11be EHT20	1	5955	MCS0	Full RU	-
Mode 5	U-NII-5	5.925-6.425	3+4	802.11be EHT20	1	5955	MCS0	Partial_26/0RU	-
Mode 6	U-NII-5	5.925-6.425	3+4	802.11be EHT20	1	5955	MCS0	Partial_52/37RU	-
Mode 7	U-NII-5	5.925-6.425	3+4	802.11be EHT20	1	5955	MCS0	Partial_106/53RU	-
Mode 8	U-NII-5	5.925-6.425	3+4	802.11be EHT20	49	6195	MCS0	Full RU	-
Mode 9	U-NII-5	5.925-6.425	3+4	802.11be EHT20	93	6415	MCS0	Full RU	-
Mode 10	U-NII-5	5.925-6.425	3+4	802.11be EHT40	3	5965	MCS0	Full RU	-
Mode 11	U-NII-5	5.925-6.425	3+4	802.11be EHT40	51	6205	MCS0	Full RU	-
Mode 12	U-NII-5	5.925-6.425	3+4	802.11be EHT40	91	6405	MCS0	Full RU	-
Mode 13	U-NII-5	5.925-6.425	3+4	802.11be EHT80	7	5985	MCS0	Full RU	-
Mode 14	U-NII-5	5.925-6.425	3+4	802.11be EHT80	55	6225	MCS0	Full RU	-
Mode 15	U-NII-5	5.925-6.425	3+4	802.11be EHT80	87	6385	MCS0	Full RU	-
Mode 16	U-NII-5	5.925-6.425	3+4	802.11be EHT160	15	6025	MCS0	Full RU	-
Mode 17	U-NII-5	5.925-6.425	3+4	802.11be EHT160	47	6185	MCS0	Full RU	-
Mode 18	U-NII-5	5.925-6.425	3+4	802.11be EHT160	79	6345	MCS0	Full RU	-
Mode 19	U-NII-7	6.525-6.875	3+4	802.11a	117	6535	6Mbps	-	-
Mode 20	U-NII-7	6.525-6.875	3+4	802.11a	149	6695	6Mbps	-	-



Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 21	U-NII-7	6.525-6.875	3+4	802.11a	181	6855	6Mbps	-	-
Mode 22	U-NII-7	6.525-6.875	3+4	802.11be EHT20	117	6535	MCS0	Full RU	-
Mode 23	U-NII-7	6.525-6.875	3+4	802.11be EHT20	149	6695	MCS0	Full RU	-
Mode 24	U-NII-7	6.525-6.875	3+4	802.11be EHT20	181	6855	MCS0	Full RU	-
Mode 25	U-NII-7	6.525-6.875	3+4	802.11be EHT40	123	6565	MCS0	Full RU	-
Mode 26	U-NII-7	6.525-6.875	3+4	802.11be EHT40	147	6685	MCS0	Full RU	-
Mode 27	U-NII-7	6.525-6.875	3+4	802.11be EHT40	179	6845	MCS0	Full RU	-
Mode 28	U-NII-7	6.525-6.875	3+4	802.11be EHT80	135	6625	MCS0	Full RU	-
Mode 29	U-NII-7	6.525-6.875	3+4	802.11be EHT80	151	6705	MCS0	Full RU	-
Mode 30	U-NII-7	6.525-6.875	3+4	802.11be EHT80	167	6785	MCS0	Full RU	-
Mode 31	U-NII-7	6.525-6.875	3+4	802.11be EHT160	143	6665	MCS0	Full RU	-
Mode 32	U-NII-5	5.925-6.425	3+4	802.11be EHT80	7	5985	MCS0	Full RU	LF
Mode 33	U-NII-5	5.925-6.425	3+4	802.11be EHT80	7	5985	MCS0	Full RU	SHF

C2. Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
1	802.11a	1	5922.63	56.44	68.20	-11.76	H	Avg.	Pass	-	Band Edge
	802.11a	1	17865.00	45.02	54.00	-8.98	V	Avg.	Pass	-	Harmonic
2	802.11a	49	-	-	-	-	-	-	-	-	Band Edge
	802.11a	49	18585.00	31.34	54.00	-22.66	H	Avg.	Pass	-	Harmonic
3	802.11a	93	-	-	-	-	-	-	-	-	Band Edge
	802.11a	93	12830.00	49.78	88.20	-38.42	H	Peak	Pass	-	Harmonic
4	802.11be EHT20	1	5924.06	58.33	68.20	-9.87	H	Avg.	Pass	Full RU	Band Edge
	802.11be EHT20	1	17865.00	45.01	54.00	-8.99	H	Avg.	Pass	Full RU	Harmonic
5	802.11be EHT20	1	5912.88	53.99	68.20	-14.21	H	Avg.	Pass	Partial_26/0RU	Band Edge
	802.11be EHT20	1	-	-	-	-	-	-	-	Partial_26/0RU	Harmonic
6	802.11be EHT20	1	5917.04	59.42	68.20	-8.78	H	Avg.	Pass	Partial_52/37RU	Band Edge
	802.11be EHT20	1	-	-	-	-	-	-	-	Partial_52/37RU	Harmonic
7	802.11be EHT20	1	5924.84	56.11	68.20	-12.09	H	Avg.	Pass	Partial_106/53RU	Band Edge
	802.11be EHT20	1	-	-	-	-	-	-	-	Partial_106/53RU	Harmonic







Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
8	802.11be EHT20	49	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11be EHT20	49	18585.00	30.36	54.00	-23.64	H	Avg.	Pass	Full RU	Harmonic
9	802.11be EHT20	93	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11be EHT20	93	19245.00	35.59	74.00	-38.41	H	Peak	Pass	Full RU	Harmonic
10	802.11be EHT40	3	5923.56	65.15	68.20	-3.05	H	Avg.	Pass	Full RU	Band Edge
	802.11be EHT40	3	17895.00	46.42	54.00	-7.58	H	Avg.	Pass	Full RU	Harmonic
11	802.11be EHT40	51	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11be EHT40	51	12410.00	47.93	74.00	-26.07	V	Peak	Pass	Full RU	Harmonic
12	802.11be EHT40	91	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11be EHT40	91	19215.00	35.10	74.00	-38.90	H	Peak	Pass	Full RU	Harmonic
13	802.11be EHT80	7	5923.72	65.65	68.20	-2.55	H	Avg.	Pass	Full RU	Band Edge
	802.11be EHT80	7	17955.00	46.32	54.00	-7.68	V	Avg.	Pass	Full RU	Harmonic
14	802.11be EHT80	55	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11be EHT80	55	12450.00	47.85	74.00	-26.15	V	Peak	Pass	Full RU	Harmonic
15	802.11be EHT80	87	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11be EHT80	87	19155.00	36.63	74.00	-37.37	V	Peak	Pass	Full RU	Harmonic
16	802.11be EHT160	15	5921.20	65.57	68.20	-2.63	H	Avg.	Pass	Full RU	Band Edge
	802.11be EHT160	15	12050.00	47.92	74.00	-26.08	H	Peak	Pass	Full RU	Harmonic
17	802.11be EHT160	47	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11be EHT160	47	12370.00	47.55	74.00	-26.45	H	Peak	Pass	Full RU	Harmonic
18	802.11be EHT160	79	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11be EHT160	79	12690.00	47.87	74.00	-26.13	H	Peak	Pass	Full RU	Harmonic
19	802.11a	117	-	-	-	-	-	-	-	-	Band Edge
	802.11a	117	19605.00	36.64	74.00	-37.36	H	Peak	Pass	-	Harmonic
20	802.11a	149	-	-	-	-	-	-	-	-	Band Edge
	802.11a	149	13390.00	41.55	54.00	-12.45	H	Avg.	Pass	-	Harmonic
21	802.11a	181	-	-	-	-	-	-	-	-	Band Edge
	802.11a	181	20565.00	30.76	54.00	-23.24	H	Avg.	Pass	-	Harmonic
22	802.11be EHT20	117	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11be EHT20	117	19605.00	37.05	74.00	-36.95	H	Peak	Pass	Full RU	Harmonic
23	802.11be EHT20	149	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11be EHT20	149	13390.00	41.35	54.00	-12.65	H	Avg.	Pass	Full RU	Harmonic







Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
24	802.11be EHT20	181	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11be EHT20	181	20565.00	30.25	54.00	-23.75	H	Avg.	Pass	Full RU	Harmonic
25	802.11be EHT40	123	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11be EHT40	123	19695.00	37.02	74.00	-36.98	V	Peak	Pass	Full RU	Harmonic
26	802.11be EHT40	147	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11be EHT40	147	20055.00	36.46	74.00	-37.54	H	Peak	Pass	Full RU	Harmonic
27	802.11be EHT40	179	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11be EHT40	179	20535.00	37.25	74.00	-36.75	V	Peak	Pass	Full RU	Harmonic
28	802.11be EHT80	135	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11be EHT80	135	13250.00	41.05	54.00	-12.95	V	Avg.	Pass	Full RU	Harmonic
29	802.11be EHT80	151	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11be EHT80	151	20115.00	37.27	74.00	-36.73	H	Peak	Pass	Full RU	Harmonic
30	802.11be EHT80	167	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11be EHT80	167	20355.00	37.92	74.00	-36.08	H	Peak	Pass	Full RU	Harmonic
31	802.11be EHT160	143	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11be EHT160	143	13330.00	43.43	54.00	-10.57	V	Avg.	Pass	Full RU	Harmonic
32	LF	7	41.64	36.24	40.00	-3.76	V	QP	Pass	-	LF
33	SHF	7	22904.42	37.76	74.00	-36.24	V	Peak	Pass	-	SHF





Mode	1																																																																																																		
	Band Edge																																																																																																		
	U-NII-5_5.925-6.425_802.11a_CH1_5955MHz																																																																																																		
ANT	3+4																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	Site : 03CH16-HY Condition: PEAK_BE(UNII)_6E 3m 91200-1522_240328 HORIZONTAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5922.89</td><td>66.98</td><td>88.20</td><td>-21.22</td><td>50.88</td><td>34.10</td><td>11.96</td><td>29.96</td><td>0.00</td><td>162</td><td>232</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5922.89	66.98	88.20	-21.22	50.88	34.10	11.96	29.96	0.00	162	232	PEAK	Site : 03CH16-HY Condition: PEAK(UNII)_6E 3m 91200-1522_240328 HORIZONTAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>111.83</td><td>-----</td><td>-----</td><td>95.71</td><td>34.10</td><td>11.99</td><td>29.97</td><td>0.00</td><td>162</td><td>232</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	111.83	-----	-----	95.71	34.10	11.99	29.97	0.00	162	232
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5922.89	66.98	88.20	-21.22	50.88	34.10	11.96	29.96	0.00	162	232	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5955.00	111.83	-----	-----	95.71	34.10	11.99	29.97	0.00	162	232	PEAK																																																																																							
Avg																																																																																																			
	Site : 03CH16-HY Condition: AVG_BE(UNII)_6E 3m 91200-1522_240328 HORIZONTAL : RBW:1000.000kHz VBN:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5922.63</td><td>56.44</td><td>68.20</td><td>-11.76</td><td>40.34</td><td>34.10</td><td>11.96</td><td>29.96</td><td>0.00</td><td>162</td><td>232</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5922.63	56.44	68.20	-11.76	40.34	34.10	11.96	29.96	0.00	162	232	AVERAGE	Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91200-1522_240328 HORIZONTAL : RBW:1000.000kHz VBN:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>104.48</td><td>-----</td><td>-----</td><td>88.36</td><td>34.10</td><td>12.00</td><td>29.98</td><td>0.00</td><td>162</td><td>232</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	104.48	-----	-----	88.36	34.10	12.00	29.98	0.00	162	232
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5922.63	56.44	68.20	-11.76	40.34	34.10	11.96	29.96	0.00	162	232	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5955.00	104.48	-----	-----	88.36	34.10	12.00	29.98	0.00	162	232	AVERAGE																																																																																							







Mode	1																																																																																							
	Band Edge																																																																																							
	U-NII-5_5.925-6.425_802.11a_CH1_5955MHz																																																																																							
ANT	3+4																																																																																							
Pol.	Vertical	Fundamental																																																																																						
Peak	 Site : 03CH16-HY Condition: PEAK_BE(UNII)_6E 3m 91280-1522_240328 VERTICAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5923.80</td><td>60.79</td><td>88.20</td><td>-27.41</td><td>44.68</td><td>34.10</td><td>11.97</td><td>29.96</td><td>0.00</td><td>308</td><td>57 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5923.80	60.79	88.20	-27.41	44.68	34.10	11.97	29.96	0.00	308	57 PEAK	 Site : 03CH16-HY Condition: PEAK(UNII)_6E 3m 91280-1522_240328 VERTICAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>104.65</td><td>-----</td><td>-----</td><td>88.53</td><td>34.10</td><td>12.00</td><td>29.98</td><td>0.00</td><td>308</td><td>57 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	104.65	-----	-----	88.53	34.10	12.00	29.98	0.00	308	57 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	5923.80	60.79	88.20	-27.41	44.68	34.10	11.97	29.96	0.00	308	57 PEAK																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	5955.00	104.65	-----	-----	88.53	34.10	12.00	29.98	0.00	308	57 PEAK																																																																													
Avg	 Site : 03CH16-HY Condition: AVG_BE(UNII)_6E 3m 91280-1522_240328 VERTICAL : RBW:1000.000kHz VBN:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.06</td><td>51.62</td><td>68.20</td><td>-16.58</td><td>35.51</td><td>34.10</td><td>11.97</td><td>29.96</td><td>0.00</td><td>308</td><td>57 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.06	51.62	68.20	-16.58	35.51	34.10	11.97	29.96	0.00	308	57 AVERAGE	 Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91280-1522_240328 VERTICAL : RBW:1000.000kHz VBN:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>98.24</td><td>-----</td><td>-----</td><td>82.12</td><td>34.10</td><td>11.99</td><td>29.97</td><td>0.00</td><td>308</td><td>57 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	98.24	-----	-----	82.12	34.10	11.99	29.97	0.00	308	57 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	5924.06	51.62	68.20	-16.58	35.51	34.10	11.97	29.96	0.00	308	57 AVERAGE																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	5955.00	98.24	-----	-----	82.12	34.10	11.99	29.97	0.00	308	57 AVERAGE																																																																													





		1													
Mode		Harmonic													
		U-NII-5_5.925-6.425_802.11a_CH1_5955MHz													
ANT		3+4													
Pol.		Horizontal						Vertical							
Peak Avg															
	Site : 03CH16-HY Condition: PEAK(UNII)_6E 1m BBHA9170_1224_240624 HORIZONTAL														
		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		
		1	11910.00	47.79	74.00	-26.21	57.37	38.60	17.10	65.85	0.57	--	--	PEAK	
		2	17865.00	53.69	74.00	-20.31	53.06	41.38	21.83	63.11	0.53	100	130	PEAK	
		3	17865.00	44.97	54.00	-9.03	44.34	41.38	21.83	63.11	0.53	100	130	AVERAGE	
															
		Site : 03CH16-HY Condition: PEAK(UNII)_6E 1m BBHA9170_1224_240624 VERTICAL													
		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		
		1	11910.00	47.79	74.00	-26.21	57.37	38.60	17.10	65.85	0.57	--	--	PEAK	
		2	17865.00	54.54	74.00	-19.46	53.91	41.38	21.83	63.11	0.53	200	20	PEAK	
		3	17865.00	45.02	54.00	-8.98	44.39	41.38	21.83	63.11	0.53	200	20	AVERAGE	



Mode	1	
	Harmonic	
	U-NII-5_5.925-6.425_802.11a_CH1_5955MHz	
ANT	3+4	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91280-1522_240328 HORIZONTAL	 Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91280-1522_240328 VERTICAL
	 Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91280-1522_240328 HORIZONTAL	 Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91280-1522_240328 VERTICAL



Mode	2																																																						
	Band Edge																																																						
	U-NII-5_5.925-6.425_802.11a_CH49_6195MHz																																																						
ANT	3+4																																																						
Pol.	Horizontal					Fundamental																																																	
Peak	Blank					 Site : 03CH16-HY Condition: PEAK(UNII)_6E 3m 91200-1522_240328 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6195.00</td><td>110.72</td><td>-----</td><td>-----</td><td>94.42</td><td>34.10</td><td>12.30</td><td>30.10</td><td>0.00</td><td>243</td><td>241</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6195.00	110.72	-----	-----	94.42	34.10	12.30	30.10	0.00	243	241	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	6195.00	110.72	-----	-----	94.42	34.10	12.30	30.10	0.00	243	241	PEAK																																											
Avg	Blank					 Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91200-1522_240328 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6195.00</td><td>103.80</td><td>-----</td><td>-----</td><td>87.50</td><td>34.10</td><td>12.30</td><td>30.10</td><td>0.00</td><td>243</td><td>241</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6195.00	103.80	-----	-----	87.50	34.10	12.30	30.10	0.00	243	241	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	6195.00	103.80	-----	-----	87.50	34.10	12.30	30.10	0.00	243	241	AVERAGE																																											