











Mode	2																																													
	Band Edge																																													
	U-NII-5_5.925-6.425_802.11a_CH49_6195MHz																																													
ANT	3+4																																													
Pol.	Vertical	Fundamental																																												
Peak	Blank	 Site : 03CH16-HY Condition: PEAK(UNII)_6E 3m 91200-1522_240328 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6195.00</td><td>106.09</td><td>-----</td><td>-----</td><td>89.79</td><td>34.10</td><td>12.30</td><td>30.10</td><td>0.00</td><td>352</td><td>59</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6195.00	106.09	-----	-----	89.79	34.10	12.30	30.10	0.00	352	59	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	6195.00	106.09	-----	-----	89.79	34.10	12.30	30.10	0.00	352	59	PEAK																																		
Avg	Blank	 Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91200-1522_240328 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6195.00</td><td>99.66</td><td>-----</td><td>-----</td><td>83.36</td><td>34.10</td><td>12.30</td><td>30.10</td><td>0.00</td><td>352</td><td>59</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6195.00	99.66	-----	-----	83.36	34.10	12.30	30.10	0.00	352	59	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	6195.00	99.66	-----	-----	83.36	34.10	12.30	30.10	0.00	352	59	AVERAGE																																		





Mode	2												
	Harmonic												
	U-NII-5_5.925-6.425_802.11a_CH49_6195MHz												
ANT	3+4												
Pol.	Horizontal						Vertical						
Peak Avg													
	Site : 03CH16-HY Condition: PEAK(UNII)_6E 1m SHF_1230_241025 HORIZONTAL						Site : 03CH16-HY Condition: PEAK(UNII)_6E 1m SHF_1230_241025 VERTICAL						
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	12390.00	47.72	74.00	-26.28	56.66	38.62	17.36	65.60	0.68	--	--	--	PEAK
2	18585.00	42.00	74.00	-32.00	63.51	38.10	5.56	55.63	-9.54	150	27	27	PEAK
3	18585.00	31.34	54.00	-22.66	52.84	38.11	5.56	55.63	-9.54	150	27	27	AVERAGE
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	12390.00	47.86	74.00	-26.14	56.80	38.62	17.36	65.60	0.68	--	--	--	PEAK
2	18585.00	40.32	74.00	-33.68	61.83	38.10	5.56	55.63	-9.54	100	318	318	PEAK
3	18585.00	29.88	54.00	-24.12	51.38	38.11	5.56	55.63	-9.54	100	318	318	AVERAGE





Mode	2	
	Harmonic	
	U-NII-5_5.925-6.425_802.11a_CH49_6195MHz	
ANT	3+4	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91280-1522_240328 HORIZONTAL	 Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91280-1522_240328 VERTICAL
	 Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91280-1522_240328 HORIZONTAL	 Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91280-1522_240328 VERTICAL





Mode	3																																																						
	Band Edge																																																						
	U-NII-5_5.925-6.425_802.11a_CH93_6415MHz																																																						
ANT	3+4																																																						
Pol.	Horizontal					Fundamental																																																	
Peak	Blank					 Site : 03CH16-HY Condition: PEAK(UNII)_6E 3m 91200-1522_240328 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6415.00</td><td>108.59</td><td>-----</td><td>-----</td><td>91.64</td><td>34.74</td><td>12.43</td><td>30.22</td><td>0.00</td><td>100</td><td>314</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6415.00	108.59	-----	-----	91.64	34.74	12.43	30.22	0.00	100	314	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	6415.00	108.59	-----	-----	91.64	34.74	12.43	30.22	0.00	100	314	PEAK																																											
Avg	Blank					 Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91200-1522_240328 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6415.00</td><td>102.99</td><td>-----</td><td>-----</td><td>86.04</td><td>34.74</td><td>12.43</td><td>30.22</td><td>0.00</td><td>100</td><td>314</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6415.00	102.99	-----	-----	86.04	34.74	12.43	30.22	0.00	100	314	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	6415.00	102.99	-----	-----	86.04	34.74	12.43	30.22	0.00	100	314	AVERAGE																																											







Mode	3																																												
	Band Edge																																												
	U-NII-5_5.925-6.425_802.11a_CH93_6415MHz																																												
ANT	3+4																																												
Pol.	Vertical	Fundamental																																											
Peak	Blank	 Site : 03CH16-HY Condition: PEAK(UNII)_6E 3m 91200-1522_240328 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6415.00</td><td>105.55</td><td>-----</td><td>88.61</td><td>34.73</td><td>12.42</td><td>30.21</td><td>0.00</td><td>238</td><td>360</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6415.00	105.55	-----	88.61	34.73	12.42	30.21	0.00	238	360	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																			
1	6415.00	105.55	-----	88.61	34.73	12.42	30.21	0.00	238	360	PEAK																																		
Avg	Blank	 Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91200-1522_240328 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6415.00</td><td>99.65</td><td>-----</td><td>82.70</td><td>34.74</td><td>12.43</td><td>30.22</td><td>0.00</td><td>238</td><td>360</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6415.00	99.65	-----	82.70	34.74	12.43	30.22	0.00	238	360	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																			
1	6415.00	99.65	-----	82.70	34.74	12.43	30.22	0.00	238	360	AVERAGE																																		







Mode	3																																																																																																																																
	Harmonic																																																																																																																																
	U-NII-5_5.925-6.425_802.11a_CH93_6415MHz																																																																																																																																
ANT	3+4																																																																																																																																
Pol.	Horizontal						Vertical																																																																																																																										
Peak Avg																																																																																																																																	
	Site : 03CH16-HY Condition: PEAK(UNII)_6E 1m BBHA9170_1224_240624 HORIZONTAL						Site : 03CH16-HY Condition: PEAK(UNII)_6E 1m BBHA9170_1224_240624 VERTICAL																																																																																																																										
<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>12830.00</td><td>49.78</td><td>88.20</td><td>-38.42</td><td>57.29</td><td>39.56</td><td>17.55</td><td>65.41</td><td>0.79</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>19245.00</td><td>35.43</td><td>74.00</td><td>-38.57</td><td>56.90</td><td>37.71</td><td>5.56</td><td>55.20</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></tbody></table>														Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12830.00	49.78	88.20	-38.42	57.29	39.56	17.55	65.41	0.79	--	--	PEAK	2	19245.00	35.43	74.00	-38.57	56.90	37.71	5.56	55.20	-9.54	--	--	Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>12830.00</td><td>49.38</td><td>88.20</td><td>-38.82</td><td>56.89</td><td>39.56</td><td>17.55</td><td>65.41</td><td>0.79</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>19245.00</td><td>35.55</td><td>74.00</td><td>-38.45</td><td>57.02</td><td>37.71</td><td>5.56</td><td>55.20</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></tbody></table>				Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12830.00	49.38	88.20	-38.82	56.89	39.56	17.55	65.41	0.79	--	--	PEAK	2	19245.00	35.55	74.00	-38.45	57.02	37.71	5.56	55.20	-9.54	--	--	Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																							
1	12830.00	49.78	88.20	-38.42	57.29	39.56	17.55	65.41	0.79	--	--	PEAK																																																																																																																					
2	19245.00	35.43	74.00	-38.57	56.90	37.71	5.56	55.20	-9.54	--	--	Peak																																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																							
1	12830.00	49.38	88.20	-38.82	56.89	39.56	17.55	65.41	0.79	--	--	PEAK																																																																																																																					
2	19245.00	35.55	74.00	-38.45	57.02	37.71	5.56	55.20	-9.54	--	--	Peak																																																																																																																					



Mode	3	
	Harmonic	
	U-NII-5_5.925-6.425_802.11a_CH93_6415MHz	
ANT	3+4	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91280-1522_240328 HORIZONTAL	 Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91280-1522_240328 VERTICAL
	 Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91280-1522_240328 HORIZONTAL	 Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91280-1522_240328 VERTICAL





		4																																																																																																		
Mode	Band Edge																																																																																																			
	U-NII-5_5.925-6.425_802.11be EHT20_CH1_Full RU_5955MHz																																																																																																			
ANT	3+4																																																																																																			
Pol.	Horizontal						Fundamental																																																																																													
Peak	 Site : 03CH16-HY Condition: PEAK_BE(UNII)_6E 3m 91200-1522_240328 HORIZONTAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5924.32</td><td>69.06</td><td>88.20</td><td>-19.14</td><td>52.95</td><td>34.10</td><td>11.97</td><td>29.96</td><td>0.00</td><td>165</td><td>236</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.32	69.06	88.20	-19.14	52.95	34.10	11.97	29.96	0.00	165	236	PEAK	 Site : 03CH16-HY Condition: PEAK(UNII)_6E 3m 91200-1522_240328 HORIZONTAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>111.28</td><td>-----</td><td>-----</td><td>95.16</td><td>34.10</td><td>11.99</td><td>29.97</td><td>0.00</td><td>165</td><td>236</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	111.28	-----	-----	95.16	34.10	11.99	29.97	0.00	165	236	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5924.32	69.06	88.20	-19.14	52.95	34.10	11.97	29.96	0.00	165	236	PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5955.00	111.28	-----	-----	95.16	34.10	11.99	29.97	0.00	165	236	PEAK																																																																																								
Avg	 Site : 03CH16-HY Condition: AVG_BE(UNII)_6E 3m 91200-1522_240328 HORIZONTAL : RBW:1000.000kHz VBN:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5924.06</td><td>58.33</td><td>68.20</td><td>-9.87</td><td>42.22</td><td>34.10</td><td>11.97</td><td>29.96</td><td>0.00</td><td>165</td><td>236</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.06	58.33	68.20	-9.87	42.22	34.10	11.97	29.96	0.00	165	236	AVERAGE	 Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91200-1522_240328 HORIZONTAL : RBW:1000.000kHz VBN:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>103.64</td><td>-----</td><td>-----</td><td>87.52</td><td>34.10</td><td>11.99</td><td>29.97</td><td>0.00</td><td>165</td><td>236</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	103.64	-----	-----	87.52	34.10	11.99	29.97	0.00	165	236	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5924.06	58.33	68.20	-9.87	42.22	34.10	11.97	29.96	0.00	165	236	AVERAGE																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5955.00	103.64	-----	-----	87.52	34.10	11.99	29.97	0.00	165	236	AVERAGE																																																																																								







Mode	4																																																																																							
	Band Edge																																																																																							
	U-NII-5_5.925-6.425_802.11be EHT20_CH1_Full RU_5955MHz																																																																																							
ANT	3+4																																																																																							
Pol.	Vertical	Fundamental																																																																																						
Peak	Site : 03CH16-HY Condition: PEAK_BE(UNII)_6E 3m 91200-1522_240328 VERTICAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.58</td><td>66.83</td><td>88.20</td><td>-21.37</td><td>50.72</td><td>34.10</td><td>11.97</td><td>29.96</td><td>0.00</td><td>292</td><td>59 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.58	66.83	88.20	-21.37	50.72	34.10	11.97	29.96	0.00	292	59 PEAK	Site : 03CH16-HY Condition: PEAK(UNII)_6E 3m 91200-1522_240328 VERTICAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>106.07</td><td>-----</td><td>-----</td><td>89.95</td><td>34.10</td><td>12.00</td><td>29.98</td><td>0.00</td><td>292</td><td>59 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	106.07	-----	-----	89.95	34.10	12.00	29.98	0.00	292	59 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	5924.58	66.83	88.20	-21.37	50.72	34.10	11.97	29.96	0.00	292	59 PEAK																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	5955.00	106.07	-----	-----	89.95	34.10	12.00	29.98	0.00	292	59 PEAK																																																																													
Avg	Site : 03CH16-HY Condition: AVG_BE(UNII)_6E 3m 91200-1522_240328 VERTICAL : RBW:1000.000kHz VBN:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.58</td><td>52.66</td><td>68.20</td><td>-15.54</td><td>36.55</td><td>34.10</td><td>11.97</td><td>29.96</td><td>0.00</td><td>292</td><td>59 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.58	52.66	68.20	-15.54	36.55	34.10	11.97	29.96	0.00	292	59 AVERAGE	Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91200-1522_240328 VERTICAL : RBW:1000.000kHz VBN:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>98.17</td><td>-----</td><td>-----</td><td>82.05</td><td>34.10</td><td>11.99</td><td>29.97</td><td>0.00</td><td>292</td><td>59 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	98.17	-----	-----	82.05	34.10	11.99	29.97	0.00	292	59 AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	5924.58	52.66	68.20	-15.54	36.55	34.10	11.97	29.96	0.00	292	59 AVERAGE																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	5955.00	98.17	-----	-----	82.05	34.10	11.99	29.97	0.00	292	59 AVERAGE																																																																													







Mode	4																																																																																																																																													
	Harmonic																																																																																																																																													
	U-NII-5_5.925-6.425_802.11be EHT20_CH1_Full RU_5955MHz																																																																																																																																													
ANT	3+4																																																																																																																																													
Pol.	Horizontal	Vertical																																																																																																																																												
Peak Avg	 Site : 03CH16-HY Condition: PEAK(UNII)_6E 1m BBHA9170_1224_240624 HORIZONTAL <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11910.00</td><td>47.51</td><td>74.00</td><td>-26.49</td><td>57.09</td><td>38.60</td><td>17.10</td><td>65.85</td><td>0.57</td><td>--</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>17865.00</td><td>54.24</td><td>74.00</td><td>-19.76</td><td>53.61</td><td>41.38</td><td>21.83</td><td>63.11</td><td>0.53</td><td>400</td><td>132</td><td>0</td><td>PEAK</td></tr><tr><td>3</td><td>17865.00</td><td>45.01</td><td>54.00</td><td>-8.99</td><td>44.38</td><td>41.38</td><td>21.83</td><td>63.11</td><td>0.53</td><td>400</td><td>132</td><td>0</td><td>AVERAGE</td></tr></table>		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	11910.00	47.51	74.00	-26.49	57.09	38.60	17.10	65.85	0.57	--	--	--	PEAK	2	17865.00	54.24	74.00	-19.76	53.61	41.38	21.83	63.11	0.53	400	132	0	PEAK	3	17865.00	45.01	54.00	-8.99	44.38	41.38	21.83	63.11	0.53	400	132	0	AVERAGE	 Site : 03CH16-HY Condition: PEAK(UNII)_6E 1m BBHA9170_1224_240624 VERTICAL <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11910.00</td><td>47.39</td><td>74.00</td><td>-26.61</td><td>56.97</td><td>38.60</td><td>17.10</td><td>65.85</td><td>0.57</td><td>--</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>17865.00</td><td>54.46</td><td>74.00</td><td>-19.54</td><td>53.83</td><td>41.38</td><td>21.83</td><td>63.11</td><td>0.53</td><td>100</td><td>0</td><td>0</td><td>PEAK</td></tr><tr><td>3</td><td>17865.00</td><td>44.98</td><td>54.00</td><td>-9.02</td><td>44.35</td><td>41.38</td><td>21.83</td><td>63.11</td><td>0.53</td><td>100</td><td>0</td><td>0</td><td>AVERAGE</td></tr></table>		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	11910.00	47.39	74.00	-26.61	56.97	38.60	17.10	65.85	0.57	--	--	--	PEAK	2	17865.00	54.46	74.00	-19.54	53.83	41.38	21.83	63.11	0.53	100	0	0	PEAK	3	17865.00	44.98	54.00	-9.02	44.35	41.38	21.83	63.11	0.53	100	0	0	AVERAGE
		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																		
1	11910.00	47.51	74.00	-26.49	57.09	38.60	17.10	65.85	0.57	--	--	--	PEAK																																																																																																																																	
2	17865.00	54.24	74.00	-19.76	53.61	41.38	21.83	63.11	0.53	400	132	0	PEAK																																																																																																																																	
3	17865.00	45.01	54.00	-8.99	44.38	41.38	21.83	63.11	0.53	400	132	0	AVERAGE																																																																																																																																	
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																		
1	11910.00	47.39	74.00	-26.61	56.97	38.60	17.10	65.85	0.57	--	--	--	PEAK																																																																																																																																	
2	17865.00	54.46	74.00	-19.54	53.83	41.38	21.83	63.11	0.53	100	0	0	PEAK																																																																																																																																	
3	17865.00	44.98	54.00	-9.02	44.35	41.38	21.83	63.11	0.53	100	0	0	AVERAGE																																																																																																																																	



Mode	4	
	Harmonic	
	U-NII-5_5.925-6.425_802.11be EHT20_CH1_Full RU_5955MHz	
ANT	3+4	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91280-1522_240328 HORIZONTAL	 Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91280-1522_240328 VERTICAL
	 Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91280-1522_240328 HORIZONTAL	 Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91280-1522_240328 VERTICAL







Mode	5																																																																																																		
	Band Edge																																																																																																		
	U-NII-5_5.925-6.425_802.11be EHT20_CH1_Partial_26/0RU_5955MHz																																																																																																		
ANT	3+4																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	Site : 03CH16-HY Condition: PEAK_BE(UNII)_6E 3m 91200-1522_240328 HORIZONTAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5912.49</td><td>68.25</td><td>88.20</td><td>-19.95</td><td>52.14</td><td>34.10</td><td>11.96</td><td>29.95</td><td>0.00</td><td>162</td><td>238</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	5912.49	68.25	88.20	-19.95	52.14	34.10	11.96	29.95	0.00	162	238	PEAK	Site : 03CH16-HY Condition: PEAK(UNII)_6E 3m 91200-1522_240328 HORIZONTAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>116.36</td><td>-----</td><td>-----</td><td>100.24</td><td>34.10</td><td>11.99</td><td>29.97</td><td>0.00</td><td>162</td><td>238</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	116.36	-----	-----	100.24	34.10	11.99	29.97	0.00	162	238	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																																										
1	5912.49	68.25	88.20	-19.95	52.14	34.10	11.96	29.95	0.00	162	238	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5955.00	116.36	-----	-----	100.24	34.10	11.99	29.97	0.00	162	238	PEAK																																																																																							
Avg																																																																																																			
	Site : 03CH16-HY Condition: AVG_BE(UNII)_6E 3m 91200-1522_240328 HORIZONTAL : RBW:1000.000kHz VBN:0.600kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5912.88</td><td>53.99</td><td>68.20</td><td>-14.21</td><td>37.88</td><td>34.10</td><td>11.96</td><td>29.95</td><td>0.00</td><td>162</td><td>238</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5912.88	53.99	68.20	-14.21	37.88	34.10	11.96	29.95	0.00	162	238	AVERAGE	Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91200-1522_240328 HORIZONTAL : RBW:1000.000kHz VBN:0.600kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>111.10</td><td>-----</td><td>-----</td><td>94.98</td><td>34.10</td><td>11.99</td><td>29.97</td><td>0.00</td><td>162</td><td>238</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	111.10	-----	-----	94.98	34.10	11.99	29.97	0.00	162	238
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5912.88	53.99	68.20	-14.21	37.88	34.10	11.96	29.95	0.00	162	238	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5955.00	111.10	-----	-----	94.98	34.10	11.99	29.97	0.00	162	238	AVERAGE																																																																																							







		5																																																																																									
Mode	Band Edge																																																																																										
	U-NII-5_5.925-6.425_802.11be EHT20_CH1_Partial_26/0RU_5955MHz																																																																																										
ANT	3+4																																																																																										
Pol.	Vertical						Fundamental																																																																																				
Peak	Site : 03CH16-HY Condition: PEAK_BE(UNII)_6E 3m 91200-1522_240328 VERTICAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5913.66</td><td>60.66</td><td>88.20 -27.54</td><td>44.55</td><td>34.10</td><td>11.96</td><td>29.95</td><td>0.00</td><td>300</td><td>69 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor				MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5913.66	60.66	88.20 -27.54	44.55	34.10	11.96	29.95	0.00	300	69 PEAK	Site : 03CH16-HY Condition: PEAK(UNII)_6E 3m 91200-1522_240328 VERTICAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5955.00</td><td>110.00</td><td>-----</td><td>94.68</td><td>34.10</td><td>11.99</td><td>29.97</td><td>0.00</td><td>300</td><td>69 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor				MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5955.00	110.00	-----	94.68	34.10	11.99	29.97	0.00	300	69 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																					
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																		
1 5913.66	60.66	88.20 -27.54	44.55	34.10	11.96	29.95	0.00	300	69 PEAK																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																					
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																		
1 5955.00	110.00	-----	94.68	34.10	11.99	29.97	0.00	300	69 PEAK																																																																																		
Avg	Site : 03CH16-HY Condition: AVG_BE(UNII)_6E 3m 91200-1522_240328 VERTICAL : RBW:1000.000kHz VBN:0.600kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5913.53</td><td>48.99</td><td>68.20 -19.21</td><td>32.88</td><td>34.10</td><td>11.96</td><td>29.95</td><td>0.00</td><td>300</td><td>69 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor				MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5913.53	48.99	68.20 -19.21	32.88	34.10	11.96	29.95	0.00	300	69 AVERAGE	Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91200-1522_240328 VERTICAL : RBW:1000.000kHz VBN:0.600kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5955.00</td><td>104.82</td><td>-----</td><td>88.70</td><td>34.10</td><td>11.99</td><td>29.97</td><td>0.00</td><td>300</td><td>69 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor				MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5955.00	104.82	-----	88.70	34.10	11.99	29.97	0.00	300	69 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																					
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																		
1 5913.53	48.99	68.20 -19.21	32.88	34.10	11.96	29.95	0.00	300	69 AVERAGE																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																					
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																		
1 5955.00	104.82	-----	88.70	34.10	11.99	29.97	0.00	300	69 AVERAGE																																																																																		



		6																																																																																																		
Mode	Band Edge																																																																																																			
	U-NII-5_5.925-6.425_802.11be EHT20_CH1_Partial_52/37RU_5955MHz																																																																																																			
ANT	3+4																																																																																																			
Pol.	Horizontal																																																																																																			
Peak	Fundamental																																																																																																			
	Fundamental																																																																																																			
Peak	 Site : 03CH16-HY Condition: PEAK_BE(UNII)_6E 3m 91200-1522_240328 HORIZONTAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 5918.73</td><td>69.51</td><td>88.20 -18.69</td><td>53.40</td><td>34.10</td><td>11.96</td><td>29.95</td><td>0.00</td><td>161</td><td>235</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 5918.73	69.51	88.20 -18.69	53.40	34.10	11.96	29.95	0.00	161	235	PEAK	 Site : 03CH16-HY Condition: PEAK(UNII)_6E 3m 91200-1522_240328 HORIZONTAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 5955.00</td><td>115.03</td><td>-----</td><td>98.91</td><td>34.10</td><td>11.99</td><td>29.97</td><td>0.00</td><td>161</td><td>235</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 5955.00	115.03	-----	98.91	34.10	11.99	29.97	0.00	161	235	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																														
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																											
1 5918.73	69.51	88.20 -18.69	53.40	34.10	11.96	29.95	0.00	161	235	PEAK																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																														
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																											
1 5955.00	115.03	-----	98.91	34.10	11.99	29.97	0.00	161	235	PEAK																																																																																										
Avg	 Site : 03CH16-HY Condition: AVG_BE(UNII)_6E 3m 91200-1522_240328 HORIZONTAL : RBW:1000.000kHz VBN:0.750kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 5917.04</td><td>59.42</td><td>68.20 -8.78</td><td>43.31</td><td>34.10</td><td>11.96</td><td>29.95</td><td>0.00</td><td>161</td><td>235</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 5917.04	59.42	68.20 -8.78	43.31	34.10	11.96	29.95	0.00	161	235	AVERAGE	 Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91200-1522_240328 HORIZONTAL : RBW:1000.000kHz VBN:0.750kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 5955.00</td><td>108.74</td><td>-----</td><td>92.62</td><td>34.10</td><td>11.99</td><td>29.97</td><td>0.00</td><td>161</td><td>235</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 5955.00	108.74	-----	92.62	34.10	11.99	29.97	0.00	161	235	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																														
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																											
1 5917.04	59.42	68.20 -8.78	43.31	34.10	11.96	29.95	0.00	161	235	AVERAGE																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																														
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																											
1 5955.00	108.74	-----	92.62	34.10	11.99	29.97	0.00	161	235	AVERAGE																																																																																										







Mode	6																																																																																	
	Band Edge																																																																																	
	U-NII-5_5.925-6.425_802.11be EHT20_CH1_Partial_52/37RU_5955MHz																																																																																	
ANT	3+4																																																																																	
Pol.	Vertical	Fundamental																																																																																
Peak	 Site : 03CH16-HY Condition: PEAK_BE(UNII)_6E 3m 91200-1522_240328 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1 5923.67</td><td>58.06</td><td>88.20</td><td>-30.14</td><td>41.95</td><td>34.10</td><td>11.97</td><td>29.96</td><td>0.00</td><td>400 309 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB		1 5923.67	58.06	88.20	-30.14	41.95	34.10	11.97	29.96	0.00	400 309 PEAK	 Site : 03CH16-HY Condition: PEAK(UNII)_6E 3m 91200-1522_240328 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1 5955.00</td><td>109.86</td><td>-----</td><td>-----</td><td>93.74</td><td>34.10</td><td>11.99</td><td>29.97</td><td>0.00</td><td>400 309 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB		1 5955.00	109.86	-----	-----	93.74	34.10	11.99	29.97	0.00	400 309 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1 5923.67	58.06	88.20	-30.14	41.95	34.10	11.97	29.96	0.00	400 309 PEAK																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1 5955.00	109.86	-----	-----	93.74	34.10	11.99	29.97	0.00	400 309 PEAK																																																																									
Avg	 Site : 03CH16-HY Condition: AVG_BE(UNII)_6E 3m 91200-1522_240328 VERTICAL : RBW:1000.000kHz VBW:0.750kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1 5919.77</td><td>49.63</td><td>68.20</td><td>-18.57</td><td>33.52</td><td>34.10</td><td>11.96</td><td>29.95</td><td>0.00</td><td>400 309 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB		1 5919.77	49.63	68.20	-18.57	33.52	34.10	11.96	29.95	0.00	400 309 AVERAGE	 Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91200-1522_240328 VERTICAL : RBW:1000.000kHz VBW:0.750kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1 5955.00</td><td>103.79</td><td>-----</td><td>-----</td><td>87.67</td><td>34.10</td><td>11.99</td><td>29.97</td><td>0.00</td><td>400 309 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB		1 5955.00	103.79	-----	-----	87.67	34.10	11.99	29.97	0.00	400 309 AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1 5919.77	49.63	68.20	-18.57	33.52	34.10	11.96	29.95	0.00	400 309 AVERAGE																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1 5955.00	103.79	-----	-----	87.67	34.10	11.99	29.97	0.00	400 309 AVERAGE																																																																									





		7																																																																																																													
Mode		Band Edge																																																																																																													
		U-NII-5_5.925-6.425_802.11be EHT20_CH1_Partial_106/53RU_5955MHz																																																																																																													
ANT		3+4																																																																																																													
Pol.		Horizontal																																																																																																													
Peak		Site : 03CH16-HY Condition: PEAK_BE(UNII)_6E 3m 91200-1522_240328 HORIZONTAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.45</td><td>64.81</td><td>88.20</td><td>-23.39</td><td>48.70</td><td>34.10</td><td>11.97</td><td>29.96</td><td>0.00</td><td>168</td><td>236</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.45	64.81	88.20	-23.39	48.70	34.10	11.97	29.96	0.00	168	236	PEAK	Site : 03CH16-HY Condition: PEAK(UNII)_6E 3m 91200-1522_240328 HORIZONTAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>112.81</td><td>-----</td><td>-----</td><td>96.69</td><td>34.10</td><td>11.99</td><td>29.97</td><td>0.00</td><td>168</td><td>236</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	112.81	-----	-----	96.69	34.10	11.99	29.97	0.00	168	236	PEAK
			Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5924.45	64.81	88.20	-23.39	48.70	34.10	11.97	29.96	0.00	168	236	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5955.00	112.81	-----	-----	96.69	34.10	11.99	29.97	0.00	168	236	PEAK																																																																																																			
Avg		Site : 03CH16-HY Condition: AVG_BE(UNII)_6E 3m 91200-1522_240328 HORIZONTAL : RBW:1000.000kHz VBN:0.820kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.84</td><td>56.11</td><td>68.20</td><td>-12.09</td><td>40.00</td><td>34.10</td><td>11.97</td><td>29.96</td><td>0.00</td><td>168</td><td>236</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.84	56.11	68.20	-12.09	40.00	34.10	11.97	29.96	0.00	168	236	AVERAGE	Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91200-1522_240328 HORIZONTAL : RBW:1000.000kHz VBN:0.820kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>105.51</td><td>-----</td><td>-----</td><td>89.39</td><td>34.10</td><td>11.99</td><td>29.97</td><td>0.00</td><td>168</td><td>236</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	105.51	-----	-----	89.39	34.10	11.99	29.97	0.00	168	236	AVERAGE
			Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5924.84	56.11	68.20	-12.09	40.00	34.10	11.97	29.96	0.00	168	236	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5955.00	105.51	-----	-----	89.39	34.10	11.99	29.97	0.00	168	236	AVERAGE																																																																																																			





Mode	7																																																																																																				
	Band Edge																																																																																																				
	U-NII-5_5.925-6.425_802.11be EHT20_CH1_Partial_106/53RU_5955MHz																																																																																																				
ANT	3+4																																																																																																				
Pol.	Vertical						Fundamental																																																																																														
Peak																																																																																																					
	Site : 03CH16-HY Condition: PEAK_BE(UNII)_6E 3m 91200-1522_240328 VERTICAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.45</td><td>58.55</td><td>88.20</td><td>-29.65</td><td>42.44</td><td>34.10</td><td>11.97</td><td>29.96</td><td>0.00</td><td>320</td><td>311</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.45	58.55	88.20	-29.65	42.44	34.10	11.97	29.96	0.00	320	311	PEAK	Site : 03CH16-HY Condition: PEAK(UNII)_6E 3m 91200-1522_240328 VERTICAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>106.25</td><td>-----</td><td>-----</td><td>90.13</td><td>34.10</td><td>11.99</td><td>29.97</td><td>0.00</td><td>320</td><td>311</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5955.00	106.25	-----	-----	90.13	34.10	11.99	29.97	0.00	320	311	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5924.45	58.55	88.20	-29.65	42.44	34.10	11.97	29.96	0.00	320	311	PEAK																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1	5955.00	106.25	-----	-----	90.13	34.10	11.99	29.97	0.00	320	311	PEAK																																																																																									
Avg																																																																																																					
	Site : 03CH16-HY Condition: AVG_BE(UNII)_6E 3m 91200-1522_240328 VERTICAL : RBW:1000.000kHz VBN:0.820kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.84</td><td>49.53</td><td>68.20</td><td>-18.67</td><td>33.42</td><td>34.10</td><td>11.97</td><td>29.96</td><td>0.00</td><td>320</td><td>311</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5924.84	49.53	68.20	-18.67	33.42	34.10	11.97	29.96	0.00	320	311	AVERAGE	Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91200-1522_240328 VERTICAL : RBW:1000.000kHz VBN:0.820kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>98.79</td><td>-----</td><td>-----</td><td>82.67</td><td>34.10</td><td>11.99</td><td>29.97</td><td>0.00</td><td>320</td><td>311</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5955.00	98.79	-----	-----	82.67	34.10	11.99	29.97	0.00	320	311
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1	5924.84	49.53	68.20	-18.67	33.42	34.10	11.97	29.96	0.00	320	311	AVERAGE																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1	5955.00	98.79	-----	-----	82.67	34.10	11.99	29.97	0.00	320	311	AVERAGE																																																																																									





Mode	8																																											
	Band Edge																																											
	U-NII-5_5.925-6.425_802.11be EHT20_CH49_Full RU_6195MHz																																											
ANT	3+4																																											
Pol.	Horizontal	Fundamental																																										
Peak	Blank	 Site : 03CH16-HY Condition: PEAK(UNII)_6E 3m 91200-1522_240328 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6195.00</td><td>109.67</td><td>-----</td><td>93.37</td><td>34.10</td><td>12.30</td><td>30.10</td><td>0.00</td><td>243</td><td>241 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6195.00	109.67	-----	93.37	34.10	12.30	30.10	0.00	243	241 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																		
1	6195.00	109.67	-----	93.37	34.10	12.30	30.10	0.00	243	241 PEAK																																		
Avg	Blank	 Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91200-1522_240328 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6195.00</td><td>102.76</td><td>-----</td><td>86.46</td><td>34.10</td><td>12.30</td><td>30.10</td><td>0.00</td><td>243</td><td>241 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6195.00	102.76	-----	86.46	34.10	12.30	30.10	0.00	243	241 AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																		
1	6195.00	102.76	-----	86.46	34.10	12.30	30.10	0.00	243	241 AVERAGE																																		







Mode	8																																																					
	Band Edge																																																					
	U-NII-5_5.925-6.425_802.11be EHT20_CH49_Full RU_6195MHz																																																					
ANT	3+4																																																					
Pol.	Vertical					Fundamental																																																
Peak	Blank					 Site : 03CH16-HY Condition: PEAK(UNII)_6E 3m 91200-1522_240328 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6195.00</td><td>105.42</td><td>-----</td><td>-----</td><td>89.12</td><td>34.10</td><td>12.30</td><td>30.10</td><td>0.00</td><td>350</td><td>61</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6195.00	105.42	-----	-----	89.12	34.10	12.30	30.10	0.00	350	61	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	6195.00	105.42	-----	-----	89.12	34.10	12.30	30.10	0.00	350	61	PEAK																																										
Avg	Blank					 Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91200-1522_240328 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6195.00</td><td>98.13</td><td>-----</td><td>-----</td><td>81.83</td><td>34.10</td><td>12.30</td><td>30.10</td><td>0.00</td><td>350</td><td>61</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6195.00	98.13	-----	-----	81.83	34.10	12.30	30.10	0.00	350	61	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	6195.00	98.13	-----	-----	81.83	34.10	12.30	30.10	0.00	350	61	AVERAGE																																										



Mode	8																																																																													
	Harmonic																																																																													
	U-NII-5_5.925-6.425_802.11be EHT20_CH49_Full RU_6195MHz																																																																													
ANT	3+4																																																																													
Pol.	Horizontal																																																																													
Peak Avg																																																																														
	Site : 03CH16-HY Condition: PEAK(UNII)_6E 1m SHF_1230_241025 HORIZONTAL																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12390.00</td><td>47.53</td><td>74.00</td><td>-26.47</td><td>56.47</td><td>38.62</td><td>17.36</td><td>65.60</td><td>0.68</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>18585.00</td><td>41.42</td><td>74.00</td><td>-32.58</td><td>62.93</td><td>38.10</td><td>5.56</td><td>55.63</td><td>-9.54</td><td>150</td><td>12 PEAK</td></tr><tr><td>3</td><td>18585.00</td><td>30.36</td><td>54.00</td><td>-23.64</td><td>51.86</td><td>38.11</td><td>5.56</td><td>55.63</td><td>-9.54</td><td>150</td><td>12 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12390.00	47.53	74.00	-26.47	56.47	38.62	17.36	65.60	0.68	--	PEAK	2	18585.00	41.42	74.00	-32.58	62.93	38.10	5.56	55.63	-9.54	150	12 PEAK	3	18585.00	30.36	54.00	-23.64	51.86	38.11	5.56	55.63	-9.54	150	12 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																				
1	12390.00	47.53	74.00	-26.47	56.47	38.62	17.36	65.60	0.68	--	PEAK																																																																			
2	18585.00	41.42	74.00	-32.58	62.93	38.10	5.56	55.63	-9.54	150	12 PEAK																																																																			
3	18585.00	30.36	54.00	-23.64	51.86	38.11	5.56	55.63	-9.54	150	12 AVERAGE																																																																			
Pol.	Vertical																																																																													
Peak Avg																																																																														
	Site : 03CH16-HY Condition: PEAK(UNII)_6E 1m SHF_1230_241025 VERTICAL																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12390.00</td><td>47.98</td><td>74.00</td><td>-26.02</td><td>56.92</td><td>38.62</td><td>17.36</td><td>65.60</td><td>0.68</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>18585.00</td><td>39.72</td><td>74.00</td><td>-34.28</td><td>61.23</td><td>38.10</td><td>5.56</td><td>55.63</td><td>-9.54</td><td>150</td><td>321 PEAK</td></tr><tr><td>3</td><td>18585.00</td><td>29.62</td><td>54.00</td><td>-24.38</td><td>51.12</td><td>38.11</td><td>5.56</td><td>55.63</td><td>-9.54</td><td>150</td><td>321 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12390.00	47.98	74.00	-26.02	56.92	38.62	17.36	65.60	0.68	--	PEAK	2	18585.00	39.72	74.00	-34.28	61.23	38.10	5.56	55.63	-9.54	150	321 PEAK	3	18585.00	29.62	54.00	-24.38	51.12	38.11	5.56	55.63	-9.54	150	321 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																				
1	12390.00	47.98	74.00	-26.02	56.92	38.62	17.36	65.60	0.68	--	PEAK																																																																			
2	18585.00	39.72	74.00	-34.28	61.23	38.10	5.56	55.63	-9.54	150	321 PEAK																																																																			
3	18585.00	29.62	54.00	-24.38	51.12	38.11	5.56	55.63	-9.54	150	321 AVERAGE																																																																			





Mode	8	
	Harmonic	
	U-NII-5_5.925-6.425_802.11be EHT20_CH49_Full RU_6195MHz	
ANT	3+4	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91280-1522_240328 HORIZONTAL	 Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91280-1522_240328 VERTICAL
	 Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91280-1522_240328 HORIZONTAL	 Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91280-1522_240328 VERTICAL





Mode	9																																																						
	Band Edge																																																						
	U-NII-5_5.925-6.425_802.11be EHT20_CH93_Full RU_6415MHz																																																						
ANT	3+4																																																						
Pol.	Horizontal					Fundamental																																																	
Peak	Blank					Site : 03CH16-HY Condition: PEAK(UNII)_6E 3m 91200-1522_240328 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6415.00</td><td>108.94</td><td>-----</td><td>-----</td><td>91.99</td><td>34.74</td><td>12.43</td><td>30.22</td><td>0.00</td><td>101</td><td>313</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6415.00	108.94	-----	-----	91.99	34.74	12.43	30.22	0.00	101	313	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	6415.00	108.94	-----	-----	91.99	34.74	12.43	30.22	0.00	101	313	PEAK																																											
Avg	Blank					Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91200-1522_240328 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6415.00</td><td>101.54</td><td>-----</td><td>-----</td><td>84.60</td><td>34.73</td><td>12.42</td><td>30.21</td><td>0.00</td><td>101</td><td>313</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6415.00	101.54	-----	-----	84.60	34.73	12.42	30.21	0.00	101	313	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	6415.00	101.54	-----	-----	84.60	34.73	12.42	30.21	0.00	101	313	AVERAGE																																											







Mode	9																																																						
	Band Edge																																																						
	U-NII-5_5.925-6.425_802.11be EHT20_CH93_Full RU_6415MHz																																																						
ANT	3+4																																																						
Pol.	Vertical					Fundamental																																																	
Peak	Blank					 Site : 03CH16-HY Condition: PEAK(UNII)_6E 3m 91200-1522_240328 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6415.00</td><td>105.26</td><td>-----</td><td>-----</td><td>88.32</td><td>34.73</td><td>12.42</td><td>30.21</td><td>0.00</td><td>235</td><td>360</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6415.00	105.26	-----	-----	88.32	34.73	12.42	30.21	0.00	235	360	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	6415.00	105.26	-----	-----	88.32	34.73	12.42	30.21	0.00	235	360	PEAK																																											
Avg	Blank					 Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91200-1522_240328 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6415.00</td><td>98.29</td><td>-----</td><td>-----</td><td>81.35</td><td>34.73</td><td>12.42</td><td>30.21</td><td>0.00</td><td>235</td><td>360</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6415.00	98.29	-----	-----	81.35	34.73	12.42	30.21	0.00	235	360	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	6415.00	98.29	-----	-----	81.35	34.73	12.42	30.21	0.00	235	360	AVERAGE																																											







Mode	9																																																																																																																			
	Harmonic																																																																																																																			
	U-NII-5_5.925-6.425_802.11be EHT20_CH93_Full RU_6415MHz																																																																																																																			
ANT	3+4																																																																																																																			
Pol.	Horizontal	Vertical																																																																																																																		
Peak Avg	 Site : 03CH16-HY Condition: PEAK(UNII)_6E 1m BBHA9170_1224_240624 HORIZONTAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>12830.00</td><td>49.59</td><td>88.20</td><td>-38.61</td><td>57.10</td><td>39.56</td><td>17.55</td><td>65.41</td><td>0.79</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>19245.00</td><td>35.59</td><td>74.00</td><td>-38.41</td><td>57.06</td><td>37.71</td><td>5.56</td><td>55.20</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12830.00	49.59	88.20	-38.61	57.10	39.56	17.55	65.41	0.79	--	--	PEAK	2	19245.00	35.59	74.00	-38.41	57.06	37.71	5.56	55.20	-9.54	--	--	Peak	 Site : 03CH16-HY Condition: PEAK(UNII)_6E 1m BBHA9170_1224_240624 VERTICAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>12830.00</td><td>49.49</td><td>88.20</td><td>-38.71</td><td>57.00</td><td>39.56</td><td>17.55</td><td>65.41</td><td>0.79</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>19245.00</td><td>35.35</td><td>74.00</td><td>-38.65</td><td>56.82</td><td>37.71</td><td>5.56</td><td>55.20</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12830.00	49.49	88.20	-38.71	57.00	39.56	17.55	65.41	0.79	--	--	PEAK	2	19245.00	35.35	74.00	-38.65	56.82	37.71	5.56	55.20	-9.54	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																										
1	12830.00	49.59	88.20	-38.61	57.10	39.56	17.55	65.41	0.79	--	--	PEAK																																																																																																								
2	19245.00	35.59	74.00	-38.41	57.06	37.71	5.56	55.20	-9.54	--	--	Peak																																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																										
1	12830.00	49.49	88.20	-38.71	57.00	39.56	17.55	65.41	0.79	--	--	PEAK																																																																																																								
2	19245.00	35.35	74.00	-38.65	56.82	37.71	5.56	55.20	-9.54	--	--	Peak																																																																																																								







Mode	9	
	Harmonic	
	U-NII-5_5.925-6.425_802.11be EHT20_CH93_Full RU_6415MHz	
ANT	3+4	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91280-1522_240328 HORIZONTAL	 Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91280-1522_240328 VERTICAL
	 Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91280-1522_240328 HORIZONTAL	 Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91280-1522_240328 VERTICAL





Mode	10																																																																																																		
	Band Edge																																																																																																		
	U-NII-5_5.925-6.425_802.11be EHT40_CH3_Full RU_5965MHz																																																																																																		
ANT	3+4																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	Site : 03CH16-HY Condition: PEAK_BE(UNII)_6E 3m 91200-1522_240328 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5921.46</td><td>76.02</td><td>88.20</td><td>-12.18</td><td>59.91</td><td>34.10</td><td>11.96</td><td>29.95</td><td>0.00</td><td>150</td><td>241</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5921.46	76.02	88.20	-12.18	59.91	34.10	11.96	29.95	0.00	150	241	PEAK	Site : 03CH16-HY Condition: PEAK(UNII)_6E 3m 91200-1522_240328 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>107.91</td><td>-----</td><td>-----</td><td>91.79</td><td>34.10</td><td>12.00</td><td>29.98</td><td>0.00</td><td>150</td><td>241</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	107.91	-----	-----	91.79	34.10	12.00	29.98	0.00	150	241
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5921.46	76.02	88.20	-12.18	59.91	34.10	11.96	29.95	0.00	150	241	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5965.00	107.91	-----	-----	91.79	34.10	12.00	29.98	0.00	150	241	PEAK																																																																																							
Avg																																																																																																			
	Site : 03CH16-HY Condition: AVG_BE(UNII)_6E 3m 91200-1522_240328 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5923.56</td><td>65.15</td><td>68.20</td><td>-3.05</td><td>49.04</td><td>34.10</td><td>11.97</td><td>29.96</td><td>0.00</td><td>150</td><td>241</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5923.56	65.15	68.20	-3.05	49.04	34.10	11.97	29.96	0.00	150	241	AVERAGE	Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91200-1522_240328 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>100.42</td><td>-----</td><td>-----</td><td>84.30</td><td>34.10</td><td>12.00</td><td>29.98</td><td>0.00</td><td>150</td><td>241</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	100.42	-----	-----	84.30	34.10	12.00	29.98	0.00	150	241
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5923.56	65.15	68.20	-3.05	49.04	34.10	11.97	29.96	0.00	150	241	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5965.00	100.42	-----	-----	84.30	34.10	12.00	29.98	0.00	150	241	AVERAGE																																																																																							







Mode	10																																																																																																		
	Band Edge																																																																																																		
	U-NII-5_5.925-6.425_802.11be EHT40_CH3_Full RU_5965MHz																																																																																																		
ANT	3+4																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	Site : 03CH16-HY Condition: PEAK_BE(UNII)_6E 3m 91200-1522_240328 VERTICAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5918.10</td><td>70.41</td><td>88.20</td><td>-17.79</td><td>54.30</td><td>34.10</td><td>11.96</td><td>29.95</td><td>0.00</td><td>400</td><td>315</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5918.10	70.41	88.20	-17.79	54.30	34.10	11.96	29.95	0.00	400	315	PEAK	Site : 03CH16-HY Condition: PEAK(UNII)_6E 3m 91200-1522_240328 VERTICAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5965.00</td><td>101.76</td><td>-----</td><td>-----</td><td>85.64</td><td>34.10</td><td>12.00</td><td>29.98</td><td>0.00</td><td>400</td><td>315</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	101.76	-----	-----	85.64	34.10	12.00	29.98	0.00	400	315
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5918.10	70.41	88.20	-17.79	54.30	34.10	11.96	29.95	0.00	400	315	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5965.00	101.76	-----	-----	85.64	34.10	12.00	29.98	0.00	400	315	PEAK																																																																																							
Avg																																																																																																			
	Site : 03CH16-HY Condition: AVG_BE(UNII)_6E 3m 91200-1522_240328 VERTICAL : RBW:1000.000kHz VBN:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5923.70</td><td>59.16</td><td>68.20</td><td>-9.04</td><td>43.05</td><td>34.10</td><td>11.97</td><td>29.96</td><td>0.00</td><td>400</td><td>315</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5923.70	59.16	68.20	-9.04	43.05	34.10	11.97	29.96	0.00	400	315	AVERAGE	Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91200-1522_240328 VERTICAL : RBW:1000.000kHz VBN:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5965.00</td><td>92.17</td><td>-----</td><td>-----</td><td>76.05</td><td>34.10</td><td>12.00</td><td>29.98</td><td>0.00</td><td>400</td><td>315</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	92.17	-----	-----	76.05	34.10	12.00	29.98	0.00	400	315
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5923.70	59.16	68.20	-9.04	43.05	34.10	11.97	29.96	0.00	400	315	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5965.00	92.17	-----	-----	76.05	34.10	12.00	29.98	0.00	400	315	AVERAGE																																																																																							





Mode	10																																																																																		
	Harmonic																																																																																		
	U-NII-5_5.925-6.425_802.11be EHT40_CH3_Full RU_5965MHz																																																																																		
ANT	3+4																																																																																		
Pol.	Horizontal							Vertical																																																																											
Peak Avg																																																																																			
	Site : 03CH16-HY																																																																																		
	Condition: PEAK(UNII)_6E 1m BBHA9170_1224_240624 HORIZONTAL																																																																																		
	<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11930.00</td><td>47.71</td><td>74.00</td><td>-26.29</td><td>57.28</td><td>38.60</td><td>17.12</td><td>65.86</td><td>0.57</td><td>--</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>17895.00</td><td>56.49</td><td>74.00</td><td>-17.51</td><td>55.41</td><td>41.74</td><td>21.87</td><td>63.06</td><td>0.53</td><td>100</td><td>52</td><td>10</td><td>PEAK</td></tr><tr><td>3</td><td>17895.00</td><td>46.42</td><td>54.00</td><td>-7.58</td><td>45.34</td><td>41.74</td><td>21.87</td><td>63.06</td><td>0.53</td><td>100</td><td>52</td><td>10</td><td>AVERAGE</td></tr></table>															Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	11930.00	47.71	74.00	-26.29	57.28	38.60	17.12	65.86	0.57	--	--	--	PEAK	2	17895.00	56.49	74.00	-17.51	55.41	41.74	21.87	63.06	0.53	100	52	10	PEAK	3	17895.00	46.42	54.00	-7.58	45.34	41.74	21.87	63.06	0.53	100	52	10
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																							
1	11930.00	47.71	74.00	-26.29	57.28	38.60	17.12	65.86	0.57	--	--	--	PEAK																																																																						
2	17895.00	56.49	74.00	-17.51	55.41	41.74	21.87	63.06	0.53	100	52	10	PEAK																																																																						
3	17895.00	46.42	54.00	-7.58	45.34	41.74	21.87	63.06	0.53	100	52	10	AVERAGE																																																																						
Site : 03CH16-HY																																																																																			
Condition: PEAK(UNII)_6E 1m BBHA9170_1224_240624 VERTICAL																																																																																			
<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11930.00</td><td>46.97</td><td>74.00</td><td>-27.03</td><td>56.54</td><td>38.60</td><td>17.12</td><td>65.86</td><td>0.57</td><td>--</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>17895.00</td><td>55.55</td><td>74.00</td><td>-18.45</td><td>54.47</td><td>41.74</td><td>21.87</td><td>63.06</td><td>0.53</td><td>100</td><td>10</td><td>10</td><td>PEAK</td></tr><tr><td>3</td><td>17895.00</td><td>45.32</td><td>54.00</td><td>-8.68</td><td>44.24</td><td>41.74</td><td>21.87</td><td>63.06</td><td>0.53</td><td>100</td><td>10</td><td>10</td><td>AVERAGE</td></tr></table>															Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	11930.00	46.97	74.00	-27.03	56.54	38.60	17.12	65.86	0.57	--	--	--	PEAK	2	17895.00	55.55	74.00	-18.45	54.47	41.74	21.87	63.06	0.53	100	10	10	PEAK	3	17895.00	45.32	54.00	-8.68	44.24	41.74	21.87	63.06	0.53	100	10	10	AVERAGE
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																							
1	11930.00	46.97	74.00	-27.03	56.54	38.60	17.12	65.86	0.57	--	--	--	PEAK																																																																						
2	17895.00	55.55	74.00	-18.45	54.47	41.74	21.87	63.06	0.53	100	10	10	PEAK																																																																						
3	17895.00	45.32	54.00	-8.68	44.24	41.74	21.87	63.06	0.53	100	10	10	AVERAGE																																																																						





Mode	10	
	Harmonic	
	U-NII-5_5.925-6.425_802.11be EHT40_CH3_Full RU_5965MHz	
ANT	3+4	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91280-1522_240328 HORIZONTAL	 Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91280-1522_240328 VERTICAL
	 Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91280-1522_240328 HORIZONTAL	 Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91280-1522_240328 VERTICAL





Mode	11																																													
	Band Edge																																													
	U-NII-5_5.925-6.425_802.11be EHT40_CH51_Full RU_6205MHz																																													
ANT	3+4																																													
Pol.	Horizontal	Fundamental																																												
Peak	Blank	 Site : 03CH16-HY Condition: PEAK(UNII)_6E 3m 91200-1522_240328 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6205.00</td><td>100.52</td><td>-----</td><td>-----</td><td>92.19</td><td>34.13</td><td>12.31</td><td>30.11</td><td>0.00</td><td>196</td><td>242</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6205.00	100.52	-----	-----	92.19	34.13	12.31	30.11	0.00	196	242	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	6205.00	100.52	-----	-----	92.19	34.13	12.31	30.11	0.00	196	242	PEAK																																		
Avg	Blank	 Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91200-1522_240328 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6205.00</td><td>100.19</td><td>-----</td><td>-----</td><td>83.86</td><td>34.13</td><td>12.31</td><td>30.11</td><td>0.00</td><td>196</td><td>242</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6205.00	100.19	-----	-----	83.86	34.13	12.31	30.11	0.00	196	242	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	6205.00	100.19	-----	-----	83.86	34.13	12.31	30.11	0.00	196	242	AVERAGE																																		







Mode	11																																													
	Band Edge																																													
	U-NII-5_5.925-6.425_802.11be EHT40_CH51_Full RU_6205MHz																																													
ANT	3+4																																													
Pol.	Vertical	Fundamental																																												
Peak	Blank	 Site : 03CH16-HY Condition: PEAK(UNII)_6E 3m 91200-1522_240328 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6205.00</td><td>103.96</td><td>-----</td><td>-----</td><td>87.64</td><td>34.11</td><td>12.31</td><td>30.10</td><td>0.00</td><td>368</td><td>59</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6205.00	103.96	-----	-----	87.64	34.11	12.31	30.10	0.00	368	59	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	6205.00	103.96	-----	-----	87.64	34.11	12.31	30.10	0.00	368	59	PEAK																																		
Avg	Blank	 Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91200-1522_240328 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6205.00</td><td>95.72</td><td>-----</td><td>-----</td><td>79.40</td><td>34.11</td><td>12.31</td><td>30.10</td><td>0.00</td><td>368</td><td>59</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6205.00	95.72	-----	-----	79.40	34.11	12.31	30.10	0.00	368	59	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	6205.00	95.72	-----	-----	79.40	34.11	12.31	30.10	0.00	368	59	AVERAGE																																		





Mode	11																																																																																																																				
	Harmonic																																																																																																																				
	U-NII-5_5.925-6.425_802.11be EHT40_CH51_Full RU_6205MHz																																																																																																																				
ANT	3+4																																																																																																																				
Pol.	Horizontal	Vertical																																																																																																																			
Peak Avg	 Site : 03CH16-HY Condition: PEAK(UNII)_6E 1m BBHA9170_1224_240624 HORIZONTAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>12410.00</td><td>47.31</td><td>74.00</td><td>-26.69</td><td>56.23</td><td>38.62</td><td>17.36</td><td>65.58</td><td>0.68</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>18615.00</td><td>35.70</td><td>74.00</td><td>-38.30</td><td>57.39</td><td>37.90</td><td>5.56</td><td>55.61</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12410.00	47.31	74.00	-26.69	56.23	38.62	17.36	65.58	0.68	--	--	PEAK	2	18615.00	35.70	74.00	-38.30	57.39	37.90	5.56	55.61	-9.54	--	--	Peak	 Site : 03CH16-HY Condition: PEAK(UNII)_6E 1m BBHA9170_1224_240624 VERTICAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>12410.00</td><td>47.93</td><td>74.00</td><td>-26.07</td><td>56.85</td><td>38.62</td><td>17.36</td><td>65.58</td><td>0.68</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>18615.00</td><td>36.00</td><td>74.00</td><td>-38.00</td><td>57.69</td><td>37.90</td><td>5.56</td><td>55.61</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	12410.00	47.93	74.00	-26.07	56.85	38.62	17.36	65.58	0.68	--	--	PEAK	2	18615.00	36.00	74.00	-38.00	57.69	37.90	5.56	55.61	-9.54	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1	12410.00	47.31	74.00	-26.69	56.23	38.62	17.36	65.58	0.68	--	--	PEAK																																																																																																									
2	18615.00	35.70	74.00	-38.30	57.39	37.90	5.56	55.61	-9.54	--	--	Peak																																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																										
1	12410.00	47.93	74.00	-26.07	56.85	38.62	17.36	65.58	0.68	--	--	PEAK																																																																																																									
2	18615.00	36.00	74.00	-38.00	57.69	37.90	5.56	55.61	-9.54	--	--	Peak																																																																																																									





Mode	11	
	Harmonic	
	U-NII-5_5.925-6.425_802.11be EHT40_CH51_Full RU_6205MHz	
ANT	3+4	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91280-1522_240328 HORIZONTAL	 Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91280-1522_240328 VERTICAL
	 Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91280-1522_240328 HORIZONTAL	 Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91280-1522_240328 VERTICAL





Mode	12																																													
	Band Edge																																													
	U-NII-5_5.925-6.425_802.11be EHT40_CH91_Full RU_6405MHz																																													
ANT	3+4																																													
Pol.	Horizontal	Fundamental																																												
Peak	Blank	 Site : 03CH16-HY Condition: PEAK(UNII)_6E 3m 91200-1522_240328 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6405.00</td><td>106.31</td><td>-----</td><td>-----</td><td>89.41</td><td>34.70</td><td>12.41</td><td>30.21</td><td>0.00</td><td>100</td><td>310</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6405.00	106.31	-----	-----	89.41	34.70	12.41	30.21	0.00	100	310	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	6405.00	106.31	-----	-----	89.41	34.70	12.41	30.21	0.00	100	310	PEAK																																		
Avg	Blank	 Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91200-1522_240328 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6405.00</td><td>98.54</td><td>-----</td><td>-----</td><td>81.64</td><td>34.70</td><td>12.41</td><td>30.21</td><td>0.00</td><td>100</td><td>310</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6405.00	98.54	-----	-----	81.64	34.70	12.41	30.21	0.00	100	310	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	6405.00	98.54	-----	-----	81.64	34.70	12.41	30.21	0.00	100	310	AVERAGE																																		







Mode	12																																																						
	Band Edge																																																						
	U-NII-5_5.925-6.425_802.11be EHT40_CH91_Full RU_6405MHz																																																						
ANT	3+4																																																						
Pol.	Vertical					Fundamental																																																	
Peak	Blank					 Site : 03CH16-HY Condition: PEAK(UNII)_6E 3m 91200-1522_240328 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6405.00</td><td>102.96</td><td>-----</td><td>-----</td><td>86.02</td><td>34.73</td><td>12.42</td><td>30.21</td><td>0.00</td><td>228</td><td>360</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6405.00	102.96	-----	-----	86.02	34.73	12.42	30.21	0.00	228	360	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	6405.00	102.96	-----	-----	86.02	34.73	12.42	30.21	0.00	228	360	PEAK																																											
Avg	Blank					 Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91200-1522_240328 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6405.00</td><td>95.91</td><td>-----</td><td>-----</td><td>78.99</td><td>34.71</td><td>12.42</td><td>30.21</td><td>0.00</td><td>228</td><td>360</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6405.00	95.91	-----	-----	78.99	34.71	12.42	30.21	0.00	228	360	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	6405.00	95.91	-----	-----	78.99	34.71	12.42	30.21	0.00	228	360	AVERAGE																																											







Mode	12																																																																			
	Harmonic																																																																			
	U-NII-5_5.925-6.425_802.11be EHT40_CH91_Full RU_6405MHz																																																																			
ANT	3+4																																																																			
Pol.	Horizontal						Vertical																																																													
Peak Avg																																																																				
	Site : 03CH16-HY Condition: PEAK(UNII)_6E 1m BBHA9170_1224_240624 HORIZONTAL						Site : 03CH16-HY Condition: PEAK(UNII)_6E 1m BBHA9170_1224_240624 VERTICAL																																																													
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12810.00</td><td>47.87</td><td>88.20</td><td>-40.33</td><td>55.44</td><td>39.52</td><td>17.54</td><td>65.42</td><td>0.79</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>19215.00</td><td>35.10</td><td>74.00</td><td>-38.90</td><td>56.45</td><td>37.84</td><td>5.56</td><td>55.21</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12810.00	47.87	88.20	-40.33	55.44	39.52	17.54	65.42	0.79	--	--	PEAK	2	19215.00	35.10	74.00	-38.90	56.45	37.84	5.56	55.21	-9.54	--	--	Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	12810.00	47.87	88.20	-40.33	55.44	39.52	17.54	65.42	0.79	--	--	PEAK																																																								
2	19215.00	35.10	74.00	-38.90	56.45	37.84	5.56	55.21	-9.54	--	--	Peak																																																								







Mode	12	
	Harmonic	
	U-NII-5_5.925-6.425_802.11be EHT40_CH91_Full RU_6405MHz	
ANT	3+4	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91280-1522_240328 HORIZONTAL	 Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91280-1522_240328 VERTICAL
	 Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91280-1522_240328 HORIZONTAL	 Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91280-1522_240328 VERTICAL





Mode	13																																																																																								
	Band Edge																																																																																								
	U-NII-5_5.925-6.425_802.11be EHT80_CH7_Full RU_5985MHz																																																																																								
ANT	3+4																																																																																								
Pol.	Horizontal					Fundamental																																																																																			
Peak																																																																																									
	Site : 03CH16-HY Condition: PEAK_BE(UNII)_6E 3m 91200-1522_240328 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5923.24</td><td>77.68</td><td>88.20 -10.52</td><td>61.58</td><td>34.10</td><td>11.96</td><td>29.96</td><td>0.00</td><td>145</td><td>234 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5923.24	77.68	88.20 -10.52	61.58	34.10	11.96	29.96	0.00	145	234 PEAK	Site : 03CH16-HY Condition: PEAK(UNII)_6E 3m 91200-1522_240328 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5985.00</td><td>106.12</td><td>-----</td><td>89.99</td><td>34.10</td><td>12.02</td><td>29.99</td><td>0.00</td><td>145</td><td>234 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5985.00	106.12	-----	89.99	34.10	12.02	29.99	0.00	145
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																			
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1 5923.24	77.68	88.20 -10.52	61.58	34.10	11.96	29.96	0.00	145	234 PEAK																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																			
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1 5985.00	106.12	-----	89.99	34.10	12.02	29.99	0.00	145	234 PEAK																																																																																
Avg																																																																																									
	Site : 03CH16-HY Condition: AVG_BE(UNII)_6E 3m 91200-1522_240328 HORIZONTAL : RBW:1000.000kHz VBW:1.500kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5923.72</td><td>65.65</td><td>68.20 -2.55</td><td>49.54</td><td>34.10</td><td>11.97</td><td>29.96</td><td>0.00</td><td>145</td><td>234 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5923.72	65.65	68.20 -2.55	49.54	34.10	11.97	29.96	0.00	145	234 AVERAGE	Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91200-1522_240328 HORIZONTAL : RBW:1000.000kHz VBW:1.500kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5985.00</td><td>96.69</td><td>-----</td><td>80.57</td><td>34.10</td><td>12.01</td><td>29.99</td><td>0.00</td><td>145</td><td>234 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5985.00	96.69	-----	80.57	34.10	12.01	29.99	0.00	145
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																			
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1 5923.72	65.65	68.20 -2.55	49.54	34.10	11.97	29.96	0.00	145	234 AVERAGE																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																			
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1 5985.00	96.69	-----	80.57	34.10	12.01	29.99	0.00	145	234 AVERAGE																																																																																







Mode	13																																																																																																		
	Band Edge																																																																																																		
	U-NII-5_5.925-6.425_802.11be EHT80_CH7_Full RU_5985MHz																																																																																																		
ANT	3+4																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	Site : 03CH16-HY Condition: PEAK_BE(UNII)_6E 3m 91200-1522_240328 VERTICAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5921.00</td><td>69.40</td><td>88.20</td><td>-18.80</td><td>53.29</td><td>34.10</td><td>11.96</td><td>29.95</td><td>0.00</td><td>331</td><td>312</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5921.00	69.40	88.20	-18.80	53.29	34.10	11.96	29.95	0.00	331	312	PEAK	Site : 03CH16-HY Condition: PEAK(UNII)_6E 3m 91200-1522_240328 VERTICAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5985.00</td><td>99.50</td><td>-----</td><td>-----</td><td>83.38</td><td>34.10</td><td>12.01</td><td>29.99</td><td>0.00</td><td>331</td><td>312</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	99.50	-----	-----	83.38	34.10	12.01	29.99	0.00	331	312
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5921.00	69.40	88.20	-18.80	53.29	34.10	11.96	29.95	0.00	331	312	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5985.00	99.50	-----	-----	83.38	34.10	12.01	29.99	0.00	331	312	PEAK																																																																																							
Avg																																																																																																			
	Site : 03CH16-HY Condition: AVG_BE(UNII)_6E 3m 91200-1522_240328 VERTICAL : RBW:1000.000kHz VBN:1.500kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5923.72</td><td>59.74</td><td>68.20</td><td>-8.46</td><td>43.63</td><td>34.10</td><td>11.97</td><td>29.96</td><td>0.00</td><td>331</td><td>312</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5923.72	59.74	68.20	-8.46	43.63	34.10	11.97	29.96	0.00	331	312	AVERAGE	Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91200-1522_240328 VERTICAL : RBW:1000.000kHz VBN:1.500kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5985.00</td><td>90.03</td><td>-----</td><td>-----</td><td>73.91</td><td>34.10</td><td>12.01</td><td>29.99</td><td>0.00</td><td>331</td><td>312</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	90.03	-----	-----	73.91	34.10	12.01	29.99	0.00	331	312
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5923.72	59.74	68.20	-8.46	43.63	34.10	11.97	29.96	0.00	331	312	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5985.00	90.03	-----	-----	73.91	34.10	12.01	29.99	0.00	331	312	AVERAGE																																																																																							





	13																																																																																
Mode	Harmonic																																																																																
	U-NII-5_5.925-6.425_802.11be EHT80_CH7_Full RU_5985MHz																																																																																
ANT	3+4																																																																																
Pol.	Horizontal						Vertical																																																																										
Peak Avg																																																																																	
	Site : 03CH16-HY Condition: PEAK(UNII)_6E 1m BBHA9170_1224_240624 HORIZONTAL						Site : 03CH16-HY Condition: PEAK(UNII)_6E 1m BBHA9170_1224_240624 VERTICAL																																																																										
<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11970.00</td><td>46.89</td><td>74.00</td><td>-27.11</td><td>56.40</td><td>38.64</td><td>17.15</td><td>65.87</td><td>0.57</td><td>--</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>17955.00</td><td>59.07</td><td>74.00</td><td>-14.93</td><td>57.31</td><td>42.23</td><td>21.95</td><td>62.96</td><td>0.54</td><td>100</td><td>53</td><td>53</td><td>PEAK</td></tr><tr><td>3</td><td>17955.00</td><td>46.15</td><td>54.00</td><td>-7.85</td><td>44.39</td><td>42.23</td><td>21.95</td><td>62.96</td><td>0.54</td><td>100</td><td>53</td><td>53</td><td>AVERAGE</td></tr></table>													Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	11970.00	46.89	74.00	-27.11	56.40	38.64	17.15	65.87	0.57	--	--	--	PEAK	2	17955.00	59.07	74.00	-14.93	57.31	42.23	21.95	62.96	0.54	100	53	53	PEAK	3	17955.00	46.15	54.00	-7.85	44.39	42.23	21.95	62.96	0.54	100	53	53	AVERAGE
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																				
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																				
1	11970.00	46.89	74.00	-27.11	56.40	38.64	17.15	65.87	0.57	--	--	--	PEAK																																																																				
2	17955.00	59.07	74.00	-14.93	57.31	42.23	21.95	62.96	0.54	100	53	53	PEAK																																																																				
3	17955.00	46.15	54.00	-7.85	44.39	42.23	21.95	62.96	0.54	100	53	53	AVERAGE																																																																				





Mode	13	
	Harmonic	
	U-NII-5_5.925-6.425_802.11be EHT80_CH7_Full RU_5985MHz	
ANT	3+4	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91280-1522_240328 HORIZONTAL	 Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91280-1522_240328 VERTICAL
	 Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91280-1522_240328 HORIZONTAL	 Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91280-1522_240328 VERTICAL





Mode	14																																													
	Band Edge																																													
	U-NII-5_5.925-6.425_802.11be EHT80_CH55_Full RU_6225MHz																																													
ANT	3+4																																													
Pol.	Horizontal	Fundamental																																												
Peak	Blank	 Site : 03CH16-HY Condition: PEAK(UNII)_6E 3m 91200-1522_240328 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6225.00</td><td>105.77</td><td>-----</td><td>-----</td><td>89.40</td><td>34.16</td><td>12.32</td><td>30.11</td><td>0.00</td><td>195</td><td>242</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6225.00	105.77	-----	-----	89.40	34.16	12.32	30.11	0.00	195	242	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	6225.00	105.77	-----	-----	89.40	34.16	12.32	30.11	0.00	195	242	PEAK																																		
Avg	Blank	 Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91200-1522_240328 HORIZONTAL : RBW:1000.000kHz VBW:1.500kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6225.00</td><td>97.11</td><td>-----</td><td>-----</td><td>80.74</td><td>34.16</td><td>12.32</td><td>30.11</td><td>0.00</td><td>195</td><td>242</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6225.00	97.11	-----	-----	80.74	34.16	12.32	30.11	0.00	195	242	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	6225.00	97.11	-----	-----	80.74	34.16	12.32	30.11	0.00	195	242	AVERAGE																																		







Mode	14																																													
	Band Edge																																													
	U-NII-5_5.925-6.425_802.11be EHT80_CH55_Full RU_6225MHz																																													
ANT	3+4																																													
Pol.	Vertical	Fundamental																																												
Peak	Blank	 Site : 03CH16-HY Condition: PEAK(UNII)_6E 3m 91200-1522_240328 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6225.00</td><td>101.30</td><td>-----</td><td>-----</td><td>84.93</td><td>34.16</td><td>12.32</td><td>30.11</td><td>0.00</td><td>400</td><td>75</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6225.00	101.30	-----	-----	84.93	34.16	12.32	30.11	0.00	400	75	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	6225.00	101.30	-----	-----	84.93	34.16	12.32	30.11	0.00	400	75	PEAK																																		
Avg	Blank	 Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91200-1522_240328 VERTICAL : RBW:1000.000kHz VBW:1.500kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6225.00</td><td>92.38</td><td>-----</td><td>-----</td><td>76.01</td><td>34.16</td><td>12.32</td><td>30.11</td><td>0.00</td><td>400</td><td>75</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6225.00	92.38	-----	-----	76.01	34.16	12.32	30.11	0.00	400	75	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	6225.00	92.38	-----	-----	76.01	34.16	12.32	30.11	0.00	400	75	AVERAGE																																		





Mode	14																																																																																																																			
	Harmonic																																																																																																																			
	U-NII-5_5.925-6.425_802.11be EHT80_CH55_Full RU_6225MHz																																																																																																																			
ANT	3+4																																																																																																																			
Pol.	Horizontal	Vertical																																																																																																																		
Peak Avg	 Site : 03CH16-HY Condition: PEAK(UNII)_6E 1m BBHA9170_1224_240624 HORIZONTAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>12450.00</td><td>47.80</td><td>74.00</td><td>-26.20</td><td>56.59</td><td>38.70</td><td>17.38</td><td>65.56</td><td>0.69</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>18675.00</td><td>36.20</td><td>74.00</td><td>-37.80</td><td>57.88</td><td>37.86</td><td>5.56</td><td>55.56</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12450.00	47.80	74.00	-26.20	56.59	38.70	17.38	65.56	0.69	--	--	PEAK	2	18675.00	36.20	74.00	-37.80	57.88	37.86	5.56	55.56	-9.54	--	--	Peak	 Site : 03CH16-HY Condition: PEAK(UNII)_6E 1m BBHA9170_1224_240624 VERTICAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>12450.00</td><td>47.85</td><td>74.00</td><td>-26.15</td><td>56.64</td><td>38.70</td><td>17.38</td><td>65.56</td><td>0.69</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>18675.00</td><td>36.16</td><td>74.00</td><td>-37.84</td><td>57.84</td><td>37.86</td><td>5.56</td><td>55.56</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12450.00	47.85	74.00	-26.15	56.64	38.70	17.38	65.56	0.69	--	--	PEAK	2	18675.00	36.16	74.00	-37.84	57.84	37.86	5.56	55.56	-9.54	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																										
1	12450.00	47.80	74.00	-26.20	56.59	38.70	17.38	65.56	0.69	--	--	PEAK																																																																																																								
2	18675.00	36.20	74.00	-37.80	57.88	37.86	5.56	55.56	-9.54	--	--	Peak																																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																										
1	12450.00	47.85	74.00	-26.15	56.64	38.70	17.38	65.56	0.69	--	--	PEAK																																																																																																								
2	18675.00	36.16	74.00	-37.84	57.84	37.86	5.56	55.56	-9.54	--	--	Peak																																																																																																								





Mode	14	
	Harmonic	
	U-NII-5_5.925-6.425_802.11be EHT80_CH55_Full RU_6225MHz	
ANT	3+4	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91280-1522_240328 HORIZONTAL	 Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91280-1522_240328 VERTICAL
	 Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91280-1522_240328 HORIZONTAL	 Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91280-1522_240328 VERTICAL



Mode	15																																																					
	Band Edge																																																					
	U-NII-5_5.925-6.425_802.11be EHT80_CH87_Full RU_6385MHz																																																					
ANT	3+4																																																					
Pol.	Horizontal					Fundamental																																																
Peak	Blank					 Site : 03CH16-HY Condition: PEAK(UNII)_6E 3m 91200-1522_240328 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6385.00</td><td>103.12</td><td>-----</td><td>-----</td><td>86.32</td><td>34.60</td><td>12.40</td><td>30.20</td><td>0.00</td><td>100</td><td>314</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6385.00	103.12	-----	-----	86.32	34.60	12.40	30.20	0.00	100	314	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	6385.00	103.12	-----	-----	86.32	34.60	12.40	30.20	0.00	100	314	PEAK																																										
Avg	Blank					 Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91200-1522_240328 HORIZONTAL : RBW:1000.000kHz VBW:1.500kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6385.00</td><td>95.78</td><td>-----</td><td>-----</td><td>78.89</td><td>34.68</td><td>12.41</td><td>30.20</td><td>0.00</td><td>100</td><td>314</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6385.00	95.78	-----	-----	78.89	34.68	12.41	30.20	0.00	100	314	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	6385.00	95.78	-----	-----	78.89	34.68	12.41	30.20	0.00	100	314	AVERAGE																																										







Mode	15																																																										
	Band Edge																																																										
	U-NII-5_5.925-6.425_802.11be EHT80_CH87_Full RU_6385MHz																																																										
ANT	3+4																																																										
Pol.	Vertical					Fundamental																																																					
Peak	Blank					 Site : 03CH16-HY Condition: PEAK(UNII)_6E 3m 91200-1522_240328 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>6385.00</td><td>101.01</td><td>-----</td><td>84.21</td><td>34.60</td><td>12.40</td><td>30.20</td><td>0.00</td><td></td><td>229</td><td>360</td><td>PEAK</td></tr></table>								Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	6385.00	101.01	-----	84.21	34.60	12.40	30.20	0.00		229	360	PEAK
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																	
1	6385.00	101.01	-----	84.21	34.60	12.40	30.20	0.00		229	360	PEAK																																															
Avg	Blank					 Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91200-1522_240328 VERTICAL : RBW:1000.000kHz VBW:1.500kHz SMT:Auto <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>6385.00</td><td>92.37</td><td>-----</td><td>75.57</td><td>34.60</td><td>12.40</td><td>30.20</td><td>0.00</td><td></td><td>229</td><td>360</td><td>AVERAGE</td></tr></table>								Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	6385.00	92.37	-----	75.57	34.60	12.40	30.20	0.00		229	360	AVERAGE
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																	
1	6385.00	92.37	-----	75.57	34.60	12.40	30.20	0.00		229	360	AVERAGE																																															







Mode	15																																																																																																																															
	Harmonic																																																																																																																															
	U-NII-5_5.925-6.425_802.11be EHT80_CH87_Full RU_6385MHz																																																																																																																															
ANT	3+4																																																																																																																															
Pol.	Horizontal						Vertical																																																																																																																									
Peak Avg	Site : 03CH16-HY Condition: PEAK(UNII)_6E 1m BBHA9170_1224_240624 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12770.00</td><td>50.14</td><td>88.20</td><td>-38.06</td><td>57.88</td><td>39.38</td><td>17.53</td><td>65.43</td><td>0.78</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>19155.00</td><td>36.02</td><td>74.00</td><td>-37.98</td><td>57.15</td><td>38.09</td><td>5.56</td><td>55.24</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	12770.00	50.14	88.20	-38.06	57.88	39.38	17.53	65.43	0.78	--	--	PEAK	2	19155.00	36.02	74.00	-37.98	57.15	38.09	5.56	55.24	-9.54	--	--	Peak	Site : 03CH16-HY Condition: PEAK(UNII)_6E 1m BBHA9170_1224_240624 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12770.00</td><td>50.19</td><td>88.20</td><td>-38.01</td><td>57.93</td><td>39.38</td><td>17.53</td><td>65.43</td><td>0.78</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>19155.00</td><td>36.63</td><td>74.00</td><td>-37.37</td><td>57.76</td><td>38.09</td><td>5.56</td><td>55.24</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	12770.00	50.19	88.20	-38.01	57.93	39.38	17.53	65.43	0.78	--	--	PEAK	2	19155.00	36.63	74.00	-37.37	57.76	38.09	5.56	55.24	-9.54	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																					
1	12770.00	50.14	88.20	-38.06	57.88	39.38	17.53	65.43	0.78	--	--	PEAK																																																																																																																				
2	19155.00	36.02	74.00	-37.98	57.15	38.09	5.56	55.24	-9.54	--	--	Peak																																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																					
1	12770.00	50.19	88.20	-38.01	57.93	39.38	17.53	65.43	0.78	--	--	PEAK																																																																																																																				
2	19155.00	36.63	74.00	-37.37	57.76	38.09	5.56	55.24	-9.54	--	--	Peak																																																																																																																				



Mode	15	
	Harmonic	
	U-NII-5_5.925-6.425_802.11be EHT80_CH87_Full RU_6385MHz	
ANT	3+4	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91280-1522_240328 HORIZONTAL	 Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91280-1522_240328 VERTICAL
	 Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91280-1522_240328 HORIZONTAL	 Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91280-1522_240328 VERTICAL



Mode	16																																																																																																		
	Band Edge																																																																																																		
	U-NII-5_5.925-6.425_802.11be EHT160_CH15_Full RU_6025MHz																																																																																																		
ANT	3+4																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	Site : 03CH16-HY Condition: PEAK_BE(UNII)_6E 3m 91200-1522_240328 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5871.20</td><td>75.36</td><td>88.20</td><td>-12.84</td><td>59.39</td><td>33.98</td><td>11.92</td><td>29.93</td><td>0.00</td><td>157</td><td>237</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5871.20	75.36	88.20	-12.84	59.39	33.98	11.92	29.93	0.00	157	237	PEAK	Site : 03CH16-HY Condition: PEAK(UNII)_6E 3m 91200-1522_240328 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6025.00</td><td>102.63</td><td>-----</td><td>-----</td><td>86.52</td><td>34.07</td><td>12.05</td><td>30.01</td><td>0.00</td><td>157</td><td>237</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	102.63	-----	-----	86.52	34.07	12.05	30.01	0.00	157	237
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5871.20	75.36	88.20	-12.84	59.39	33.98	11.92	29.93	0.00	157	237	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	6025.00	102.63	-----	-----	86.52	34.07	12.05	30.01	0.00	157	237	PEAK																																																																																							
Avg																																																																																																			
	Site : 03CH16-HY Condition: AVG_BE(UNII)_6E 3m 91200-1522_240328 HORIZONTAL : RBW:1000.000kHz VBW:2.700kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5921.20</td><td>65.57</td><td>68.20</td><td>-2.63</td><td>49.46</td><td>34.10</td><td>11.96</td><td>29.95</td><td>0.00</td><td>157</td><td>237</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5921.20	65.57	68.20	-2.63	49.46	34.10	11.96	29.95	0.00	157	237	AVERAGE	Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91200-1522_240328 HORIZONTAL : RBW:1000.000kHz VBW:2.700kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6025.00</td><td>93.52</td><td>-----</td><td>-----</td><td>77.40</td><td>34.08</td><td>12.04</td><td>30.00</td><td>0.00</td><td>157</td><td>237</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	93.52	-----	-----	77.40	34.08	12.04	30.00	0.00	157	237
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5921.20	65.57	68.20	-2.63	49.46	34.10	11.96	29.95	0.00	157	237	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	6025.00	93.52	-----	-----	77.40	34.08	12.04	30.00	0.00	157	237	AVERAGE																																																																																							







Mode	16																																																																																																			
	Band Edge																																																																																																			
	U-NII-5_5.925-6.425_802.11be EHT160_CH15_Full RU_6025MHz																																																																																																			
ANT	3+4																																																																																																			
Pol.	Vertical						Fundamental																																																																																													
Peak	Site : 03CH16-HY Condition: PEAK_BE(UNII)_6E 3m 91200-1522_240328 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5907.40</td><td>69.26</td><td>88.20</td><td>-18.94</td><td>53.16</td><td>34.10</td><td>11.95</td><td>29.95</td><td>0.00</td><td>400</td><td>307</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5907.40	69.26	88.20	-18.94	53.16	34.10	11.95	29.95	0.00	400	307	PEAK	Site : 03CH16-HY Condition: PEAK(UNII)_6E 3m 91200-1522_240328 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6025.00</td><td>95.10</td><td>-----</td><td>-----</td><td>79.01</td><td>34.02</td><td>12.09</td><td>30.02</td><td>0.00</td><td>400</td><td>307</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	95.10	-----	-----	79.01	34.02	12.09	30.02	0.00	400	307	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5907.40	69.26	88.20	-18.94	53.16	34.10	11.95	29.95	0.00	400	307	PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	6025.00	95.10	-----	-----	79.01	34.02	12.09	30.02	0.00	400	307	PEAK																																																																																								
Avg	Site : 03CH16-HY Condition: AVG_BE(UNII)_6E 3m 91200-1522_240328 VERTICAL : RBW:1000.000kHz VBW:2.700kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5921.20</td><td>60.32</td><td>68.20</td><td>-7.88</td><td>44.21</td><td>34.10</td><td>11.96</td><td>29.95</td><td>0.00</td><td>400</td><td>307</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5921.20	60.32	68.20	-7.88	44.21	34.10	11.96	29.95	0.00	400	307	AVERAGE	Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91200-1522_240328 VERTICAL : RBW:1000.000kHz VBW:2.700kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6025.00</td><td>87.50</td><td>-----</td><td>-----</td><td>71.41</td><td>34.02</td><td>12.09</td><td>30.02</td><td>0.00</td><td>400</td><td>307</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	87.50	-----	-----	71.41	34.02	12.09	30.02	0.00	400	307	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5921.20	60.32	68.20	-7.88	44.21	34.10	11.96	29.95	0.00	400	307	AVERAGE																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	6025.00	87.50	-----	-----	71.41	34.02	12.09	30.02	0.00	400	307	AVERAGE																																																																																								





Mode	16																																																																																																																																	
	Harmonic																																																																																																																																	
	U-NII-5_5.925-6.425_802.11be EHT160_CH15_Full RU_6025MHz																																																																																																																																	
ANT	3+4																																																																																																																																	
Pol.	Horizontal						Vertical																																																																																																																											
Peak Avg																																																																																																																																		
	Site : 03CH16-HY Condition: PEAK(UNII)_6E 1m BBHA9170_1224_240624 HORIZONTAL						Site : 03CH16-HY Condition: PEAK(UNII)_6E 1m BBHA9170_1224_240624 VERTICAL																																																																																																																											
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12050.00</td><td>47.92</td><td>74.00</td><td>-26.08</td><td>57.18</td><td>38.80</td><td>17.20</td><td>65.84</td><td>0.58</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>18075.00</td><td>35.93</td><td>74.00</td><td>-38.07</td><td>58.39</td><td>37.49</td><td>5.55</td><td>55.96</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>														Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12050.00	47.92	74.00	-26.08	57.18	38.80	17.20	65.84	0.58	--	--	PEAK	2	18075.00	35.93	74.00	-38.07	58.39	37.49	5.55	55.96	-9.54	--	--	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12050.00</td><td>47.72</td><td>74.00</td><td>-26.28</td><td>56.98</td><td>38.80</td><td>17.20</td><td>65.84</td><td>0.58</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>18075.00</td><td>36.14</td><td>74.00</td><td>-37.86</td><td>58.60</td><td>37.49</td><td>5.55</td><td>55.96</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12050.00	47.72	74.00	-26.28	56.98	38.80	17.20	65.84	0.58	--	--	PEAK	2	18075.00	36.14	74.00	-37.86	58.60	37.49	5.55	55.96	-9.54	--	--	Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																								
1	12050.00	47.92	74.00	-26.08	57.18	38.80	17.20	65.84	0.58	--	--	PEAK																																																																																																																						
2	18075.00	35.93	74.00	-38.07	58.39	37.49	5.55	55.96	-9.54	--	--	Peak																																																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																								
1	12050.00	47.72	74.00	-26.28	56.98	38.80	17.20	65.84	0.58	--	--	PEAK																																																																																																																						
2	18075.00	36.14	74.00	-37.86	58.60	37.49	5.55	55.96	-9.54	--	--	Peak																																																																																																																						





Mode	16	
	Harmonic	
	U-NII-5_5.925-6.425_802.11be EHT160_CH15_Full RU_6025MHz	
ANT	3+4	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91280-1522_240328 HORIZONTAL	 Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91280-1522_240328 VERTICAL
	 Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91280-1522_240328 HORIZONTAL	 Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91280-1522_240328 VERTICAL



Mode	17																																													
	Band Edge																																													
	U-NII-5_5.925-6.425_802.11be EHT160_CH47_Full RU_6185MHz																																													
ANT	3+4																																													
Pol.	Horizontal	Fundamental																																												
Peak	Blank	 Site : 03CH16-HY Condition: PEAK(UNII)_6E 3m 91200-1522_240328 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6185.00</td><td>104.04</td><td>-----</td><td>-----</td><td>87.75</td><td>34.10</td><td>12.29</td><td>30.10</td><td>0.00</td><td>195</td><td>245</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6185.00	104.04	-----	-----	87.75	34.10	12.29	30.10	0.00	195	245	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	6185.00	104.04	-----	-----	87.75	34.10	12.29	30.10	0.00	195	245	PEAK																																		
Avg	Blank	 Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91200-1522_240328 HORIZONTAL : RBW:1000.000kHz VBW:2.700kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6185.00</td><td>94.88</td><td>-----</td><td>-----</td><td>78.61</td><td>34.10</td><td>12.26</td><td>30.09</td><td>0.00</td><td>195</td><td>245</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6185.00	94.88	-----	-----	78.61	34.10	12.26	30.09	0.00	195	245	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	6185.00	94.88	-----	-----	78.61	34.10	12.26	30.09	0.00	195	245	AVERAGE																																		







Mode	17																																													
	Band Edge																																													
	U-NII-5_5.925-6.425_802.11be EHT160_CH47_Full RU_6185MHz																																													
ANT	3+4																																													
Pol.	Vertical	Fundamental																																												
Peak	Blank	 Site : 03CH16-HY Condition: PEAK(UNII)_6E 3m 91200-1522_240328 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6185.00</td><td>100.06</td><td>-----</td><td>-----</td><td>83.79</td><td>34.10</td><td>12.26</td><td>30.09</td><td>0.00</td><td>300</td><td>60</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6185.00	100.06	-----	-----	83.79	34.10	12.26	30.09	0.00	300	60	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	6185.00	100.06	-----	-----	83.79	34.10	12.26	30.09	0.00	300	60	PEAK																																		
Avg	Blank	 Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91200-1522_240328 VERTICAL : RBW:1000.000kHz VBW:2.700kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6185.00</td><td>90.07</td><td>-----</td><td>-----</td><td>73.79</td><td>34.10</td><td>12.27</td><td>30.09</td><td>0.00</td><td>300</td><td>60</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6185.00	90.07	-----	-----	73.79	34.10	12.27	30.09	0.00	300	60	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	6185.00	90.07	-----	-----	73.79	34.10	12.27	30.09	0.00	300	60	AVERAGE																																		





		17																																																															
Mode		Harmonic																																																															
		U-NII-5_5.925-6.425_802.11be EHT160_CH47_Full RU_6185MHz																																																															
ANT		3+4																																																															
Pol.		Horizontal																																																															
Peak	Avg																																																																
		Site : 03CH16-HY Condition: PEAK(UNII)_6E 1m BBHA9170_1224_240624 HORIZONTAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>12370.00</td><td>47.55</td><td>74.00</td><td>-26.45</td><td>56.48</td><td>38.66</td><td>17.35</td><td>65.61</td><td>0.67</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>18555.00</td><td>36.49</td><td>74.00</td><td>-37.51</td><td>58.13</td><td>38.00</td><td>5.56</td><td>55.66</td><td>-9.54</td><td>--</td><td>Peak</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12370.00	47.55	74.00	-26.45	56.48	38.66	17.35	65.61	0.67	--	PEAK	2	18555.00	36.49	74.00	-37.51	58.13	38.00	5.56	55.66	-9.54
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																							
1	12370.00	47.55	74.00	-26.45	56.48	38.66	17.35	65.61	0.67	--	PEAK																																																						
2	18555.00	36.49	74.00	-37.51	58.13	38.00	5.56	55.66	-9.54	--	Peak																																																						
Peak	Avg																																																																
		Site : 03CH16-HY Condition: PEAK(UNII)_6E 1m BBHA9170_1224_240624 VERTICAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>12370.00</td><td>47.49</td><td>74.00</td><td>-26.51</td><td>56.42</td><td>38.66</td><td>17.35</td><td>65.61</td><td>0.67</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>18555.00</td><td>37.65</td><td>74.00</td><td>-36.35</td><td>59.29</td><td>38.00</td><td>5.56</td><td>55.66</td><td>-9.54</td><td>--</td><td>Peak</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12370.00	47.49	74.00	-26.51	56.42	38.66	17.35	65.61	0.67	--	PEAK	2	18555.00	37.65	74.00	-36.35	59.29	38.00	5.56	55.66	-9.54
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																							
1	12370.00	47.49	74.00	-26.51	56.42	38.66	17.35	65.61	0.67	--	PEAK																																																						
2	18555.00	37.65	74.00	-36.35	59.29	38.00	5.56	55.66	-9.54	--	Peak																																																						





Mode	17	
	Harmonic	
	U-NII-5_5.925-6.425_802.11be EHT160_CH47_Full RU_6185MHz	
ANT	3+4	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91280-1522_240328 HORIZONTAL	 Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91280-1522_240328 VERTICAL
	 Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91280-1522_240328 HORIZONTAL	 Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91280-1522_240328 VERTICAL





Mode	18																																													
	Band Edge																																													
	U-NII-5_5.925-6.425_802.11be EHT160_CH79_Full RU_6345MHz																																													
ANT	3+4																																													
Pol.	Horizontal	Fundamental																																												
Peak	Blank	 Site : 03CH16-HY Condition: PEAK(UNII)_6E 3m 91200-1522_240328 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6345.00</td><td>102.37</td><td>-----</td><td>-----</td><td>85.66</td><td>34.50</td><td>12.39</td><td>30.18</td><td>0.00</td><td>100</td><td>311</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6345.00	102.37	-----	-----	85.66	34.50	12.39	30.18	0.00	100	311	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	6345.00	102.37	-----	-----	85.66	34.50	12.39	30.18	0.00	100	311	PEAK																																		
Avg	Blank	 Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91200-1522_240328 HORIZONTAL : RBW:1000.000kHz VBW:2.700kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6345.00</td><td>93.27</td><td>-----</td><td>-----</td><td>76.52</td><td>34.55</td><td>12.39</td><td>30.19</td><td>0.00</td><td>100</td><td>311</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6345.00	93.27	-----	-----	76.52	34.55	12.39	30.19	0.00	100	311	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	6345.00	93.27	-----	-----	76.52	34.55	12.39	30.19	0.00	100	311	AVERAGE																																		







Mode	18																																																						
	Band Edge																																																						
	U-NII-5_5.925-6.425_802.11be EHT160_CH79_Full RU_6345MHz																																																						
ANT	3+4																																																						
Pol.	Vertical					Fundamental																																																	
Peak	Blank					 Site : 03CH16-HY Condition: PEAK(UNII)_6E 3m 91200-1522_240328 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6345.00</td><td>90.24</td><td>-----</td><td>-----</td><td>81.60</td><td>34.43</td><td>12.38</td><td>30.17</td><td>0.00</td><td>312</td><td>54</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6345.00	90.24	-----	-----	81.60	34.43	12.38	30.17	0.00	312	54	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	6345.00	90.24	-----	-----	81.60	34.43	12.38	30.17	0.00	312	54	PEAK																																											
Avg	Blank					 Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91200-1522_240328 VERTICAL : RBW:1000.000kHz VBW:2.700kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6345.00</td><td>90.28</td><td>-----</td><td>-----</td><td>73.68</td><td>34.40</td><td>12.37</td><td>30.17</td><td>0.00</td><td>312</td><td>54</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6345.00	90.28	-----	-----	73.68	34.40	12.37	30.17	0.00	312	54	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	6345.00	90.28	-----	-----	73.68	34.40	12.37	30.17	0.00	312	54	AVERAGE																																											





Mode	18																																																																				
	Harmonic																																																																				
	U-NII-5_5.925-6.425_802.11be EHT160_CH79_Full RU_6345MHz																																																																				
ANT	3+4																																																																				
Pol.	Horizontal						Vertical																																																														
Peak Avg																																																																					
	Site : 03CH16-HY Condition: PEAK(UNII)_6E 1m BBHA9170_1224_240624 HORIZONTAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>12690.00</td><td>47.87</td><td>74.00</td><td>-26.13</td><td>55.88</td><td>39.20</td><td>17.49</td><td>65.46</td><td>0.76</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>19305.00</td><td>36.73</td><td>74.00</td><td>-37.27</td><td>57.90</td><td>37.99</td><td>5.56</td><td>55.18</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	12690.00	47.87	74.00	-26.13	55.88	39.20	17.49	65.46	0.76	--	--	PEAK	2	19305.00	36.73	74.00	-37.27	57.90	37.99	5.56	55.18	-9.54	--	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																										
1	12690.00	47.87	74.00	-26.13	55.88	39.20	17.49	65.46	0.76	--	--	PEAK																																																									
2	19305.00	36.73	74.00	-37.27	57.90	37.99	5.56	55.18	-9.54	--	--	Peak																																																									
Site : 03CH16-HY Condition: PEAK(UNII)_6E 1m BBHA9170_1224_240624 VERTICAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>12690.00</td><td>47.82</td><td>74.00</td><td>-26.18</td><td>55.83</td><td>39.20</td><td>17.49</td><td>65.46</td><td>0.76</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>19305.00</td><td>36.07</td><td>74.00</td><td>-37.93</td><td>57.24</td><td>37.99</td><td>5.56</td><td>55.18</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	12690.00	47.82	74.00	-26.18	55.83	39.20	17.49	65.46	0.76	--	--	PEAK	2	19305.00	36.07	74.00	-37.93	57.24	37.99	5.56	55.18	-9.54	--	--	Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																										
1	12690.00	47.82	74.00	-26.18	55.83	39.20	17.49	65.46	0.76	--	--	PEAK																																																									
2	19305.00	36.07	74.00	-37.93	57.24	37.99	5.56	55.18	-9.54	--	--	Peak																																																									





Mode	18	
	Harmonic	
	U-NII-5_5.925-6.425_802.11be EHT160_CH79_Full RU_6345MHz	
ANT	3+4	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91280-1522_240328 HORIZONTAL	 Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91280-1522_240328 VERTICAL
	 Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91280-1522_240328 HORIZONTAL	 Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91280-1522_240328 VERTICAL





Mode	19																																																						
	Band Edge																																																						
	U-NII-7_6.525-6.875_802.11a_CH117_6535MHz																																																						
ANT	3+4																																																						
Pol.	Horizontal					Fundamental																																																	
Peak	Blank					 Site : 03CH16-HY Condition: PEAK(UNII)_6E 3m 91200-1522_240328 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6535.00</td><td>110.88</td><td>-----</td><td>-----</td><td>93.33</td><td>35.28</td><td>12.55</td><td>30.28</td><td>0.00</td><td>333</td><td>306</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6535.00	110.88	-----	-----	93.33	35.28	12.55	30.28	0.00	333	306	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	6535.00	110.88	-----	-----	93.33	35.28	12.55	30.28	0.00	333	306	PEAK																																											
Avg	Blank					 Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91200-1522_240328 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6535.00</td><td>103.79</td><td>-----</td><td>-----</td><td>86.21</td><td>35.32</td><td>12.55</td><td>30.29</td><td>0.00</td><td>333</td><td>306</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6535.00	103.79	-----	-----	86.21	35.32	12.55	30.29	0.00	333	306	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	6535.00	103.79	-----	-----	86.21	35.32	12.55	30.29	0.00	333	306	AVERAGE																																											







Mode	19																																																			
	Band Edge																																																			
	U-NII-7_6.525-6.875_802.11a_CH117_6535MHz																																																			
ANT	3+4																																																			
Pol.	Vertical					Fundamental																																														
Peak	Blank					 Site : 03CH16-HY Condition: PEAK(UNII)_6E 3m 91200-1522_240328 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6535.00</td><td>100.36</td><td>-----</td><td>90.78</td><td>35.32</td><td>12.55</td><td>30.29</td><td>0.00</td><td>229</td><td>10 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6535.00	100.36	-----	90.78	35.32	12.55	30.29	0.00	229	10 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																										
1	6535.00	100.36	-----	90.78	35.32	12.55	30.29	0.00	229	10 PEAK																																										
Avg	Blank					 Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91200-1522_240328 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6535.00</td><td>101.47</td><td>-----</td><td>83.89</td><td>35.32</td><td>12.55</td><td>30.29</td><td>0.00</td><td>229</td><td>10 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6535.00	101.47	-----	83.89	35.32	12.55	30.29	0.00	229	10 AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																										
1	6535.00	101.47	-----	83.89	35.32	12.55	30.29	0.00	229	10 AVERAGE																																										





Mode	19																																																																																																					
	Harmonic																																																																																																					
	U-NII-7_6.525-6.875_802.11a_CH117_6535MHz																																																																																																					
ANT	3+4																																																																																																					
Pol.	Horizontal	Vertical																																																																																																				
Peak Avg	 Site : 03CH16-HY Condition: PEAK(UNII)_6E 1m 88HA9170_1224_240624 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 13070.00</td><td>47.77</td><td>88.20</td><td>-40.43</td><td>54.92</td><td>39.70</td><td>17.68</td><td>65.39</td><td>0.86</td><td>-- -- PEAK</td></tr><tr><td>2 19605.00</td><td>36.64</td><td>74.00</td><td>-37.36</td><td>57.86</td><td>37.81</td><td>5.59</td><td>55.08</td><td>-9.54</td><td>-- -- PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13070.00	47.77	88.20	-40.43	54.92	39.70	17.68	65.39	0.86	-- -- PEAK	2 19605.00	36.64	74.00	-37.36	57.86	37.81	5.59	55.08	-9.54	-- -- PEAK	 Site : 03CH16-HY Condition: PEAK(UNII)_6E 1m 88HA9170_1224_240624 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 13070.00</td><td>47.87</td><td>88.20</td><td>-40.33</td><td>55.02</td><td>39.70</td><td>17.68</td><td>65.39</td><td>0.86</td><td>-- -- PEAK</td></tr><tr><td>2 19605.00</td><td>36.55</td><td>74.00</td><td>-37.45</td><td>57.77</td><td>37.81</td><td>5.59</td><td>55.08</td><td>-9.54</td><td>-- -- PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13070.00	47.87	88.20	-40.33	55.02	39.70	17.68	65.39	0.86	-- -- PEAK	2 19605.00	36.55	74.00	-37.45	57.77	37.81	5.59	55.08	-9.54	-- -- PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																												
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1 13070.00	47.77	88.20	-40.43	54.92	39.70	17.68	65.39	0.86	-- -- PEAK																																																																																													
2 19605.00	36.64	74.00	-37.36	57.86	37.81	5.59	55.08	-9.54	-- -- PEAK																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1 13070.00	47.87	88.20	-40.33	55.02	39.70	17.68	65.39	0.86	-- -- PEAK																																																																																													
2 19605.00	36.55	74.00	-37.45	57.77	37.81	5.59	55.08	-9.54	-- -- PEAK																																																																																													





Mode	19	
	Harmonic	
	U-NII-7_6.525-6.875_802.11a_CH117_6535MHz	
ANT	3+4	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91280-1522_240328 HORIZONTAL	 Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91280-1522_240328 VERTICAL
	 Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91280-1522_240328 HORIZONTAL	 Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91280-1522_240328 VERTICAL





Mode	20																																																						
	Band Edge																																																						
	U-NII-7_6.525-6.875_802.11a_CH149_6695MHz																																																						
ANT	3+4																																																						
Pol.	Horizontal					Fundamental																																																	
Peak	Blank					 Site : 03CH16-HY Condition: PEAK(UNII)_6E 3m 91200-1522_240328 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6695.00</td><td>110.89</td><td>-----</td><td>-----</td><td>92.70</td><td>35.90</td><td>12.71</td><td>30.42</td><td>0.00</td><td>318</td><td>310</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6695.00	110.89	-----	-----	92.70	35.90	12.71	30.42	0.00	318	310	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	6695.00	110.89	-----	-----	92.70	35.90	12.71	30.42	0.00	318	310	PEAK																																											
Avg	Blank					 Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91200-1522_240328 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6695.00</td><td>104.49</td><td>-----</td><td>-----</td><td>86.30</td><td>35.90</td><td>12.71</td><td>30.42</td><td>0.00</td><td>318</td><td>310</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6695.00	104.49	-----	-----	86.30	35.90	12.71	30.42	0.00	318	310	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	6695.00	104.49	-----	-----	86.30	35.90	12.71	30.42	0.00	318	310	AVERAGE																																											







Mode	20																																																				
	Band Edge																																																				
	U-NII-7_6.525-6.875_802.11a_CH149_6695MHz																																																				
ANT	3+4																																																				
Pol.	Vertical					Fundamental																																															
Peak	Blank					 Site : 03CH16-HY Condition: PEAK(U)I_6E 3m 91200-1522_240328 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6695.00</td><td>100.09</td><td>-----</td><td>-----</td><td>89.90</td><td>35.90</td><td>12.71</td><td>30.42</td><td>0.00</td><td>167</td><td>4 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6695.00	100.09	-----	-----	89.90	35.90	12.71	30.42	0.00	167	4 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																											
1	6695.00	100.09	-----	-----	89.90	35.90	12.71	30.42	0.00	167	4 PEAK																																										
Avg	Blank					 Site : 03CH16-HY Condition: AVG(U)I_6E 3m 91200-1522_240328 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6695.00</td><td>101.81</td><td>-----</td><td>-----</td><td>83.62</td><td>35.90</td><td>12.71</td><td>30.42</td><td>0.00</td><td>167</td><td>4 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6695.00	101.81	-----	-----	83.62	35.90	12.71	30.42	0.00	167	4 AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																											
1	6695.00	101.81	-----	-----	83.62	35.90	12.71	30.42	0.00	167	4 AVERAGE																																										





Mode	20																																																																																																																																																													
	Harmonic																																																																																																																																																													
	U-NII-7_6.525-6.875_802.11a_CH149_6695MHz																																																																																																																																																													
ANT	3+4																																																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																																																							
Peak Avg																																																																																																																																																														
	Site : 03CH16-HY Condition: PEAK(UNII)_6E 1m SHF_1230_241025 HORIZONTAL						Site : 03CH16-HY Condition: PEAK(UNII)_6E 1m SHF_1230_241025 VERTICAL																																																																																																																																																							
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13390.00</td><td>50.74</td><td>74.00</td><td>-23.26</td><td>57.24</td><td>40.18</td><td>17.89</td><td>65.52</td><td>0.95</td><td>200</td><td>330</td><td>PEAK</td></tr><tr><td>2</td><td>13390.00</td><td>41.55</td><td>54.00</td><td>-12.45</td><td>48.05</td><td>40.18</td><td>17.89</td><td>65.52</td><td>0.95</td><td>200</td><td>330</td><td>AVERAGE</td></tr><tr><td>3</td><td>20085.00</td><td>36.94</td><td>74.00</td><td>-37.06</td><td>57.60</td><td>38.15</td><td>5.73</td><td>55.00</td><td>-9.54</td><td>--</td><td>--</td><td>PEAK</td></tr></table>														Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13390.00	50.74	74.00	-23.26	57.24	40.18	17.89	65.52	0.95	200	330	PEAK	2	13390.00	41.55	54.00	-12.45	48.05	40.18	17.89	65.52	0.95	200	330	AVERAGE	3	20085.00	36.94	74.00	-37.06	57.60	38.15	5.73	55.00	-9.54	--	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13390.00</td><td>50.24</td><td>74.00</td><td>-23.76</td><td>56.74</td><td>40.18</td><td>17.89</td><td>65.52</td><td>0.95</td><td>200</td><td>335</td><td>PEAK</td></tr><tr><td>2</td><td>13390.00</td><td>40.53</td><td>54.00</td><td>-13.47</td><td>47.03</td><td>40.18</td><td>17.89</td><td>65.52</td><td>0.95</td><td>200</td><td>335</td><td>AVERAGE</td></tr><tr><td>3</td><td>20085.00</td><td>36.92</td><td>74.00</td><td>-37.08</td><td>57.59</td><td>38.14</td><td>5.73</td><td>55.00</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13390.00	50.24	74.00	-23.76	56.74	40.18	17.89	65.52	0.95	200	335	PEAK	2	13390.00	40.53	54.00	-13.47	47.03	40.18	17.89	65.52	0.95	200	335	AVERAGE	3	20085.00	36.92	74.00	-37.08	57.59	38.14	5.73	55.00	-9.54	--	--	Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																				
1	13390.00	50.74	74.00	-23.26	57.24	40.18	17.89	65.52	0.95	200	330	PEAK																																																																																																																																																		
2	13390.00	41.55	54.00	-12.45	48.05	40.18	17.89	65.52	0.95	200	330	AVERAGE																																																																																																																																																		
3	20085.00	36.94	74.00	-37.06	57.60	38.15	5.73	55.00	-9.54	--	--	PEAK																																																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																				
1	13390.00	50.24	74.00	-23.76	56.74	40.18	17.89	65.52	0.95	200	335	PEAK																																																																																																																																																		
2	13390.00	40.53	54.00	-13.47	47.03	40.18	17.89	65.52	0.95	200	335	AVERAGE																																																																																																																																																		
3	20085.00	36.92	74.00	-37.08	57.59	38.14	5.73	55.00	-9.54	--	--	Peak																																																																																																																																																		





Mode	20	
	Harmonic	
	U-NII-7_6.525-6.875_802.11a_CH149_6695MHz	
ANT	3+4	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91280-1522_240328 HORIZONTAL	 Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91280-1522_240328 VERTICAL
	 Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91280-1522_240328 HORIZONTAL	 Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91280-1522_240328 VERTICAL





Mode	21																																																						
	Band Edge																																																						
	U-NII-7_6.525-6.875_802.11a_CH181_6855MHz																																																						
ANT	3+4																																																						
Pol.	Horizontal					Fundamental																																																	
Peak	Blank					 Site : 03CH16-HY Condition: PEAK(UNII)_6E 3m 91200-1522_240328 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6855.00</td><td>100.98</td><td>-----</td><td>-----</td><td>90.95</td><td>35.71</td><td>12.86</td><td>30.54</td><td>0.00</td><td>284</td><td>318</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6855.00	100.98	-----	-----	90.95	35.71	12.86	30.54	0.00	284	318	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	6855.00	100.98	-----	-----	90.95	35.71	12.86	30.54	0.00	284	318	PEAK																																											
Avg	Blank					 Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91200-1522_240328 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6855.00</td><td>103.18</td><td>-----</td><td>-----</td><td>85.15</td><td>35.71</td><td>12.86</td><td>30.54</td><td>0.00</td><td>284</td><td>318</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6855.00	103.18	-----	-----	85.15	35.71	12.86	30.54	0.00	284	318	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	6855.00	103.18	-----	-----	85.15	35.71	12.86	30.54	0.00	284	318	AVERAGE																																											







Mode	21																																																				
	Band Edge																																																				
	U-NII-7_6.525-6.875_802.11a_CH181_6855MHz																																																				
ANT	3+4																																																				
Pol.	Vertical					Fundamental																																															
Peak	Blank					 Site : 03CH16-HY Condition: PEAK(UNII)_6E 3m 91200-1522_240328 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>6855.00</td><td>100.70</td><td>-----</td><td>-----</td><td>90.67</td><td>35.71</td><td>12.86</td><td>30.54</td><td>0.00</td><td></td><td>162</td><td>4</td><td>PEAK</td></tr></table>							Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	6855.00	100.70	-----	-----	90.67	35.71	12.86	30.54	0.00		162	4	PEAK
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																								
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																									
1	6855.00	100.70	-----	-----	90.67	35.71	12.86	30.54	0.00		162	4	PEAK																																								
Avg	Blank					 Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91200-1522_240328 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>6855.00</td><td>101.80</td><td>-----</td><td>-----</td><td>83.77</td><td>35.71</td><td>12.86</td><td>30.54</td><td>0.00</td><td></td><td>162</td><td>4</td><td>AVERAGE</td></tr></table>							Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	6855.00	101.80	-----	-----	83.77	35.71	12.86	30.54	0.00		162	4	AVERAGE
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																								
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																									
1	6855.00	101.80	-----	-----	83.77	35.71	12.86	30.54	0.00		162	4	AVERAGE																																								





Mode	21																																																																														
	Harmonic																																																																														
	U-NII-7_6.525-6.875_802.11a_CH181_6855MHz																																																																														
ANT	3+4																																																																														
Pol.	Horizontal						Vertical																																																																								
Peak Avg																																																																															
	Site : 03CH16-HY Condition: PEAK(UNII)_6E 1m BBHA9170_1224_240624 HORIZONTAL						Site : 03CH16-HY Condition: PEAK(UNII)_6E 1m BBHA9170_1224_240624 VERTICAL																																																																								
<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13710.00</td><td>50.37</td><td>88.20</td><td>-37.83</td><td>56.29</td><td>40.50</td><td>18.11</td><td>65.56</td><td>1.03</td><td>--</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>20565.00</td><td>39.82</td><td>74.00</td><td>-34.18</td><td>60.50</td><td>37.99</td><td>5.84</td><td>54.97</td><td>-9.54</td><td>150</td><td>329</td><td>PEAK</td></tr><tr><td>3</td><td>20565.00</td><td>30.76</td><td>54.00</td><td>-23.24</td><td>51.42</td><td>38.01</td><td>5.84</td><td>54.97</td><td>-9.54</td><td>150</td><td>329</td><td>AVERAGE</td></tr></table>													Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	13710.00	50.37	88.20	-37.83	56.29	40.50	18.11	65.56	1.03	--	--	--	PEAK	2	20565.00	39.82	74.00	-34.18	60.50	37.99	5.84	54.97	-9.54	150	329	PEAK	3	20565.00	30.76	54.00	-23.24	51.42	38.01	5.84	54.97	-9.54	150	329	AVERAGE
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																		
1	13710.00	50.37	88.20	-37.83	56.29	40.50	18.11	65.56	1.03	--	--	--	PEAK																																																																		
2	20565.00	39.82	74.00	-34.18	60.50	37.99	5.84	54.97	-9.54	150	329	PEAK																																																																			
3	20565.00	30.76	54.00	-23.24	51.42	38.01	5.84	54.97	-9.54	150	329	AVERAGE																																																																			





Mode	21	
	Harmonic	
	U-NII-7_6.525-6.875_802.11a_CH181_6855MHz	
ANT	3+4	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91280-1522_240328 HORIZONTAL	 Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91280-1522_240328 VERTICAL
	 Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91280-1522_240328 HORIZONTAL	 Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91280-1522_240328 VERTICAL





Mode	22																																													
	Band Edge																																													
	U-NII-7_6.525-6.875_802.11be EHT20_CH117_Full RU_6535MHz																																													
ANT	3+4																																													
Pol.	Horizontal	Fundamental																																												
Peak	Blank	 Site : 03CH16-HY Condition: PEAK(UNII)_6E 3m 91200-1522_240328 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6535.00</td><td>111.48</td><td>-----</td><td>-----</td><td>93.90</td><td>35.32</td><td>12.55</td><td>30.29</td><td>0.00</td><td>331</td><td>306</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6535.00	111.48	-----	-----	93.90	35.32	12.55	30.29	0.00	331	306	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	6535.00	111.48	-----	-----	93.90	35.32	12.55	30.29	0.00	331	306	PEAK																																		
Avg	Blank	 Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91200-1522_240328 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6535.00</td><td>99.68</td><td>-----</td><td>-----</td><td>82.13</td><td>35.28</td><td>12.55</td><td>30.28</td><td>0.00</td><td>300</td><td>316</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6535.00	99.68	-----	-----	82.13	35.28	12.55	30.28	0.00	300	316	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	6535.00	99.68	-----	-----	82.13	35.28	12.55	30.28	0.00	300	316	AVERAGE																																		







Mode	22																																																						
	Band Edge																																																						
	U-NII-7_6.525-6.875_802.11be EHT20_CH117_Full RU_6535MHz																																																						
ANT	3+4																																																						
Pol.	Vertical					Fundamental																																																	
Peak	Blank					 Site : 03CH16-HY Condition: PEAK(UNII)_6E 3m 91200-1522_240328 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6535.00</td><td>107.29</td><td>-----</td><td>-----</td><td>89.74</td><td>35.28</td><td>12.55</td><td>30.28</td><td>0.00</td><td>230</td><td>8</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6535.00	107.29	-----	-----	89.74	35.28	12.55	30.28	0.00	230	8	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	6535.00	107.29	-----	-----	89.74	35.28	12.55	30.28	0.00	230	8	PEAK																																											
Avg	Blank					 Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91200-1522_240328 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6535.00</td><td>100.09</td><td>-----</td><td>-----</td><td>82.54</td><td>35.28</td><td>12.55</td><td>30.28</td><td>0.00</td><td>230</td><td>8</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6535.00	100.09	-----	-----	82.54	35.28	12.55	30.28	0.00	230	8	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	6535.00	100.09	-----	-----	82.54	35.28	12.55	30.28	0.00	230	8	AVERAGE																																											





Mode	22																																																																																																																			
	Harmonic																																																																																																																			
	U-NII-7_6.525-6.875_802.11be EHT20_CH117_Full RU_6535MHz																																																																																																																			
ANT	3+4																																																																																																																			
Pol.	Horizontal	Vertical																																																																																																																		
Peak Avg	 Site : 03CH16-HY Condition: PEAK(UNII)_6E 1m BBHA9170_1224_240624 HORIZONTAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>13070.00</td><td>49.58</td><td>88.20</td><td>-38.62</td><td>56.73</td><td>39.70</td><td>17.68</td><td>65.39</td><td>0.86</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>19605.00</td><td>37.05</td><td>74.00</td><td>-36.95</td><td>58.26</td><td>37.82</td><td>5.59</td><td>55.08</td><td>-9.54</td><td>--</td><td>--</td><td>PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13070.00	49.58	88.20	-38.62	56.73	39.70	17.68	65.39	0.86	--	--	PEAK	2	19605.00	37.05	74.00	-36.95	58.26	37.82	5.59	55.08	-9.54	--	--	PEAK	 Site : 03CH16-HY Condition: PEAK(UNII)_6E 1m BBHA9170_1224_240624 VERTICAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>13070.00</td><td>49.18</td><td>88.20</td><td>-39.02</td><td>56.33</td><td>39.70</td><td>17.68</td><td>65.39</td><td>0.86</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>19605.00</td><td>36.95</td><td>74.00</td><td>-37.05</td><td>58.16</td><td>37.82</td><td>5.59</td><td>55.08</td><td>-9.54</td><td>--</td><td>--</td><td>PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13070.00	49.18	88.20	-39.02	56.33	39.70	17.68	65.39	0.86	--	--	PEAK	2	19605.00	36.95	74.00	-37.05	58.16	37.82	5.59	55.08	-9.54	--	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																										
1	13070.00	49.58	88.20	-38.62	56.73	39.70	17.68	65.39	0.86	--	--	PEAK																																																																																																								
2	19605.00	37.05	74.00	-36.95	58.26	37.82	5.59	55.08	-9.54	--	--	PEAK																																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																										
1	13070.00	49.18	88.20	-39.02	56.33	39.70	17.68	65.39	0.86	--	--	PEAK																																																																																																								
2	19605.00	36.95	74.00	-37.05	58.16	37.82	5.59	55.08	-9.54	--	--	PEAK																																																																																																								





Mode	22	
	Harmonic	
	U-NII-7_6.525-6.875_802.11be EHT20_CH117_Full RU_6535MHz	
ANT	3+4	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91280-1522_240328 HORIZONTAL	 Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91280-1522_240328 VERTICAL
	 Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91280-1522_240328 HORIZONTAL	 Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91280-1522_240328 VERTICAL





Mode	23																																																
	Band Edge																																																
	U-NII-7_6.525-6.875_802.11be EHT20_CH149_Full RU_6695MHz																																																
ANT	3+4																																																
Pol.	Horizontal	Fundamental																																															
Peak	Blank	 Site : 03CH16-HY Condition: PEAK(UNII)_6E 3m 91200-1522_240328 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>6695.00</td><td>109.73</td><td>-----</td><td>91.55</td><td>35.88</td><td>12.71</td><td>30.41</td><td>0.00</td><td>319</td><td>307</td><td>PEAK</td></tr></table>			Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	6695.00	109.73	-----	91.55	35.88	12.71	30.41	0.00	319	307	PEAK
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																							
1	6695.00	109.73	-----	91.55	35.88	12.71	30.41	0.00	319	307	PEAK																																						
Avg	Blank	 Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91200-1522_240328 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>6695.00</td><td>102.97</td><td>-----</td><td>84.79</td><td>35.88</td><td>12.71</td><td>30.41</td><td>0.00</td><td>319</td><td>307</td><td>AVERAGE</td></tr></table>			Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	6695.00	102.97	-----	84.79	35.88	12.71	30.41	0.00	319	307	AVERAGE
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																							
1	6695.00	102.97	-----	84.79	35.88	12.71	30.41	0.00	319	307	AVERAGE																																						







Mode	23																																																						
	Band Edge																																																						
	U-NII-7_6.525-6.875_802.11be EHT20_CH149_Full RU_6695MHz																																																						
ANT	3+4																																																						
Pol.	Vertical					Fundamental																																																	
Peak	Blank					 Site : 03CH16-HY Condition: PEAK(U)I_6E 3m 91200-1522_240328 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6695.00</td><td>100.15</td><td>-----</td><td>-----</td><td>89.97</td><td>35.88</td><td>12.71</td><td>30.41</td><td>0.00</td><td>168</td><td>5</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6695.00	100.15	-----	-----	89.97	35.88	12.71	30.41	0.00	168	5	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	6695.00	100.15	-----	-----	89.97	35.88	12.71	30.41	0.00	168	5	PEAK																																											
Avg	Blank					 Site : 03CH16-HY Condition: AVG(U)I_6E 3m 91200-1522_240328 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6695.00</td><td>100.84</td><td>-----</td><td>-----</td><td>82.66</td><td>35.88</td><td>12.71</td><td>30.41</td><td>0.00</td><td>168</td><td>5</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6695.00	100.84	-----	-----	82.66	35.88	12.71	30.41	0.00	168	5	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	6695.00	100.84	-----	-----	82.66	35.88	12.71	30.41	0.00	168	5	AVERAGE																																											





	23																																																																																
Mode	Harmonic																																																																																
	U-NII-7_6.525-6.875_802.11be EHT20_CH149_Full RU_6695MHz																																																																																
ANT	3+4																																																																																
Pol.	Horizontal						Vertical																																																																										
Peak Avg																																																																																	
	Site : 03CH16-HY Condition: PEAK(UNII)_6E 1m SHF_1230_241025 HORIZONTAL																																																																																
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13390.00</td><td>50.20</td><td>74.00</td><td>-23.80</td><td>56.70</td><td>40.18</td><td>17.89</td><td>65.52</td><td>0.95</td><td>200</td><td>333</td><td>PEAK</td></tr><tr><td>2</td><td>13390.00</td><td>41.35</td><td>54.00</td><td>-12.65</td><td>47.85</td><td>40.18</td><td>17.89</td><td>65.52</td><td>0.95</td><td>200</td><td>333</td><td>AVERAGE</td></tr><tr><td>3</td><td>20088.00</td><td>36.61</td><td>74.00</td><td>-37.39</td><td>57.27</td><td>38.15</td><td>5.73</td><td>55.00</td><td>-9.54</td><td>--</td><td>--</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13390.00	50.20	74.00	-23.80	56.70	40.18	17.89	65.52	0.95	200	333	PEAK	2	13390.00	41.35	54.00	-12.65	47.85	40.18	17.89	65.52	0.95	200	333	AVERAGE	3	20088.00	36.61	74.00	-37.39	57.27	38.15	5.73	55.00	-9.54	--	--	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	13390.00	50.20	74.00	-23.80	56.70	40.18	17.89	65.52	0.95	200	333	PEAK																																																																					
2	13390.00	41.35	54.00	-12.65	47.85	40.18	17.89	65.52	0.95	200	333	AVERAGE																																																																					
3	20088.00	36.61	74.00	-37.39	57.27	38.15	5.73	55.00	-9.54	--	--	PEAK																																																																					
Site : 03CH16-HY Condition: PEAK(UNII)_6E 1m SHF_1230_241025 VERTICAL																																																																																	
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13390.00</td><td>48.95</td><td>74.00</td><td>-25.05</td><td>55.45</td><td>40.18</td><td>17.89</td><td>65.52</td><td>0.95</td><td>200</td><td>337</td><td>PEAK</td></tr><tr><td>2</td><td>13390.00</td><td>40.31</td><td>54.00</td><td>-13.69</td><td>46.81</td><td>40.18</td><td>17.89</td><td>65.52</td><td>0.95</td><td>200</td><td>337</td><td>AVERAGE</td></tr><tr><td>3</td><td>20088.00</td><td>37.86</td><td>74.00</td><td>-36.14</td><td>58.52</td><td>38.15</td><td>5.73</td><td>55.00</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13390.00	48.95	74.00	-25.05	55.45	40.18	17.89	65.52	0.95	200	337	PEAK	2	13390.00	40.31	54.00	-13.69	46.81	40.18	17.89	65.52	0.95	200	337	AVERAGE	3	20088.00	37.86	74.00	-36.14	58.52	38.15	5.73	55.00	-9.54	--	--	Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	13390.00	48.95	74.00	-25.05	55.45	40.18	17.89	65.52	0.95	200	337	PEAK																																																																					
2	13390.00	40.31	54.00	-13.69	46.81	40.18	17.89	65.52	0.95	200	337	AVERAGE																																																																					
3	20088.00	37.86	74.00	-36.14	58.52	38.15	5.73	55.00	-9.54	--	--	Peak																																																																					





Mode	23	
	Harmonic	
	U-NII-7_6.525-6.875_802.11be EHT20_CH149_Full RU_6695MHz	
ANT	3+4	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91280-1522_240328 HORIZONTAL	 Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91280-1522_240328 VERTICAL
	 Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91280-1522_240328 HORIZONTAL	 Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91280-1522_240328 VERTICAL





Mode	24																																																			
	Band Edge																																																			
	U-NII-7_6.525-6.875_802.11be EHT20_CH181_Full RU_6855MHz																																																			
ANT	3+4																																																			
Pol.	Horizontal					Fundamental																																														
Peak	Blank					 Site : 03CH16-HY Condition: PEAK(UNII)_6E 3m 91200-1522_240328 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6855.00</td><td>109.67</td><td>-----</td><td>-----</td><td></td><td>91.64</td><td>35.71</td><td>12.86</td><td>30.54</td><td>0.00</td><td>314</td><td>309</td><td>PEAK</td></tr></table>						Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	6855.00	109.67	-----	-----		91.64	35.71	12.86	30.54	0.00	314	309	PEAK
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																							
	MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	dB	dB	cm	deg																																							
1	6855.00	109.67	-----	-----		91.64	35.71	12.86	30.54	0.00	314	309	PEAK																																							
Avg	Blank					 Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91200-1522_240328 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6855.00</td><td>102.48</td><td>-----</td><td>-----</td><td></td><td>84.45</td><td>35.71</td><td>12.86</td><td>30.54</td><td>0.00</td><td>314</td><td>309</td><td>AVERAGE</td></tr></table>						Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	6855.00	102.48	-----	-----		84.45	35.71	12.86	30.54	0.00	314	309	AVERAGE
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																							
	MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	dB	dB	cm	deg																																							
1	6855.00	102.48	-----	-----		84.45	35.71	12.86	30.54	0.00	314	309	AVERAGE																																							







Mode	24																																													
	Band Edge																																													
	U-NII-7_6.525-6.875_802.11be EHT20_CH181_Full RU_6855MHz																																													
ANT	3+4																																													
Pol.	Vertical	Fundamental																																												
Peak	Blank	 Site : 03CH16-HY Condition: PEAK(UNII)_6E 3m 91200-1522_240328 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6855.00</td><td>108.19</td><td>-----</td><td>-----</td><td>90.15</td><td>35.72</td><td>12.87</td><td>30.55</td><td>0.00</td><td>161</td><td>5</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6855.00	108.19	-----	-----	90.15	35.72	12.87	30.55	0.00	161	5	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	6855.00	108.19	-----	-----	90.15	35.72	12.87	30.55	0.00	161	5	PEAK																																		
Avg	Blank	 Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91200-1522_240328 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6855.00</td><td>100.79</td><td>-----</td><td>-----</td><td>82.76</td><td>35.71</td><td>12.86</td><td>30.54</td><td>0.00</td><td>161</td><td>5</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6855.00	100.79	-----	-----	82.76	35.71	12.86	30.54	0.00	161	5	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	6855.00	100.79	-----	-----	82.76	35.71	12.86	30.54	0.00	161	5	AVERAGE																																		





Mode	24																																																																																
	Harmonic																																																																																
	U-NII-7_6.525-6.875_802.11be EHT20_CH181_Full RU_6855MHz																																																																																
ANT	3+4																																																																																
Pol.	Horizontal							Vertical																																																																									
Peak Avg																																																																																	
	Site : 03CH16-HY Condition: PEAK(UNII)_6E 1m BBHA9170_1224_240624 HORIZONTAL																																																																																
<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>13710.00</td><td>50.15</td><td>88.20</td><td>-38.05</td><td>56.07</td><td>40.50</td><td>18.11</td><td>65.56</td><td>1.03</td><td>--</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>20565.00</td><td>40.25</td><td>74.00</td><td>-33.75</td><td>60.93</td><td>37.99</td><td>5.84</td><td>54.97</td><td>-9.54</td><td>150</td><td>324</td><td>PEAK</td></tr><tr><td>3</td><td>20565.00</td><td>30.25</td><td>54.00</td><td>-23.75</td><td>50.91</td><td>38.01</td><td>5.84</td><td>54.97</td><td>-9.54</td><td>150</td><td>324</td><td>AVERAGE</td></tr></table>															Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	13710.00	50.15	88.20	-38.05	56.07	40.50	18.11	65.56	1.03	--	--	--	PEAK	2	20565.00	40.25	74.00	-33.75	60.93	37.99	5.84	54.97	-9.54	150	324	PEAK	3	20565.00	30.25	54.00	-23.75	50.91	38.01	5.84	54.97	-9.54	150	324	AVERAGE
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																				
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																					
1	13710.00	50.15	88.20	-38.05	56.07	40.50	18.11	65.56	1.03	--	--	--	PEAK																																																																				
2	20565.00	40.25	74.00	-33.75	60.93	37.99	5.84	54.97	-9.54	150	324	PEAK																																																																					
3	20565.00	30.25	54.00	-23.75	50.91	38.01	5.84	54.97	-9.54	150	324	AVERAGE																																																																					
Site : 03CH16-HY Condition: PEAK(UNII)_6E 1m BBHA9170_1224_240624 VERTICAL																																																																																	
<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>13710.00</td><td>50.06</td><td>88.20</td><td>-38.14</td><td>55.98</td><td>40.50</td><td>18.11</td><td>65.56</td><td>1.03</td><td>--</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>20565.00</td><td>36.78</td><td>74.00</td><td>-37.22</td><td>57.44</td><td>38.01</td><td>5.84</td><td>54.97</td><td>-9.54</td><td>--</td><td>--</td><td>--</td><td>PEAK</td></tr></table>															Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	13710.00	50.06	88.20	-38.14	55.98	40.50	18.11	65.56	1.03	--	--	--	PEAK	2	20565.00	36.78	74.00	-37.22	57.44	38.01	5.84	54.97	-9.54	--	--	--	PEAK												
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																				
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																					
1	13710.00	50.06	88.20	-38.14	55.98	40.50	18.11	65.56	1.03	--	--	--	PEAK																																																																				
2	20565.00	36.78	74.00	-37.22	57.44	38.01	5.84	54.97	-9.54	--	--	--	PEAK																																																																				





Mode	24	
	Harmonic	
	U-NII-7_6.525-6.875_802.11be EHT20_CH181_Full RU_6855MHz	
ANT	3+4	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91280-1522_240328 HORIZONTAL	 Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91280-1522_240328 VERTICAL
	 Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91280-1522_240328 HORIZONTAL	 Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91280-1522_240328 VERTICAL





Mode	25																																																						
	Band Edge																																																						
	U-NII-7_6.525-6.875_802.11be EHT40_CH123_Full RU_6565MHz																																																						
ANT	3+4																																																						
Pol.	Horizontal					Fundamental																																																	
Peak	Blank					 Site : 03CH16-HY Condition: PEAK(UNII)_6E 3m 91200-1522_240328 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6565.00</td><td>108.55</td><td>-----</td><td>-----</td><td>90.79</td><td>35.49</td><td>12.58</td><td>30.31</td><td>0.00</td><td>329</td><td>305</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6565.00	108.55	-----	-----	90.79	35.49	12.58	30.31	0.00	329	305	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	6565.00	108.55	-----	-----	90.79	35.49	12.58	30.31	0.00	329	305	PEAK																																											
Avg	Blank					 Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91200-1522_240328 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6565.00</td><td>99.82</td><td>-----</td><td>-----</td><td>82.06</td><td>35.49</td><td>12.58</td><td>30.31</td><td>0.00</td><td>329</td><td>305</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6565.00	99.82	-----	-----	82.06	35.49	12.58	30.31	0.00	329	305	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	6565.00	99.82	-----	-----	82.06	35.49	12.58	30.31	0.00	329	305	AVERAGE																																											







Mode	25																																												
	Band Edge																																												
	U-NII-7_6.525-6.875_802.11be EHT40_CH123_Full RU_6565MHz																																												
ANT	3+4																																												
Pol.	Vertical	Fundamental																																											
Peak	Blank	 Site : 03CH16-HY Condition: PEAK(UNII)_6E 3m 91200-1522_240328 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6565.00</td><td>105.73</td><td>-----</td><td>87.91</td><td>35.54</td><td>12.59</td><td>30.31</td><td>0.00</td><td>200</td><td>0</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6565.00	105.73	-----	87.91	35.54	12.59	30.31	0.00	200	0	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																			
1	6565.00	105.73	-----	87.91	35.54	12.59	30.31	0.00	200	0	PEAK																																		
Avg	Blank	 Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91200-1522_240328 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6565.00</td><td>97.78</td><td>-----</td><td>79.96</td><td>35.54</td><td>12.59</td><td>30.31</td><td>0.00</td><td>200</td><td>0</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6565.00	97.78	-----	79.96	35.54	12.59	30.31	0.00	200	0	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																			
1	6565.00	97.78	-----	79.96	35.54	12.59	30.31	0.00	200	0	AVERAGE																																		





Mode	25																																																																				
	Harmonic																																																																				
	U-NII-7_6.525-6.875_802.11be EHT40_CH123_Full RU_6565MHz																																																																				
ANT	3+4																																																																				
Pol.	Horizontal						Vertical																																																														
Peak Avg																																																																					
	Site : 03CH16-HY Condition: PEAK(UNII)_6E 1m BBHA9170_1224_240624 HORIZONTAL						Site : 03CH16-HY Condition: PEAK(UNII)_6E 1m BBHA9170_1224_240624 VERTICAL																																																														
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13130.00</td><td>49.96</td><td>88.20</td><td>-38.24</td><td>56.95</td><td>39.82</td><td>17.72</td><td>65.41</td><td>0.88</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>19695.00</td><td>36.10</td><td>74.00</td><td>-37.90</td><td>57.18</td><td>37.90</td><td>5.62</td><td>55.06</td><td>-9.54</td><td>--</td><td>--</td><td>PEAK</td></tr></table>														Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13130.00	49.96	88.20	-38.24	56.95	39.82	17.72	65.41	0.88	--	--	PEAK	2	19695.00	36.10	74.00	-37.90	57.18	37.90	5.62	55.06	-9.54	--	--	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	13130.00	49.96	88.20	-38.24	56.95	39.82	17.72	65.41	0.88	--	--	PEAK																																																									
2	19695.00	36.10	74.00	-37.90	57.18	37.90	5.62	55.06	-9.54	--	--	PEAK																																																									





Mode	25	
	Harmonic	
	U-NII-7_6.525-6.875_802.11be EHT40_CH123_Full RU_6565MHz	
ANT	3+4	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91280-1522_240328 HORIZONTAL	 Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91280-1522_240328 VERTICAL
	 Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91280-1522_240328 HORIZONTAL	 Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91280-1522_240328 VERTICAL





Mode	26																																													
	Band Edge																																													
	U-NII-7_6.525-6.875_802.11be EHT40_CH147_Full RU_6685MHz																																													
ANT	3+4																																													
Pol.	Horizontal	Fundamental																																												
Peak	Blank	 Site : 03CH16-HY Condition: PEAK(UNII)_6E 3m 91200-1522_240328 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6685.00</td><td>107.46</td><td>-----</td><td>-----</td><td>89.30</td><td>35.87</td><td>12.70</td><td>30.41</td><td>0.00</td><td>321</td><td>317</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6685.00	107.46	-----	-----	89.30	35.87	12.70	30.41	0.00	321	317	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	6685.00	107.46	-----	-----	89.30	35.87	12.70	30.41	0.00	321	317	PEAK																																		
Avg	Blank	 Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91200-1522_240328 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6685.00</td><td>99.28</td><td>-----</td><td>-----</td><td>81.12</td><td>35.86</td><td>12.70</td><td>30.40</td><td>0.00</td><td>321</td><td>317</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6685.00	99.28	-----	-----	81.12	35.86	12.70	30.40	0.00	321	317	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	6685.00	99.28	-----	-----	81.12	35.86	12.70	30.40	0.00	321	317	AVERAGE																																		







Mode	26																																																					
	Band Edge																																																					
	U-NII-7_6.525-6.875_802.11be EHT40_CH147_Full RU_6685MHz																																																					
ANT	3+4																																																					
Pol.	Vertical					Fundamental																																																
Peak	Blank					 Site : 03CH16-HY Condition: PEAK(UNII)_6E 3m 91200-1522_240328 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6685.00</td><td>105.61</td><td>-----</td><td>-----</td><td>87.45</td><td>35.86</td><td>12.70</td><td>30.40</td><td>0.00</td><td>169</td><td>0</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6685.00	105.61	-----	-----	87.45	35.86	12.70	30.40	0.00	169	0	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	6685.00	105.61	-----	-----	87.45	35.86	12.70	30.40	0.00	169	0	PEAK																																										
Avg	Blank					 Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91200-1522_240328 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6685.00</td><td>97.86</td><td>-----</td><td>-----</td><td>79.68</td><td>35.88</td><td>12.71</td><td>30.41</td><td>0.00</td><td>169</td><td>0</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6685.00	97.86	-----	-----	79.68	35.88	12.71	30.41	0.00	169	0	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	6685.00	97.86	-----	-----	79.68	35.88	12.71	30.41	0.00	169	0	AVERAGE																																										





Mode	26																																																																					
	Harmonic																																																																					
	U-NII-7_6.525-6.875_802.11be EHT40_CH147_Full RU_6685MHz																																																																					
ANT	3+4																																																																					
Pol.	Horizontal						Vertical																																																															
Peak Avg																																																																						
	Site : 03CH16-HY Condition: PEAK(UNII)_6E 1m BBHA9170_1224_240624 HORIZONTAL						Site : 03CH16-HY Condition: PEAK(UNII)_6E 1m BBHA9170_1224_240624 VERTICAL																																																															
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13770.00</td><td>47.93</td><td>88.20</td><td>-40.27</td><td>53.80</td><td>40.50</td><td>18.14</td><td>65.56</td><td>1.05</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>20055.00</td><td>36.46</td><td>74.00</td><td>-37.54</td><td>57.56</td><td>37.71</td><td>5.73</td><td>55.00</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>															Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13770.00	47.93	88.20	-40.27	53.80	40.50	18.14	65.56	1.05	--	--	PEAK	2	20055.00	36.46	74.00	-37.54	57.56	37.71	5.73	55.00	-9.54	--	--	Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																												
1	13770.00	47.93	88.20	-40.27	53.80	40.50	18.14	65.56	1.05	--	--	PEAK																																																										
2	20055.00	36.46	74.00	-37.54	57.56	37.71	5.73	55.00	-9.54	--	--	Peak																																																										





Mode	26	
	Harmonic	
	U-NII-7_6.525-6.875_802.11be EHT40_CH147_Full RU_6685MHz	
ANT	3+4	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91280-1522_240328 HORIZONTAL	 Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91280-1522_240328 VERTICAL
	 Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91280-1522_240328 HORIZONTAL	 Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91280-1522_240328 VERTICAL





Mode	27																																																							
	Band Edge																																																							
	U-NII-7_6.525-6.875_802.11be EHT40_CH179_Full RU_6845MHz																																																							
ANT	3+4																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	Blank						 Site : 03CH16-HY Condition: PEAK(UNII)_6E 3m 91200-1522_240328 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6845.00</td><td>107.49</td><td>-----</td><td>-----</td><td>89.43</td><td>35.74</td><td>12.85</td><td>30.53</td><td>0.00</td><td>313</td><td>309</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6845.00	107.49	-----	-----	89.43	35.74	12.85	30.53	0.00	313	309	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	6845.00	107.49	-----	-----	89.43	35.74	12.85	30.53	0.00	313	309	PEAK																																												
Avg	Blank						 Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91200-1522_240328 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6845.00</td><td>99.98</td><td>-----</td><td>-----</td><td>81.92</td><td>35.74</td><td>12.85</td><td>30.53</td><td>0.00</td><td>313</td><td>309</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6845.00	99.98	-----	-----	81.92	35.74	12.85	30.53	0.00	313	309	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	6845.00	99.98	-----	-----	81.92	35.74	12.85	30.53	0.00	313	309	AVERAGE																																												







Mode	27																																												
	Band Edge																																												
	U-NII-7_6.525-6.875_802.11be EHT40_CH179_Full RU_6845MHz																																												
ANT	3+4																																												
Pol.	Vertical	Fundamental																																											
Peak	Blank	 Site : 03CH16-HY Condition: PEAK(UNII)_6E 3m 91200-1522_240328 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6845.00</td><td>105.54</td><td>-----</td><td>87.52</td><td>35.71</td><td>12.85</td><td>30.54</td><td>0.00</td><td>218</td><td>7</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6845.00	105.54	-----	87.52	35.71	12.85	30.54	0.00	218	7	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																			
1	6845.00	105.54	-----	87.52	35.71	12.85	30.54	0.00	218	7	PEAK																																		
Avg	Blank	 Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91200-1522_240328 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6845.00</td><td>98.04</td><td>-----</td><td>79.98</td><td>35.74</td><td>12.85</td><td>30.53</td><td>0.00</td><td>218</td><td>7</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6845.00	98.04	-----	79.98	35.74	12.85	30.53	0.00	218	7	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																			
1	6845.00	98.04	-----	79.98	35.74	12.85	30.53	0.00	218	7	AVERAGE																																		





Mode	27																																																																																																																																		
	Harmonic																																																																																																																																		
	U-NII-7_6.525-6.875_802.11be EHT40_CH179_Full RU_6845MHz																																																																																																																																		
ANT	3+4																																																																																																																																		
Pol.	Horizontal						Vertical																																																																																																																												
Peak Avg																																																																																																																																			
	Site : 03CH16-HY Condition: PEAK(UNII)_6E 1m BBHA9170_1224_240624 HORIZONTAL						Site : 03CH16-HY Condition: PEAK(UNII)_6E 1m BBHA9170_1224_240624 VERTICAL																																																																																																																												
<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>13690.00</td><td>49.71</td><td>88.20</td><td>-38.49</td><td>55.65</td><td>40.50</td><td>18.09</td><td>65.56</td><td>1.03</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>20535.00</td><td>37.14</td><td>74.00</td><td>-36.86</td><td>57.84</td><td>37.99</td><td>5.84</td><td>54.99</td><td>-9.54</td><td>--</td><td>--</td><td>PEAK</td></tr></tbody></table>														Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	13690.00	49.71	88.20	-38.49	55.65	40.50	18.09	65.56	1.03	--	--	PEAK	2	20535.00	37.14	74.00	-36.86	57.84	37.99	5.84	54.99	-9.54	--	--	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>13690.00</td><td>50.35</td><td>88.20</td><td>-37.85</td><td>56.29</td><td>40.50</td><td>18.09</td><td>65.56</td><td>1.03</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>20535.00</td><td>37.25</td><td>74.00</td><td>-36.75</td><td>57.95</td><td>37.99</td><td>5.84</td><td>54.99</td><td>-9.54</td><td>--</td><td>--</td><td>PEAK</td></tr></tbody></table>				Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	13690.00	50.35	88.20	-37.85	56.29	40.50	18.09	65.56	1.03	--	--	PEAK	2	20535.00	37.25	74.00	-36.75	57.95	37.99	5.84	54.99	-9.54	--	--	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1	13690.00	49.71	88.20	-38.49	55.65	40.50	18.09	65.56	1.03	--	--	PEAK																																																																																																																							
2	20535.00	37.14	74.00	-36.86	57.84	37.99	5.84	54.99	-9.54	--	--	PEAK																																																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1	13690.00	50.35	88.20	-37.85	56.29	40.50	18.09	65.56	1.03	--	--	PEAK																																																																																																																							
2	20535.00	37.25	74.00	-36.75	57.95	37.99	5.84	54.99	-9.54	--	--	PEAK																																																																																																																							





Mode	27	
	Harmonic	
	U-NII-7_6.525-6.875_802.11be EHT40_CH179_Full RU_6845MHz	
ANT	3+4	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91280-1522_240328 HORIZONTAL	 Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91280-1522_240328 VERTICAL
	 Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91280-1522_240328 HORIZONTAL	 Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91280-1522_240328 VERTICAL





Mode	28																																													
	Band Edge																																													
	U-NII-7_6.525-6.875_802.11be EHT80_CH135_Full RU_6625MHz																																													
ANT	3+4																																													
Pol.	Horizontal	Fundamental																																												
Peak	Blank	 Site : 03CH16-HY Condition: PEAK(UNII)_6E 3m 91200-1522_240328 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6625.00</td><td>106.53</td><td>-----</td><td>-----</td><td>88.45</td><td>35.00</td><td>12.65</td><td>30.37</td><td>0.00</td><td>325</td><td>307</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6625.00	106.53	-----	-----	88.45	35.00	12.65	30.37	0.00	325	307	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	6625.00	106.53	-----	-----	88.45	35.00	12.65	30.37	0.00	325	307	PEAK																																		
Avg	Blank	 Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91200-1522_240328 HORIZONTAL : RBW:1000.000kHz VBW:1.500kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6625.00</td><td>97.36</td><td>-----</td><td>-----</td><td>79.27</td><td>35.00</td><td>12.64</td><td>30.35</td><td>0.00</td><td>325</td><td>307</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6625.00	97.36	-----	-----	79.27	35.00	12.64	30.35	0.00	325	307	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	6625.00	97.36	-----	-----	79.27	35.00	12.64	30.35	0.00	325	307	AVERAGE																																		







Mode	28																																																					
	Band Edge																																																					
	U-NII-7_6.525-6.875_802.11be EHT80_CH135_Full RU_6625MHz																																																					
ANT	3+4																																																					
Pol.	Vertical					Fundamental																																																
Peak	Blank					 Site : 03CH16-HY Condition: PEAK(UNII)_6E 3m 91200-1522_240328 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6625.00</td><td>103.72</td><td>-----</td><td>-----</td><td>85.63</td><td>35.80</td><td>12.64</td><td>30.35</td><td>0.00</td><td>189</td><td>3</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6625.00	103.72	-----	-----	85.63	35.80	12.64	30.35	0.00	189	3	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	6625.00	103.72	-----	-----	85.63	35.80	12.64	30.35	0.00	189	3	PEAK																																										
Avg	Blank					 Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91200-1522_240328 VERTICAL : RBW:1000.000kHz VBW:1.500kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6625.00</td><td>94.87</td><td>-----</td><td>-----</td><td>76.78</td><td>35.80</td><td>12.64</td><td>30.35</td><td>0.00</td><td>189</td><td>3</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6625.00	94.87	-----	-----	76.78	35.80	12.64	30.35	0.00	189	3	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	6625.00	94.87	-----	-----	76.78	35.80	12.64	30.35	0.00	189	3	AVERAGE																																										





Mode	28																																																																																																																																													
	Harmonic																																																																																																																																													
	U-NII-7_6.525-6.875_802.11be EHT80_CH135_Full RU_6625MHz																																																																																																																																													
ANT	3+4																																																																																																																																													
Pol.	Horizontal	Vertical																																																																																																																																												
Peak Avg	 Site : 03CH16-HY Condition: PEAK(UNII)_6E 1m BBHA9170_1224_240624 HORIZONTAL <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>13250.00</td><td>50.28</td><td>74.00</td><td>-23.72</td><td></td><td>57.23</td><td>39.80</td><td>17.80</td><td>65.46</td><td>0.91</td><td>344</td><td>356</td><td>PEAK</td></tr><tr><td>2</td><td>13250.00</td><td>40.92</td><td>54.00</td><td>-13.08</td><td></td><td>47.87</td><td>39.80</td><td>17.80</td><td>65.46</td><td>0.91</td><td>344</td><td>356</td><td>AVERAGE</td></tr><tr><td>3</td><td>19875.00</td><td>36.65</td><td>74.00</td><td>-37.35</td><td></td><td>57.85</td><td>37.70</td><td>5.67</td><td>55.03</td><td>-9.54</td><td>--</td><td>--</td><td>PEAK</td></tr></table>		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	13250.00	50.28	74.00	-23.72		57.23	39.80	17.80	65.46	0.91	344	356	PEAK	2	13250.00	40.92	54.00	-13.08		47.87	39.80	17.80	65.46	0.91	344	356	AVERAGE	3	19875.00	36.65	74.00	-37.35		57.85	37.70	5.67	55.03	-9.54	--	--	PEAK	 Site : 03CH16-HY Condition: PEAK(UNII)_6E 1m BBHA9170_1224_240624 VERTICAL <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>13250.00</td><td>50.52</td><td>74.00</td><td>-23.48</td><td></td><td>57.47</td><td>39.80</td><td>17.80</td><td>65.46</td><td>0.91</td><td>392</td><td>301</td><td>PEAK</td></tr><tr><td>2</td><td>13250.00</td><td>41.05</td><td>54.00</td><td>-12.95</td><td></td><td>48.00</td><td>39.80</td><td>17.80</td><td>65.46</td><td>0.91</td><td>392</td><td>301</td><td>AVERAGE</td></tr><tr><td>3</td><td>19875.00</td><td>36.20</td><td>74.00</td><td>-37.80</td><td></td><td>57.40</td><td>37.70</td><td>5.67</td><td>55.03</td><td>-9.54</td><td>--</td><td>--</td><td>PEAK</td></tr></table>		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	13250.00	50.52	74.00	-23.48		57.47	39.80	17.80	65.46	0.91	392	301	PEAK	2	13250.00	41.05	54.00	-12.95		48.00	39.80	17.80	65.46	0.91	392	301	AVERAGE	3	19875.00	36.20	74.00	-37.80		57.40	37.70	5.67	55.03	-9.54	--	--	PEAK
		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																		
1	13250.00	50.28	74.00	-23.72		57.23	39.80	17.80	65.46	0.91	344	356	PEAK																																																																																																																																	
2	13250.00	40.92	54.00	-13.08		47.87	39.80	17.80	65.46	0.91	344	356	AVERAGE																																																																																																																																	
3	19875.00	36.65	74.00	-37.35		57.85	37.70	5.67	55.03	-9.54	--	--	PEAK																																																																																																																																	
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																		
1	13250.00	50.52	74.00	-23.48		57.47	39.80	17.80	65.46	0.91	392	301	PEAK																																																																																																																																	
2	13250.00	41.05	54.00	-12.95		48.00	39.80	17.80	65.46	0.91	392	301	AVERAGE																																																																																																																																	
3	19875.00	36.20	74.00	-37.80		57.40	37.70	5.67	55.03	-9.54	--	--	PEAK																																																																																																																																	





Mode	28	
	Harmonic	
	U-NII-7_6.525-6.875_802.11be EHT80_CH135_Full RU_6625MHz	
ANT	3+4	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91280-1522_240328 HORIZONTAL	 Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91280-1522_240328 VERTICAL
	 Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91280-1522_240328 HORIZONTAL	 Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91280-1522_240328 VERTICAL





Mode	29																																								
	Band Edge																																								
	U-NII-7_6.525-6.875_802.11be EHT80_CH151_Full RU_6705MHz																																								
ANT	3+4																																								
Pol.	Horizontal	Fundamental																																							
Peak	Blank	 Site : 03CH16-HY Condition: PEAK(UNII)_6E 3m 91200-1522_240328 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6705.00</td><td>106.60</td><td>-----</td><td>-----</td><td>88.41</td><td>35.90</td><td>12.71</td><td>30.42</td><td>0.00</td><td>326</td><td>310</td><td>PEAK</td></tr></table>		Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	6705.00	106.60	-----	-----	88.41	35.90	12.71	30.42	0.00	326	310	PEAK
	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																													
1	6705.00	106.60	-----	-----	88.41	35.90	12.71	30.42	0.00	326	310	PEAK																													
Avg	Blank	 Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91200-1522_240328 HORIZONTAL : RBW:1000.000kHz VBW:1.500kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6705.00</td><td>96.83</td><td>-----</td><td>-----</td><td>78.63</td><td>35.90</td><td>12.73</td><td>30.43</td><td>0.00</td><td>326</td><td>310</td><td>AVERAGE</td></tr></table>		Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	6705.00	96.83	-----	-----	78.63	35.90	12.73	30.43	0.00	326	310	AVERAGE
	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																													
1	6705.00	96.83	-----	-----	78.63	35.90	12.73	30.43	0.00	326	310	AVERAGE																													







Mode	29																																									
	Band Edge																																									
	U-NII-7_6.525-6.875_802.11be EHT80_CH151_Full RU_6705MHz																																									
ANT	3+4																																									
Pol.	Vertical	Fundamental																																								
Peak	Blank	 Site : 03CH16-HY Condition: PEAK(UNII)_6E 3m 91200-1522_240328 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 6705.00</td><td>102.31</td><td>-----</td><td>-----</td><td>84.11</td><td>35.90</td><td>12.74</td><td>30.44</td><td>0.00</td><td>201 360 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 6705.00	102.31	-----	-----	84.11	35.90	12.74	30.44	0.00	201 360 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																	
1 6705.00	102.31	-----	-----	84.11	35.90	12.74	30.44	0.00	201 360 PEAK																																	
Avg	Blank	 Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91200-1522_240328 VERTICAL : RBW:1000.000kHz VBW:1.500kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 6705.00</td><td>94.72</td><td>-----</td><td>-----</td><td>76.52</td><td>35.90</td><td>12.73</td><td>30.43</td><td>0.00</td><td>201 360 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 6705.00	94.72	-----	-----	76.52	35.90	12.73	30.43	0.00	201 360 AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																	
1 6705.00	94.72	-----	-----	76.52	35.90	12.73	30.43	0.00	201 360 AVERAGE																																	





Mode	29																																																																																																																			
	Harmonic																																																																																																																			
	U-NII-7_6.525-6.875_802.11be EHT80_CH151_Full RU_6705MHz																																																																																																																			
ANT	3+4																																																																																																																			
Pol.	Horizontal	Vertical																																																																																																																		
Peak Avg	 Site : 03CH16-HY Condition: PEAK(UNII)_6E 1m BBHA9170_1224_240624 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13410.00</td><td>50.40</td><td>88.20</td><td>-37.80</td><td>56.82</td><td>40.26</td><td>17.90</td><td>65.53</td><td>0.95</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>20115.00</td><td>37.27</td><td>74.00</td><td>-36.73</td><td>58.29</td><td>37.78</td><td>5.74</td><td>55.00</td><td>-9.54</td><td>--</td><td>--</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg	1	13410.00	50.40	88.20	-37.80	56.82	40.26	17.90	65.53	0.95	--	--	PEAK	2	20115.00	37.27	74.00	-36.73	58.29	37.78	5.74	55.00	-9.54	--	--	PEAK	 Site : 03CH16-HY Condition: PEAK(UNII)_6E 1m BBHA9170_1224_240624 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13410.00</td><td>50.28</td><td>88.20</td><td>-37.92</td><td>56.70</td><td>40.26</td><td>17.90</td><td>65.53</td><td>0.95</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>20115.00</td><td>37.25</td><td>74.00</td><td>-36.75</td><td>58.27</td><td>37.78</td><td>5.74</td><td>55.00</td><td>-9.54</td><td>--</td><td>--</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg	1	13410.00	50.28	88.20	-37.92	56.70	40.26	17.90	65.53	0.95	--	--	PEAK	2	20115.00	37.25	74.00	-36.75	58.27	37.78	5.74	55.00	-9.54	--	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg																																																																																																										
1	13410.00	50.40	88.20	-37.80	56.82	40.26	17.90	65.53	0.95	--	--	PEAK																																																																																																								
2	20115.00	37.27	74.00	-36.73	58.29	37.78	5.74	55.00	-9.54	--	--	PEAK																																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg																																																																																																										
1	13410.00	50.28	88.20	-37.92	56.70	40.26	17.90	65.53	0.95	--	--	PEAK																																																																																																								
2	20115.00	37.25	74.00	-36.75	58.27	37.78	5.74	55.00	-9.54	--	--	PEAK																																																																																																								





Mode	29	
	Harmonic	
	U-NII-7_6.525-6.875_802.11be EHT80_CH151_Full RU_6705MHz	
ANT	3+4	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91280-1522_240328 HORIZONTAL	 Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91280-1522_240328 VERTICAL
	 Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91280-1522_240328 HORIZONTAL	 Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91280-1522_240328 VERTICAL





Mode	30																																												
	Band Edge																																												
	U-NII-7_6.525-6.875_802.11be EHT80_CH167_Full RU_6785MHz																																												
ANT	3+4																																												
Pol.	Horizontal	Fundamental																																											
Peak	Blank	 Site : 03CH16-HY Condition: PEAK(UNI)_6E 3m 91200-1522_240328 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6785.00</td><td>101.94</td><td>-----</td><td>83.73</td><td>35.90</td><td>12.79</td><td>30.48</td><td>0.00</td><td>300</td><td>314</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6785.00	101.94	-----	83.73	35.90	12.79	30.48	0.00	300	314	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																			
1	6785.00	101.94	-----	83.73	35.90	12.79	30.48	0.00	300	314	PEAK																																		
Avg	Blank	 Site : 03CH16-HY Condition: AVG(UNI)_6E 3m 91200-1522_240328 HORIZONTAL : RBW:1000.000kHz VBW:1.500kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6785.00</td><td>95.04</td><td>-----</td><td>76.84</td><td>35.90</td><td>12.78</td><td>30.48</td><td>0.00</td><td>300</td><td>314</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6785.00	95.04	-----	76.84	35.90	12.78	30.48	0.00	300	314	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																			
1	6785.00	95.04	-----	76.84	35.90	12.78	30.48	0.00	300	314	AVERAGE																																		







Mode	30																																													
	Band Edge																																													
	U-NII-7_6.525-6.875_802.11be EHT80_CH167_Full RU_6785MHz																																													
ANT	3+4																																													
Pol.	Vertical	Fundamental																																												
Peak	Blank	 Site : 03CH16-HY Condition: PEAK(UNII)_6E 3m 91200-1522_240328 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6785.00</td><td>102.06</td><td>-----</td><td>-----</td><td>83.85</td><td>35.90</td><td>12.80</td><td>30.49</td><td>0.00</td><td>160</td><td>0</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6785.00	102.06	-----	-----	83.85	35.90	12.80	30.49	0.00	160	0	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	6785.00	102.06	-----	-----	83.85	35.90	12.80	30.49	0.00	160	0	PEAK																																		
Avg	Blank	 Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91200-1522_240328 VERTICAL : RBW:1000.000kHz VBW:1.500kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6785.00</td><td>94.18</td><td>-----</td><td>-----</td><td>75.98</td><td>35.90</td><td>12.78</td><td>30.48</td><td>0.00</td><td>160</td><td>0</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6785.00	94.18	-----	-----	75.98	35.90	12.78	30.48	0.00	160	0	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	6785.00	94.18	-----	-----	75.98	35.90	12.78	30.48	0.00	160	0	AVERAGE																																		





Mode	30																																																																				
	Harmonic																																																																				
	U-NII-7_6.525-6.875_802.11be EHT80_CH167_Full RU_6785MHz																																																																				
ANT	3+4																																																																				
Pol.	Horizontal						Vertical																																																														
Peak Avg																																																																					
	Site : 03CH16-HY Condition: PEAK(UNII)_6E 1m BBHA9170_1224_240624 HORIZONTAL						Site : 03CH16-HY Condition: PEAK(UNII)_6E 1m BBHA9170_1224_240624 VERTICAL																																																														
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13570.00</td><td>50.60</td><td>88.20</td><td>-37.60</td><td>56.45</td><td>40.72</td><td>18.01</td><td>65.57</td><td>0.99</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>20355.00</td><td>37.92</td><td>74.00</td><td>-36.08</td><td>58.66</td><td>37.99</td><td>5.81</td><td>55.00</td><td>-9.54</td><td>--</td><td>--</td><td>PEAK</td></tr></table>														Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13570.00	50.60	88.20	-37.60	56.45	40.72	18.01	65.57	0.99	--	--	PEAK	2	20355.00	37.92	74.00	-36.08	58.66	37.99	5.81	55.00	-9.54	--	--	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	13570.00	50.60	88.20	-37.60	56.45	40.72	18.01	65.57	0.99	--	--	PEAK																																																									
2	20355.00	37.92	74.00	-36.08	58.66	37.99	5.81	55.00	-9.54	--	--	PEAK																																																									





Mode	30	
	Harmonic	
	U-NII-7_6.525-6.875_802.11be EHT80_CH167_Full RU_6785MHz	
ANT	3+4	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91280-1522_240328 HORIZONTAL	 Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91280-1522_240328 VERTICAL
	 Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91280-1522_240328 HORIZONTAL	 Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91280-1522_240328 VERTICAL





Mode	31																																																					
	Band Edge																																																					
	U-NII-7_6.525-6.875_802.11be EHT160_CH143_Full RU_6665MHz																																																					
ANT	3+4																																																					
Pol.	Horizontal					Fundamental																																																
Peak	Blank					 Site : 03CH16-HY Condition: PEAK(UNII)_6E 3m 91200-1522_240328 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6665.00</td><td>102.32</td><td>-----</td><td>84.23</td><td>35.80</td><td>12.67</td><td>30.38</td><td>0.00</td><td>318</td><td>305</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6665.00	102.32	-----	84.23	35.80	12.67	30.38	0.00	318	305	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																												
1	6665.00	102.32	-----	84.23	35.80	12.67	30.38	0.00	318	305	PEAK																																											
Avg	Blank					 Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91200-1522_240328 HORIZONTAL : RBW:1000.000kHz VBW:2.700kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6665.00</td><td>93.79</td><td>-----</td><td>75.70</td><td>35.80</td><td>12.66</td><td>30.37</td><td>0.00</td><td>318</td><td>305</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6665.00	93.79	-----	75.70	35.80	12.66	30.37	0.00	318	305	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																												
1	6665.00	93.79	-----	75.70	35.80	12.66	30.37	0.00	318	305	AVERAGE																																											







Mode	31																																													
	Band Edge																																													
	U-NII-7_6.525-6.875_802.11be EHT160_CH143_Full RU_6665MHz																																													
ANT	3+4																																													
Pol.	Vertical	Fundamental																																												
Peak	Blank	 Site : 03CH16-HY Condition: PEAK(UNII)_6E 3m 91200-1522_240328 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6665.00</td><td>100.66</td><td>-----</td><td>-----</td><td>82.50</td><td>35.87</td><td>12.70</td><td>30.41</td><td>0.00</td><td>182</td><td>0</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6665.00	100.66	-----	-----	82.50	35.87	12.70	30.41	0.00	182	0	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	6665.00	100.66	-----	-----	82.50	35.87	12.70	30.41	0.00	182	0	PEAK																																		
Avg	Blank	 Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91200-1522_240328 VERTICAL : RBW:1000.000kHz VBW:2.700kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6665.00</td><td>91.48</td><td>-----</td><td>-----</td><td>73.39</td><td>35.80</td><td>12.66</td><td>30.37</td><td>0.00</td><td>182</td><td>0</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6665.00	91.48	-----	-----	73.39	35.80	12.66	30.37	0.00	182	0	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	6665.00	91.48	-----	-----	73.39	35.80	12.66	30.37	0.00	182	0	AVERAGE																																		





		31																																																																															
Mode	Harmonic																																																																																
	U-NII-7_6.525-6.875_802.11be EHT160_CH143_Full RU_6665MHz																																																																																
ANT	3+4																																																																																
Pol.	Horizontal						Vertical																																																																										
Peak Avg																																																																																	
	Site : 03CH16-HY Condition: PEAK(UNII)_6E 1m BBHA9170_1224_240624 HORIZONTAL																																																																																
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13330.00</td><td>50.65</td><td>74.00</td><td>-23.35</td><td>57.35</td><td>40.02</td><td>17.85</td><td>65.50</td><td>0.93</td><td>398</td><td>330</td><td>PEAK</td></tr><tr><td>2</td><td>13330.00</td><td>42.91</td><td>54.00</td><td>-11.09</td><td>49.61</td><td>40.02</td><td>17.85</td><td>65.50</td><td>0.93</td><td>398</td><td>330</td><td>AVERAGE</td></tr><tr><td>3</td><td>19995.00</td><td>35.88</td><td>74.00</td><td>-38.12</td><td>57.01</td><td>37.70</td><td>5.71</td><td>55.00</td><td>-9.54</td><td>--</td><td>--</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13330.00	50.65	74.00	-23.35	57.35	40.02	17.85	65.50	0.93	398	330	PEAK	2	13330.00	42.91	54.00	-11.09	49.61	40.02	17.85	65.50	0.93	398	330	AVERAGE	3	19995.00	35.88	74.00	-38.12	57.01	37.70	5.71	55.00	-9.54	--	--	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	13330.00	50.65	74.00	-23.35	57.35	40.02	17.85	65.50	0.93	398	330	PEAK																																																																					
2	13330.00	42.91	54.00	-11.09	49.61	40.02	17.85	65.50	0.93	398	330	AVERAGE																																																																					
3	19995.00	35.88	74.00	-38.12	57.01	37.70	5.71	55.00	-9.54	--	--	PEAK																																																																					

Site : 03CH16-HY Condition: PEAK(UNII)_6E 1m BBHA9170_1224_240624 VERTICAL																																																																																	
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13330.00</td><td>51.14</td><td>74.00</td><td>-22.86</td><td>57.04</td><td>40.02</td><td>17.85</td><td>65.50</td><td>0.93</td><td>2982</td><td>232</td><td>PEAK</td></tr><tr><td>2</td><td>13330.00</td><td>43.43</td><td>54.00</td><td>-10.57</td><td>50.13</td><td>40.02</td><td>17.85</td><td>65.50</td><td>0.93</td><td>2982</td><td>232</td><td>AVERAGE</td></tr><tr><td>3</td><td>19995.00</td><td>35.09</td><td>74.00</td><td>-38.91</td><td>56.22</td><td>37.70</td><td>5.71</td><td>55.00</td><td>-9.54</td><td>--</td><td>--</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13330.00	51.14	74.00	-22.86	57.04	40.02	17.85	65.50	0.93	2982	232	PEAK	2	13330.00	43.43	54.00	-10.57	50.13	40.02	17.85	65.50	0.93	2982	232	AVERAGE	3	19995.00	35.09	74.00	-38.91	56.22	37.70	5.71	55.00	-9.54	--	--	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	13330.00	51.14	74.00	-22.86	57.04	40.02	17.85	65.50	0.93	2982	232	PEAK																																																																					
2	13330.00	43.43	54.00	-10.57	50.13	40.02	17.85	65.50	0.93	2982	232	AVERAGE																																																																					
3	19995.00	35.09	74.00	-38.91	56.22	37.70	5.71	55.00	-9.54	--	--	PEAK																																																																					





Mode	31	
	Harmonic	
	U-NII-7_6.525-6.875_802.11be EHT160_CH143_Full RU_6665MHz	
ANT	3+4	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91280-1522_240328 HORIZONTAL	 Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91280-1522_240328 VERTICAL
	 Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91280-1522_240328 HORIZONTAL	 Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91280-1522_240328 VERTICAL



Mode	32																																																																																																																
	LF																																																																																																																
	U-NII-5_5.925-6.425_802.11be EHT80_CH7_Full RU_5985MHz																																																																																																																
ANT	3+4																																																																																																																
Pol.	Horizontal						Vertical																																																																																																										
QP/ Peak																																																																																																																	
	Site : 03CH16-HY Condition: QP 3m CBL6111D&00802NID01N-06_47020 & 06_241005 HORIZONTAL																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>30.97</td><td>25.92</td><td>40.00</td><td>-14.08</td><td>33.33</td><td>24.25</td><td>0.90</td><td>32.61</td><td>0.05</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>201.69</td><td>31.11</td><td>43.50</td><td>-12.39</td><td>46.28</td><td>15.14</td><td>2.21</td><td>32.59</td><td>0.07</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>268.86</td><td>29.56</td><td>46.00</td><td>-16.44</td><td>39.18</td><td>20.17</td><td>2.50</td><td>32.36</td><td>0.07</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>288.02</td><td>29.44</td><td>46.00</td><td>-16.56</td><td>39.81</td><td>19.16</td><td>2.62</td><td>32.22</td><td>0.07</td><td>--</td><td>Peak</td></tr><tr><td>5</td><td>751.68</td><td>30.07</td><td>46.00</td><td>-15.93</td><td>29.37</td><td>28.37</td><td>4.26</td><td>32.07</td><td>0.14</td><td>--</td><td>Peak</td></tr><tr><td>6</td><td>904.94</td><td>33.82</td><td>46.00</td><td>-12.18</td><td>31.90</td><td>29.29</td><td>4.68</td><td>32.22</td><td>0.17</td><td>--</td><td>Peak</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	30.97	25.92	40.00	-14.08	33.33	24.25	0.90	32.61	0.05	--	Peak	2	201.69	31.11	43.50	-12.39	46.28	15.14	2.21	32.59	0.07	--	Peak	3	268.86	29.56	46.00	-16.44	39.18	20.17	2.50	32.36	0.07	--	Peak	4	288.02	29.44	46.00	-16.56	39.81	19.16	2.62	32.22	0.07	--	Peak	5	751.68	30.07	46.00	-15.93	29.37	28.37	4.26	32.07	0.14	--	Peak	6	904.94	33.82	46.00	-12.18	31.90	29.29	4.68	32.22	0.17	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																							
1	30.97	25.92	40.00	-14.08	33.33	24.25	0.90	32.61	0.05	--	Peak																																																																																																						
2	201.69	31.11	43.50	-12.39	46.28	15.14	2.21	32.59	0.07	--	Peak																																																																																																						
3	268.86	29.56	46.00	-16.44	39.18	20.17	2.50	32.36	0.07	--	Peak																																																																																																						
4	288.02	29.44	46.00	-16.56	39.81	19.16	2.62	32.22	0.07	--	Peak																																																																																																						
5	751.68	30.07	46.00	-15.93	29.37	28.37	4.26	32.07	0.14	--	Peak																																																																																																						
6	904.94	33.82	46.00	-12.18	31.90	29.29	4.68	32.22	0.17	--	Peak																																																																																																						
Site : 03CH16-HY Condition: QP 3m CBL6111D&00802NID01N-06_47020 & 06_241005 VERTICAL																																																																																																																	
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>41.64</td><td>36.24</td><td>40.00</td><td>-3.76</td><td>48.96</td><td>18.75</td><td>0.99</td><td>32.52</td><td>0.06</td><td>100</td><td>64 QP</td></tr><tr><td>2</td><td>92.08</td><td>30.73</td><td>43.50</td><td>-12.77</td><td>46.74</td><td>15.00</td><td>1.50</td><td>32.58</td><td>0.07</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>257.95</td><td>27.48</td><td>46.00</td><td>-18.52</td><td>37.44</td><td>19.86</td><td>2.49</td><td>32.38</td><td>0.07</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>425.76</td><td>30.24</td><td>46.00</td><td>-15.76</td><td>36.56</td><td>22.71</td><td>3.23</td><td>32.38</td><td>0.12</td><td>--</td><td>Peak</td></tr><tr><td>5</td><td>716.76</td><td>32.15</td><td>46.00</td><td>-13.85</td><td>32.93</td><td>27.07</td><td>4.16</td><td>32.15</td><td>0.14</td><td>--</td><td>Peak</td></tr><tr><td>6</td><td>941.00</td><td>33.70</td><td>46.00</td><td>-12.30</td><td>29.69</td><td>30.82</td><td>4.79</td><td>31.84</td><td>0.24</td><td>--</td><td>Peak</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	41.64	36.24	40.00	-3.76	48.96	18.75	0.99	32.52	0.06	100	64 QP	2	92.08	30.73	43.50	-12.77	46.74	15.00	1.50	32.58	0.07	--	Peak	3	257.95	27.48	46.00	-18.52	37.44	19.86	2.49	32.38	0.07	--	Peak	4	425.76	30.24	46.00	-15.76	36.56	22.71	3.23	32.38	0.12	--	Peak	5	716.76	32.15	46.00	-13.85	32.93	27.07	4.16	32.15	0.14	--	Peak	6	941.00	33.70	46.00	-12.30	29.69	30.82	4.79	31.84	0.24	--	Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																							
1	41.64	36.24	40.00	-3.76	48.96	18.75	0.99	32.52	0.06	100	64 QP																																																																																																						
2	92.08	30.73	43.50	-12.77	46.74	15.00	1.50	32.58	0.07	--	Peak																																																																																																						
3	257.95	27.48	46.00	-18.52	37.44	19.86	2.49	32.38	0.07	--	Peak																																																																																																						
4	425.76	30.24	46.00	-15.76	36.56	22.71	3.23	32.38	0.12	--	Peak																																																																																																						
5	716.76	32.15	46.00	-13.85	32.93	27.07	4.16	32.15	0.14	--	Peak																																																																																																						
6	941.00	33.70	46.00	-12.30	29.69	30.82	4.79	31.84	0.24	--	Peak																																																																																																						




Mode	33																																																																																							
	SHF																																																																																							
	U-NII-5_5.925-6.425_802.11be EHT80_CH7_Full RU_5985MHz																																																																																							
ANT	3+4																																																																																							
Pol.	Horizontal	Vertical																																																																																						
Peak	 Site : 03CH16-HY Condition: PEAK(UNII)_6E 1m SHF_1230_241025 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>23946.64</td><td>37.27</td><td>74.00</td><td>-36.73</td><td>55.65</td><td>38.90</td><td>6.09</td><td>53.83</td><td>-9.54</td><td>--</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	23946.64	37.27	74.00	-36.73	55.65	38.90	6.09	53.83	-9.54	--	PEAK	 Site : 03CH16-HY Condition: PEAK(UNII)_6E 1m SHF_1230_241025 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>22904.42</td><td>37.76</td><td>74.00</td><td>-36.24</td><td>56.99</td><td>38.90</td><td>5.85</td><td>54.44</td><td>-9.54</td><td>--</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	22904.42	37.76	74.00	-36.24	56.99	38.90	5.85	54.44	-9.54	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	23946.64	37.27	74.00	-36.73	55.65	38.90	6.09	53.83	-9.54	--	PEAK																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	22904.42	37.76	74.00	-36.24	56.99	38.90	5.85	54.44	-9.54	--	PEAK																																																																													

Appendix D. Duty Cycle Plots

<For Radiated Spurious Emission test>


Antenna	Band	Duty Cycle(%)	T(us)	1/T(kHz)	VBW Setting
3+4	802.11a	99.51	-	-	10Hz
3+4	6GHz 802.11be EHT20 Full RU	99.31	-	-	10Hz
3+4	6GHz 802.11be EHT20 26 RU	97.59	1620	0.62	680Hz
3+4	6GHz 802.11be EHT20 52 RU	97.66	1460	0.68	750Hz
3+4	6GHz 802.11be EHT20 106 RU	97.39	1305	0.77	820Hz
3+4	6GHz 802.11be EHT40 Full RU	98.67	-	-	10Hz
3+4	6GHz 802.11be EHT80 Full RU	97.12	742	1.35	1.5KHz
3+4	6GHz 802.11be EHT160 Full RU	95.32	407	2.46	2.7KHz

MIMO <Ant. 3+4>







6GHz 802.11be EHT20 26 RU




6GHz 802.11be EHT20 52 RU




6GHz 802.11be EHT20 106 RU




6GHz 802.11be EHT40 Full RU



6GHz 802.11be EHT80 Full RU



6GHz 802.11be EHT160 Full RU




<For Conducted test>

Antenna	Band	Duty Cycle(%)	T(us)	Duty Factor(dB)
3+4	802.11a for Ant 3	99.51	-	0.02
3+4	802.11a for Ant 4	99.51	-	0.02
3+4	6GHz 802.11be EHT20 Full RU for Ant 3	99.31	-	0.03
3+4	6GHz 802.11be EHT20 Full RU for Ant 4	99.31	-	0.03
3+4	6GHz 802.11be EHT20 26 RU for Ant 3	99.25	-	0.03
3+4	6GHz 802.11be EHT20 26 RU for Ant 4	99.25	-	0.03
3+4	6GHz 802.11be EHT20 52 RU for Ant 3	99.23	-	0.03
3+4	6GHz 802.11be EHT20 52 RU for Ant 4	99.23	-	0.03
3+4	6GHz 802.11be EHT20 106 RU for Ant 3	99.17	-	0.04
3+4	6GHz 802.11be EHT20 106 RU for Ant 4	99.17	-	0.04
3+4	6GHz 802.11be EHT40 Full RU for Ant 3	98.60	-	0.06
3+4	6GHz 802.11be EHT40 Full RU for Ant 4	98.66	-	0.06
3+4	6GHz 802.11be EHT80 Full RU for Ant 3	97.38	743	0.12
3+4	6GHz 802.11be EHT80 Full RU for Ant 4	97.25	744	0.12
3+4	6GHz 802.11be EHT160 Full RU for Ant 3	95.09	408	0.22
3+4	6GHz 802.11be EHT160 Full RU for Ant 4	95.33	408	0.21



MIMO <Ant. 3>



—THE END—