



Mode	6																																																																																																																									
	Band Edge																																																																																																																									
	2400-2483.5_Bluetooth-LE_GFSK_CH76_2478MHz																																																																																																																									
ANT	3																																																																																																																									
Pol.	Horizontal						Fundamental																																																																																																																			
Peak	Site : 03CH16-HY Condition: PEAK_BE_74 3m 91200-1522_240328 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.52</td><td>67.00</td><td>74.00</td><td>-7.00</td><td>51.82</td><td>27.70</td><td>7.86</td><td>30.30</td><td>9.92</td><td>31</td><td>PEAK</td></tr><tr><td>2</td><td>2483.52</td><td>11.08</td><td>54.00</td><td>-42.92</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.52	67.00	74.00	-7.00	51.82	27.70	7.86	30.30	9.92	31	PEAK	2	2483.52	11.08	54.00	-42.92	--	--	--	--	--	--	AVERAGE	Site : 03CH16-HY Condition: PEAK_74 3m 91200-1522_240328 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2478.00</td><td>115.20</td><td>-----</td><td>-----</td><td>100.05</td><td>27.68</td><td>7.85</td><td>30.30</td><td>9.92</td><td>31</td><td>PEAK</td></tr><tr><td>2</td><td>2478.00</td><td>59.28</td><td>-----</td><td>-----</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2478.00	115.20	-----	-----	100.05	27.68	7.85	30.30	9.92	31	PEAK	2	2478.00	59.28	-----	-----	--	--	--	--	--	--	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	2483.52	67.00	74.00	-7.00	51.82	27.70	7.86	30.30	9.92	31	PEAK																																																																																																															
2	2483.52	11.08	54.00	-42.92	--	--	--	--	--	--	AVERAGE																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	2478.00	115.20	-----	-----	100.05	27.68	7.85	30.30	9.92	31	PEAK																																																																																																															
2	2478.00	59.28	-----	-----	--	--	--	--	--	--	AVERAGE																																																																																																															







Mode	6																																																																																																																												
	Band Edge																																																																																																																												
	2400-2483.5_Bluetooth-LE_GFSK_CH76_2478MHz																																																																																																																												
ANT	3																																																																																																																												
Pol.	Vertical						Fundamental																																																																																																																						
Peak																																																																																																																													
	Site : 03CH16-HY Condition: PEAK_BE_74 3m 91200-1522_240328 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto						Site : 03CH16-HY Condition: PEAK_74 3m 91200-1522_240328 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto																																																																																																																						
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2484.14</td><td>64.48</td><td>74.00</td><td>-9.52</td><td>49.30</td><td>27.70</td><td>7.06</td><td>30.30</td><td>9.92</td><td>365</td><td>110</td><td>PEAK</td></tr><tr><td>2</td><td>2484.14</td><td>8.56</td><td>54.00</td><td>-45.44</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.14	64.48	74.00	-9.52	49.30	27.70	7.06	30.30	9.92	365	110	PEAK	2	2484.14	8.56	54.00	-45.44	--	--	--	--	--	--	--	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2478.00</td><td>113.02</td><td>-----</td><td>-----</td><td>97.87</td><td>27.68</td><td>7.85</td><td>30.30</td><td>9.92</td><td>365</td><td>110</td><td>PEAK</td></tr><tr><td>2</td><td>2478.00</td><td>57.10</td><td>-----</td><td>-----</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2478.00	113.02	-----	-----	97.87	27.68	7.85	30.30	9.92	365	110	PEAK	2	2478.00	57.10	-----	-----	--	--	--	--	--	--	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	2484.14	64.48	74.00	-9.52	49.30	27.70	7.06	30.30	9.92	365	110	PEAK																																																																																																																	
2	2484.14	8.56	54.00	-45.44	--	--	--	--	--	--	--	AVERAGE																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	2478.00	113.02	-----	-----	97.87	27.68	7.85	30.30	9.92	365	110	PEAK																																																																																																																	
2	2478.00	57.10	-----	-----	--	--	--	--	--	--	--	AVERAGE																																																																																																																	





Mode	6																																																																																																																																													
	Harmonic																																																																																																																																													
	2400-2483.5_Bluetooth-LE_GFSK_CH76_2478MHz																																																																																																																																													
ANT	3																																																																																																																																													
Pol.	Horizontal	Vertical																																																																																																																																												
Peak Avg	Site : 03CH16-HY Condition: PEAK_74 3m 91280-1522_240328 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 4956.00</td><td>41.28</td><td>74.00</td><td>-32.72</td><td>62.96</td><td>33.01</td><td>11.06</td><td>66.28</td><td>0.53</td><td>-- PEAK</td></tr><tr><td>2 4956.00</td><td>-14.64</td><td>54.00</td><td>-68.64</td><td>7.04</td><td>33.01</td><td>11.06</td><td>66.28</td><td>0.53</td><td>-- AVERAGE</td></tr><tr><td>3 7434.00</td><td>60.07</td><td>74.00</td><td>-13.93</td><td>75.61</td><td>36.33</td><td>13.38</td><td>65.76</td><td>0.51</td><td>375 290 PEAK</td></tr><tr><td>4 7434.00</td><td>4.15</td><td>54.00</td><td>-49.85</td><td>19.69</td><td>36.33</td><td>13.38</td><td>65.76</td><td>0.51</td><td>-- AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 4956.00	41.28	74.00	-32.72	62.96	33.01	11.06	66.28	0.53	-- PEAK	2 4956.00	-14.64	54.00	-68.64	7.04	33.01	11.06	66.28	0.53	-- AVERAGE	3 7434.00	60.07	74.00	-13.93	75.61	36.33	13.38	65.76	0.51	375 290 PEAK	4 7434.00	4.15	54.00	-49.85	19.69	36.33	13.38	65.76	0.51	-- AVERAGE	Site : 03CH16-HY Condition: PEAK_74 3m 91280-1522_240328 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 4956.00</td><td>40.43</td><td>74.00</td><td>-33.57</td><td>62.11</td><td>33.01</td><td>11.06</td><td>66.28</td><td>0.53</td><td>-- PEAK</td></tr><tr><td>2 4956.00</td><td>-15.49</td><td>54.00</td><td>-69.49</td><td>6.19</td><td>33.01</td><td>11.06</td><td>66.28</td><td>0.53</td><td>-- AVERAGE</td></tr><tr><td>3 7434.00</td><td>66.95</td><td>74.00</td><td>-7.05</td><td>82.49</td><td>36.33</td><td>13.38</td><td>65.76</td><td>0.51</td><td>100 229 PEAK</td></tr><tr><td>4 7434.00</td><td>11.03</td><td>54.00</td><td>-42.97</td><td>26.57</td><td>36.33</td><td>13.38</td><td>65.76</td><td>0.51</td><td>100 229 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 4956.00	40.43	74.00	-33.57	62.11	33.01	11.06	66.28	0.53	-- PEAK	2 4956.00	-15.49	54.00	-69.49	6.19	33.01	11.06	66.28	0.53	-- AVERAGE	3 7434.00	66.95	74.00	-7.05	82.49	36.33	13.38	65.76	0.51	100 229 PEAK	4 7434.00	11.03	54.00	-42.97	26.57	36.33	13.38	65.76	0.51	100 229 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																					
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																					
1 4956.00	41.28	74.00	-32.72	62.96	33.01	11.06	66.28	0.53	-- PEAK																																																																																																																																					
2 4956.00	-14.64	54.00	-68.64	7.04	33.01	11.06	66.28	0.53	-- AVERAGE																																																																																																																																					
3 7434.00	60.07	74.00	-13.93	75.61	36.33	13.38	65.76	0.51	375 290 PEAK																																																																																																																																					
4 7434.00	4.15	54.00	-49.85	19.69	36.33	13.38	65.76	0.51	-- AVERAGE																																																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																						
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																					
1 4956.00	40.43	74.00	-33.57	62.11	33.01	11.06	66.28	0.53	-- PEAK																																																																																																																																					
2 4956.00	-15.49	54.00	-69.49	6.19	33.01	11.06	66.28	0.53	-- AVERAGE																																																																																																																																					
3 7434.00	66.95	74.00	-7.05	82.49	36.33	13.38	65.76	0.51	100 229 PEAK																																																																																																																																					
4 7434.00	11.03	54.00	-42.97	26.57	36.33	13.38	65.76	0.51	100 229 AVERAGE																																																																																																																																					





Mode	6	
	Harmonic	
	2400-2483.5_Bluetooth-LE_GFSK_CH76_2478MHz	
ANT	3	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH16-HY Condition: AVG_54 3m 91280-1522_240328 HORIZONTAL	 Site : 03CH16-HY Condition: AVG_54 3m 91280-1522_240328 VERTICAL
	 Site : 03CH16-HY Condition: AVG_54 3m 91280-1522_240328 HORIZONTAL	 Site : 03CH16-HY Condition: AVG_54 3m 91280-1522_240328 VERTICAL





Mode	7																																																																																																																												
	Band Edge																																																																																																																												
	2400-2483.5_Bluetooth-LE_GFSK_CH02_2404MHz																																																																																																																												
ANT	4																																																																																																																												
Pol.	Horizontal						Fundamental																																																																																																																						
Peak																																																																																																																													
	Site : 03CH16-HY Condition: PEAK_BE_74 3m 91200-1522_240328 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto						Site : 03CH16-HY Condition: PEAK_74 3m 91200-1522_240328 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto																																																																																																																						
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2388.77</td><td>55.21</td><td>74.00</td><td>-18.79</td><td>40.62</td><td>27.29</td><td>7.71</td><td>30.33</td><td>9.92</td><td>119</td><td>135</td><td>PEAK</td></tr><tr><td>2</td><td>2388.77</td><td>-0.71</td><td>54.00</td><td>-54.71</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2388.77	55.21	74.00	-18.79	40.62	27.29	7.71	30.33	9.92	119	135	PEAK	2	2388.77	-0.71	54.00	-54.71	--	--	--	--	--	--	--	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2404.00</td><td>110.63</td><td>-----</td><td>-----</td><td>95.90</td><td>27.40</td><td>7.74</td><td>30.33</td><td>9.92</td><td>119</td><td>135</td><td>PEAK</td></tr><tr><td>2</td><td>2404.00</td><td>54.71</td><td>-----</td><td>-----</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2404.00	110.63	-----	-----	95.90	27.40	7.74	30.33	9.92	119	135	PEAK	2	2404.00	54.71	-----	-----	--	--	--	--	--	--	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	2388.77	55.21	74.00	-18.79	40.62	27.29	7.71	30.33	9.92	119	135	PEAK																																																																																																																	
2	2388.77	-0.71	54.00	-54.71	--	--	--	--	--	--	--	AVERAGE																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	2404.00	110.63	-----	-----	95.90	27.40	7.74	30.33	9.92	119	135	PEAK																																																																																																																	
2	2404.00	54.71	-----	-----	--	--	--	--	--	--	--	AVERAGE																																																																																																																	







Mode	7																																																																																																																														
	Band Edge																																																																																																																														
	2400-2483.5_Bluetooth-LE_GFSK_CH02_2404MHz																																																																																																																														
ANT	4																																																																																																																														
Pol.	Vertical						Fundamental																																																																																																																								
Peak	 Site : 03CH16-HY Condition: PEAK_BE_74 3m 91200-1522_240328 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.81</td><td>56.44</td><td>74.00</td><td>-17.56</td><td>41.84</td><td>27.30</td><td>7.71</td><td>30.33</td><td>9.92</td><td>105</td><td>102</td><td>PEAK</td></tr><tr><td>2</td><td>2389.81</td><td>0.52</td><td>54.00</td><td>-53.48</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.81	56.44	74.00	-17.56	41.84	27.30	7.71	30.33	9.92	105	102	PEAK	2	2389.81	0.52	54.00	-53.48	--	--	--	--	--	--	--	AVERAGE	 Site : 03CH16-HY Condition: PEAK_74 3m 91200-1522_240328 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2404.00</td><td>113.36</td><td>-----</td><td>-----</td><td>98.63</td><td>27.40</td><td>7.74</td><td>30.33</td><td>9.92</td><td>105</td><td>102</td><td>PEAK</td></tr><tr><td>2</td><td>2404.00</td><td>57.44</td><td>-----</td><td>-----</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>AVERAGE</td></tr></table>								Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2404.00	113.36	-----	-----	98.63	27.40	7.74	30.33	9.92	105	102	PEAK	2	2404.00	57.44	-----	-----	--	--	--	--	--	--	--	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																					
1	2389.81	56.44	74.00	-17.56	41.84	27.30	7.71	30.33	9.92	105	102	PEAK																																																																																																																			
2	2389.81	0.52	54.00	-53.48	--	--	--	--	--	--	--	AVERAGE																																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																					
1	2404.00	113.36	-----	-----	98.63	27.40	7.74	30.33	9.92	105	102	PEAK																																																																																																																			
2	2404.00	57.44	-----	-----	--	--	--	--	--	--	--	AVERAGE																																																																																																																			



Mode	7																																																																													
	Harmonic																																																																													
	2400-2483.5_Bluetooth-LE_GFSK_CH02_2404MHz																																																																													
ANT	4																																																																													
Pol.	Horizontal						Vertical																																																																							
Peak Avg																																																																														
	Site : 03CH16-HY Condition: PEAK_74 3m 91200-1522_240328 HORIZONTAL						Site : 03CH16-HY Condition: PEAK_74 3m 91200-1522_240328 VERTICAL																																																																							
<table><tr><th></th><th></th><th colspan="3">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4808.00</td><td>39.81</td><td>74.00</td><td>-34.19</td><td>62.36</td><td>32.33</td><td>11.04</td><td>66.40</td><td>0.48</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>4808.00</td><td>-16.11</td><td>54.00</td><td>-70.11</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>AVERAGE</td></tr></table>																Limit			Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4808.00	39.81	74.00	-34.19	62.36	32.33	11.04	66.40	0.48	--	--	PEAK	2	4808.00	-16.11	54.00	-70.11	--	--	--	--	--	--	--	AVERAGE
		Limit			Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																			
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			Remark																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																			
1	4808.00	39.81	74.00	-34.19	62.36	32.33	11.04	66.40	0.48	--	--	PEAK																																																																		
2	4808.00	-16.11	54.00	-70.11	--	--	--	--	--	--	--	AVERAGE																																																																		




Mode	7	
	Harmonic	
	2400-2483.5_Bluetooth-LE_GFSK_CH02_2404MHz	
ANT	4	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH16-HY Condition: AVG_54 3m 91280-1522_240328 HORIZONTAL	 Site : 03CH16-HY Condition: AVG_54 3m 91280-1522_240328 VERTICAL
	 Site : 03CH16-HY Condition: AVG_54 3m 91280-1522_240328 HORIZONTAL	 Site : 03CH16-HY Condition: AVG_54 3m 91280-1522_240328 VERTICAL





Mode	8																																																																																																																														
	Band Edge - L																																																																																																																														
	2400-2483.5_Bluetooth-LE_GFSK_CH38_2440MHz																																																																																																																														
ANT	4																																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																																								
Peak	Site : 03CH16-HY Condition: PEAK_BE_74 3m 91200-1522_240328 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2333.01</td><td>55.43</td><td>74.00</td><td>-18.57</td><td>41.14</td><td>27.10</td><td>7.62</td><td>30.35</td><td>9.92</td><td>117</td><td>133</td><td>PEAK</td></tr><tr><td>2</td><td>2333.01</td><td>-0.49</td><td>54.00</td><td>-54.49</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2333.01	55.43	74.00	-18.57	41.14	27.10	7.62	30.35	9.92	117	133	PEAK	2	2333.01	-0.49	54.00	-54.49	--	--	--	--	--	--	--	AVERAGE	Site : 03CH16-HY Condition: PEAK_74 3m 91200-1522_240328 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2440.00</td><td>108.45</td><td>-----</td><td>-----</td><td>93.45</td><td>27.60</td><td>7.79</td><td>30.31</td><td>9.92</td><td>117</td><td>133</td><td>PEAK</td></tr><tr><td>2</td><td>2440.00</td><td>52.53</td><td>-----</td><td>-----</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>AVERAGE</td></tr></table>								Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2440.00	108.45	-----	-----	93.45	27.60	7.79	30.31	9.92	117	133	PEAK	2	2440.00	52.53	-----	-----	--	--	--	--	--	--	--	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																					
1	2333.01	55.43	74.00	-18.57	41.14	27.10	7.62	30.35	9.92	117	133	PEAK																																																																																																																			
2	2333.01	-0.49	54.00	-54.49	--	--	--	--	--	--	--	AVERAGE																																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																					
1	2440.00	108.45	-----	-----	93.45	27.60	7.79	30.31	9.92	117	133	PEAK																																																																																																																			
2	2440.00	52.53	-----	-----	--	--	--	--	--	--	--	AVERAGE																																																																																																																			




Mode	8																																																																	
	Band Edge - R																																																																	
	2400-2483.5_Bluetooth-LE_GFSK_CH38_2440MHz																																																																	
ANT	4																																																																	
Pol.	Horizontal						Fundamental																																																											
Peak	 Site : 03CH16-HY Condition: PEAK_BE_74 3m 91200-1522 240320 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2486.98</td><td>56.02</td><td>74.00</td><td>-17.98</td><td>40.83</td><td>27.70</td><td>7.06</td><td>30.29</td><td>9.92</td><td>117</td><td>133</td><td>PEAK</td></tr><tr><td>2</td><td>2486.98</td><td>0.10</td><td>54.00</td><td>-53.90</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>AVERAGE</td></tr></table>							Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2486.98	56.02	74.00	-17.98	40.83	27.70	7.06	30.29	9.92	117	133	PEAK	2	2486.98	0.10	54.00	-53.90	--	--	--	--	--	--	--	--	AVERAGE	Blank				
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																					
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																						
1	2486.98	56.02	74.00	-17.98	40.83	27.70	7.06	30.29	9.92	117	133	PEAK																																																						
2	2486.98	0.10	54.00	-53.90	--	--	--	--	--	--	--	--	AVERAGE																																																					





Mode	8																																																																																																																												
	Band Edge - L																																																																																																																												
	2400-2483.5_Bluetooth-LE_GFSK_CH38_2440MHz																																																																																																																												
ANT	4																																																																																																																												
Pol.	Vertical						Fundamental																																																																																																																						
Peak																																																																																																																													
	Site : 03CH16-HY Condition: PEAK_BE_74 3m 91200-1522_240320 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto						Site : 03CH16-HY Condition: PEAK_74 3m 91200-1522_240320 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto																																																																																																																						
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2376.56</td><td>55.42</td><td>74.00</td><td>-18.58</td><td>40.95</td><td>27.20</td><td>7.69</td><td>30.34</td><td>9.92</td><td>104</td><td>95</td><td>PEAK</td></tr><tr><td>2</td><td>2376.56</td><td>-0.50</td><td>54.00</td><td>-54.50</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2376.56	55.42	74.00	-18.58	40.95	27.20	7.69	30.34	9.92	104	95	PEAK	2	2376.56	-0.50	54.00	-54.50	--	--	--	--	--	--	--	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2440.00</td><td>109.00</td><td>-----</td><td>-----</td><td>94.00</td><td>27.60</td><td>7.79</td><td>30.31</td><td>9.92</td><td>104</td><td>95</td><td>PEAK</td></tr><tr><td>2</td><td>2440.00</td><td>53.88</td><td>-----</td><td>-----</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2440.00	109.00	-----	-----	94.00	27.60	7.79	30.31	9.92	104	95	PEAK	2	2440.00	53.88	-----	-----	--	--	--	--	--	--	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	2376.56	55.42	74.00	-18.58	40.95	27.20	7.69	30.34	9.92	104	95	PEAK																																																																																																																	
2	2376.56	-0.50	54.00	-54.50	--	--	--	--	--	--	--	AVERAGE																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	2440.00	109.00	-----	-----	94.00	27.60	7.79	30.31	9.92	104	95	PEAK																																																																																																																	
2	2440.00	53.88	-----	-----	--	--	--	--	--	--	--	AVERAGE																																																																																																																	



Mode	8																																																										
	Band Edge - R																																																										
	2400-2483.5_Bluetooth-LE_GFSK_CH38_2440MHz																																																										
ANT	4																																																										
Pol.	Vertical	Fundamental																																																									
Peak	 Site : 03CH16-HY Condition: PEAK_BE_74 3m 91200-1522 240320 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2493.64</td><td>55.00</td><td>74.00</td><td>-18.20</td><td>40.59</td><td>27.70</td><td>7.08</td><td>30.29</td><td>9.92</td><td>104</td><td>95</td><td>PEAK</td></tr><tr><td>2</td><td>2493.64</td><td>-0.12</td><td>54.00</td><td>-54.12</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2493.64	55.00	74.00	-18.20	40.59	27.70	7.08	30.29	9.92	104	95	PEAK	2	2493.64	-0.12	54.00	-54.12	--	--	--	--	--	--	--	AVERAGE	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																	
1	2493.64	55.00	74.00	-18.20	40.59	27.70	7.08	30.29	9.92	104	95	PEAK																																															
2	2493.64	-0.12	54.00	-54.12	--	--	--	--	--	--	--	AVERAGE																																															



Mode	8																																																																																									
	Harmonic																																																																																									
	2400-2483.5_Bluetooth-LE_GFSK_CH38_2440MHz																																																																																									
ANT	4																																																																																									
Pol.	Horizontal						Vertical																																																																																			
Peak Avg																																																																																										
	Site : 03CH16-HY Condition: PEAK_74 3m 91280-1522_240328 HORIZONTAL						Site : 03CH16-HY Condition: PEAK_74 3m 91280-1522_240328 VERTICAL																																																																																			
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 4880.00</td><td>39.47</td><td>74.00</td><td>-34.53</td><td>61.64</td><td>32.62</td><td>11.05</td><td>66.34</td><td>0.50</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2 4880.00</td><td>-16.45</td><td>54.00</td><td>-70.45</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>AVERAGE</td></tr><tr><td>3 7320.00</td><td>49.62</td><td>74.00</td><td>-24.38</td><td>64.87</td><td>36.78</td><td>13.29</td><td>65.76</td><td>0.44</td><td>296</td><td>67</td><td>PEAK</td></tr><tr><td>4 7320.00</td><td>-6.30</td><td>54.00</td><td>-60.30</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 4880.00	39.47	74.00	-34.53	61.64	32.62	11.05	66.34	0.50	--	--	PEAK	2 4880.00	-16.45	54.00	-70.45	--	--	--	--	--	--	--	AVERAGE	3 7320.00	49.62	74.00	-24.38	64.87	36.78	13.29	65.76	0.44	296	67	PEAK	4 7320.00	-6.30	54.00	-60.30	--	--	--	--	--	--	--	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1 4880.00	39.47	74.00	-34.53	61.64	32.62	11.05	66.34	0.50	--	--	PEAK																																																																															
2 4880.00	-16.45	54.00	-70.45	--	--	--	--	--	--	--	AVERAGE																																																																															
3 7320.00	49.62	74.00	-24.38	64.87	36.78	13.29	65.76	0.44	296	67	PEAK																																																																															
4 7320.00	-6.30	54.00	-60.30	--	--	--	--	--	--	--	AVERAGE																																																																															





Mode	8	
	Harmonic	
	2400-2483.5_Bluetooth-LE_GFSK_CH38_2440MHz	
ANT	4	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Site : 03CH16-HY Condition: AVG_54 3m 91280-1522_240328 HORIZONTAL	Site : 03CH16-HY Condition: AVG_54 3m 91280-1522_240328 VERTICAL
	Site : 03CH16-HY Condition: AVG_54 3m 91280-1522_240328 HORIZONTAL	Site : 03CH16-HY Condition: AVG_54 3m 91280-1522_240328 VERTICAL





Mode	9																																																																																																																													
	Band Edge																																																																																																																													
	2400-2483.5_Bluetooth-LE_GFSK_CH76_2478MHz																																																																																																																													
ANT	4																																																																																																																													
Pol.	Horizontal						Fundamental																																																																																																																							
Peak	Site : 03CH16-HY Condition: PEAK_BE_74 3m 91200-1522_240328 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.87</td><td>60.23</td><td>74.00</td><td>-13.77</td><td>45.05</td><td>27.70</td><td>7.06</td><td>30.30</td><td>9.92</td><td>139</td><td>133</td><td>PEAK</td></tr><tr><td>2</td><td>2483.87</td><td>4.31</td><td>54.00</td><td>-49.69</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.87	60.23	74.00	-13.77	45.05	27.70	7.06	30.30	9.92	139	133	PEAK	2	2483.87	4.31	54.00	-49.69	--	--	--	--	--	--	--	AVERAGE	Site : 03CH16-HY Condition: PEAK_74 3m 91200-1522_240328 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2478.00</td><td>109.11</td><td>-----</td><td>-----</td><td>93.96</td><td>27.68</td><td>7.85</td><td>30.30</td><td>9.92</td><td>139</td><td>133</td><td>PEAK</td></tr><tr><td>2</td><td>2478.00</td><td>53.19</td><td>-----</td><td>-----</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2478.00	109.11	-----	-----	93.96	27.68	7.85	30.30	9.92	139	133	PEAK	2	2478.00	53.19	-----	-----	--	--	--	--	--	--	--	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	2483.87	60.23	74.00	-13.77	45.05	27.70	7.06	30.30	9.92	139	133	PEAK																																																																																																																		
2	2483.87	4.31	54.00	-49.69	--	--	--	--	--	--	--	AVERAGE																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	2478.00	109.11	-----	-----	93.96	27.68	7.85	30.30	9.92	139	133	PEAK																																																																																																																		
2	2478.00	53.19	-----	-----	--	--	--	--	--	--	--	AVERAGE																																																																																																																		



Mode	9																																																																																																																													
	Band Edge																																																																																																																													
	2400-2483.5_Bluetooth-LE_GFSK_CH76_2478MHz																																																																																																																													
ANT	4																																																																																																																													
Pol.	Vertical						Fundamental																																																																																																																							
Peak	 Level (dBuV/m) Frequency (MHz) PEAK_BE_74 Site : 03CH16-HY Condition: PEAK_BE_74 3m 91200-1522_240328 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.68</td><td>61.54</td><td>74.00</td><td>-12.46</td><td>46.36</td><td>27.70</td><td>7.86</td><td>30.30</td><td>9.92</td><td>101</td><td>98</td><td>PEAK</td></tr><tr><td>2</td><td>2483.68</td><td>5.62</td><td>54.00</td><td>-48.38</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.68	61.54	74.00	-12.46	46.36	27.70	7.86	30.30	9.92	101	98	PEAK	2	2483.68	5.62	54.00	-48.38	--	--	--	--	--	--	--	AVERAGE	 Level (dBuV/m) Frequency (MHz) PEAK_74 Site : 03CH16-HY Condition: PEAK_74 3m 91200-1522_240328 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2478.00</td><td>110.10</td><td>-----</td><td>-----</td><td>94.95</td><td>27.68</td><td>7.85</td><td>30.30</td><td>9.92</td><td>101</td><td>98</td><td>PEAK</td></tr><tr><td>2</td><td>2478.00</td><td>54.18</td><td>-----</td><td>-----</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2478.00	110.10	-----	-----	94.95	27.68	7.85	30.30	9.92	101	98	PEAK	2	2478.00	54.18	-----	-----	--	--	--	--	--	--	--	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	2483.68	61.54	74.00	-12.46	46.36	27.70	7.86	30.30	9.92	101	98	PEAK																																																																																																																		
2	2483.68	5.62	54.00	-48.38	--	--	--	--	--	--	--	AVERAGE																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	2478.00	110.10	-----	-----	94.95	27.68	7.85	30.30	9.92	101	98	PEAK																																																																																																																		
2	2478.00	54.18	-----	-----	--	--	--	--	--	--	--	AVERAGE																																																																																																																		



Mode	9																																																																																									
	Harmonic																																																																																									
	2400-2483.5_Bluetooth-LE_GFSK_CH76_2478MHz																																																																																									
ANT	4																																																																																									
Pol.	Horizontal																																																																																									
Peak Avg	 Site : 03CH16-HY Condition: PEAK_74 3m 91280-1522_240328 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4956.00</td><td>41.16</td><td>74.00</td><td>-32.84</td><td>62.84</td><td>33.01</td><td>11.06</td><td>66.28</td><td>0.53</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>4956.00</td><td>-14.76</td><td>54.00</td><td>-68.76</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>AVERAGE</td></tr><tr><td>3</td><td>7434.00</td><td>49.13</td><td>74.00</td><td>-24.87</td><td>64.67</td><td>36.33</td><td>13.38</td><td>65.76</td><td>0.51</td><td>291</td><td>68 PEAK</td></tr><tr><td>4</td><td>7434.00</td><td>-6.79</td><td>54.00</td><td>-60.79</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4956.00	41.16	74.00	-32.84	62.84	33.01	11.06	66.28	0.53	--	PEAK	2	4956.00	-14.76	54.00	-68.76	--	--	--	--	--	--	AVERAGE	3	7434.00	49.13	74.00	-24.87	64.67	36.33	13.38	65.76	0.51	291	68 PEAK	4	7434.00	-6.79	54.00	-60.79	--	--	--	--	--	--	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	4956.00	41.16	74.00	-32.84	62.84	33.01	11.06	66.28	0.53	--	PEAK																																																																															
2	4956.00	-14.76	54.00	-68.76	--	--	--	--	--	--	AVERAGE																																																																															
3	7434.00	49.13	74.00	-24.87	64.67	36.33	13.38	65.76	0.51	291	68 PEAK																																																																															
4	7434.00	-6.79	54.00	-60.79	--	--	--	--	--	--	AVERAGE																																																																															
Peak Avg	 Site : 03CH16-HY Condition: PEAK_74 3m 91280-1522_240328 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4956.00</td><td>40.49</td><td>74.00</td><td>-33.51</td><td>62.17</td><td>33.01</td><td>11.06</td><td>66.28</td><td>0.53</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>4956.00</td><td>-15.43</td><td>54.00</td><td>-69.43</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>AVERAGE</td></tr><tr><td>3</td><td>7434.00</td><td>47.04</td><td>74.00</td><td>-26.96</td><td>62.58</td><td>36.33</td><td>13.38</td><td>65.76</td><td>0.51</td><td>287</td><td>326 PEAK</td></tr><tr><td>4</td><td>7434.00</td><td>-8.88</td><td>54.00</td><td>-62.88</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4956.00	40.49	74.00	-33.51	62.17	33.01	11.06	66.28	0.53	--	PEAK	2	4956.00	-15.43	54.00	-69.43	--	--	--	--	--	--	AVERAGE	3	7434.00	47.04	74.00	-26.96	62.58	36.33	13.38	65.76	0.51	287	326 PEAK	4	7434.00	-8.88	54.00	-62.88	--	--	--	--	--	--	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	4956.00	40.49	74.00	-33.51	62.17	33.01	11.06	66.28	0.53	--	PEAK																																																																															
2	4956.00	-15.43	54.00	-69.43	--	--	--	--	--	--	AVERAGE																																																																															
3	7434.00	47.04	74.00	-26.96	62.58	36.33	13.38	65.76	0.51	287	326 PEAK																																																																															
4	7434.00	-8.88	54.00	-62.88	--	--	--	--	--	--	AVERAGE																																																																															





Mode	9	
	Harmonic	
	2400-2483.5_Bluetooth-LE_GFSK_CH76_2478MHz	
ANT	4	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Site : 03CH16-HY Condition: AVG_54 3m 91280-1522_240328 HORIZONTAL	Site : 03CH16-HY Condition: AVG_54 3m 91280-1522_240328 VERTICAL
	Site : 03CH16-HY Condition: AVG_54 3m 91280-1522_240328 HORIZONTAL	Site : 03CH16-HY Condition: AVG_54 3m 91280-1522_240328 VERTICAL





Mode	10																																																																																																																													
	Band Edge																																																																																																																													
	2400-2483.5_Bluetooth-LE_GFSK_CH02_2404MHz																																																																																																																													
ANT	4																																																																																																																													
Pol.	Horizontal						Fundamental																																																																																																																							
Peak	Site : 03CH16-HY Condition: PEAK_BE_74 3m 91200-1522_240328 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2385.76</td><td>55.54</td><td>74.00</td><td>-18.46</td><td>40.98</td><td>27.26</td><td>7.71</td><td>30.33</td><td>9.92</td><td>122</td><td>137</td><td>PEAK</td></tr><tr><td>2</td><td>2385.76</td><td>-0.38</td><td>54.00</td><td>-54.38</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2385.76	55.54	74.00	-18.46	40.98	27.26	7.71	30.33	9.92	122	137	PEAK	2	2385.76	-0.38	54.00	-54.38	--	--	--	--	--	--	--	AVERAGE	Site : 03CH16-HY Condition: PEAK_74 3m 91200-1522_240328 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2404.00</td><td>110.24</td><td>-----</td><td>-----</td><td>95.51</td><td>27.40</td><td>7.74</td><td>30.33</td><td>9.92</td><td>122</td><td>137</td><td>PEAK</td></tr><tr><td>2</td><td>2404.00</td><td>54.32</td><td>-----</td><td>-----</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2404.00	110.24	-----	-----	95.51	27.40	7.74	30.33	9.92	122	137	PEAK	2	2404.00	54.32	-----	-----	--	--	--	--	--	--	--	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	2385.76	55.54	74.00	-18.46	40.98	27.26	7.71	30.33	9.92	122	137	PEAK																																																																																																																		
2	2385.76	-0.38	54.00	-54.38	--	--	--	--	--	--	--	AVERAGE																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	2404.00	110.24	-----	-----	95.51	27.40	7.74	30.33	9.92	122	137	PEAK																																																																																																																		
2	2404.00	54.32	-----	-----	--	--	--	--	--	--	--	AVERAGE																																																																																																																		







Mode	10																																																																																																																									
	Band Edge																																																																																																																									
	2400-2483.5_Bluetooth-LE_GFSK_CH02_2404MHz																																																																																																																									
ANT	4																																																																																																																									
Pol.	Vertical						Fundamental																																																																																																																			
Peak	 Site : 03CH16-HY Condition: PEAK_BE_74 3m 91200-1522_240328 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2388.87</td><td>57.48</td><td>74.00</td><td>-16.52</td><td>42.89</td><td>27.29</td><td>7.71</td><td>30.33</td><td>9.92</td><td>100</td><td>PEAK</td></tr><tr><td>2</td><td>2388.87</td><td>1.56</td><td>54.00</td><td>-52.44</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>100</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2388.87	57.48	74.00	-16.52	42.89	27.29	7.71	30.33	9.92	100	PEAK	2	2388.87	1.56	54.00	-52.44	--	--	--	--	--	100	AVERAGE	 Site : 03CH16-HY Condition: PEAK_74 3m 91200-1522_240328 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2404.00</td><td>113.60</td><td>-----</td><td>-----</td><td>98.87</td><td>27.40</td><td>7.74</td><td>30.33</td><td>9.92</td><td>100</td><td>PEAK</td></tr><tr><td>2</td><td>2404.00</td><td>57.68</td><td>-----</td><td>-----</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>100</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2404.00	113.60	-----	-----	98.87	27.40	7.74	30.33	9.92	100	PEAK	2	2404.00	57.68	-----	-----	--	--	--	--	--	100	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	2388.87	57.48	74.00	-16.52	42.89	27.29	7.71	30.33	9.92	100	PEAK																																																																																																															
2	2388.87	1.56	54.00	-52.44	--	--	--	--	--	100	AVERAGE																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	2404.00	113.60	-----	-----	98.87	27.40	7.74	30.33	9.92	100	PEAK																																																																																																															
2	2404.00	57.68	-----	-----	--	--	--	--	--	100	AVERAGE																																																																																																															





Mode	10																																																																																																															
	Harmonic																																																																																																															
	2400-2483.5_Bluetooth-LE_GFSK_CH02_2404MHz																																																																																																															
ANT	4																																																																																																															
Pol.	Horizontal	Vertical																																																																																																														
Peak Avg	 Site : 03CH16-HY Condition: PEAK_74 3m 91200-1522_240328 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4808.00</td><td>39.63</td><td>74.00</td><td>-34.37</td><td>62.18</td><td>32.33</td><td>11.04</td><td>66.40</td><td>0.48</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>4808.00</td><td>-16.29</td><td>54.00</td><td>-70.29</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4808.00	39.63	74.00	-34.37	62.18	32.33	11.04	66.40	0.48	--	PEAK	2	4808.00	-16.29	54.00	-70.29	--	--	--	--	--	--	AVERAGE	 Site : 03CH16-HY Condition: PEAK_74 3m 91200-1522_240328 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4808.00</td><td>39.26</td><td>74.00</td><td>-34.74</td><td>61.81</td><td>32.33</td><td>11.04</td><td>66.40</td><td>0.48</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>4808.00</td><td>-16.66</td><td>54.00</td><td>-70.66</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4808.00	39.26	74.00	-34.74	61.81	32.33	11.04	66.40	0.48	--	PEAK	2	4808.00	-16.66	54.00	-70.66	--	--	--	--	--	--	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	4808.00	39.63	74.00	-34.37	62.18	32.33	11.04	66.40	0.48	--	PEAK																																																																																																					
2	4808.00	-16.29	54.00	-70.29	--	--	--	--	--	--	AVERAGE																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	4808.00	39.26	74.00	-34.74	61.81	32.33	11.04	66.40	0.48	--	PEAK																																																																																																					
2	4808.00	-16.66	54.00	-70.66	--	--	--	--	--	--	AVERAGE																																																																																																					




Mode	10	
	Harmonic	
	2400-2483.5_Bluetooth-LE_GFSK_CH02_2404MHz	
ANT	4	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH16-HY Condition: AVG_54 3m 91280-1522_240328 HORIZONTAL	 Site : 03CH16-HY Condition: AVG_54 3m 91280-1522_240328 VERTICAL
	 Site : 03CH16-HY Condition: AVG_54 3m 91280-1522_240328 HORIZONTAL	 Site : 03CH16-HY Condition: AVG_54 3m 91280-1522_240328 VERTICAL





Mode	11																																																																																																																														
	Band Edge - L																																																																																																																														
	2400-2483.5_Bluetooth-LE_GFSK_CH38_2440MHz																																																																																																																														
ANT	4																																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																																								
Peak	 Site : 03CH16-HY Condition: PEAK_BE_74 3m 91200-1522_240328 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2328.72</td><td>55.61</td><td>74.00</td><td>-18.39</td><td>41.34</td><td>27.10</td><td>7.61</td><td>30.36</td><td>9.92</td><td>116</td><td>133</td><td>PEAK</td></tr><tr><td>2</td><td>2328.72</td><td>-0.31</td><td>54.00</td><td>-54.31</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2328.72	55.61	74.00	-18.39	41.34	27.10	7.61	30.36	9.92	116	133	PEAK	2	2328.72	-0.31	54.00	-54.31	--	--	--	--	--	--	--	AVERAGE	 Site : 03CH16-HY Condition: PEAK_74 3m 91200-1522_240328 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2440.00</td><td>108.24</td><td>-----</td><td>-----</td><td>93.24</td><td>27.60</td><td>7.79</td><td>30.31</td><td>9.92</td><td>116</td><td>133</td><td>PEAK</td></tr><tr><td>2</td><td>2440.00</td><td>52.32</td><td>-----</td><td>-----</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>AVERAGE</td></tr></table>								Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2440.00	108.24	-----	-----	93.24	27.60	7.79	30.31	9.92	116	133	PEAK	2	2440.00	52.32	-----	-----	--	--	--	--	--	--	--	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																					
1	2328.72	55.61	74.00	-18.39	41.34	27.10	7.61	30.36	9.92	116	133	PEAK																																																																																																																			
2	2328.72	-0.31	54.00	-54.31	--	--	--	--	--	--	--	AVERAGE																																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																					
1	2440.00	108.24	-----	-----	93.24	27.60	7.79	30.31	9.92	116	133	PEAK																																																																																																																			
2	2440.00	52.32	-----	-----	--	--	--	--	--	--	--	AVERAGE																																																																																																																			




Mode	11																																																							
	Band Edge - R																																																							
	2400-2483.5_Bluetooth-LE_GFSK_CH38_2440MHz																																																							
ANT	4																																																							
Pol.	Horizontal	Fundamental																																																						
Peak	 Site : 03CH16-HY Condition: PEAK_BE_74 3m 91200-1522 240320 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2485.60</td><td>56.12</td><td>74.00</td><td>-17.88</td><td>40.94</td><td>27.70</td><td>7.06</td><td>30.30</td><td>9.92</td><td>116</td><td>133</td><td>PEAK</td></tr><tr><td>2</td><td>2405.60</td><td>0.20</td><td>54.00</td><td>-53.80</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>AVERAGE</td></tr></table>		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2485.60	56.12	74.00	-17.88	40.94	27.70	7.06	30.30	9.92	116	133	PEAK	2	2405.60	0.20	54.00	-53.80	--	--	--	--	--	--	--	AVERAGE	Blank
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																												
1	2485.60	56.12	74.00	-17.88	40.94	27.70	7.06	30.30	9.92	116	133	PEAK																																												
2	2405.60	0.20	54.00	-53.80	--	--	--	--	--	--	--	AVERAGE																																												





Mode	11																																																																																																																												
	Band Edge - L																																																																																																																												
	2400-2483.5_Bluetooth-LE_GFSK_CH38_2440MHz																																																																																																																												
ANT	4																																																																																																																												
Pol.	Vertical						Fundamental																																																																																																																						
Peak																																																																																																																													
	Site : 03CH16-HY Condition: PEAK_BE_74 3m 91200-1522_240328 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto						Site : 03CH16-HY Condition: PEAK_74 3m 91200-1522_240328 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto																																																																																																																						
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2359.14</td><td>55.47</td><td>74.00</td><td>-18.53</td><td>41.04</td><td>27.19</td><td>7.66</td><td>30.34</td><td>9.92</td><td>104</td><td>97</td><td>PEAK</td></tr><tr><td>2</td><td>2359.14</td><td>-0.45</td><td>54.00</td><td>-54.45</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2359.14	55.47	74.00	-18.53	41.04	27.19	7.66	30.34	9.92	104	97	PEAK	2	2359.14	-0.45	54.00	-54.45	--	--	--	--	--	--	--	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2440.00</td><td>109.78</td><td>-----</td><td>-----</td><td>94.78</td><td>27.60</td><td>7.79</td><td>30.31</td><td>9.92</td><td>104</td><td>97</td><td>PEAK</td></tr><tr><td>2</td><td>2440.00</td><td>53.86</td><td>-----</td><td>-----</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2440.00	109.78	-----	-----	94.78	27.60	7.79	30.31	9.92	104	97	PEAK	2	2440.00	53.86	-----	-----	--	--	--	--	--	--	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	2359.14	55.47	74.00	-18.53	41.04	27.19	7.66	30.34	9.92	104	97	PEAK																																																																																																																	
2	2359.14	-0.45	54.00	-54.45	--	--	--	--	--	--	--	AVERAGE																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	2440.00	109.78	-----	-----	94.78	27.60	7.79	30.31	9.92	104	97	PEAK																																																																																																																	
2	2440.00	53.86	-----	-----	--	--	--	--	--	--	--	AVERAGE																																																																																																																	







Mode	11																																																							
	Band Edge - R																																																							
	2400-2483.5_Bluetooth-LE_GFSK_CH38_2440MHz																																																							
ANT	4																																																							
Pol.	Vertical	Fundamental																																																						
Peak	 Site : 03CH16-HY Condition: PEAK_BE_74 3m 91200-1522 240320 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2487.82</td><td>56.08</td><td>74.00</td><td>-17.92</td><td>40.88</td><td>27.70</td><td>7.87</td><td>30.29</td><td>9.92</td><td>104</td><td>97</td><td>PEAK</td></tr><tr><td>2</td><td>2487.82</td><td>0.16</td><td>54.00</td><td>-53.84</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>AVERAGE</td></tr></table>		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2487.82	56.08	74.00	-17.92	40.88	27.70	7.87	30.29	9.92	104	97	PEAK	2	2487.82	0.16	54.00	-53.84	--	--	--	--	--	--	--	AVERAGE	Blank
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																												
1	2487.82	56.08	74.00	-17.92	40.88	27.70	7.87	30.29	9.92	104	97	PEAK																																												
2	2487.82	0.16	54.00	-53.84	--	--	--	--	--	--	--	AVERAGE																																												





Mode	11												
	Harmonic												
	2400-2483.5_Bluetooth-LE_GFSK_CH38_2440MHz												
ANT	4												
Pol.	Horizontal						Vertical						
Peak Avg													
	Site : 03CH16-HY Condition: PEAK_74 3m 91280-1522_240328 HORIZONTAL						Site : 03CH16-HY Condition: PEAK_74 3m 91280-1522_240328 VERTICAL						
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	dB	cm	deg	
1	4880.00	40.55	74.00	-33.45		62.72	32.62	11.05	66.34	0.50	--	--	PEAK
2	4880.00	-15.37	54.00	-69.37	--	--	--	--	--	--	--	--	AVERAGE
3	7320.00	45.08	74.00	-28.92		60.33	36.78	13.29	65.76	0.44	--	--	PEAK
4	7320.00	-10.84	54.00	-64.84	--	--	--	--	--	--	--	--	AVERAGE
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	dB	cm	deg	
1	4880.00	40.26	74.00	-33.74		62.43	32.62	11.05	66.34	0.50	--	--	PEAK
2	4880.00	-15.66	54.00	-69.66	--	--	--	--	--	--	--	--	AVERAGE
3	7320.00	44.51	74.00	-29.49		59.76	36.78	13.29	65.76	0.44	--	--	PEAK
4	7320.00	-11.41	54.00	-65.41	--	--	--	--	--	--	--	--	AVERAGE





Mode	11	
	Harmonic	
	2400-2483.5_Bluetooth-LE_GFSK_CH38_2440MHz	
ANT	4	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH16-HY Condition: AVG_54 3m 91280-1522_240328 HORIZONTAL	 Site : 03CH16-HY Condition: AVG_54 3m 91280-1522_240328 VERTICAL
	 Site : 03CH16-HY Condition: AVG_54 3m 91280-1522_240328 HORIZONTAL	 Site : 03CH16-HY Condition: AVG_54 3m 91280-1522_240328 VERTICAL





Mode	12																																																																																																																													
	Band Edge																																																																																																																													
	2400-2483.5_Bluetooth-LE_GFSK_CH76_2478MHz																																																																																																																													
ANT	4																																																																																																																													
Pol.	Horizontal						Fundamental																																																																																																																							
Peak	 Site : 03CH16-HY Condition: PEAK_BE_74 3m 91200-1522_240328 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.57</td><td>60.77</td><td>74.00</td><td>-13.23</td><td>45.59</td><td>27.70</td><td>7.86</td><td>30.30</td><td>9.92</td><td>139</td><td>133</td><td>PEAK</td></tr><tr><td>2</td><td>2483.57</td><td>4.85</td><td>54.00</td><td>-49.15</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.57	60.77	74.00	-13.23	45.59	27.70	7.86	30.30	9.92	139	133	PEAK	2	2483.57	4.85	54.00	-49.15	--	--	--	--	--	--	--	AVERAGE	 Site : 03CH16-HY Condition: PEAK_74 3m 91200-1522_240328 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2478.00</td><td>108.98</td><td>-----</td><td>-----</td><td>93.83</td><td>27.68</td><td>7.85</td><td>30.30</td><td>9.92</td><td>139</td><td>133</td><td>PEAK</td></tr><tr><td>2</td><td>2478.00</td><td>53.06</td><td>-----</td><td>-----</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2478.00	108.98	-----	-----	93.83	27.68	7.85	30.30	9.92	139	133	PEAK	2	2478.00	53.06	-----	-----	--	--	--	--	--	--	--	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	2483.57	60.77	74.00	-13.23	45.59	27.70	7.86	30.30	9.92	139	133	PEAK																																																																																																																		
2	2483.57	4.85	54.00	-49.15	--	--	--	--	--	--	--	AVERAGE																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	2478.00	108.98	-----	-----	93.83	27.68	7.85	30.30	9.92	139	133	PEAK																																																																																																																		
2	2478.00	53.06	-----	-----	--	--	--	--	--	--	--	AVERAGE																																																																																																																		



Mode	12																																																																																																																													
	Band Edge																																																																																																																													
	2400-2483.5_Bluetooth-LE_GFSK_CH76_2478MHz																																																																																																																													
ANT	4																																																																																																																													
Pol.	Vertical						Fundamental																																																																																																																							
Peak	 Site : 03CH16-HY Condition: PEAK_BE_74 3m 91200-1522_240328 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.27</td><td>62.08</td><td>74.00</td><td>-11.92</td><td>46.90</td><td>27.70</td><td>7.86</td><td>30.30</td><td>9.92</td><td>100</td><td>99</td><td>PEAK</td></tr><tr><td>2</td><td>2484.27</td><td>6.16</td><td>54.00</td><td>-47.84</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.27	62.08	74.00	-11.92	46.90	27.70	7.86	30.30	9.92	100	99	PEAK	2	2484.27	6.16	54.00	-47.84	--	--	--	--	--	--	--	AVERAGE	 Site : 03CH16-HY Condition: PEAK_74 3m 91200-1522_240328 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2478.00</td><td>110.24</td><td>-----</td><td>-----</td><td>95.09</td><td>27.68</td><td>7.85</td><td>30.30</td><td>9.92</td><td>100</td><td>99</td><td>PEAK</td></tr><tr><td>2</td><td>2478.00</td><td>54.32</td><td>-----</td><td>-----</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2478.00	110.24	-----	-----	95.09	27.68	7.85	30.30	9.92	100	99	PEAK	2	2478.00	54.32	-----	-----	--	--	--	--	--	--	--	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	2484.27	62.08	74.00	-11.92	46.90	27.70	7.86	30.30	9.92	100	99	PEAK																																																																																																																		
2	2484.27	6.16	54.00	-47.84	--	--	--	--	--	--	--	AVERAGE																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	2478.00	110.24	-----	-----	95.09	27.68	7.85	30.30	9.92	100	99	PEAK																																																																																																																		
2	2478.00	54.32	-----	-----	--	--	--	--	--	--	--	AVERAGE																																																																																																																		





Mode	12												
	Harmonic												
	2400-2483.5_Bluetooth-LE_GFSK_CH76_2478MHz												
ANT	4												
Pol.	Horizontal						Vertical						
Peak Avg													
	Site : 03CH16-HY Condition: PEAK_74 3m 91280-1522_240328 HORIZONTAL						Site : 03CH16-HY Condition: PEAK_74 3m 91280-1522_240328 VERTICAL						
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	dB	cm	deg	
1	4956.00	40.80	74.00	-33.20		62.48	33.01	11.06	66.28	0.53	--	--	PEAK
2	4956.00	-15.12	54.00	-69.12	--	--	--	--	--	--	--	--	AVERAGE
3	7434.00	45.28	74.00	-28.72		60.82	36.33	13.38	65.76	0.51	--	--	PEAK
4	7434.00	-10.64	54.00	-64.64	--	--	--	--	--	--	--	--	AVERAGE
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	dB	cm	deg	
1	4956.00	40.95	74.00	-33.05		62.63	33.01	11.06	66.28	0.53	--	--	PEAK
2	4956.00	-14.97	54.00	-68.97	--	--	--	--	--	--	--	--	AVERAGE
3	7434.00	44.38	74.00	-29.62		59.92	36.33	13.38	65.76	0.51	--	--	PEAK
4	7434.00	-11.54	54.00	-65.54	--	--	--	--	--	--	--	--	AVERAGE





Mode	12	
	Harmonic	
	2400-2483.5_Bluetooth-LE_GFSK_CH76_2478MHz	
ANT	4	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Site : 03CH16-HY Condition: AVG_54 3m 91280-1522_240328 HORIZONTAL	Site : 03CH16-HY Condition: AVG_54 3m 91280-1522_240328 VERTICAL
	Site : 03CH16-HY Condition: AVG_54 3m 91280-1522_240328 HORIZONTAL	Site : 03CH16-HY Condition: AVG_54 3m 91280-1522_240328 VERTICAL





Mode	13																																																																																																																	
	LF																																																																																																																	
	2400-2483.5_Bluetooth-LE_GFSK_CH76_2478MHz																																																																																																																	
ANT	3																																																																																																																	
Pol.	Horizontal																																																																																																																	
QP/ Peak																																																																																																																		
	Site : 03CH16-HY Condition: QP 3m CBL6111D080002N1D01N-06_47020 & 06_241005 HORIZONTAL																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>30.97</td><td>26.10</td><td>40.00</td><td>-13.90</td><td>33.51</td><td>24.25</td><td>0.90</td><td>32.61</td><td>0.05</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>95.96</td><td>28.30</td><td>43.50</td><td>-15.20</td><td>43.63</td><td>15.62</td><td>1.51</td><td>32.53</td><td>0.07</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>205.57</td><td>31.40</td><td>43.50</td><td>-12.10</td><td>46.44</td><td>15.24</td><td>2.23</td><td>32.58</td><td>0.07</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>260.86</td><td>34.33</td><td>46.00</td><td>-11.67</td><td>43.95</td><td>20.17</td><td>2.50</td><td>32.36</td><td>0.07</td><td>--</td><td>Peak</td></tr><tr><td>5</td><td>289.96</td><td>31.47</td><td>46.00</td><td>-14.53</td><td>41.79</td><td>19.19</td><td>2.63</td><td>32.21</td><td>0.07</td><td>--</td><td>Peak</td></tr><tr><td>6</td><td>897.18</td><td>35.93</td><td>46.00</td><td>-10.07</td><td>34.20</td><td>29.17</td><td>4.66</td><td>32.26</td><td>0.16</td><td>--</td><td>Peak</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg	1	30.97	26.10	40.00	-13.90	33.51	24.25	0.90	32.61	0.05	--	Peak	2	95.96	28.30	43.50	-15.20	43.63	15.62	1.51	32.53	0.07	--	Peak	3	205.57	31.40	43.50	-12.10	46.44	15.24	2.23	32.58	0.07	--	Peak	4	260.86	34.33	46.00	-11.67	43.95	20.17	2.50	32.36	0.07	--	Peak	5	289.96	31.47	46.00	-14.53	41.79	19.19	2.63	32.21	0.07	--	Peak	6	897.18	35.93	46.00	-10.07	34.20	29.17	4.66	32.26	0.16	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																								
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																									
		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg																																																																																																							
	1	30.97	26.10	40.00	-13.90	33.51	24.25	0.90	32.61	0.05	--	Peak																																																																																																						
	2	95.96	28.30	43.50	-15.20	43.63	15.62	1.51	32.53	0.07	--	Peak																																																																																																						
	3	205.57	31.40	43.50	-12.10	46.44	15.24	2.23	32.58	0.07	--	Peak																																																																																																						
	4	260.86	34.33	46.00	-11.67	43.95	20.17	2.50	32.36	0.07	--	Peak																																																																																																						
5	289.96	31.47	46.00	-14.53	41.79	19.19	2.63	32.21	0.07	--	Peak																																																																																																							
6	897.18	35.93	46.00	-10.07	34.20	29.17	4.66	32.26	0.16	--	Peak																																																																																																							
Vertical																																																																																																																		
																																																																																																																		
Site : 03CH16-HY Condition: QP 3m CBL6111D080002N1D01N-06_47020 & 06_241005 VERTICAL																																																																																																																		
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>42.02</td><td>34.85</td><td>40.00</td><td>-5.15</td><td>47.79</td><td>10.52</td><td>1.00</td><td>32.52</td><td>0.06</td><td>100</td><td>QP</td></tr><tr><td>2</td><td>185.20</td><td>35.05</td><td>43.50</td><td>-8.45</td><td>50.01</td><td>15.14</td><td>2.12</td><td>32.30</td><td>0.08</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>260.86</td><td>28.73</td><td>46.00</td><td>-17.27</td><td>38.35</td><td>20.17</td><td>2.50</td><td>32.36</td><td>0.07</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>425.76</td><td>29.97</td><td>46.00</td><td>-16.03</td><td>36.29</td><td>22.71</td><td>3.23</td><td>32.38</td><td>0.12</td><td>--</td><td>Peak</td></tr><tr><td>5</td><td>736.16</td><td>32.25</td><td>46.00</td><td>-13.75</td><td>31.83</td><td>28.16</td><td>4.22</td><td>32.10</td><td>0.14</td><td>--</td><td>Peak</td></tr><tr><td>6</td><td>944.71</td><td>33.54</td><td>46.00</td><td>-12.46</td><td>29.44</td><td>30.86</td><td>4.80</td><td>31.81</td><td>0.25</td><td>--</td><td>Peak</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg	1	42.02	34.85	40.00	-5.15	47.79	10.52	1.00	32.52	0.06	100	QP	2	185.20	35.05	43.50	-8.45	50.01	15.14	2.12	32.30	0.08	--	Peak	3	260.86	28.73	46.00	-17.27	38.35	20.17	2.50	32.36	0.07	--	Peak	4	425.76	29.97	46.00	-16.03	36.29	22.71	3.23	32.38	0.12	--	Peak	5	736.16	32.25	46.00	-13.75	31.83	28.16	4.22	32.10	0.14	--	Peak	6	944.71	33.54	46.00	-12.46	29.44	30.86	4.80	31.81	0.25	--	Peak	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg																																																																																																								
1	42.02	34.85	40.00	-5.15	47.79	10.52	1.00	32.52	0.06	100	QP																																																																																																							
2	185.20	35.05	43.50	-8.45	50.01	15.14	2.12	32.30	0.08	--	Peak																																																																																																							
3	260.86	28.73	46.00	-17.27	38.35	20.17	2.50	32.36	0.07	--	Peak																																																																																																							
4	425.76	29.97	46.00	-16.03	36.29	22.71	3.23	32.38	0.12	--	Peak																																																																																																							
5	736.16	32.25	46.00	-13.75	31.83	28.16	4.22	32.10	0.14	--	Peak																																																																																																							
6	944.71	33.54	46.00	-12.46	29.44	30.86	4.80	31.81	0.25	--	Peak																																																																																																							





Mode	14																																																																																																						
	SHF																																																																																																						
	2400-2483.5_Bluetooth-LE_GFSK_CH76_2478MHz																																																																																																						
ANT	3																																																																																																						
Pol.	Horizontal												Vertical																																																																																										
Peak																																																																																																							
	Site : Condition: PEAK_74 1m SHF_1230_241025 HORIZONTAL													Site : Condition: PEAK_74 1m SHF_1230_241025 VERTICAL																																																																																									
	<table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 24896.00</td><td>39.31</td><td>74.00</td><td>-34.69</td><td>56.49</td><td>39.31</td><td>6.31</td><td>53.26</td><td>-9.54</td><td>--</td><td>--</td><td>--</td><td>PEAK</td></tr></table>													Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 24896.00	39.31	74.00	-34.69	56.49	39.31	6.31	53.26	-9.54	--	--	--	PEAK	<table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 23288.00</td><td>39.47</td><td>74.00</td><td>-34.53</td><td>58.20</td><td>39.08</td><td>5.96</td><td>54.23</td><td>-9.54</td><td>--</td><td>--</td><td>--</td><td>PEAK</td></tr></table>													Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 23288.00	39.47	74.00	-34.53	58.20	39.08	5.96	54.23	-9.54	--	--	--
Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																												
1 24896.00	39.31	74.00	-34.69	56.49	39.31	6.31	53.26	-9.54	--	--	--	PEAK																																																																																											
Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																												
1 23288.00	39.47	74.00	-34.53	58.20	39.08	5.96	54.23	-9.54	--	--	--	PEAK																																																																																											



Mode	15																																																																																																																																																																																				
	LF																																																																																																																																																																																				
	2400-2483.5_Bluetooth-LE_GFSK_CH76_2478MHz																																																																																																																																																																																				
ANT	4																																																																																																																																																																																				
Pol.	Horizontal	Vertical																																																																																																																																																																																			
QP/ Peak	 Site : 03CH16-HY Condition: QP 3m CBL6111D&00802N1D01N-06_47020 & 06_241005 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>30.97</td><td>25.24</td><td>40.00</td><td>-14.76</td><td>32.65</td><td>24.25</td><td>0.90</td><td>32.61</td><td>0.05 -- -- Peak</td></tr><tr><td>2</td><td>206.54</td><td>32.26</td><td>43.50</td><td>-11.24</td><td>47.26</td><td>15.28</td><td>2.23</td><td>32.58</td><td>0.07 -- -- Peak</td></tr><tr><td>3</td><td>268.86</td><td>33.70</td><td>46.00</td><td>-12.30</td><td>43.32</td><td>20.17</td><td>2.50</td><td>32.36</td><td>0.07 -- -- Peak</td></tr><tr><td>4</td><td>327.79</td><td>29.72</td><td>46.00</td><td>-16.28</td><td>39.29</td><td>19.70</td><td>2.81</td><td>32.16</td><td>0.08 -- -- Peak</td></tr><tr><td>5</td><td>732.28</td><td>31.97</td><td>46.00</td><td>-14.03</td><td>31.71</td><td>28.02</td><td>4.21</td><td>32.11</td><td>0.14 -- -- Peak</td></tr><tr><td>6</td><td>941.80</td><td>32.73</td><td>46.00</td><td>-13.27</td><td>28.72</td><td>30.82</td><td>4.79</td><td>31.84</td><td>0.24 -- -- Peak</td></tr></table>  Site : 03CH16-HY Condition: QP 3m CBL6111D&00802N1D01N-06_47020 & 06_241005 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>41.59</td><td>34.71</td><td>40.00</td><td>-5.29</td><td>47.40</td><td>18.78</td><td>0.99</td><td>32.52</td><td>0.06 100 72 QP</td></tr><tr><td>2</td><td>185.20</td><td>35.30</td><td>43.50</td><td>-8.20</td><td>50.26</td><td>15.14</td><td>2.12</td><td>32.30</td><td>0.08 -- -- Peak</td></tr><tr><td>3</td><td>259.89</td><td>29.07</td><td>46.00</td><td>-16.93</td><td>38.67</td><td>20.20</td><td>2.50</td><td>32.37</td><td>0.07 -- -- Peak</td></tr><tr><td>4</td><td>399.57</td><td>29.72</td><td>46.00</td><td>-16.28</td><td>36.86</td><td>21.81</td><td>3.15</td><td>32.20</td><td>0.10 -- -- Peak</td></tr><tr><td>5</td><td>729.37</td><td>31.02</td><td>46.00</td><td>-14.98</td><td>30.94</td><td>27.86</td><td>4.20</td><td>32.12</td><td>0.14 -- -- Peak</td></tr><tr><td>6</td><td>956.35</td><td>33.78</td><td>46.00</td><td>-12.22</td><td>29.17</td><td>31.18</td><td>4.82</td><td>31.66</td><td>0.27 -- -- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV/m	dB/m	dB	dB	dB	cm deg	1	30.97	25.24	40.00	-14.76	32.65	24.25	0.90	32.61	0.05 -- -- Peak	2	206.54	32.26	43.50	-11.24	47.26	15.28	2.23	32.58	0.07 -- -- Peak	3	268.86	33.70	46.00	-12.30	43.32	20.17	2.50	32.36	0.07 -- -- Peak	4	327.79	29.72	46.00	-16.28	39.29	19.70	2.81	32.16	0.08 -- -- Peak	5	732.28	31.97	46.00	-14.03	31.71	28.02	4.21	32.11	0.14 -- -- Peak	6	941.80	32.73	46.00	-13.27	28.72	30.82	4.79	31.84	0.24 -- -- Peak		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV/m	dB/m	dB	dB	dB	cm deg	1	41.59	34.71	40.00	-5.29	47.40	18.78	0.99	32.52	0.06 100 72 QP	2	185.20	35.30	43.50	-8.20	50.26	15.14	2.12	32.30	0.08 -- -- Peak	3	259.89	29.07	46.00	-16.93	38.67	20.20	2.50	32.37	0.07 -- -- Peak	4	399.57	29.72	46.00	-16.28	36.86	21.81	3.15	32.20	0.10 -- -- Peak	5	729.37	31.02	46.00	-14.98	30.94	27.86	4.20	32.12	0.14 -- -- Peak	6	956.35	33.78	46.00	-12.22	29.17	31.18	4.82	31.66	0.27 -- -- Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV/m	dB/m	dB	dB	dB	cm deg																																																																																																																																																																												
1	30.97	25.24	40.00	-14.76	32.65	24.25	0.90	32.61	0.05 -- -- Peak																																																																																																																																																																												
2	206.54	32.26	43.50	-11.24	47.26	15.28	2.23	32.58	0.07 -- -- Peak																																																																																																																																																																												
3	268.86	33.70	46.00	-12.30	43.32	20.17	2.50	32.36	0.07 -- -- Peak																																																																																																																																																																												
4	327.79	29.72	46.00	-16.28	39.29	19.70	2.81	32.16	0.08 -- -- Peak																																																																																																																																																																												
5	732.28	31.97	46.00	-14.03	31.71	28.02	4.21	32.11	0.14 -- -- Peak																																																																																																																																																																												
6	941.80	32.73	46.00	-13.27	28.72	30.82	4.79	31.84	0.24 -- -- Peak																																																																																																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV/m	dB/m	dB	dB	dB	cm deg																																																																																																																																																																												
1	41.59	34.71	40.00	-5.29	47.40	18.78	0.99	32.52	0.06 100 72 QP																																																																																																																																																																												
2	185.20	35.30	43.50	-8.20	50.26	15.14	2.12	32.30	0.08 -- -- Peak																																																																																																																																																																												
3	259.89	29.07	46.00	-16.93	38.67	20.20	2.50	32.37	0.07 -- -- Peak																																																																																																																																																																												
4	399.57	29.72	46.00	-16.28	36.86	21.81	3.15	32.20	0.10 -- -- Peak																																																																																																																																																																												
5	729.37	31.02	46.00	-14.98	30.94	27.86	4.20	32.12	0.14 -- -- Peak																																																																																																																																																																												
6	956.35	33.78	46.00	-12.22	29.17	31.18	4.82	31.66	0.27 -- -- Peak																																																																																																																																																																												




Mode	16																																																																																									
	SHF																																																																																									
	2400-2483.5_Bluetooth-LE_GFSK_CH76_2478MHz																																																																																									
ANT	4																																																																																									
Pol.	Horizontal					Vertical																																																																																				
Peak	 Site : Condition: PEAK_74 1m SHF_1230_241025 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 25704.00</td><td>39.31</td><td>74.00</td><td>-34.69</td><td>56.74</td><td>38.99</td><td>6.22</td><td>53.10</td><td>-9.54</td><td>-- PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 25704.00	39.31	74.00	-34.69	56.74	38.99	6.22	53.10	-9.54	-- PEAK	 Site : Condition: PEAK_74 1m SHF_1230_241025 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 24832.00</td><td>38.66</td><td>74.00</td><td>-35.34</td><td>55.81</td><td>39.40</td><td>6.29</td><td>53.30</td><td>-9.54</td><td>-- PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 24832.00	38.66	74.00	-35.34	55.81	39.40	6.29	53.30	-9.54	-- PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 25704.00	39.31	74.00	-34.69	56.74	38.99	6.22	53.10	-9.54	-- PEAK																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 24832.00	38.66	74.00	-35.34	55.81	39.40	6.29	53.30	-9.54	-- PEAK																																																																																	



Appendix D. Duty Cycle Plots

<Ant. 3>



Note:

1. Worst case Duty cycle = on time/100 milliseconds = $4 * 0.040 / 100 = 0.16\%$
2. Worst case Duty cycle correction factor = $20 * \log(\text{Duty cycle}) = -55.92 \text{ dB}$


Duty Cycle Correction Factor Consideration for AFH mode:

The maximum possible ON time:

$$0.040 \text{ ms} \times 4 = 0.16 \text{ ms}$$

Worst case Duty Cycle Correction factor, which is derived from the maximum possible ON time,

$$20 \times \log(0.16 \text{ ms}/100 \text{ ms}) = -55.92 \text{ dB}$$

**Note:**

1. Worst case Duty cycle = on time/100 milliseconds = $4 \times 0.040 / 100 = 0.16\%$
2. Worst case Duty cycle correction factor = $20 \times \log(\text{Duty cycle}) = -55.92 \text{ dB}$

Duty Cycle Correction Factor Consideration for AFH mode:

The maximum possible ON time:


$$0.040 \text{ ms} \times 5 = 0.16 \text{ ms}$$

Worst case Duty Cycle Correction factor, which is derived from the maximum possible ON time,

$$20 \times \log(0.16 \text{ ms}/100 \text{ ms}) = -55.92 \text{ dB}$$



<Ant. 4>

**Note:**

1. Worst case Duty cycle = on time/100 milliseconds = $4 * 0.040 / 100 = 0.16 \%$
2. Worst case Duty cycle correction factor = $20 * \log(\text{Duty cycle}) = -55.92 \text{ dB}$


Duty Cycle Correction Factor Consideration for AFH mode:

The maximum possible ON time:

$$0.040 \text{ ms} \times 4 = 0.16 \text{ ms}$$

Worst case Duty Cycle Correction factor, which is derived from the maximum possible ON time,

$$20 \times \log(0.16 \text{ ms}/100 \text{ ms}) = -55.92 \text{ dB}$$

**Note:**

1. Worst case Duty cycle = on time/100 milliseconds = $4 \times 0.040 / 100 = 0.16\%$
2. Worst case Duty cycle correction factor = $20 \times \log(\text{Duty cycle}) = -55.92 \text{ dB}$

Duty Cycle Correction Factor Consideration for AFH mode:

The maximum possible ON time:

$$0.040 \text{ ms} \times 4 = 0.16 \text{ ms}$$

Worst case Duty Cycle Correction factor, which is derived from the maximum possible ON time,

$$20 \times \log(0.16 \text{ ms}/100 \text{ ms}) = -55.92 \text{ dB}$$

————THE END————