




TX1

Part 90R Mode 4

LTE B14 10M Ch23330 1RB0 QPSK

M




Site : 03CH11-HY

Condition: 700 AC BAND 3m 9120D_01620_240828 Horizontal

: LTE Band 14 10M Ch23330 1RB0 QPSK

	Freq	Level	Detector	Ant	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
				Factor	1			g	g		
	MHz	dBm		dB/m	dB	dB		dBuV	dBm	dB	
1	1577.18	-63.61	RMS	25.37	-28.65	0.53	-95.23	34.37	-42.15	-21.46	Horizontal
2	2365.77	-61.39	RMS	27.20	-26.59	0.41	-95.23	32.82	-13.00	-48.39	Horizontal
3	3154.36	-57.93	RMS	29.89	-25.35	0.45	-95.23	32.31	-13.00	-44.93	Horizontal



Site : 03CH11-HY

Condition: 700 AC BAND 3m 9120D_01620_240828 Vertical

: LTE Band 14 10M Ch23330 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1577.18	-63.49	RMS	25.37	-28.65	0.53	-95.23	34.49	-42.15	-21.34	Vertical
2	2365.77	-61.46	RMS	27.20	-26.59	0.41	-95.23	32.75	-13.00	-48.46	Vertical
3	3154.36	-57.70	RMS	29.89	-25.35	0.45	-95.23	32.54	-13.00	-44.70	Vertical




TX0

Part 90S Mode 1

LTE B26 5M Ch26715 1RB0 QPSK

L




Site : 03CH11-HY

Condition: -13 3m 9120D_01620_240828 Horizontal

: LTE Band 26 5M Ch26715 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dBuV	dBm	dB	
1	1628.68	-63.99	RMS	25.50	-28.48	0.50	-95.23	33.72	-13.00	-50.99	Horizontal
2	2443.02	-46.02	RMS	27.60	-26.45	0.42	-95.23	47.64	-13.00	-33.02	Horizontal
3	3257.36	-58.26	RMS	29.69	-25.17	0.45	-95.23	32.00	-13.00	-45.26	Horizontal
4	4071.70	-51.31	RMS	31.00	-23.78	0.34	-95.23	36.36	-13.00	-38.31	Horizontal



Site : 03CH11-HY

Condition: -13 3m 9120D_01620_240828 Vertical

: LTE Band 26 5M Ch26715 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dBuV	dBm	dB	
1	1628.68	-63.98	RMS	25.50	-28.48	0.50	-95.23	33.73	-13.00	-50.98	Vertical
2	2443.02	-46.99	RMS	27.60	-26.45	0.42	-95.23	46.67	-13.00	-33.99	Vertical
3	3257.36	-58.04	RMS	29.69	-25.17	0.45	-95.23	32.22	-13.00	-45.04	Vertical
4	4071.70	-49.97	RMS	31.00	-23.78	0.34	-95.23	37.70	-13.00	-36.97	Vertical




TX0

Part 90S Mode 1


LTE B26 5M Ch26740 1RB0 QPSK

M



Site : 03CH11-HY
Condition: -13 3m 9120D_01620_240828 Horizontal
: LTE Band 26 5M Ch26740 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dBuV	dBm	dB	
1	1633.68	-63.75	RMS	25.43	-28.47	0.49	-95.23	34.03	-13.00	-50.75	Horizontal
2	2450.52	-60.77	RMS	27.60	-26.44	0.42	-95.23	32.88	-13.00	-47.77	Horizontal
3	3267.36	-58.33	RMS	29.67	-25.16	0.44	-95.23	31.95	-13.00	-45.33	Horizontal
4	4084.20	-48.95	RMS	31.00	-23.75	0.35	-95.23	38.68	-13.00	-35.95	Horizontal



Site : 03CH11-HY
Condition: -13 3m 9120D_01620_240828 Vertical
: LTE Band 26 5M Ch26740 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dBuV	dBm	dB	
1	1633.68	-63.72	RMS	25.43	-28.47	0.49	-95.23	34.06	-13.00	-50.72	Vertical
2	2450.52	-60.85	RMS	27.60	-26.44	0.42	-95.23	32.80	-13.00	-47.85	Vertical
3	3267.36	-58.19	RMS	29.67	-25.16	0.44	-95.23	32.09	-13.00	-45.19	Vertical
4	4084.20	-52.12	RMS	31.00	-23.75	0.35	-95.23	35.51	-13.00	-39.12	Vertical




TX0

Part 90S Mode 1

LTE B26 5M Ch26765 1RB0 QPSK

H




Site : 03CH11-HY

Condition: -13 3m 9120D_01620_240828 Horizontal

: LTE Band 26 5M Ch26765 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1638.68	-64.08	RMS	25.33	-28.45	0.49	-95.23	33.78	-13.00	-51.08	Horizontal
2	2458.02	-45.39	RMS	27.60	-26.42	0.42	-95.23	48.24	-13.00	-32.39	Horizontal
3	3277.36	-57.86	RMS	29.65	-25.14	0.44	-95.23	32.42	-13.00	-44.86	Horizontal
4	4096.70	-49.20	RMS	31.00	-23.72	0.36	-95.23	38.39	-13.00	-36.20	Horizontal



Site : 03CH11-HY

Condition: -13 3m 9120D_01620_240828 Vertical

: LTE Band 26 5M Ch26765 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1638.68	-64.03	RMS	25.33	-28.45	0.49	-95.23	33.83	-13.00	-51.03	Vertical
2	2458.02	-46.84	RMS	27.60	-26.42	0.42	-95.23	46.79	-13.00	-33.84	Vertical
3	3277.36	-58.51	RMS	29.65	-25.14	0.44	-95.23	31.77	-13.00	-45.51	Vertical
4	4096.70	-51.16	RMS	31.00	-23.72	0.36	-95.23	36.43	-13.00	-38.16	Vertical




TX0


Part 90S Mode 3

LTE B26 15M Ch26790 1RB0 QPSK

M



	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm				dB/m	dB	dB	dB	dB	dB
1	1619.68	-63.61	RMS	25.49	-28.51	0.50	-95.23	34.14	-13.00	-50.61	Horizontal
2	2429.52	-46.05	RMS	27.60	-26.48	0.42	-95.23	47.64	-13.00	-33.05	Horizontal
3	3239.36	-58.40	RMS	29.72	-25.20	0.45	-95.23	31.86	-13.00	-45.40	Horizontal



	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm				dB/m	dB	dB	dB	dB	dB
1	1619.68	-63.70	RMS	25.49	-28.51	0.50	-95.23	34.05	-13.00	-50.70	Vertical
2	2429.52	-47.84	RMS	27.60	-26.48	0.42	-95.23	45.85	-13.00	-34.84	Vertical
3	3239.36	-58.37	RMS	29.72	-25.20	0.45	-95.23	31.89	-13.00	-45.37	Vertical




TX1

Part 90S Mode 2


LTE B26 5M Ch26715 1RB0 QPSK

L



Site : 03CH11-HY
Condition: -13 3m 9120D_01620_240828 Horizontal
: LTE Band 26 5M Ch26715 1RB0 QPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin g	Limit	Margin	Pol
				Factor	1						
1	1624.00	-63.70	RMS	25.50	-28.49	0.50	-95.23	34.02	-13.00	-50.70	Horizontal
2	2440.00	-60.47	RMS	27.60	-26.46	0.42	-95.23	33.20	-13.00	-47.47	Horizontal
3	3256.00	-57.45	RMS	29.69	-25.18	0.45	-95.23	32.82	-13.00	-44.45	Horizontal
4	4072.00	-45.30	RMS	31.00	-23.78	0.34	-95.23	42.37	-13.00	-32.30	Horizontal



Site : 03CH11-HY
Condition: -13 3m 9120D_01620_240828 Vertical
: LTE Band 26 5M Ch26715 1RB0 QPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin g	Limit	Margin	Pol
				Factor	1						
1	1624.00	-63.56	RMS	25.50	-28.49	0.50	-95.23	34.16	-13.00	-50.56	Vertical
2	2440.00	-60.74	RMS	27.60	-26.46	0.42	-95.23	32.93	-13.00	-47.74	Vertical
3	3256.00	-58.21	RMS	29.69	-25.18	0.45	-95.23	32.06	-13.00	-45.21	Vertical
4	4072.00	-49.28	RMS	31.00	-23.78	0.34	-95.23	38.39	-13.00	-36.28	Vertical




TX1

Part 90S Mode 2

LTE B26 5M Ch26740 1RB0 QPSK

M




Site : 03CH11-HY

Condition: -13 3m 9120D_01620_240828 Horizontal

: LTE Band 26 5M Ch26740 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm									
1	1632.00	-63.90	RMS	25.46	-28.47	0.49	-95.23	33.85	-13.00	-50.90	Horizontal
2	2452.00	-61.00	RMS	27.60	-26.43	0.42	-95.23	32.64	-13.00	-48.00	Horizontal
3	3272.00	-58.08	RMS	29.66	-25.15	0.44	-95.23	32.20	-13.00	-45.08	Horizontal
4	4088.00	-48.33	RMS	31.00	-23.74	0.36	-95.23	39.28	-13.00	-35.33	Horizontal



Site : 03CH11-HY

Condition: -13 3m 9120D_01620_240828 Vertical

: LTE Band 26 5M Ch26740 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm									
1	1632.00	-63.66	RMS	25.46	-28.47	0.49	-95.23	34.09	-13.00	-50.66	Vertical
2	2452.00	-60.91	RMS	27.60	-26.43	0.42	-95.23	32.73	-13.00	-47.91	Vertical
3	3272.00	-58.01	RMS	29.66	-25.15	0.44	-95.23	32.27	-13.00	-45.01	Vertical
4	4088.00	-50.33	RMS	31.00	-23.74	0.36	-95.23	37.28	-13.00	-37.33	Vertical




TX1

Part 90S Mode 2


LTE B26 5M Ch26765 1RB0 QPSK

H



Site : 03CH11-HY
Condition: -13 3m 9120D_01620_240828 Horizontal
: LTE Band 26 5M Ch26765 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1640.00	-63.79	RMS	25.30	-28.45	0.49	-95.23	34.10	-13.00	-50.79	Horizontal
2	2464.00	-60.73	RMS	27.64	-26.41	0.41	-95.23	32.86	-13.00	-47.73	Horizontal
3	3280.00	-57.91	RMS	29.64	-25.14	0.44	-95.23	32.38	-13.00	-44.91	Horizontal
4	4104.00	-46.55	RMS	31.02	-23.70	0.37	-95.23	40.99	-13.00	-33.55	Horizontal



Site : 03CH11-HY
Condition: -13 3m 9120D_01620_240828 Vertical
: LTE Band 26 5M Ch26765 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1640.00	-64.03	RMS	25.30	-28.45	0.49	-95.23	33.86	-13.00	-51.03	Vertical
2	2464.00	-60.79	RMS	27.64	-26.41	0.41	-95.23	32.80	-13.00	-47.79	Vertical
3	3280.00	-58.20	RMS	29.64	-25.14	0.44	-95.23	32.09	-13.00	-45.20	Vertical
4	4104.00	-52.56	RMS	31.02	-23.70	0.37	-95.23	34.98	-13.00	-39.56	Vertical




TX1

Part 90S Mode 4


LTE B26 15M Ch26790 1RB0 QPSK

M



Site : 03CH11-HY
Condition: -13 3m 9120D_01620_240828 Horizontal
: LTE Band 26 15M Ch26790 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm									
1	1632.00	-63.80	RMS	25.46	-28.47	0.49	-95.23	33.95	-13.00	-50.80	Horizontal
2	2456.00	-60.43	RMS	27.60	-26.43	0.42	-95.23	33.21	-13.00	-47.43	Horizontal
3	3272.00	-57.87	RMS	29.66	-25.15	0.44	-95.23	32.41	-13.00	-44.87	Horizontal
4	4088.00	-46.14	RMS	31.00	-23.74	0.36	-95.23	41.47	-13.00	-33.14	Horizontal



Site : 03CH11-HY
Condition: -13 3m 9120D_01620_240828 Vertical
: LTE Band 26 15M Ch26790 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm									
1	1632.00	-63.64	RMS	25.46	-28.47	0.49	-95.23	34.11	-13.00	-50.64	Vertical
2	2456.00	-60.84	RMS	27.60	-26.43	0.42	-95.23	32.80	-13.00	-47.84	Vertical
3	3272.00	-57.51	RMS	29.66	-25.15	0.44	-95.23	32.77	-13.00	-44.51	Vertical
4	4088.00	-49.99	RMS	31.00	-23.74	0.36	-95.23	37.62	-13.00	-36.99	Vertical




TX0

Part 27M Mode 1


LTE B7 10M Ch21400 1RB0 QPSK

H



Site : 03CH11-HY
Condition: -25 3m 9120D_01620_240828 Horizontal
: LTE Band 7 10M Ch21400 1RB0 QPSK
: #1 is fundamental signal which can be ignored.

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dBuV	dBm	dB	
1	2562.00	22.84	RMS	28.10	7.02	0.00	-95.23	82.95	-25.00	47.84 Horizontal



Site : 03CH11-HY
Condition: -25 3m 9120D_01620_240828 Vertical
: LTE Band 7 10M Ch21400 1RB0 QPSK
: #1 is fundamental signal which can be ignored.

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dBuV	dBm	dB	
1	2562.00	22.99	RMS	28.10	7.02	0.00	-95.23	83.10	-25.00	47.99 Vertical

Remark: #1 is fundamental signal which can be ignored.




Tx0

Part 27D Mode 1

LTE B30 5M Ch27685 1RB0 QPSK

L




Site : 03CH21-HY

Condition: -40 1m BBHA9170_1223_240624 Horizontal

: LTE Band 30 5M Ch27685 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	4611.00	-59.96	RMS	31.74	-21.68	0.30	-95.23	24.91	-40.00	-19.96
2	6916.00	-53.41	RMS	36.30	-20.93	0.34	-95.23	26.11	-40.00	-13.41
3	9221.00	-55.48	RMS	36.96	-21.12	0.23	-95.23	23.68	-40.00	-15.48



Site : 03CH21-HY

Condition: -40 1m BBHA9170_1223_240624 Vertical

: LTE Band 30 5M Ch27685 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	4611.00	-59.83	RMS	31.74	-21.68	0.30	-95.23	25.04	-40.00	-19.83
2	6916.00	-52.90	RMS	36.30	-20.93	0.34	-95.23	26.62	-40.00	-12.90
3	9221.00	-55.87	RMS	36.96	-21.12	0.23	-95.23	23.29	-40.00	-15.87




Tx0

Part 27D Mode 1

LTE B30 5M Ch27710 1RB0 QPSK

M




Site : 03CH21-HY

Condition: -40 1m BBHA9170_1223_240624 Horizontal

: LTE Band 30 5M Ch27710 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1		g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	4616.00	-59.71	RMS	31.76	-21.68	0.30	-95.23	25.14	-40.00	-19.71
2	6924.00	-53.64	RMS	36.30	-20.93	0.34	-95.23	25.88	-40.00	-13.64
3	9231.00	-55.71	RMS	36.94	-21.12	0.22	-95.23	23.48	-40.00	-15.71



Site : 03CH21-HY

Condition: -40 1m BBHA9170_1223_240624 Vertical

: LTE Band 30 5M Ch27710 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1		g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	4616.00	-59.80	RMS	31.76	-21.68	0.30	-95.23	25.05	-40.00	-19.80
2	6924.00	-53.32	RMS	36.30	-20.93	0.34	-95.23	26.20	-40.00	-13.32
3	9231.00	-55.64	RMS	36.94	-21.12	0.22	-95.23	23.55	-40.00	-15.64




Tx0

Part 27D Mode 1

LTE B30 5M Ch27735 1RB0 QPSK

H




Site : 03CH21-HY

Condition: -40 1m BBHA9170_1223_240624 Horizontal

: LTE Band 30 5M Ch27735 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	4621.00	-60.07	RMS	31.78	-21.67	0.30	-95.23	24.75	-40.00	-20.07
2	6931.00	-53.35	RMS	36.30	-20.93	0.35	-95.23	26.16	-40.00	-13.35
3	9241.00	-55.20	RMS	36.92	-21.11	0.21	-95.23	24.01	-40.00	-15.20



Site : 03CH21-HY

Condition: -40 1m BBHA9170_1223_240624 Vertical

: LTE Band 30 5M Ch27735 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	4621.00	-60.04	RMS	31.78	-21.67	0.30	-95.23	24.78	-40.00	-20.04
2	6931.00	-52.33	RMS	36.30	-20.93	0.35	-95.23	27.18	-40.00	-12.33
3	9241.00	-55.83	RMS	36.92	-21.11	0.21	-95.23	23.38	-40.00	-15.83




Tx0

Part 27D Mode 2

LTE B30 10M Ch27710 1RB0 QPSK

M




Site : 03CH21-HY

Condition: -40 1m BBHA9170_1223_240624 Horizontal

: LTE Band 30 10M Ch27710 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	4611.00	-59.68	RMS	31.74	-21.68	0.30	-95.23	25.19	-40.00	-19.68
2	6917.00	-56.25	RMS	36.30	-20.93	0.34	-95.23	23.27	-40.00	-16.25
3	9222.00	-55.66	RMS	36.96	-21.12	0.23	-95.23	23.50	-40.00	-15.66



Site : 03CH21-HY

Condition: -40 1m BBHA9170_1223_240624 Vertical

: LTE Band 30 10M Ch27710 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	4611.00	-59.88	RMS	31.74	-21.68	0.30	-95.23	24.99	-40.00	-19.88
2	6917.00	-55.17	RMS	36.30	-20.93	0.34	-95.23	24.35	-40.00	-15.17
3	9222.00	-55.62	RMS	36.96	-21.12	0.23	-95.23	23.54	-40.00	-15.62




Tx1

Part 27D Mode 3

LTE B30 5M Ch27685 1RB0 QPSK

L




Site : 03CH21-HY

Condition: -40 1m BBHA9170_1223_240624 Horizontal

: LTE Band 30 5M Ch27685 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	4611.00	-60.32	RMS	31.74	-21.68	0.30	-95.23	24.55	-40.00	-20.32
2	6916.00	-52.51	RMS	36.30	-20.93	0.34	-95.23	27.01	-40.00	-12.51
3	9221.00	-55.88	RMS	36.96	-21.12	0.23	-95.23	23.28	-40.00	-15.88



Site : 03CH21-HY

Condition: -40 1m BBHA9170_1223_240624 Vertical

: LTE Band 30 5M Ch27685 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	4611.00	-60.23	RMS	31.74	-21.68	0.30	-95.23	24.64	-40.00	-20.23
2	6916.00	-52.45	RMS	36.30	-20.93	0.34	-95.23	27.07	-40.00	-12.45
3	9221.00	-55.56	RMS	36.96	-21.12	0.23	-95.23	23.60	-40.00	-15.56




Tx1


Part 27D Mode 3

LTE B30 5M Ch27710 1RB0 QPSK

M



	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	4616.00	-60.16	RMS	31.76	-21.68	0.30	-95.23	24.69	-40.00	-20.16
2	6924.00	-56.34	RMS	36.30	-20.93	0.34	-95.23	23.18	-40.00	-16.34
3	9231.00	-55.83	RMS	36.94	-21.12	0.22	-95.23	23.36	-40.00	-15.83



	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	4616.00	-60.00	RMS	31.76	-21.68	0.30	-95.23	24.85	-40.00	-20.00
2	6924.00	-55.17	RMS	36.30	-20.93	0.34	-95.23	24.35	-40.00	-15.17
3	9231.00	-55.80	RMS	36.94	-21.12	0.22	-95.23	23.39	-40.00	-15.80




Tx1

Part 27D Mode 3

LTE B30 5M Ch27735 1RB0 QPSK

H




Site : 03CH21-HY

Condition: -40 1m BBHA9170_1223_240624 Horizontal

: LTE Band 30 5M Ch27735 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	4621.00	-59.37	RMS	31.78	-21.67	0.30	-95.23	25.45	-40.00	-19.37
2	6931.00	-51.96	RMS	36.30	-20.93	0.35	-95.23	27.55	-40.00	-11.96
3	9241.00	-55.88	RMS	36.92	-21.11	0.21	-95.23	23.33	-40.00	-15.88



Site : 03CH21-HY

Condition: -40 1m BBHA9170_1223_240624 Vertical

: LTE Band 30 5M Ch27735 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	4621.00	-58.48	RMS	31.78	-21.67	0.30	-95.23	26.34	-40.00	-18.48
2	6931.00	-50.15	RMS	36.30	-20.93	0.35	-95.23	29.36	-40.00	-10.15
3	9241.00	-55.76	RMS	36.92	-21.11	0.21	-95.23	23.45	-40.00	-15.76




Tx1


Part 27D Mode 4

LTE B30 10M Ch27710 1RB0 QPSK

M



	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	4611.00	-60.16	RMS	31.74	-21.68	0.30	-95.23	24.71	-40.00	-20.16
2	6917.00	-53.90	RMS	36.30	-20.93	0.34	-95.23	25.62	-40.00	-13.90
3	9222.00	-55.61	RMS	36.96	-21.12	0.23	-95.23	23.55	-40.00	-15.61



	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	4611.00	-59.45	RMS	31.74	-21.68	0.30	-95.23	25.42	-40.00	-19.45
2	6917.00	-55.15	RMS	36.30	-20.93	0.34	-95.23	24.37	-40.00	-15.15
3	9222.00	-55.99	RMS	36.96	-21.12	0.23	-95.23	23.17	-40.00	-15.99




Tx1

Part 27D Mode 3


LTE B30 5M Ch27735 1RB0 QPSK

H



Site : 03CH21-HY
Condition: -40 3m LF_63303&001_241217 Horizontal
: LTE Band 30 5M Ch27735 1RB0 QPSK
: #1 is fundamental signal which can be ignored.

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	2313.00	-22.61	RMS	26.93	-24.29	0.46	-95.23	69.52	-40.00	17.39 Horizontal



Site : 03CH21-HY
Condition: -40 3m LF_63303&001_241217 Vertical
: LTE Band 30 5M Ch27735 1RB0 QPSK
: #1 is fundamental signal which can be ignored.

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	2313.00	-25.58	RMS	26.93	-24.29	0.46	-95.23	66.55	-40.00	14.42 Vertical

Remark: #1 is fundamental signal which can be ignored.

—THE END—