





EUT Mode 802.11ax HE20 52RU38

Plot on Channel 6195 MHz




Date: 7. JUN. 2024 03:13:18

Plot on Channel 6475 MHz




Date: 7. JUN. 2024 04:43:09

Plot on Channel 6695 MHz



Date: 7. JUN. 2024 05:27:19

Plot on Channel 6995 MHz




Date: 7. JUN. 2024 06:27:19




EUT Mode 802.11ax HE20 52RU40

Plot on Channel 6415 MHz




Date: 7. JUN. 2024 03:53:32

Plot on Channel 6515 MHz




Date: 7. JUN. 2024 04:59:12

Plot on Channel 6855 MHz



Date: 7. JUN. 2024 05:42:13


Plot on Channel 6875 MHz



Date: 7. JUN. 2024 06:00:52



Plot on Channel 7095 MHz




Date: 7. JUN. 2024 06:51:28



EUT Mode


802.11ax HE20 106RU53

Plot on Channel 5955 MHz




Date: 7. JUN. 2024 02:48:48

Plot on Channel 6195 MHz




Date: 7. JUN. 2024 03:27:24

Plot on Channel 6435 MHz



Date: 7. JUN. 2024 04:30:41


Plot on Channel 6475 MHz



Date: 7. JUN. 2024 04:51:06




Plot on Channel 6535 MHz




Date: 7 JUN.2024 05:15:40

Plot on Channel 6695 MHz




Date: 7 JUN.2024 05:34:58

Plot on Channel 6895 MHz



Date: 26 JUN.2024 01:33:37

Plot on Channel 6995 MHz




Date: 7 JUN.2024 06:34:07




EUT Mode 802.11ax HE20 106RU54

Plot on Channel 6415 MHz




Date: 7. JUN. 2024 04:00:23

Plot on Channel 6515 MHz




Date: 7. JUN. 2024 05:03:23

Plot on Channel 6855 MHz



Date: 7. JUN. 2024 05:45:02


Plot on Channel 6875 MHz



Date: 7. JUN. 2024 06:08:39



Plot on Channel 7095 MHz




Date: 7. JUN. 2024 06:59:28



MIMO <Ant. 4+3(4)>


EUT Mode 802.11ax HE40 Full RU

Plot on Channel 5965 MHz




Date: 6. JUN. 2024 04:27:04

Plot on Channel 6205 MHz




Date: 6. JUN. 2024 04:50:13

Plot on Channel 6405 MHz



Date: 6. JUN. 2024 05:00:06


Plot on Channel 6445 MHz



Date: 6. JUN. 2024 05:20:39




Plot on Channel 6485 MHz




Date: 6.JUN.2024 05:26:21

Plot on Channel 6525 MHz




Date: 6.JUN.2024 05:35:14

Plot on Channel 6565 MHz



Date: 6.JUN.2024 05:57:32


Plot on Channel 6685 MHz



Date: 6.JUN.2024 06:14:05




Plot on Channel 6845 MHz




Date: 6 JUN.2024 06:41:26

Plot on Channel 6885 MHz




Date: 6 JUN.2024 07:08:51

Plot on Channel 6925 MHz




Date: 26 JUN.2024 19:18:57

Plot on Channel 7005 MHz



Date: 6 JUN.2024 07:28:04

Plot on Channel 7085 MHz




Date: 6 JUN.2024 07:50:31



MIMO <Ant. 4+3(3)>


EUT Mode 802.11ax HE40 Full RU

Plot on Channel 5965 MHz




Date: 6. JUN. 2024 04:28:25

Plot on Channel 6205 MHz




Date: 6. JUN. 2024 04:51:33

Plot on Channel 6405 MHz



Date: 6. JUN. 2024 05:01:54


Plot on Channel 6445 MHz



Date: 6. JUN. 2024 05:21:55




Plot on Channel 6485 MHz




Date: 6.JUN.2024 05:28:01

Plot on Channel 6525 MHz




Date: 6.JUN.2024 05:37:07

Plot on Channel 6565 MHz



Date: 6.JUN.2024 05:58:31


Plot on Channel 6685 MHz



Date: 6.JUN.2024 06:15:26




Plot on Channel 6845 MHz




Date: 6 JUN.2024 07:03:15

Plot on Channel 6885 MHz




Date: 6 JUN.2024 07:10:13

Plot on Channel 6925 MHz




Date: 26 JUN.2024 19:20:47

Plot on Channel 7005 MHz



Date: 6 JUN.2024 07:29:11

Plot on Channel 7085 MHz




Date: 6 JUN.2024 07:52:19



MIMO <Ant. 4+3(4)>


EUT Mode 802.11ax HE80 Full RU

Plot on Channel 5985 MHz




Date: 4 JUN. 2024 03:04:05

Plot on Channel 6225 MHz




Date: 4 JUN. 2024 03:00:57

Plot on Channel 6465 MHz



Date: 4 JUN. 2024 03:14:29


Plot on Channel 6545 MHz



Date: 4 JUN. 2024 03:18:05




Plot on Channel 6625 MHz




Date: 4.JUN.2024 03:22:54

Plot on Channel 6705 MHz




Date: 4.JUN.2024 03:26:00

Plot on Channel 6785 MHz



Date: 4.JUN.2024 03:28:49

Plot on Channel 6865 MHz




Date: 4.JUN.2024 03:35:58




Plot on Channel 6945 MHz

Plot on Channel 7025 MHz



Date: 4.JUN.2024 03:41:07




Date: 4.JUN.2024 03:46:04



MIMO <Ant. 4+3(3)>


EUT Mode 802.11ax HE80 Full RU

Plot on Channel 5985 MHz




Date: 4 JUN. 2024 03:05:07

Plot on Channel 6225 MHz




Date: 4 JUN. 2024 03:02:10

Plot on Channel 6385 MHz



Date: 4 JUN. 2024 03:09:27


Plot on Channel 6465 MHz



Date: 4 JUN. 2024 03:15:40




Plot on Channel 6545 MHz




Date: 4.JUN.2024 03:19:33

Plot on Channel 6625 MHz




Date: 4.JUN.2024 03:24:03

Plot on Channel 6705 MHz



Date: 4.JUN.2024 03:27:06


Plot on Channel 6785 MHz



Date: 4.JUN.2024 03:29:58




Plot on Channel 6865 MHz




Date: 4.JUN.2024 03:36:57

Plot on Channel 6945 MHz



Date: 4.JUN.2024 03:42:08

Plot on Channel 7025 MHz



Date: 4.JUN.2024 03:48:21




Appendix B. AC Conducted Emission Test Results

Test Engineer :	Calvin Wang	Temperature :	23~26°C
		Relative Humidity :	45~55%

EUT Information

Report NO : 451606
 Test Mode : Mode 1
 Test Voltage : 120Vac/60Hz
 Phase : Line

Full Spectrum




Final Result

Frequency (MHz)	QuasiPeak (dBuV)	CAverage (dBuV)	Limit (dBuV)	Margin (dB)	Line	Filter	Corr. (dB)
0.152250	---	37.29	55.88	18.59	L1	OFF	19.8
0.152250	52.28	---	65.88	13.60	L1	OFF	19.8
0.170250	---	34.30	54.95	20.65	L1	OFF	19.8
0.170250	48.97	---	64.95	15.98	L1	OFF	19.8
0.181500	---	30.59	54.42	23.83	L1	OFF	19.8
0.181500	45.58	---	64.42	18.84	L1	OFF	19.8
0.228750	---	28.87	52.50	23.63	L1	OFF	19.8
0.228750	40.35	---	62.50	22.15	L1	OFF	19.8
0.534750	---	25.78	46.00	20.22	L1	OFF	19.8
0.534750	28.82	---	56.00	27.18	L1	OFF	19.8
1.731750	---	25.01	46.00	20.99	L1	OFF	19.9
1.731750	27.28	---	56.00	28.72	L1	OFF	19.9
9.327750	---	26.62	50.00	23.38	L1	OFF	20.2
9.327750	28.39	---	60.00	31.61	L1	OFF	20.2

EUT Information

Report NO : 451606
 Test Mode : Mode 1
 Test Voltage : 120Vac/60Hz
 Phase : Neutral

Full Spectrum



Final Result

Frequency (MHz)	QuasiPeak (dBuV)	CAverage (dBuV)	Limit (dBuV)	Margin (dB)	Line	Filter	Corr. (dB)
0.152250	---	34.34	55.88	21.54	N	OFF	19.8
0.152250	51.28	---	65.88	14.60	N	OFF	19.8
0.172500	---	35.65	54.84	19.19	N	OFF	19.8
0.172500	49.89	---	64.84	14.95	N	OFF	19.8
0.231000	---	26.62	52.41	25.79	N	OFF	19.8
0.231000	38.07	---	62.41	24.34	N	OFF	19.8
0.260250	---	27.40	51.42	24.02	N	OFF	19.8
0.260250	36.21	---	61.42	25.21	N	OFF	19.8
0.539250	---	25.86	46.00	20.14	N	OFF	19.8
0.539250	30.03	---	56.00	25.97	N	OFF	19.8
9.692250	---	26.54	50.00	23.46	N	OFF	20.3
9.692250	28.38	---	60.00	31.62	N	OFF	20.3



Appendix C. Radiated Spurious Emission Test Data

Test Engineer :	Ken Kuo, Tim Lee and Wilson Wu	Temperature :	21.7~23.5°C
		Relative Humidity :	55.2~62.4%

C1. Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	U-NII-5	5.945~6.425	4+3	802.11a	1	5955	6Mbps	-	-
Mode 2	U-NII-5	5.945~6.425	4+3	802.11ax HE20	1	5955	MCS0	-	-
Mode 3	U-NII-5	5.945~6.425	4+3	802.11ax HE40	3	5965	MCS0	-	-
Mode 4	U-NII-5	5.945~6.425	4+3	802.11ax HE80	7	5985	MCS0	-	-
Mode 5	U-NII-5	5.945~6.425	4+3	802.11ax HE80	55	6225	MCS0	-	-
Mode 6	U-NII-5	5.945~6.425	4+3	802.11ax HE80	87	6385	MCS0	-	-
Mode 7	U-NII-6	6.425~6.525	4+3	802.11ax HE80	103	6465	MCS0	-	-
Mode 8	U-NII-6	6.425~6.525	4+3	802.11ax HE80	119	6545	MCS0	-	-
Mode 9	U-NII-7	6.525~6.875	4+3	802.11ax HE80	135	6625	MCS0	-	-
Mode 10	U-NII-7	6.525~6.875	4+3	802.11ax HE80	151	6705	MCS0	-	-
Mode 11	U-NII-7	6.525~6.875	4+3	802.11ax HE80	167	6785	MCS0	-	-
Mode 12	U-NII-8	6.875~7.125	4+3	802.11a	229	7095	6Mbps	-	-
Mode 13	U-NII-8	6.875~7.125	4+3	802.11ax HE20	229	7095	MCS0	-	-
Mode 14	U-NII-8	6.875~7.125	4+3	802.11ax HE40	227	7085	MCS0	-	-
Mode 15	U-NII-8	6.875~7.125	4+3	802.11ax HE80	183	6865	MCS0	-	-
Mode 16	U-NII-8	6.875~7.125	4+3	802.11ax HE80	199	6945	MCS0	-	-
Mode 17	U-NII-8	6.875~7.125	4+3	802.11ax HE80	215	7025	MCS0	-	-
Mode 18	U-NII-5	5.945~6.425	4+3	802.11ax HE80	7	5985	MCS0	-	LF
Mode 19	U-NII-5	5.945~6.425	4+3	802.11ax HE80	7	5985	MCS0	-	SHF
Mode 20	U-NII-5	5.945~6.425	4+3	802.11ax HE20	1	5955	MCS0	Partial 26/0	-
Mode 21	U-NII-5	5.945~6.425	4+3	802.11ax HE20	1	5955	MCS0	Partial 52/37	-
Mode 22	U-NII-5	5.945~6.425	4+3	802.11ax HE20	1	5955	MCS0	Partial 106/53	-
Mode 23	U-NII-8	6.875~7.125	4+3	802.11ax HE20	229	7095	MCS0	Partial 26/8	-
Mode 24	U-NII-8	6.875~7.125	4+3	802.11ax HE20	229	7095	MCS0	Partial 52/40	-
Mode 25	U-NII-8	6.875~7.125	4+3	802.11ax HE20	229	7095	MCS0	Partial 106/54	-







C2. Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
1	802.11a	1	5924.71	47.03	68.20	-21.17	H	Avg.	Pass	-	Band Edge
	802.11a	1	-	-	-	-	-	-	-	-	Harmonic
2	802.11ax HE20	1	5923.67	47.10	68.20	-21.10	H	Avg.	Pass	-	Band Edge
	802.11ax HE20	1	-	-	-	-	-	-	-	-	Harmonic
3	802.11ax HE40	3	5924.82	53.43	68.20	-14.77	V	Avg.	Pass	-	Band Edge
	802.11ax HE40	3	-	-	-	-	-	-	-	-	Harmonic
4	802.11ax HE80	7	5924.20	65.13	68.20	-3.07	V	Avg.	Pass	-	Band Edge
	802.11ax HE80	7	17955.00	49.24	54.00	-4.76	H	Avg.	Pass	-	Harmonic
5	802.11ax HE80	55	-	-	-	-	-	-	-	-	Band Edge
	802.11ax HE80	55	12450.00	46.26	54.00	-7.74	V	Avg.	Pass	-	Harmonic
6	802.11ax HE80	87	-	-	-	-	-	-	-	-	Band Edge
	802.11ax HE80	87	12770.00	54.26	88.20	-33.94	V	Peak	Pass	-	Harmonic
7	802.11ax HE80	103	-	-	-	-	-	-	-	-	Band Edge
	802.11ax HE80	103	12930.00	54.76	88.20	-33.44	V	Peak	Pass	-	Harmonic
8	802.11ax HE80	119	-	-	-	-	-	-	-	-	Band Edge
	802.11ax HE80	119	13090.00	54.83	88.20	-33.37	H	Peak	Pass	-	Harmonic
9	802.11ax HE80	135	-	-	-	-	-	-	-	-	Band Edge
	802.11ax HE80	135	13250.00	46.27	54.00	-7.73	H	Avg.	Pass	-	Harmonic
10	802.11ax HE80	151	-	-	-	-	-	-	-	-	Band Edge
	802.11ax HE80	151	13410.00	54.91	88.20	-33.29	V	Peak	Pass	-	Harmonic
11	802.11ax HE80	167	-	-	-	-	-	-	-	-	Band Edge
	802.11ax HE80	167	13570.00	55.30	88.20	-32.90	V	Peak	Pass	-	Harmonic
12	802.11a	229	7242.21	51.18	68.20	-17.02	H	Avg.	Pass	-	Band Edge
	802.11a	229	-	-	-	-	-	-	-	-	Harmonic
13	802.11ax HE20	229	7189.36	51.26	68.20	-16.94	V	Avg.	Pass	-	Band Edge
	802.11ax HE20	229	-	-	-	-	-	-	-	-	Harmonic
14	802.11ax HE40	227	7126.28	56.89	68.20	-11.31	H	Avg.	Pass	-	Band Edge
	802.11ax HE40	227	-	-	-	-	-	-	-	-	Harmonic
15	802.11ax HE80	183	-	-	-	-	-	-	-	-	Band Edge
	802.11ax HE80	183	13730.00	54.28	88.20	-33.92	H	Peak	Pass	-	Harmonic



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
16	802.11ax HE80	199	-	-	-	-	-	-	-	-	Band Edge
	802.11ax HE80	199	13890.00	54.38	88.20	-33.82	H	Peak	Pass	-	Harmonic
17	802.11ax HE80	215	7125.98	58.41	68.20	-9.79	H	Avg.	Pass	-	Band Edge
	802.11ax HE80	215	14050.00	54.56	88.20	-33.64	H	Peak	Pass	-	Harmonic
18	LF	7	715.79	39.08	46.00	-6.92	H	Peak	Pass	-	LF
19	SHF	7	-	-	-	-	-	-	-	-	SHF
20	802.11ax HE20	1	5869.20	46.33	68.20	-21.87	H	Avg.	Pass	Partial 26/0	Band Edge
	802.11ax HE20	1	-	-	-	-	-	-	-	Partial 26/0	Harmonic
21	802.11ax HE20	1	5896.24	46.41	68.20	-21.79	H	Avg.	Pass	Partial 52/37	Band Edge
	802.11ax HE20	1	-	-	-	-	-	-	-	Partial 52/37	Harmonic
22	802.11ax HE20	1	5916.91	46.35	68.20	-21.85	V	Avg.	Pass	Partial 106/53	Band Edge
	802.11ax HE20	1	-	-	-	-	-	-	-	Partial 106/53	Harmonic
23	802.11ax HE20	229	7231.52	51.39	68.20	-16.81	H	Avg.	Pass	Partial 26/8	Band Edge
	802.11ax HE20	229	-	-	-	-	-	-	-	Partial 26/8	Harmonic
24	802.11ax HE20	229	7230.59	51.33	68.20	-16.87	V	Avg.	Pass	Partial 52/40	Band Edge
	802.11ax HE20	229	-	-	-	-	-	-	-	Partial 52/40	Harmonic
25	802.11ax HE20	229	7146.73	51.49	68.20	-16.71	H	Avg.	Pass	Partial 106/54	Band Edge
	802.11ax HE20	229	-	-	-	-	-	-	-	Partial 106/54	Harmonic







Mode	1																																																																																	
	Band Edge																																																																																	
	U-NII-5_5.945~6.425_802.11a_CH1_5955MHz																																																																																	
ANT	4+3																																																																																	
Pol.	Horizontal	Fundamental																																																																																
Peak	 <p>Site : 03CH12-HY Condition: PEAK_BE(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5923.93</td> <td>60.58</td> <td>88.20</td> <td>-27.62</td> <td>48.31</td> <td>34.30</td> <td>11.56</td> <td>33.59</td> <td>0.00</td> <td>100</td> <td>266</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5923.93	60.58	88.20	-27.62	48.31	34.30	11.56	33.59	0.00	100	266	PEAK	 <p>Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5955.00</td> <td>105.24</td> <td>-----</td> <td>-----</td> <td>92.91</td> <td>34.29</td> <td>11.66</td> <td>33.62</td> <td>0.00</td> <td>100</td> <td>266</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5955.00	105.24	-----	-----	92.91	34.29	11.66	33.62	0.00	100	266	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	5923.93	60.58	88.20	-27.62	48.31	34.30	11.56	33.59	0.00	100	266	PEAK																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	5955.00	105.24	-----	-----	92.91	34.29	11.66	33.62	0.00	100	266	PEAK																																																																						
Avg	 <p>Site : 03CH12-HY Condition: AVG_BE(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz SWT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5924.71</td> <td>47.03</td> <td>68.20</td> <td>-21.17</td> <td>34.75</td> <td>34.30</td> <td>11.57</td> <td>33.59</td> <td>0.00</td> <td>100</td> <td>266</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5924.71	47.03	68.20	-21.17	34.75	34.30	11.57	33.59	0.00	100	266	AVERAGE	 <p>Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz SWT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5955.00</td> <td>98.42</td> <td>-----</td> <td>-----</td> <td>86.09</td> <td>34.29</td> <td>11.66</td> <td>33.62</td> <td>0.00</td> <td>100</td> <td>266</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5955.00	98.42	-----	-----	86.09	34.29	11.66	33.62	0.00	100	266	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	5924.71	47.03	68.20	-21.17	34.75	34.30	11.57	33.59	0.00	100	266	AVERAGE																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	5955.00	98.42	-----	-----	86.09	34.29	11.66	33.62	0.00	100	266	AVERAGE																																																																						



		1																																																																								
Mode	Band Edge																																																																									
	U-NII-5_5.945~6.425_802.11a_CH1_5955MHz																																																																									
ANT	4+3																																																																									
Pol.	Vertical	Fundamental																																																																								
Peak	<p>Site : 03CH12-HY Condition: PEAK_BE(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m dB</th> <th>dBuV dB/m dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5899.49 56.08 88.20 -32.12</td> <td>43.87 34.30 11.48</td> <td>33.57</td> <td>0.00</td> <td>300</td> <td>64</td> <td>PEAK</td> <td></td> <td></td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor				MHz dBuV/m dBuV/m dB	dBuV dB/m dB	dB	dB	dB	dB	cm	deg		1 5899.49 56.08 88.20 -32.12	43.87 34.30 11.48	33.57	0.00	300	64	PEAK			<p>Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m dB</th> <th>dBuV dB/m dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5955.00 90.62</td> <td>78.29 34.29 11.66 33.62</td> <td>0.00</td> <td>300</td> <td>64</td> <td>PEAK</td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor				MHz dBuV/m dBuV/m dB	dBuV dB/m dB	dB	dB	dB	dB	cm	deg		1 5955.00 90.62	78.29 34.29 11.66 33.62	0.00	300	64	PEAK			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																	
Freq Level Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor																																																																					
MHz dBuV/m dBuV/m dB	dBuV dB/m dB	dB	dB	dB	dB	cm	deg																																																																			
1 5899.49 56.08 88.20 -32.12	43.87 34.30 11.48	33.57	0.00	300	64	PEAK																																																																				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq Level Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor																																																																					
MHz dBuV/m dBuV/m dB	dBuV dB/m dB	dB	dB	dB	dB	cm	deg																																																																			
1 5955.00 90.62	78.29 34.29 11.66 33.62	0.00	300	64	PEAK																																																																					
Avg	<p>Site : 03CH12-HY Condition: AVG_BE(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:1.000kHz SWT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m dB</th> <th>dBuV dB/m dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5911.97 46.42 68.20 -21.78</td> <td>34.18 34.30 11.52 33.58</td> <td>0.00</td> <td>300</td> <td>64</td> <td>AVERAGE</td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor				MHz dBuV/m dBuV/m dB	dBuV dB/m dB	dB	dB	dB	dB	cm	deg		1 5911.97 46.42 68.20 -21.78	34.18 34.30 11.52 33.58	0.00	300	64	AVERAGE				<p>Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:1.000kHz SWT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m dB</th> <th>dBuV dB/m dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5955.00 83.94</td> <td>71.61 34.29 11.66 33.62</td> <td>0.00</td> <td>300</td> <td>64</td> <td>AVERAGE</td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor				MHz dBuV/m dBuV/m dB	dBuV dB/m dB	dB	dB	dB	dB	cm	deg		1 5955.00 83.94	71.61 34.29 11.66 33.62	0.00	300	64	AVERAGE			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																	
Freq Level Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor																																																																					
MHz dBuV/m dBuV/m dB	dBuV dB/m dB	dB	dB	dB	dB	cm	deg																																																																			
1 5911.97 46.42 68.20 -21.78	34.18 34.30 11.52 33.58	0.00	300	64	AVERAGE																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq Level Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor																																																																					
MHz dBuV/m dBuV/m dB	dBuV dB/m dB	dB	dB	dB	dB	cm	deg																																																																			
1 5955.00 83.94	71.61 34.29 11.66 33.62	0.00	300	64	AVERAGE																																																																					







		2																																																																								
Mode	Band Edge																																																																									
	U-NII-5_5.945-6.425_802.11ax HE20_CH1_5955MHz																																																																									
ANT	4+3																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	 <p>Site : 03CH12-HY Condition: PEAK_BE(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line Margin</th> <th>Level Factor</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz dBuV/m dB</th> <th>dBuV/m dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5924.84 60.62 88.20 -27.58</td> <td>48.34</td> <td>34.30</td> <td>11.57</td> <td>33.59</td> <td>0.00</td> <td>112</td> <td>265</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin	Level Factor	Level Factor	Loss Factor	Factor	Factor	Factor	Factor		MHz dBuV/m dB	dBuV/m dB	dB	dB	dB	dB	dB	cm deg		1 5924.84 60.62 88.20 -27.58	48.34	34.30	11.57	33.59	0.00	112	265	PEAK	 <p>Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz dBuV/m dB</th> <th>dBuV/m dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5955.00 105.05</td> <td>92.72</td> <td>34.29</td> <td>11.66</td> <td>33.62</td> <td>0.00</td> <td>112</td> <td>265</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Factor		MHz dBuV/m dB	dBuV/m dB	dB	dB	dB	dB	dB	cm deg		1 5955.00 105.05	92.72	34.29	11.66	33.62	0.00	112	265	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																	
Freq Level Line Margin	Level Factor	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																			
MHz dBuV/m dB	dBuV/m dB	dB	dB	dB	dB	dB	cm deg																																																																			
1 5924.84 60.62 88.20 -27.58	48.34	34.30	11.57	33.59	0.00	112	265	PEAK																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq Level Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Factor																																																																			
MHz dBuV/m dB	dBuV/m dB	dB	dB	dB	dB	dB	cm deg																																																																			
1 5955.00 105.05	92.72	34.29	11.66	33.62	0.00	112	265	PEAK																																																																		
Avg	 <p>Site : 03CH12-HY Condition: AVG_BE(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz SWT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line Margin</th> <th>Level Factor</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz dBuV/m dB</th> <th>dBuV/m dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5923.67 47.10 68.20 -21.10</td> <td>34.63</td> <td>34.30</td> <td>11.56</td> <td>33.59</td> <td>0.00</td> <td>112</td> <td>265</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin	Level Factor	Level Factor	Loss Factor	Factor	Factor	Factor	Factor		MHz dBuV/m dB	dBuV/m dB	dB	dB	dB	dB	dB	cm deg		1 5923.67 47.10 68.20 -21.10	34.63	34.30	11.56	33.59	0.00	112	265	AVERAGE	 <p>Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz SWT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz dBuV/m dB</th> <th>dBuV/m dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5955.00 97.75</td> <td>85.42</td> <td>34.29</td> <td>11.66</td> <td>33.62</td> <td>0.00</td> <td>112</td> <td>265</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Factor		MHz dBuV/m dB	dBuV/m dB	dB	dB	dB	dB	dB	cm deg		1 5955.00 97.75	85.42	34.29	11.66	33.62	0.00	112	265	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																	
Freq Level Line Margin	Level Factor	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																			
MHz dBuV/m dB	dBuV/m dB	dB	dB	dB	dB	dB	cm deg																																																																			
1 5923.67 47.10 68.20 -21.10	34.63	34.30	11.56	33.59	0.00	112	265	AVERAGE																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq Level Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Factor																																																																			
MHz dBuV/m dB	dBuV/m dB	dB	dB	dB	dB	dB	cm deg																																																																			
1 5955.00 97.75	85.42	34.29	11.66	33.62	0.00	112	265	AVERAGE																																																																		



Mode	2																																																																									
	Band Edge																																																																									
	U-NII-5_5.945-6.425_802.11ax HE20_CH1_5955MHz																																																																									
ANT	4+3																																																																									
Pol.	Vertical	Fundamental																																																																								
Peak	<p>Site : 03CH12-HY Condition: PEAK_BE(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line Margin Level Factor Loss Factor Factor</th> <th>Level</th> <th>Level</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg</th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5895.59 56.37 88.20 -31.83 44.19 34.28 11.47 33.57 0.00 316 0</td> <td>PEAK</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor	Level	Level	Loss	Factor	Factor	Factor	Factor		MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg									1 5895.59 56.37 88.20 -31.83 44.19 34.28 11.47 33.57 0.00 316 0	PEAK								<p>Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line Margin Level Factor Loss Factor Factor</th> <th>Level</th> <th>Level</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg</th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5955.00 101.34 ----- 89.01 34.28 11.68 33.63 0.00 316 0</td> <td>PEAK</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor	Level	Level	Loss	Factor	Factor	Factor	Factor		MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg									1 5955.00 101.34 ----- 89.01 34.28 11.68 33.63 0.00 316 0	PEAK							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq Level Line Margin Level Factor Loss Factor Factor	Level	Level	Loss	Factor	Factor	Factor	Factor																																																																			
MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg																																																																										
1 5895.59 56.37 88.20 -31.83 44.19 34.28 11.47 33.57 0.00 316 0	PEAK																																																																									
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq Level Line Margin Level Factor Loss Factor Factor	Level	Level	Loss	Factor	Factor	Factor	Factor																																																																			
MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg																																																																										
1 5955.00 101.34 ----- 89.01 34.28 11.68 33.63 0.00 316 0	PEAK																																																																									
Avg	<p>Site : 03CH12-HY Condition: AVG_BE(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:1.000kHz SWT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line Margin Level Factor Loss Factor Factor</th> <th>Level</th> <th>Level</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg</th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5920.03 46.58 68.20 -21.62 34.32 34.30 11.55 33.59 0.00 316 0</td> <td>AVERAGE</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor	Level	Level	Loss	Factor	Factor	Factor	Factor		MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg									1 5920.03 46.58 68.20 -21.62 34.32 34.30 11.55 33.59 0.00 316 0	AVERAGE								<p>Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:1.000kHz SWT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line Margin Level Factor Loss Factor Factor</th> <th>Level</th> <th>Level</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg</th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5955.00 94.31 ----- 81.98 34.28 11.68 33.63 0.00 316 0</td> <td>AVERAGE</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor	Level	Level	Loss	Factor	Factor	Factor	Factor		MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg									1 5955.00 94.31 ----- 81.98 34.28 11.68 33.63 0.00 316 0	AVERAGE							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq Level Line Margin Level Factor Loss Factor Factor	Level	Level	Loss	Factor	Factor	Factor	Factor																																																																			
MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg																																																																										
1 5920.03 46.58 68.20 -21.62 34.32 34.30 11.55 33.59 0.00 316 0	AVERAGE																																																																									
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq Level Line Margin Level Factor Loss Factor Factor	Level	Level	Loss	Factor	Factor	Factor	Factor																																																																			
MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg																																																																										
1 5955.00 94.31 ----- 81.98 34.28 11.68 33.63 0.00 316 0	AVERAGE																																																																									







Mode	3																																																																															
	Band Edge																																																																															
	U-NII-5_5.945-6.425_802.11ax HE40_CH3_5965MHz																																																																															
ANT	4+3																																																																															
Pol.	Horizontal	Fundamental																																																																														
Peak	 <p>Site : 03CH12-HY Condition: PEAK_BE(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5923.56</td> <td>65.23</td> <td>88.20</td> <td>-22.97</td> <td>52.96</td> <td>34.30</td> <td>11.56</td> <td>33.59</td> <td>0.00</td> <td>100</td> <td>262</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 5923.56	65.23	88.20	-22.97	52.96	34.30	11.56	33.59	0.00	100	262	PEAK	 <p>Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5965.00</td> <td>106.53</td> <td>-----</td> <td>-----</td> <td>94.20</td> <td>34.27</td> <td>11.70</td> <td>33.64</td> <td>0.00</td> <td>100</td> <td>262</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 5965.00	106.53	-----	-----	94.20	34.27	11.70	33.64	0.00	100	262	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																								
1 5923.56	65.23	88.20	-22.97	52.96	34.30	11.56	33.59	0.00	100	262	PEAK																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																								
1 5965.00	106.53	-----	-----	94.20	34.27	11.70	33.64	0.00	100	262	PEAK																																																																					
Avg	 <p>Site : 03CH12-HY Condition: AVG_BE(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz SWT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5924.96</td> <td>51.32</td> <td>68.20</td> <td>-16.88</td> <td>39.04</td> <td>34.30</td> <td>11.57</td> <td>33.59</td> <td>0.00</td> <td>100</td> <td>262</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 5924.96	51.32	68.20	-16.88	39.04	34.30	11.57	33.59	0.00	100	262	AVERAGE	 <p>Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz SWT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5965.00</td> <td>98.13</td> <td>-----</td> <td>-----</td> <td>85.80</td> <td>34.27</td> <td>11.70</td> <td>33.64</td> <td>0.00</td> <td>100</td> <td>262</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 5965.00	98.13	-----	-----	85.80	34.27	11.70	33.64	0.00	100	262	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																								
1 5924.96	51.32	68.20	-16.88	39.04	34.30	11.57	33.59	0.00	100	262	AVERAGE																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																								
1 5965.00	98.13	-----	-----	85.80	34.27	11.70	33.64	0.00	100	262	AVERAGE																																																																					



Mode	3																																																																									
	Band Edge																																																																									
	U-NII-5_5.945-6.425_802.11ax HE40_CH3_5965MHz																																																																									
ANT	4+3																																																																									
Pol.	Vertical	Fundamental																																																																								
Peak	<p>Site : 03CH12-HY Condition: PEAK_BE(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz dBuV/m dB</th> <th>dBuV/m dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5924.54 64.20 88.20 -24.00</td> <td>51.93</td> <td>34.30</td> <td>11.56</td> <td>33.59</td> <td>0.00</td> <td>294</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Factor	Factor	MHz dBuV/m dB	dBuV/m dB	dB	dB	dB	dB	dB	cm deg		1 5924.54 64.20 88.20 -24.00	51.93	34.30	11.56	33.59	0.00	294	360	PEAK	<p>Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz dBuV/m dB</th> <th>dBuV/m dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5965.00 102.93</td> <td>90.60</td> <td>34.27</td> <td>11.70</td> <td>33.64</td> <td>0.00</td> <td>294</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Factor	Factor	MHz dBuV/m dB	dBuV/m dB	dB	dB	dB	dB	dB	cm deg		1 5965.00 102.93	90.60	34.27	11.70	33.64	0.00	294	360	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																	
Freq Level Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Factor	Factor																																																																		
MHz dBuV/m dB	dBuV/m dB	dB	dB	dB	dB	dB	cm deg																																																																			
1 5924.54 64.20 88.20 -24.00	51.93	34.30	11.56	33.59	0.00	294	360	PEAK																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq Level Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Factor	Factor																																																																		
MHz dBuV/m dB	dBuV/m dB	dB	dB	dB	dB	dB	cm deg																																																																			
1 5965.00 102.93	90.60	34.27	11.70	33.64	0.00	294	360	PEAK																																																																		
Avg	<p>Site : 03CH12-HY Condition: AVG_BE(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:1.000kHz SWT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz dBuV/m dB</th> <th>dBuV/m dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5924.82 53.43 68.20 -14.77</td> <td>41.15</td> <td>34.30</td> <td>11.57</td> <td>33.59</td> <td>0.00</td> <td>294</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Factor	Factor	MHz dBuV/m dB	dBuV/m dB	dB	dB	dB	dB	dB	cm deg		1 5924.82 53.43 68.20 -14.77	41.15	34.30	11.57	33.59	0.00	294	360	AVERAGE	<p>Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:1.000kHz SWT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz dBuV/m dB</th> <th>dBuV/m dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5965.00 94.78</td> <td>82.44</td> <td>34.26</td> <td>11.72</td> <td>33.64</td> <td>0.00</td> <td>294</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Factor	Factor	MHz dBuV/m dB	dBuV/m dB	dB	dB	dB	dB	dB	cm deg		1 5965.00 94.78	82.44	34.26	11.72	33.64	0.00	294	360	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq Level Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Factor	Factor																																																																		
MHz dBuV/m dB	dBuV/m dB	dB	dB	dB	dB	dB	cm deg																																																																			
1 5924.82 53.43 68.20 -14.77	41.15	34.30	11.57	33.59	0.00	294	360	AVERAGE																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq Level Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Factor	Factor																																																																		
MHz dBuV/m dB	dBuV/m dB	dB	dB	dB	dB	dB	cm deg																																																																			
1 5965.00 94.78	82.44	34.26	11.72	33.64	0.00	294	360	AVERAGE																																																																		



Mode	4																																																																																					
	Band Edge																																																																																					
	U-NII-5_5.945-6.425_802.11ax HE80_CH7_5985MHz																																																																																					
ANT	4+3																																																																																					
Pol.	Horizontal	Fundamental																																																																																				
Peak	 <p>Site : 03CH12-HY Condition: PEAK_BE(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5918.44</td> <td>70.00</td> <td>88.20</td> <td>-18.20</td> <td>57.75</td> <td>34.30</td> <td>11.54</td> <td>33.59</td> <td>0.00</td> <td>100</td> <td>271</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5918.44	70.00	88.20	-18.20	57.75	34.30	11.54	33.59	0.00	100	271	PEAK	 <p>Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5985.00</td> <td>103.65</td> <td>-----</td> <td>-----</td> <td>91.31</td> <td>34.22</td> <td>11.78</td> <td>33.66</td> <td>0.00</td> <td>100</td> <td>271</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5985.00	103.65	-----	-----	91.31	34.22	11.78	33.66	0.00	100	271	PEAK	
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																													
1	5918.44	70.00	88.20	-18.20	57.75	34.30	11.54	33.59	0.00	100	271	PEAK																																																																										
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																												
1	5985.00	103.65	-----	-----	91.31	34.22	11.78	33.66	0.00	100	271	PEAK																																																																										
Avg	 <p>Site : 03CH12-HY Condition: AVG_BE(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:3.000kHz SWT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5923.40</td> <td>61.87</td> <td>68.20</td> <td>-6.33</td> <td>49.60</td> <td>34.30</td> <td>11.56</td> <td>33.59</td> <td>0.00</td> <td>100</td> <td>271</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5923.40	61.87	68.20	-6.33	49.60	34.30	11.56	33.59	0.00	100	271	AVERAGE	 <p>Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:3.000kHz SWT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5985.00</td> <td>94.96</td> <td>-----</td> <td>-----</td> <td>82.62</td> <td>34.21</td> <td>11.80</td> <td>33.67</td> <td>0.00</td> <td>100</td> <td>271</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5985.00	94.96	-----	-----	82.62	34.21	11.80	33.67	0.00	100	271	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																												
1	5923.40	61.87	68.20	-6.33	49.60	34.30	11.56	33.59	0.00	100	271	AVERAGE																																																																										
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																												
1	5985.00	94.96	-----	-----	82.62	34.21	11.80	33.67	0.00	100	271	AVERAGE																																																																										