









Mode	14																																																				
	Band Edge																																																				
	6E UNII-7_6.525-6.875_802.11a_CH149_6695MHz																																																				
ANT	4+3																																																				
Pol.	Horizontal					Fundamental																																															
Peak	Blank					 Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6695.00</td><td>111.86</td><td>-----</td><td>96.96</td><td>36.20</td><td>12.56</td><td>33.86</td><td>0.00</td><td>275</td><td>52</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6695.00	111.86	-----	96.96	36.20	12.56	33.86	0.00	275	52	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																											
1	6695.00	111.86	-----	96.96	36.20	12.56	33.86	0.00	275	52	PEAK																																										
Avg	Blank					 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6695.00</td><td>104.89</td><td>-----</td><td>89.99</td><td>36.20</td><td>12.56</td><td>33.86</td><td>0.00</td><td>275</td><td>52</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6695.00	104.89	-----	89.99	36.20	12.56	33.86	0.00	275	52	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																											
1	6695.00	104.89	-----	89.99	36.20	12.56	33.86	0.00	275	52	AVERAGE																																										







Mode	14																																													
	Band Edge																																													
	6E UNII-7_6.525-6.875_802.11a_CH149_6695MHz																																													
ANT	4+3																																													
Pol.	Vertical	Fundamental																																												
Peak	Blank	 Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6695.00</td><td>109.32</td><td>-----</td><td>-----</td><td>94.45</td><td>36.18</td><td>12.55</td><td>33.86</td><td>0.00</td><td>270</td><td>355</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6695.00	109.32	-----	-----	94.45	36.18	12.55	33.86	0.00	270	355	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	6695.00	109.32	-----	-----	94.45	36.18	12.55	33.86	0.00	270	355	PEAK																																		
Avg	Blank	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBN:1.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6695.00</td><td>102.89</td><td>-----</td><td>-----</td><td>88.02</td><td>36.18</td><td>12.55</td><td>33.86</td><td>0.00</td><td>270</td><td>355</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6695.00	102.89	-----	-----	88.02	36.18	12.55	33.86	0.00	270	355	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	6695.00	102.89	-----	-----	88.02	36.18	12.55	33.86	0.00	270	355	AVERAGE																																		





Mode	14																																																																												
	Harmonic																																																																												
	6E UNII-7_6.525-6.875_802.11a_CH149_6695MHz																																																																												
ANT	4+3																																																																												
Pol.	Horizontal						Vertical																																																																						
Peak Avg																																																																													
	Site : 03CH12-HY Condition: PEAK(UNII)_6E 1m SHF_00993_231124 HORIZONTAL																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 13390.00</td><td>53.30</td><td>74.00</td><td>-20.70</td><td>58.14</td><td>40.10</td><td>20.53</td><td>66.42</td><td>0.95</td><td>220</td><td>66</td><td>PEAK</td></tr><tr><td>2 13390.00</td><td>43.53</td><td>54.00</td><td>-10.47</td><td>48.37</td><td>40.10</td><td>20.53</td><td>66.42</td><td>0.95</td><td>220</td><td>66</td><td>Average</td></tr><tr><td>3 20085.00</td><td>31.82</td><td>74.00</td><td>-42.18</td><td>34.45</td><td>37.53</td><td>22.43</td><td>53.05</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 13390.00	53.30	74.00	-20.70	58.14	40.10	20.53	66.42	0.95	220	66	PEAK	2 13390.00	43.53	54.00	-10.47	48.37	40.10	20.53	66.42	0.95	220	66	Average	3 20085.00	31.82	74.00	-42.18	34.45	37.53	22.43	53.05	-9.54	--	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																			
1 13390.00	53.30	74.00	-20.70	58.14	40.10	20.53	66.42	0.95	220	66	PEAK																																																																		
2 13390.00	43.53	54.00	-10.47	48.37	40.10	20.53	66.42	0.95	220	66	Average																																																																		
3 20085.00	31.82	74.00	-42.18	34.45	37.53	22.43	53.05	-9.54	--	--	Peak																																																																		
Site : 03CH12-HY Condition: PEAK(UNII)_6E 1m SHF_00993_231124 VERTICAL																																																																													
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 13390.00</td><td>54.15</td><td>74.00</td><td>-19.85</td><td>58.99</td><td>40.10</td><td>20.53</td><td>66.42</td><td>0.95</td><td>131</td><td>123</td><td>PEAK</td></tr><tr><td>2 13390.00</td><td>44.41</td><td>54.00</td><td>-9.59</td><td>49.25</td><td>40.10</td><td>20.53</td><td>66.42</td><td>0.95</td><td>131</td><td>123</td><td>Average</td></tr><tr><td>3 20085.00</td><td>30.51</td><td>74.00</td><td>-43.49</td><td>33.14</td><td>37.53</td><td>22.43</td><td>53.05</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 13390.00	54.15	74.00	-19.85	58.99	40.10	20.53	66.42	0.95	131	123	PEAK	2 13390.00	44.41	54.00	-9.59	49.25	40.10	20.53	66.42	0.95	131	123	Average	3 20085.00	30.51	74.00	-43.49	33.14	37.53	22.43	53.05	-9.54	--	--	Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																			
1 13390.00	54.15	74.00	-19.85	58.99	40.10	20.53	66.42	0.95	131	123	PEAK																																																																		
2 13390.00	44.41	54.00	-9.59	49.25	40.10	20.53	66.42	0.95	131	123	Average																																																																		
3 20085.00	30.51	74.00	-43.49	33.14	37.53	22.43	53.05	-9.54	--	--	Peak																																																																		





Mode	14	
	Harmonic	
	6E UNII-7_6.525-6.875_802.11a_CH149_6695MHz	
ANT	4+3	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 HORIZONTAL	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 VERTICAL
	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 HORIZONTAL	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 VERTICAL





Mode	14	
	Harmonic	
	6E UNII-7_6.525-6.875_802.11a_CH149_6695MHz	
ANT	4+3	
Pol.	Horizontal	Vertical
31G ~40G Avg	 Site : 03CH12-HY Condition: AVG(UNII)_6E 1m SHF_00993_231124 HORIZONTAL	 Site : 03CH12-HY Condition: AVG(UNII)_6E 1m SHF_00993_231124 VERTICAL





Mode	15																																																				
	Band Edge																																																				
	6E UNII-7_6.525-6.875_802.11a_CH181_6855MHz																																																				
ANT	4+3																																																				
Pol.	Horizontal					Fundamental																																															
Peak	Blank					 Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6855.00</td><td>111.98</td><td>-----</td><td>96.86</td><td>36.10</td><td>12.88</td><td>33.86</td><td>0.00</td><td>367</td><td>17</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6855.00	111.98	-----	96.86	36.10	12.88	33.86	0.00	367	17	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																											
1	6855.00	111.98	-----	96.86	36.10	12.88	33.86	0.00	367	17	PEAK																																										
Avg	Blank					 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6855.00</td><td>105.71</td><td>-----</td><td>90.59</td><td>36.10</td><td>12.88</td><td>33.86</td><td>0.00</td><td>367</td><td>17</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6855.00	105.71	-----	90.59	36.10	12.88	33.86	0.00	367	17	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																											
1	6855.00	105.71	-----	90.59	36.10	12.88	33.86	0.00	367	17	AVERAGE																																										



Mode	15																																																				
	Band Edge																																																				
	6E UNII-7_6.525-6.875_802.11a_CH181_6855MHz																																																				
ANT	4+3																																																				
Pol.	Vertical					Fundamental																																															
Peak	Blank					 Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6855.00</td><td>105.97</td><td>-----</td><td>-----</td><td>90.85</td><td>36.10</td><td>12.88</td><td>33.86</td><td>0.00</td><td>353</td><td>67 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6855.00	105.97	-----	-----	90.85	36.10	12.88	33.86	0.00	353	67 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																											
1	6855.00	105.97	-----	-----	90.85	36.10	12.88	33.86	0.00	353	67 PEAK																																										
Avg	Blank					 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBN:1.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6855.00</td><td>100.97</td><td>-----</td><td>-----</td><td>85.85</td><td>36.10</td><td>12.88</td><td>33.86</td><td>0.00</td><td>353</td><td>67 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6855.00	100.97	-----	-----	85.85	36.10	12.88	33.86	0.00	353	67 AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																											
1	6855.00	100.97	-----	-----	85.85	36.10	12.88	33.86	0.00	353	67 AVERAGE																																										





Mode	15																																																																	
	Harmonic																																																																	
	6E UNII-7_6.525-6.875_802.11a_CH181_6855MHz																																																																	
ANT	4+3																																																																	
Pol.	Horizontal						Vertical																																																											
Peak Avg																																																																		
	Site : 03CH12-HY Condition: PEAK(UNII)_6E 1m SHF_00993_231124 HORIZONTAL						Site : 03CH12-HY Condition: PEAK(UNII)_6E 1m SHF_00993_231124 VERTICAL																																																											
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13710.00</td><td>53.61</td><td>88.20</td><td>-34.59</td><td>58.13</td><td>40.40</td><td>20.57</td><td>66.52</td><td>1.03</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20565.00</td><td>30.70</td><td>74.00</td><td>-43.30</td><td>32.53</td><td>37.76</td><td>22.74</td><td>52.79</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13710.00	53.61	88.20	-34.59	58.13	40.40	20.57	66.52	1.03	--	Peak	2	20565.00	30.70	74.00	-43.30	32.53	37.76	22.74	52.79	-9.54	--	Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	13710.00	53.61	88.20	-34.59	58.13	40.40	20.57	66.52	1.03	--	Peak																																																							
2	20565.00	30.70	74.00	-43.30	32.53	37.76	22.74	52.79	-9.54	--	Peak																																																							





Mode	15	
	Harmonic	
	6E UNII-7_6.525-6.875_802.11a_CH181_6855MHz	
ANT	4+3	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Level (dBuV/m) Frequency (MHz) Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 HORIZONTAL	Level (dBuV/m) Frequency (MHz) Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 VERTICAL
	Level (dBuV/m) Frequency (MHz) Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 HORIZONTAL	Level (dBuV/m) Frequency (MHz) Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 VERTICAL





Mode	15	
	Harmonic	
	6E UNII-7_6.525-6.875_802.11a_CH181_6855MHz	
ANT	4+3	
Pol.	Horizontal	Vertical
31G ~40G Avg	 Site : 03CH12-HY Condition: AVG(UNII)_6E 1m SHF_00993_231124 HORIZONTAL	 Site : 03CH12-HY Condition: AVG(UNII)_6E 1m SHF_00993_231124 VERTICAL





Mode	16																																																				
	Band Edge																																																				
	6E UNII-7_6.525-6.875_11ax HE20_CH117_Full RU_6535MHz																																																				
ANT	4+3																																																				
Pol.	Horizontal					Fundamental																																															
Peak	Blank					 Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6535.00</td><td>110.16</td><td>-----</td><td>96.41</td><td>35.48</td><td>12.13</td><td>33.86</td><td>0.00</td><td>320</td><td>68</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6535.00	110.16	-----	96.41	35.48	12.13	33.86	0.00	320	68	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																											
1	6535.00	110.16	-----	96.41	35.48	12.13	33.86	0.00	320	68	PEAK																																										
Avg	Blank					 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBN:1.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6535.00</td><td>102.91</td><td>-----</td><td>89.11</td><td>35.52</td><td>12.14</td><td>33.86</td><td>0.00</td><td>320</td><td>68</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6535.00	102.91	-----	89.11	35.52	12.14	33.86	0.00	320	68	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																											
1	6535.00	102.91	-----	89.11	35.52	12.14	33.86	0.00	320	68	AVERAGE																																										



Mode	16																																									
	Band Edge																																									
	6E UNII-7_6.525-6.875_11ax HE20_CH117_Full RU_6535MHz																																									
ANT	4+3																																									
Pol.	Vertical	Fundamental																																								
Peak	Blank	 Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>6535.00</td><td>110.18</td><td>-----</td><td>96.43</td><td>35.48</td><td>12.13</td><td>33.86</td><td>0.00</td><td>275 359 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	6535.00	110.18	-----	96.43	35.48	12.13	33.86	0.00	275 359 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																	
1	6535.00	110.18	-----	96.43	35.48	12.13	33.86	0.00	275 359 PEAK																																	
Avg	Blank	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBN:1.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>6535.00</td><td>102.12</td><td>-----</td><td>88.32</td><td>35.52</td><td>12.14</td><td>33.86</td><td>0.00</td><td>275 359 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	6535.00	102.12	-----	88.32	35.52	12.14	33.86	0.00	275 359 AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																	
1	6535.00	102.12	-----	88.32	35.52	12.14	33.86	0.00	275 359 AVERAGE																																	





Mode	16																																																																				
	Harmonic																																																																				
	6E UNII-7_6.525-6.875_11ax HE20_CH117_Full RU_6535MHz																																																																				
ANT	4+3																																																																				
Pol.	Horizontal						Vertical																																																														
Peak Avg																																																																					
	Site : 03CH12-HY Condition: PEAK(UNII)_6E 1m SHF_00993_231124 HORIZONTAL						Site : 03CH12-HY Condition: PEAK(UNII)_6E 1m SHF_00993_231124 VERTICAL																																																														
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13070.00</td><td>54.40</td><td>88.20</td><td>-33.80</td><td>60.15</td><td>39.66</td><td>20.66</td><td>66.93</td><td>0.86</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>19605.00</td><td>29.33</td><td>74.00</td><td>-44.67</td><td>32.18</td><td>37.68</td><td>22.27</td><td>53.26</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>														Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13070.00	54.40	88.20	-33.80	60.15	39.66	20.66	66.93	0.86	--	--	PEAK	2	19605.00	29.33	74.00	-44.67	32.18	37.68	22.27	53.26	-9.54	--	--	Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	13070.00	54.40	88.20	-33.80	60.15	39.66	20.66	66.93	0.86	--	--	PEAK																																																									
2	19605.00	29.33	74.00	-44.67	32.18	37.68	22.27	53.26	-9.54	--	--	Peak																																																									





Mode	16	
	Harmonic	
	6E UNII-7_6.525-6.875_11ax HE20_CH117_Full RU_6535MHz	
ANT	4+3	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Level (dBuV/m) Frequency (MHz) Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 HORIZONTAL	Level (dBuV/m) Frequency (MHz) Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 VERTICAL
	Level (dBuV/m) Frequency (MHz) Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 HORIZONTAL	Level (dBuV/m) Frequency (MHz) Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 VERTICAL





Mode	16	
	Harmonic	
	6E UNII-7_6.525-6.875_11ax HE20_CH117_Full RU_6535MHz	
ANT	4+3	
Pol.	Horizontal	Vertical
31G ~40G Avg	 Site : 03CH12-HY Condition: AVG(UNII)_6E 1m SHF_00993_231124 HORIZONTAL	 Site : 03CH12-HY Condition: AVG(UNII)_6E 1m SHF_00993_231124 VERTICAL





Mode	17																																											
	Band Edge																																											
	6E UNII-7_6.525-6.875_11ax HE20_CH149_Full RU_6695MHz																																											
ANT	4+3																																											
Pol.	Horizontal	Fundamental																																										
Peak	Blank	 Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6695.00</td><td>111.39</td><td>-----</td><td>96.49</td><td>36.20</td><td>12.56</td><td>33.86</td><td>0.00</td><td>334</td><td>30</td><td>PEAK</td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6695.00	111.39	-----	96.49	36.20	12.56	33.86	0.00	334	30	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																		
1	6695.00	111.39	-----	96.49	36.20	12.56	33.86	0.00	334	30	PEAK																																	
Avg	Blank	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBN:1.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6695.00</td><td>104.04</td><td>-----</td><td>89.17</td><td>36.18</td><td>12.55</td><td>33.86</td><td>0.00</td><td>334</td><td>30</td><td>AVERAGE</td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6695.00	104.04	-----	89.17	36.18	12.55	33.86	0.00	334	30	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																		
1	6695.00	104.04	-----	89.17	36.18	12.55	33.86	0.00	334	30	AVERAGE																																	







Mode	17																																																				
	Band Edge																																																				
	6E UNII-7_6.525-6.875_11ax HE20_CH149_Full RU_6695MHz																																																				
ANT	4+3																																																				
Pol.	Vertical					Fundamental																																															
Peak	Blank					 Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6695.00</td><td>107.18</td><td>-----</td><td>92.28</td><td>36.20</td><td>12.56</td><td>33.86</td><td>0.00</td><td>299</td><td>207</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6695.00	107.18	-----	92.28	36.20	12.56	33.86	0.00	299	207	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																											
1	6695.00	107.18	-----	92.28	36.20	12.56	33.86	0.00	299	207	PEAK																																										
Avg	Blank					 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:1.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6695.00</td><td>100.60</td><td>-----</td><td>85.73</td><td>36.18</td><td>12.55</td><td>33.86</td><td>0.00</td><td>299</td><td>207</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6695.00	100.60	-----	85.73	36.18	12.55	33.86	0.00	299	207	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																											
1	6695.00	100.60	-----	85.73	36.18	12.55	33.86	0.00	299	207	AVERAGE																																										





Mode	17																																																																																		
	Harmonic																																																																																		
	6E UNII-7_6.525-6.875_11ax HE20_CH149_Full RU_6695MHz																																																																																		
ANT	4+3																																																																																		
Pol.	Horizontal						Vertical																																																																												
Peak Avg																																																																																			
	Site : 03CH12-HY Condition: PEAK(UNII)_6E 1m SHF_00993_231124 HORIZONTAL						Site : 03CH12-HY Condition: PEAK(UNII)_6E 1m SHF_00993_231124 VERTICAL																																																																												
<table><tr><th></th><th></th><th>Limit</th><th></th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13390.00</td><td>53.92</td><td>74.00</td><td>-20.08</td><td>58.76</td><td>40.10</td><td>20.53</td><td>66.42</td><td>0.95</td><td>207</td><td>58 PEAK</td></tr><tr><td>2</td><td>13390.00</td><td>44.24</td><td>54.00</td><td>-9.76</td><td>49.08</td><td>40.10</td><td>20.53</td><td>66.42</td><td>0.95</td><td>207</td><td>58 Average</td></tr><tr><td>3</td><td>20085.00</td><td>30.11</td><td>74.00</td><td>-43.89</td><td>32.74</td><td>37.53</td><td>22.43</td><td>53.05</td><td>-9.54</td><td>--</td><td>-- Peak</td></tr></table>														Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	13390.00	53.92	74.00	-20.08	58.76	40.10	20.53	66.42	0.95	207	58 PEAK	2	13390.00	44.24	54.00	-9.76	49.08	40.10	20.53	66.42	0.95	207	58 Average	3	20085.00	30.11	74.00	-43.89	32.74	37.53	22.43	53.05	-9.54	--	-- Peak
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																									
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																								
1	13390.00	53.92	74.00	-20.08	58.76	40.10	20.53	66.42	0.95	207	58 PEAK																																																																								
2	13390.00	44.24	54.00	-9.76	49.08	40.10	20.53	66.42	0.95	207	58 Average																																																																								
3	20085.00	30.11	74.00	-43.89	32.74	37.53	22.43	53.05	-9.54	--	-- Peak																																																																								





Mode	17	
	Harmonic	
	6E UNII-7_6.525-6.875_11ax HE20_CH149_Full RU_6695MHz	
ANT	4+3	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 HORIZONTAL	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 VERTICAL
	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 HORIZONTAL	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 VERTICAL





Mode	17	
	Harmonic	
	6E UNII-7_6.525-6.875_11ax HE20_CH149_Full RU_6695MHz	
ANT	4+3	
Pol.	Horizontal	Vertical
31G ~40G Avg	 Site : 03CH12-HY Condition: AVG(UNII)_6E 1m SHF_00993_231124 HORIZONTAL	 Site : 03CH12-HY Condition: AVG(UNII)_6E 1m SHF_00993_231124 VERTICAL





Mode	18																																																							
	Band Edge																																																							
	6E UNII-7_6.525-6.875_11ax HE20_CH181_Full RU_6855MHz																																																							
ANT	4+3																																																							
Pol.	Horizontal	Fundamental																																																						
Peak	Blank	 Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>6855.00</td><td>111.70</td><td>-----</td><td>96.58</td><td>36.10</td><td>12.88</td><td>33.86</td><td>0.00</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>348</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>16 PEAK</td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	6855.00	111.70	-----	96.58	36.10	12.88	33.86	0.00									348									16 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																
1	6855.00	111.70	-----	96.58	36.10	12.88	33.86	0.00																																																
								348																																																
								16 PEAK																																																
Avg	Blank	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>6855.00</td><td>104.63</td><td>-----</td><td>89.50</td><td>36.10</td><td>12.89</td><td>33.86</td><td>0.00</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>348</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>16 AVERAGE</td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	6855.00	104.63	-----	89.50	36.10	12.89	33.86	0.00									348									16 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																
1	6855.00	104.63	-----	89.50	36.10	12.89	33.86	0.00																																																
								348																																																
								16 AVERAGE																																																







Mode	18																																													
	Band Edge																																													
	6E UNII-7_6.525-6.875_11ax HE20_CH181_Full RU_6855MHz																																													
ANT	4+3																																													
Pol.	Vertical	Fundamental																																												
Peak	Blank	 Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6855.00</td><td>107.28</td><td>-----</td><td>-----</td><td>92.15</td><td>36.10</td><td>12.89</td><td>33.86</td><td>0.00</td><td>268</td><td>350</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6855.00	107.28	-----	-----	92.15	36.10	12.89	33.86	0.00	268	350	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	6855.00	107.28	-----	-----	92.15	36.10	12.89	33.86	0.00	268	350	PEAK																																		
Avg	Blank	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:1.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6855.00</td><td>100.62</td><td>-----</td><td>-----</td><td>85.49</td><td>36.10</td><td>12.89</td><td>33.86</td><td>0.00</td><td>268</td><td>350</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6855.00	100.62	-----	-----	85.49	36.10	12.89	33.86	0.00	268	350	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	6855.00	100.62	-----	-----	85.49	36.10	12.89	33.86	0.00	268	350	AVERAGE																																		





Mode	18																																																																	
	Harmonic																																																																	
	6E UNII-7_6.525-6.875_11ax HE20_CH181_Full RU_6855MHz																																																																	
ANT	4+3																																																																	
Pol.	Horizontal						Vertical																																																											
Peak Avg																																																																		
	Site : 03CH12-HY Condition: PEAK(UNII)_6E 1m SHF_00993_231124 HORIZONTAL						Site : 03CH12-HY Condition: PEAK(UNII)_6E 1m SHF_00993_231124 VERTICAL																																																											
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13710.00</td><td>53.38</td><td>88.20</td><td>-34.82</td><td>57.90</td><td>40.40</td><td>20.57</td><td>66.52</td><td>1.03</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>20565.00</td><td>30.30</td><td>74.00</td><td>-43.70</td><td>32.13</td><td>37.76</td><td>22.74</td><td>52.79</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13710.00	53.38	88.20	-34.82	57.90	40.40	20.57	66.52	1.03	--	PEAK	2	20565.00	30.30	74.00	-43.70	32.13	37.76	22.74	52.79	-9.54	--	Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	13710.00	53.38	88.20	-34.82	57.90	40.40	20.57	66.52	1.03	--	PEAK																																																							
2	20565.00	30.30	74.00	-43.70	32.13	37.76	22.74	52.79	-9.54	--	Peak																																																							





Mode	18	
	Harmonic	
	6E UNII-7_6.525-6.875_11ax HE20_CH181_Full RU_6855MHz	
ANT	4+3	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 HORIZONTAL	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 VERTICAL
	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 HORIZONTAL	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 VERTICAL





Mode	18	
	Harmonic	
	6E UNII-7_6.525-6.875_11ax HE20_CH181_Full RU_6855MHz	
ANT	4+3	
Pol.	Horizontal	Vertical
31G ~40G Avg	 Site : 03CH12-HY Condition: AVG(UNII)_6E 1m SHF_00993_231124 HORIZONTAL	 Site : 03CH12-HY Condition: AVG(UNII)_6E 1m SHF_00993_231124 VERTICAL





Mode	19																																												
	Band Edge																																												
	6E UNII-7_6.525-6.875_11ax HE40_CH123_Full RU_6565MHz																																												
ANT	4+3																																												
Pol.	Horizontal	Fundamental																																											
Peak	Blank	 Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6565.00</td><td>110.09</td><td>-----</td><td>-----</td><td>95.99</td><td>35.74</td><td>12.22</td><td>33.86</td><td>0.00</td><td>387</td><td>42 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6565.00	110.09	-----	-----	95.99	35.74	12.22	33.86	0.00	387	42 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																			
1	6565.00	110.09	-----	-----	95.99	35.74	12.22	33.86	0.00	387	42 PEAK																																		
Avg	Blank	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6565.00</td><td>100.94</td><td>-----</td><td>-----</td><td>86.91</td><td>35.69</td><td>12.20</td><td>33.86</td><td>0.00</td><td>387</td><td>42 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6565.00	100.94	-----	-----	86.91	35.69	12.20	33.86	0.00	387	42 AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																			
1	6565.00	100.94	-----	-----	86.91	35.69	12.20	33.86	0.00	387	42 AVERAGE																																		







Mode	19																																													
	Band Edge																																													
	6E UNII-7_6.525-6.875_11ax HE40_CH123_Full RU_6565MHz																																													
ANT	4+3																																													
Pol.	Vertical	Fundamental																																												
Peak	Blank	 Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6565.00</td><td>106.69</td><td>-----</td><td>-----</td><td>92.66</td><td>35.69</td><td>12.20</td><td>33.86</td><td>0.00</td><td>287</td><td>350</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6565.00	106.69	-----	-----	92.66	35.69	12.20	33.86	0.00	287	350	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	6565.00	106.69	-----	-----	92.66	35.69	12.20	33.86	0.00	287	350	PEAK																																		
Avg	Blank	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBN:1.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6565.00</td><td>100.00</td><td>-----</td><td>-----</td><td>85.90</td><td>35.74</td><td>12.22</td><td>33.86</td><td>0.00</td><td>287</td><td>350</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6565.00	100.00	-----	-----	85.90	35.74	12.22	33.86	0.00	287	350	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	6565.00	100.00	-----	-----	85.90	35.74	12.22	33.86	0.00	287	350	AVERAGE																																		





Mode	19																																																																	
	Harmonic																																																																	
	6E UNII-7_6.525-6.875_11ax HE40_CH123_Full RU_6565MHz																																																																	
ANT	4+3																																																																	
Pol.	Horizontal						Vertical																																																											
Peak Avg																																																																		
	Site : 03CH12-HY Condition: PEAK(UNII)_6E 1m SHF_00993_231124 HORIZONTAL						Site : 03CH12-HY Condition: PEAK(UNII)_6E 1m SHF_00993_231124 VERTICAL																																																											
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13130.00</td><td>53.88</td><td>88.20</td><td>-34.32</td><td>59.53</td><td>39.66</td><td>20.64</td><td>66.83</td><td>0.88</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>19695.00</td><td>30.44</td><td>74.00</td><td>-43.56</td><td>33.41</td><td>37.50</td><td>22.29</td><td>53.22</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13130.00	53.88	88.20	-34.32	59.53	39.66	20.64	66.83	0.88	--	PEAK	2	19695.00	30.44	74.00	-43.56	33.41	37.50	22.29	53.22	-9.54	--	Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	13130.00	53.88	88.20	-34.32	59.53	39.66	20.64	66.83	0.88	--	PEAK																																																							
2	19695.00	30.44	74.00	-43.56	33.41	37.50	22.29	53.22	-9.54	--	Peak																																																							





Mode	19	
	Harmonic	
	6E UNII-7_6.525-6.875_11ax HE40_CH123_Full RU_6565MHz	
ANT	4+3	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 HORIZONTAL	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 VERTICAL
17.7G ~18G Avg	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 HORIZONTAL	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 VERTICAL





Mode	19	
	Harmonic	
	6E UNII-7_6.525-6.875_11ax HE40_CH123_Full RU_6565MHz	
ANT	4+3	
Pol.	Horizontal	Vertical
31G ~40G Avg	 Site : 03CH12-HY Condition: AVG(UNII)_6E 1m SHF_00993_231124 HORIZONTAL	 Site : 03CH12-HY Condition: AVG(UNII)_6E 1m SHF_00993_231124 VERTICAL





Mode	20																																																		
	Band Edge																																																		
	6E UNII-7_6.525-6.875_11ax HE40_CH147_Full RU_6685MHz																																																		
ANT	4+3																																																		
Pol.	Horizontal					Fundamental																																													
Peak	Blank					 Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6685.00</td><td>108.88</td><td>-----</td><td>94.04</td><td>36.17</td><td>12.53</td><td>33.86</td><td>0.00</td><td>256</td><td>65 PEAK</td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6685.00	108.88	-----	94.04	36.17	12.53	33.86	0.00	256	65 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																									
1	6685.00	108.88	-----	94.04	36.17	12.53	33.86	0.00	256	65 PEAK																																									
Avg	Blank					 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6685.00</td><td>101.13</td><td>-----</td><td>86.29</td><td>36.17</td><td>12.53</td><td>33.86</td><td>0.00</td><td>256</td><td>65 AVERAGE</td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6685.00	101.13	-----	86.29	36.17	12.53	33.86	0.00	256	65 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																									
1	6685.00	101.13	-----	86.29	36.17	12.53	33.86	0.00	256	65 AVERAGE																																									







Mode	20																																												
	Band Edge																																												
	6E UNII-7_6.525-6.875_11ax HE40_CH147_Full RU_6685MHz																																												
ANT	4+3																																												
Pol.	Vertical	Fundamental																																											
Peak	Blank	 Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6685.00</td><td>106.76</td><td>-----</td><td>91.92</td><td>36.17</td><td>12.53</td><td>33.86</td><td>0.00</td><td>278</td><td>355</td><td>PEAK</td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6685.00	106.76	-----	91.92	36.17	12.53	33.86	0.00	278	355	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																			
1	6685.00	106.76	-----	91.92	36.17	12.53	33.86	0.00	278	355	PEAK																																		
Avg	Blank	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:1.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6685.00</td><td>99.22</td><td>-----</td><td>84.35</td><td>36.18</td><td>12.55</td><td>33.86</td><td>0.00</td><td>278</td><td>355</td><td>AVERAGE</td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6685.00	99.22	-----	84.35	36.18	12.55	33.86	0.00	278	355	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																			
1	6685.00	99.22	-----	84.35	36.18	12.55	33.86	0.00	278	355	AVERAGE																																		





Mode	20																																																																																		
	Harmonic																																																																																		
	6E UNII-7_6.525-6.875_11ax HE40_CH147_Full RU_6685MHz																																																																																		
ANT	4+3																																																																																		
Pol.	Horizontal						Vertical																																																																												
Peak Avg																																																																																			
	Site : 03CH12-HY Condition: PEAK(UNII)_6E 1m SHF_00993_231124 HORIZONTAL						Site : 03CH12-HY Condition: PEAK(UNII)_6E 1m SHF_00993_231124 VERTICAL																																																																												
<table><tr><th></th><th></th><th>Limit</th><th></th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13370.00</td><td>53.99</td><td>74.00</td><td>-20.01</td><td>58.06</td><td>40.10</td><td>20.54</td><td>66.45</td><td>0.94</td><td>211</td><td>60 PEAK</td></tr><tr><td>2</td><td>13370.00</td><td>44.45</td><td>54.00</td><td>-9.55</td><td>49.32</td><td>40.10</td><td>20.54</td><td>66.45</td><td>0.94</td><td>211</td><td>60 Average</td></tr><tr><td>3</td><td>20055.00</td><td>31.47</td><td>74.00</td><td>-42.53</td><td>34.08</td><td>37.59</td><td>22.41</td><td>53.07</td><td>-9.54</td><td>--</td><td>-- PEAK</td></tr></table>														Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	13370.00	53.99	74.00	-20.01	58.06	40.10	20.54	66.45	0.94	211	60 PEAK	2	13370.00	44.45	54.00	-9.55	49.32	40.10	20.54	66.45	0.94	211	60 Average	3	20055.00	31.47	74.00	-42.53	34.08	37.59	22.41	53.07	-9.54	--	-- PEAK
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																									
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																								
1	13370.00	53.99	74.00	-20.01	58.06	40.10	20.54	66.45	0.94	211	60 PEAK																																																																								
2	13370.00	44.45	54.00	-9.55	49.32	40.10	20.54	66.45	0.94	211	60 Average																																																																								
3	20055.00	31.47	74.00	-42.53	34.08	37.59	22.41	53.07	-9.54	--	-- PEAK																																																																								





Mode	20	
	Harmonic	
	6E UNII-7_6.525-6.875_11ax HE40_CH147_Full RU_6685MHz	
ANT	4+3	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 HORIZONTAL	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 VERTICAL
	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 HORIZONTAL	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 VERTICAL





Mode	20	
	Harmonic	
	6E UNII-7_6.525-6.875_11ax HE40_CH147_Full RU_6685MHz	
ANT	4+3	
Pol.	Horizontal	Vertical
31G ~40G Avg	 Site : 03CH12-HY Condition: AVG(UNII)_6E 1m SHF_00993_231124 HORIZONTAL	 Site : 03CH12-HY Condition: AVG(UNII)_6E 1m SHF_00993_231124 VERTICAL





Mode	21																																												
	Band Edge																																												
	6E UNII-7_6.525-6.875_11ax HE40_CH179_Full RU_6845MHz																																												
ANT	4+3																																												
Pol.	Horizontal	Fundamental																																											
Peak	Blank	 Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBN:3000.000kHz SWT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6845.00</td><td>110.54</td><td>-----</td><td>-----</td><td>95.43</td><td>36.10</td><td>12.87</td><td>33.86</td><td>0.00</td><td>358</td><td>21 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6845.00	110.54	-----	-----	95.43	36.10	12.87	33.86	0.00	358	21 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																			
1	6845.00	110.54	-----	-----	95.43	36.10	12.87	33.86	0.00	358	21 PEAK																																		
Avg	Blank	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBN:1.000kHz SWT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6845.00</td><td>101.76</td><td>-----</td><td>-----</td><td>86.64</td><td>36.10</td><td>12.88</td><td>33.86</td><td>0.00</td><td>358</td><td>21 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6845.00	101.76	-----	-----	86.64	36.10	12.88	33.86	0.00	358	21 AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																			
1	6845.00	101.76	-----	-----	86.64	36.10	12.88	33.86	0.00	358	21 AVERAGE																																		



Mode	21																																									
	Band Edge																																									
	6E UNII-7_6.525-6.875_11ax HE40_CH179_Full RU_6845MHz																																									
ANT	4+3																																									
Pol.	Vertical	Fundamental																																								
Peak	Blank	 Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>6845.00</td><td>104.97</td><td>-----</td><td>89.85</td><td>36.10</td><td>12.88</td><td>33.86</td><td>0.00</td><td>281 348 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	6845.00	104.97	-----	89.85	36.10	12.88	33.86	0.00	281 348 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																	
1	6845.00	104.97	-----	89.85	36.10	12.88	33.86	0.00	281 348 PEAK																																	
Avg	Blank	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBN:1.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>6845.00</td><td>98.05</td><td>-----</td><td>82.93</td><td>36.10</td><td>12.88</td><td>33.86</td><td>0.00</td><td>281 348 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	6845.00	98.05	-----	82.93	36.10	12.88	33.86	0.00	281 348 AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																	
1	6845.00	98.05	-----	82.93	36.10	12.88	33.86	0.00	281 348 AVERAGE																																	





Mode	21																																																																	
	Harmonic																																																																	
	6E UNII-7_6.525-6.875_11ax HE40_CH179_Full RU_6845MHz																																																																	
ANT	4+3																																																																	
Pol.	Horizontal						Vertical																																																											
Peak Avg																																																																		
	Site : 03CH12-HY Condition: PEAK(UNII)_6E 1m SHF_00993_231124 HORIZONTAL						Site : 03CH12-HY Condition: PEAK(UNII)_6E 1m SHF_00993_231124 VERTICAL																																																											
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13690.00</td><td>52.84</td><td>88.20</td><td>-35.36</td><td>57.36</td><td>40.38</td><td>20.56</td><td>66.49</td><td>1.03</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>20535.00</td><td>30.64</td><td>74.00</td><td>-43.36</td><td>32.48</td><td>37.73</td><td>22.76</td><td>52.79</td><td>-9.54</td><td>--</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13690.00	52.84	88.20	-35.36	57.36	40.38	20.56	66.49	1.03	--	PEAK	2	20535.00	30.64	74.00	-43.36	32.48	37.73	22.76	52.79	-9.54	--	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	13690.00	52.84	88.20	-35.36	57.36	40.38	20.56	66.49	1.03	--	PEAK																																																							
2	20535.00	30.64	74.00	-43.36	32.48	37.73	22.76	52.79	-9.54	--	PEAK																																																							





Mode	21	
	Harmonic	
	6E UNII-7_6.525-6.875_11ax HE40_CH179_Full RU_6845MHz	
ANT	4+3	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Level (dBuV/m) Frequency (MHz) Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 HORIZONTAL	Level (dBuV/m) Frequency (MHz) Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 VERTICAL
	Level (dBuV/m) Frequency (MHz) Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 HORIZONTAL	Level (dBuV/m) Frequency (MHz) Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 VERTICAL





Mode	21	
	Harmonic	
	6E UNII-7_6.525-6.875_11ax HE40_CH179_Full RU_6845MHz	
ANT	4+3	
Pol.	Horizontal	Vertical
31G ~40G Avg	 Site : 03CH12-HY Condition: AVG(UNII)_6E 1m SHF_00993_231124 HORIZONTAL	 Site : 03CH12-HY Condition: AVG(UNII)_6E 1m SHF_00993_231124 VERTICAL





Mode	22																																													
	Band Edge																																													
	6E UNII-7_6.525-6.875_11ax HE80_CH135_Full RU_6625MHz																																													
ANT	4+3																																													
Pol.	Horizontal	Fundamental																																												
Peak	Blank	 Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6625.00</td><td>107.26</td><td>-----</td><td>-----</td><td>92.71</td><td>36.05</td><td>12.36</td><td>33.86</td><td>0.00</td><td>287</td><td>287</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6625.00	107.26	-----	-----	92.71	36.05	12.36	33.86	0.00	287	287	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	6625.00	107.26	-----	-----	92.71	36.05	12.36	33.86	0.00	287	287	PEAK																																		
Avg	Blank	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:3.000kHz SWT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6625.00</td><td>99.04</td><td>-----</td><td>-----</td><td>84.52</td><td>36.03</td><td>12.35</td><td>33.86</td><td>0.00</td><td>287</td><td>287</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6625.00	99.04	-----	-----	84.52	36.03	12.35	33.86	0.00	287	287	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	6625.00	99.04	-----	-----	84.52	36.03	12.35	33.86	0.00	287	287	AVERAGE																																		



Mode	22																																																					
	Band Edge																																																					
	6E UNII-7_6.525-6.875_11ax HE80_CH135_Full RU_6625MHz																																																					
ANT	4+3																																																					
Pol.	Vertical					Fundamental																																																
Peak	Blank					 Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6625.00</td><td>104.59</td><td>-----</td><td>-----</td><td>90.07</td><td>36.03</td><td>12.35</td><td>33.86</td><td>0.00</td><td>297</td><td>356</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6625.00	104.59	-----	-----	90.07	36.03	12.35	33.86	0.00	297	356	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	6625.00	104.59	-----	-----	90.07	36.03	12.35	33.86	0.00	297	356	PEAK																																										
Avg	Blank					 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:3.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6625.00</td><td>97.09</td><td>-----</td><td>-----</td><td>82.57</td><td>36.03</td><td>12.35</td><td>33.86</td><td>0.00</td><td>297</td><td>356</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6625.00	97.09	-----	-----	82.57	36.03	12.35	33.86	0.00	297	356	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	6625.00	97.09	-----	-----	82.57	36.03	12.35	33.86	0.00	297	356	AVERAGE																																										





Mode	22																																																																																		
	Harmonic																																																																																		
	6E UNII-7_6.525-6.875_11ax HE80_CH135_Full RU_6625MHz																																																																																		
ANT	4+3																																																																																		
Pol.	Horizontal						Vertical																																																																												
Peak Avg																																																																																			
	Site : 03CH12-HY Condition: PEAK(UNII)_6E 1m SHF_00993_231124 HORIZONTAL						Site : 03CH12-HY Condition: PEAK(UNII)_6E 1m SHF_00993_231124 VERTICAL																																																																												
<table><tr><th></th><th></th><th>Limit</th><th></th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13250.00</td><td>54.20</td><td>74.00</td><td>-19.80</td><td>59.54</td><td>39.00</td><td>20.59</td><td>66.64</td><td>0.91</td><td>205</td><td>56 PEAK</td></tr><tr><td>2</td><td>13250.00</td><td>44.43</td><td>54.00</td><td>-9.57</td><td>49.77</td><td>39.00</td><td>20.59</td><td>66.64</td><td>0.91</td><td>205</td><td>56 Average</td></tr><tr><td>3</td><td>19875.00</td><td>31.11</td><td>74.00</td><td>-42.89</td><td>33.82</td><td>37.65</td><td>22.33</td><td>53.15</td><td>-9.54</td><td>--</td><td>-- PEAK</td></tr></table>														Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	13250.00	54.20	74.00	-19.80	59.54	39.00	20.59	66.64	0.91	205	56 PEAK	2	13250.00	44.43	54.00	-9.57	49.77	39.00	20.59	66.64	0.91	205	56 Average	3	19875.00	31.11	74.00	-42.89	33.82	37.65	22.33	53.15	-9.54	--	-- PEAK
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																									
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																								
1	13250.00	54.20	74.00	-19.80	59.54	39.00	20.59	66.64	0.91	205	56 PEAK																																																																								
2	13250.00	44.43	54.00	-9.57	49.77	39.00	20.59	66.64	0.91	205	56 Average																																																																								
3	19875.00	31.11	74.00	-42.89	33.82	37.65	22.33	53.15	-9.54	--	-- PEAK																																																																								





Mode	22	
	Harmonic	
	6E UNII-7_6.525-6.875_11ax HE80_CH135_Full RU_6625MHz	
ANT	4+3	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Level (dBuV/m) Frequency (MHz) Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 HORIZONTAL The plot shows a red line for the average level (AVG(UNII)_6E) at approximately 52.5 dBuV/m and a blue line for the measured signal, which is relatively flat around 40 dBuV/m across the frequency range from 14470 to 14500 MHz.	Level (dBuV/m) Frequency (MHz) Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 VERTICAL The plot shows a red line for the average level (AVG(UNII)_6E) at approximately 52.5 dBuV/m and a blue line for the measured signal, which is relatively flat around 40 dBuV/m across the frequency range from 14470 to 14500 MHz.
17.7G ~18G Avg	Level (dBuV/m) Frequency (MHz) Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 HORIZONTAL The plot shows a red line for the average level (AVG(UNII)_6E) at approximately 52.5 dBuV/m and a blue line for the measured signal, which is relatively flat around 40 dBuV/m across the frequency range from 17700 to 18000 MHz.	Level (dBuV/m) Frequency (MHz) Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 VERTICAL The plot shows a red line for the average level (AVG(UNII)_6E) at approximately 52.5 dBuV/m and a blue line for the measured signal, which is relatively flat around 40 dBuV/m across the frequency range from 17700 to 18000 MHz.





Mode	22	
	Harmonic	
	6E UNII-7_6.525-6.875_11ax HE80_CH135_Full RU_6625MHz	
ANT	4+3	
Pol.	Horizontal	Vertical
31G ~40G Avg	 Site : 03CH12-HY Condition: AVG(UNII)_6E 1m SHF_00993_231124 HORIZONTAL	 Site : 03CH12-HY Condition: AVG(UNII)_6E 1m SHF_00993_231124 VERTICAL





Mode	23																																																			
	Band Edge																																																			
	6E UNII-7_6.525-6.875_11ax HE80_CH151_Full RU_6705MHz																																																			
ANT	4+3																																																			
Pol.	Horizontal					Fundamental																																														
Peak	Blank					 Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6705.00</td><td>106.26</td><td>-----</td><td>91.36</td><td>36.20</td><td>12.56</td><td>33.86</td><td>0.00</td><td>326</td><td>40</td><td>PEAK</td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6705.00	106.26	-----	91.36	36.20	12.56	33.86	0.00	326	40	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																										
1	6705.00	106.26	-----	91.36	36.20	12.56	33.86	0.00	326	40	PEAK																																									
Avg	Blank					 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:3.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6705.00</td><td>98.00</td><td>-----</td><td>83.16</td><td>36.17</td><td>12.61</td><td>33.86</td><td>0.00</td><td>326</td><td>40</td><td>AVERAGE</td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6705.00	98.00	-----	83.16	36.17	12.61	33.86	0.00	326	40	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																										
1	6705.00	98.00	-----	83.16	36.17	12.61	33.86	0.00	326	40	AVERAGE																																									



Mode	23																																																						
	Band Edge																																																						
	6E UNII-7_6.525-6.875_11ax HE80_CH151_Full RU_6705MHz																																																						
ANT	4+3																																																						
Pol.	Vertical					Fundamental																																																	
Peak	Blank					 Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6705.00</td><td>104.73</td><td>-----</td><td>-----</td><td>89.81</td><td>36.18</td><td>12.60</td><td>33.86</td><td>0.00</td><td>278</td><td>349</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6705.00	104.73	-----	-----	89.81	36.18	12.60	33.86	0.00	278	349	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	6705.00	104.73	-----	-----	89.81	36.18	12.60	33.86	0.00	278	349	PEAK																																											
Avg	Blank					 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:3.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6705.00</td><td>97.36</td><td>-----</td><td>-----</td><td>82.49</td><td>36.18</td><td>12.55</td><td>33.86</td><td>0.00</td><td>278</td><td>349</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6705.00	97.36	-----	-----	82.49	36.18	12.55	33.86	0.00	278	349	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	6705.00	97.36	-----	-----	82.49	36.18	12.55	33.86	0.00	278	349	AVERAGE																																											





Mode	23																																																																	
	Harmonic																																																																	
	6E UNII-7_6.525-6.875_11ax HE80_CH151_Full RU_6705MHz																																																																	
ANT	4+3																																																																	
Pol.	Horizontal						Vertical																																																											
Peak Avg																																																																		
	Site : 03CH12-HY Condition: PEAK(UNII)_6E 1m SHF_00993_231124 HORIZONTAL						Site : 03CH12-HY Condition: PEAK(UNII)_6E 1m SHF_00993_231124 VERTICAL																																																											
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13410.00</td><td>55.15</td><td>88.20</td><td>-33.05</td><td>59.89</td><td>40.16</td><td>20.53</td><td>66.38</td><td>0.95</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>20115.00</td><td>30.97</td><td>74.00</td><td>-43.03</td><td>33.58</td><td>37.50</td><td>22.46</td><td>53.03</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13410.00	55.15	88.20	-33.05	59.89	40.16	20.53	66.38	0.95	--	PEAK	2	20115.00	30.97	74.00	-43.03	33.58	37.50	22.46	53.03	-9.54	--	Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	13410.00	55.15	88.20	-33.05	59.89	40.16	20.53	66.38	0.95	--	PEAK																																																							
2	20115.00	30.97	74.00	-43.03	33.58	37.50	22.46	53.03	-9.54	--	Peak																																																							





Mode	23	
	Harmonic	
	6E UNII-7_6.525-6.875_11ax HE80_CH151_Full RU_6705MHz	
ANT	4+3	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Level (dBuV/m) Frequency (MHz) Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 HORIZONTAL	Level (dBuV/m) Frequency (MHz) Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 VERTICAL
	Level (dBuV/m) Frequency (MHz) Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 HORIZONTAL	Level (dBuV/m) Frequency (MHz) Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 VERTICAL





Mode	23	
	Harmonic	
	6E UNII-7_6.525-6.875_11ax HE80_CH151_Full RU_6705MHz	
ANT	4+3	
Pol.	Horizontal	Vertical
31G ~40G Avg	 Site : 03CH12-HY Condition: AVG(UNII)_6E 1m SHF_00993_231124 HORIZONTAL	 Site : 03CH12-HY Condition: AVG(UNII)_6E 1m SHF_00993_231124 VERTICAL





Mode	24																																													
	Band Edge																																													
	6E UNII-7_6.525-6.875_11ax HE80_CH167_Full RU_6785MHz																																													
ANT	4+3																																													
Pol.	Horizontal	Fundamental																																												
Peak	Blank	 Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6785.00</td><td>105.48</td><td>-----</td><td>-----</td><td>90.46</td><td>36.10</td><td>12.78</td><td>33.86</td><td>0.00</td><td>298</td><td>45</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6785.00	105.48	-----	-----	90.46	36.10	12.78	33.86	0.00	298	45	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	6785.00	105.48	-----	-----	90.46	36.10	12.78	33.86	0.00	298	45	PEAK																																		
Avg	Blank	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:3.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6785.00</td><td>97.81</td><td>-----</td><td>-----</td><td>82.75</td><td>36.10</td><td>12.82</td><td>33.86</td><td>0.00</td><td>298</td><td>45</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6785.00	97.81	-----	-----	82.75	36.10	12.82	33.86	0.00	298	45	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	6785.00	97.81	-----	-----	82.75	36.10	12.82	33.86	0.00	298	45	AVERAGE																																		







Mode	24																																																						
	Band Edge																																																						
	6E UNII-7_6.525-6.875_11ax HE80_CH167_Full RU_6785MHz																																																						
ANT	4+3																																																						
Pol.	Vertical					Fundamental																																																	
Peak	Blank					 Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6785.00</td><td>102.48</td><td>-----</td><td>-----</td><td>87.46</td><td>36.10</td><td>12.78</td><td>33.86</td><td>0.00</td><td>263</td><td>345</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6785.00	102.48	-----	-----	87.46	36.10	12.78	33.86	0.00	263	345	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	6785.00	102.48	-----	-----	87.46	36.10	12.78	33.86	0.00	263	345	PEAK																																											
Avg	Blank					 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBN:3.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6785.00</td><td>96.10</td><td>-----</td><td>-----</td><td>81.10</td><td>36.10</td><td>12.76</td><td>33.86</td><td>0.00</td><td>263</td><td>345</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6785.00	96.10	-----	-----	81.10	36.10	12.76	33.86	0.00	263	345	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	6785.00	96.10	-----	-----	81.10	36.10	12.76	33.86	0.00	263	345	AVERAGE																																											





Mode	24																																																																																																															
	Harmonic																																																																																																															
	6E UNII-7_6.525-6.875_11ax HE80_CH167_Full RU_6785MHz																																																																																																															
ANT	4+3																																																																																																															
Pol.	Horizontal	Vertical																																																																																																														
Peak Avg	 Site : 03CH12-HY Condition: PEAK(UNII)_6E 1m SHF_00993_231124 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13570.00</td><td>54.35</td><td>88.20</td><td>-33.85</td><td>58.55</td><td>40.62</td><td>20.52</td><td>66.33</td><td>0.99</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>20355.00</td><td>29.36</td><td>74.00</td><td>-44.64</td><td>31.41</td><td>37.72</td><td>22.66</td><td>52.89</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13570.00	54.35	88.20	-33.85	58.55	40.62	20.52	66.33	0.99	--	PEAK	2	20355.00	29.36	74.00	-44.64	31.41	37.72	22.66	52.89	-9.54	--	Peak	 Site : 03CH12-HY Condition: PEAK(UNII)_6E 1m SHF_00993_231124 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13570.00</td><td>54.21</td><td>88.20</td><td>-33.99</td><td>58.41</td><td>40.62</td><td>20.52</td><td>66.33</td><td>0.99</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>20355.00</td><td>29.97</td><td>74.00</td><td>-44.03</td><td>32.02</td><td>37.72</td><td>22.66</td><td>52.89</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13570.00	54.21	88.20	-33.99	58.41	40.62	20.52	66.33	0.99	--	PEAK	2	20355.00	29.97	74.00	-44.03	32.02	37.72	22.66	52.89	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	13570.00	54.35	88.20	-33.85	58.55	40.62	20.52	66.33	0.99	--	PEAK																																																																																																					
2	20355.00	29.36	74.00	-44.64	31.41	37.72	22.66	52.89	-9.54	--	Peak																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	13570.00	54.21	88.20	-33.99	58.41	40.62	20.52	66.33	0.99	--	PEAK																																																																																																					
2	20355.00	29.97	74.00	-44.03	32.02	37.72	22.66	52.89	-9.54	--	Peak																																																																																																					





Mode	24	
	Harmonic	
	6E UNII-7_6.525-6.875_11ax HE80_CH167_Full RU_6785MHz	
ANT	4+3	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 HORIZONTAL	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 VERTICAL
	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 HORIZONTAL	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 VERTICAL





Mode	24	
	Harmonic	
	6E UNII-7_6.525-6.875_11ax HE80_CH167_Full RU_6785MHz	
ANT	4+3	
Pol.	Horizontal	Vertical
31G ~40G Avg	 Site : 03CH12-HY Condition: AVG(UNII)_6E 1m SHF_00993_231124 HORIZONTAL	 Site : 03CH12-HY Condition: AVG(UNII)_6E 1m SHF_00993_231124 VERTICAL







Mode	25																																																																																																																	
	LF																																																																																																																	
	6E UNII-5_5.925-6.425_11ax HE20_CH1_Full RU_5955MHz																																																																																																																	
ANT	4+3																																																																																																																	
Pol.	Horizontal																																																																																																																	
QPI Peak																																																																																																																		
	Site : 03CH12-HY Condition: QP 3m Bilog_37059_20231103 HORIZONTAL																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>44.55</td><td>24.96</td><td>40.00</td><td>-15.04</td><td>35.90</td><td>17.48</td><td>1.24</td><td>29.67</td><td>0.01</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>200.72</td><td>35.89</td><td>43.50</td><td>-7.61</td><td>48.13</td><td>15.04</td><td>2.41</td><td>29.79</td><td>0.10</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>271.53</td><td>33.07</td><td>46.00</td><td>-12.93</td><td>40.90</td><td>18.90</td><td>2.73</td><td>29.62</td><td>0.16</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>274.44</td><td>34.17</td><td>46.00</td><td>-11.83</td><td>42.05</td><td>18.81</td><td>2.75</td><td>29.61</td><td>0.17</td><td>--</td><td>Peak</td></tr><tr><td>5</td><td>733.25</td><td>38.84</td><td>46.00</td><td>-7.16</td><td>34.88</td><td>28.08</td><td>4.51</td><td>28.96</td><td>0.33</td><td>--</td><td>Peak</td></tr><tr><td>6</td><td>896.21</td><td>38.38</td><td>46.00</td><td>-7.62</td><td>32.72</td><td>29.12</td><td>4.72</td><td>28.52</td><td>0.34</td><td>--</td><td>Peak</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	44.55	24.96	40.00	-15.04	35.90	17.48	1.24	29.67	0.01	--	Peak	2	200.72	35.89	43.50	-7.61	48.13	15.04	2.41	29.79	0.10	--	Peak	3	271.53	33.07	46.00	-12.93	40.90	18.90	2.73	29.62	0.16	--	Peak	4	274.44	34.17	46.00	-11.83	42.05	18.81	2.75	29.61	0.17	--	Peak	5	733.25	38.84	46.00	-7.16	34.88	28.08	4.51	28.96	0.33	--	Peak	6	896.21	38.38	46.00	-7.62	32.72	29.12	4.72	28.52	0.34	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																								
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
	1	44.55	24.96	40.00	-15.04	35.90	17.48	1.24	29.67	0.01	--	Peak																																																																																																						
	2	200.72	35.89	43.50	-7.61	48.13	15.04	2.41	29.79	0.10	--	Peak																																																																																																						
	3	271.53	33.07	46.00	-12.93	40.90	18.90	2.73	29.62	0.16	--	Peak																																																																																																						
	4	274.44	34.17	46.00	-11.83	42.05	18.81	2.75	29.61	0.17	--	Peak																																																																																																						
5	733.25	38.84	46.00	-7.16	34.88	28.08	4.51	28.96	0.33	--	Peak																																																																																																							
6	896.21	38.38	46.00	-7.62	32.72	29.12	4.72	28.52	0.34	--	Peak																																																																																																							
Vertical																																																																																																																		
																																																																																																																		
Site : 03CH12-HY Condition: QP 3m Bilog_37059_20231103 VERTICAL																																																																																																																		
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>44.55</td><td>32.68</td><td>40.00</td><td>-7.32</td><td>43.62</td><td>17.48</td><td>1.24</td><td>29.67</td><td>0.01</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>93.05</td><td>33.37</td><td>43.50</td><td>-10.13</td><td>46.16</td><td>15.36</td><td>1.69</td><td>29.91</td><td>0.07</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>263.77</td><td>28.39</td><td>46.00</td><td>-17.61</td><td>35.17</td><td>20.04</td><td>2.68</td><td>29.64</td><td>0.14</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>276.38</td><td>28.00</td><td>46.00</td><td>-18.00</td><td>35.90</td><td>18.78</td><td>2.76</td><td>29.61</td><td>0.17</td><td>--</td><td>Peak</td></tr><tr><td>5</td><td>707.06</td><td>38.94</td><td>46.00</td><td>-7.06</td><td>36.48</td><td>26.83</td><td>4.32</td><td>29.00</td><td>0.31</td><td>--</td><td>Peak</td></tr><tr><td>6</td><td>901.06</td><td>39.05</td><td>46.00</td><td>-6.95</td><td>33.30</td><td>29.19</td><td>4.73</td><td>28.51</td><td>0.34</td><td>--</td><td>Peak</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	44.55	32.68	40.00	-7.32	43.62	17.48	1.24	29.67	0.01	--	Peak	2	93.05	33.37	43.50	-10.13	46.16	15.36	1.69	29.91	0.07	--	Peak	3	263.77	28.39	46.00	-17.61	35.17	20.04	2.68	29.64	0.14	--	Peak	4	276.38	28.00	46.00	-18.00	35.90	18.78	2.76	29.61	0.17	--	Peak	5	707.06	38.94	46.00	-7.06	36.48	26.83	4.32	29.00	0.31	--	Peak	6	901.06	39.05	46.00	-6.95	33.30	29.19	4.73	28.51	0.34	--	Peak	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																								
1	44.55	32.68	40.00	-7.32	43.62	17.48	1.24	29.67	0.01	--	Peak																																																																																																							
2	93.05	33.37	43.50	-10.13	46.16	15.36	1.69	29.91	0.07	--	Peak																																																																																																							
3	263.77	28.39	46.00	-17.61	35.17	20.04	2.68	29.64	0.14	--	Peak																																																																																																							
4	276.38	28.00	46.00	-18.00	35.90	18.78	2.76	29.61	0.17	--	Peak																																																																																																							
5	707.06	38.94	46.00	-7.06	36.48	26.83	4.32	29.00	0.31	--	Peak																																																																																																							
6	901.06	39.05	46.00	-6.95	33.30	29.19	4.73	28.51	0.34	--	Peak																																																																																																							







Mode	26	
	SHF	
	6E UNII-5_5.925-6.425_11ax HE20_CH1_Full RU_5955MHz	
ANT	4+3	
Pol.	Horizontal	Vertical
Peak	 Site : 03CH12-HY Condition: PEAK(UNII)_6E 1m SHF_00993_231124 HORIZONTAL	 Site : 03CH12-HY Condition: PEAK(UNII)_6E 1m SHF_00993_231124 VERTICAL







		27																																																																																														
Mode	Band Edge																																																																																															
	U-NII-5_5.945~6.425_802.11ax HE20_CH1_Partial 26/0_5955MHz																																																																																															
ANT	4+3																																																																																															
Pol.	Horizontal						Fundamental																																																																																									
Peak																																																																																																
	Site : 03CH12-HY Condition: PEAK_BE(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5923.67</td><td>55.73</td><td>88.20</td><td>-32.47</td><td>43.46</td><td>34.30</td><td>11.56</td><td>33.59</td><td>0.00</td><td>155</td><td>21 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5923.67	55.73	88.20	-32.47	43.46	34.30	11.56	33.59	0.00	155	21 PEAK	Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>109.60</td><td>-----</td><td>-----</td><td>97.28</td><td>34.30</td><td>11.64</td><td>33.62</td><td>0.00</td><td>155</td><td>21 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	109.60	-----	-----	97.28	34.30	11.64	33.62	0.00	155
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5923.67	55.73	88.20	-32.47	43.46	34.30	11.56	33.59	0.00	155	21 PEAK																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5955.00	109.60	-----	-----	97.28	34.30	11.64	33.62	0.00	155	21 PEAK																																																																																					
Avg																																																																																																
	Site : 03CH12-HY Condition: AVG_BE(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5912.88</td><td>47.20</td><td>68.20</td><td>-21.00</td><td>34.95</td><td>34.30</td><td>11.53</td><td>33.58</td><td>0.00</td><td>155</td><td>21 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5912.88	47.20	68.20	-21.00	34.95	34.30	11.53	33.58	0.00	155	21 AVERAGE	Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>103.18</td><td>-----</td><td>-----</td><td>90.86</td><td>34.30</td><td>11.64</td><td>33.62</td><td>0.00</td><td>155</td><td>21 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	103.18	-----	-----	90.86	34.30	11.64	33.62	0.00	155
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5912.88	47.20	68.20	-21.00	34.95	34.30	11.53	33.58	0.00	155	21 AVERAGE																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5955.00	103.18	-----	-----	90.86	34.30	11.64	33.62	0.00	155	21 AVERAGE																																																																																					







		27																																																																																																	
Mode	Band Edge																																																																																																		
	U-NII-5_5.945~6.425_802.11ax HE20_CH1_Partial 26/0_5955MHz																																																																																																		
ANT	4+3																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak	 Site : 03CH12-HY Condition: PEAK_BE(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5826.56</td><td>56.11</td><td>88.20</td><td>-32.09</td><td>44.31</td><td>34.05</td><td>11.25</td><td>33.50</td><td>0.00</td><td>400</td><td>179</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5826.56	56.11	88.20	-32.09	44.31	34.05	11.25	33.50	0.00	400	179	PEAK	 Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>105.98</td><td>-----</td><td>-----</td><td>93.66</td><td>34.30</td><td>11.64</td><td>33.62</td><td>0.00</td><td>400</td><td>179</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	105.98	-----	-----	93.66	34.30	11.64	33.62	0.00	400	179	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5826.56	56.11	88.20	-32.09	44.31	34.05	11.25	33.50	0.00	400	179	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5955.00	105.98	-----	-----	93.66	34.30	11.64	33.62	0.00	400	179	PEAK																																																																																							
Avg	 Site : 03CH12-HY Condition: AVG_BE(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBN:1.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5882.33</td><td>46.20</td><td>68.20</td><td>-22.00</td><td>34.09</td><td>34.23</td><td>11.43</td><td>33.55</td><td>0.00</td><td>400</td><td>179</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5882.33	46.20	68.20	-22.00	34.09	34.23	11.43	33.55	0.00	400	179	AVERAGE	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBN:1.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>99.25</td><td>-----</td><td>-----</td><td>86.93</td><td>34.30</td><td>11.64</td><td>33.62</td><td>0.00</td><td>400</td><td>179</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	99.25	-----	-----	86.93	34.30	11.64	33.62	0.00	400	179	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5882.33	46.20	68.20	-22.00	34.09	34.23	11.43	33.55	0.00	400	179	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5955.00	99.25	-----	-----	86.93	34.30	11.64	33.62	0.00	400	179	AVERAGE																																																																																							







Mode	28																																																																																																												
	Band Edge																																																																																																												
	U-NII-5_5.945~6.425_802.11ax HE20_CH1_Partial 52/37_5955MHz																																																																																																												
ANT	4+3																																																																																																												
Pol.	Horizontal						Fundamental																																																																																																						
Peak																																																																																																													
	Site : 03CH12-HY Condition: PEAK_BE(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto												Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto																																																																																																
Avg																																																																																																													
	Site : 03CH12-HY Condition: AVG_BE(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz SMT:Auto												Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz SMT:Auto																																																																																																
<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5919.38</td><td>59.45</td><td>88.20</td><td>-28.75</td><td>47.19</td><td>34.30</td><td>11.55</td><td>33.59</td><td>0.00</td><td>146</td><td>24 PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5919.38	59.45	88.20	-28.75	47.19	34.30	11.55	33.59	0.00	146	24 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>110.49</td><td>-----</td><td>-----</td><td>98.17</td><td>34.30</td><td>11.64</td><td>33.62</td><td>0.00</td><td>146</td><td>24 PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	110.49	-----	-----	98.17	34.30	11.64	33.62	0.00	146	24 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5919.38	59.45	88.20	-28.75	47.19	34.30	11.55	33.59	0.00	146	24 PEAK																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5955.00	110.49	-----	-----	98.17	34.30	11.64	33.62	0.00	146	24 PEAK																																																																																																		
<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5917.17</td><td>49.26</td><td>68.20</td><td>-18.94</td><td>37.01</td><td>34.30</td><td>11.54</td><td>33.59</td><td>0.00</td><td>146</td><td>24 AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5917.17	49.26	68.20	-18.94	37.01	34.30	11.54	33.59	0.00	146	24 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>103.41</td><td>-----</td><td>-----</td><td>91.09</td><td>34.30</td><td>11.64</td><td>33.62</td><td>0.00</td><td>146</td><td>24 AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	103.41	-----	-----	91.09	34.30	11.64	33.62	0.00	146	24 AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5917.17	49.26	68.20	-18.94	37.01	34.30	11.54	33.59	0.00	146	24 AVERAGE																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5955.00	103.41	-----	-----	91.09	34.30	11.64	33.62	0.00	146	24 AVERAGE																																																																																																		







Mode	28																																																																																																	
	Band Edge																																																																																																	
	U-NII-5_5.945~6.425_802.11ax HE20_CH1_Partial 52/37_5955MHz																																																																																																	
ANT	4+3																																																																																																	
Pol.	Vertical						Fundamental																																																																																											
Peak																																																																																																		
	Site : 03CH12-HY Condition: PEAK_BE(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto						Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th colspan="2"></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5914.31</td><td>56.42</td><td>88.20</td><td>-31.78</td><td>44.17</td><td>34.30</td><td>11.53</td><td>33.58</td><td>0.00</td><td>287 0 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5914.31	56.42	88.20	-31.78	44.17	34.30	11.53	33.58	0.00	287 0 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th colspan="2"></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>106.85</td><td>-----</td><td>-----</td><td>94.53</td><td>34.30</td><td>11.64</td><td>33.62</td><td>0.00</td><td>287 0 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	106.85	-----	-----	94.53	34.30	11.64	33.62	0.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5914.31	56.42	88.20	-31.78	44.17	34.30	11.53	33.58	0.00	287 0 PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5955.00	106.85	-----	-----	94.53	34.30	11.64	33.62	0.00	287 0 PEAK																																																																																								
Avg																																																																																																		
	Site : 03CH12-HY Condition: AVG_BE(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:1.000kHz SMT:Auto						Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:1.000kHz SMT:Auto																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th colspan="2"></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5917.30</td><td>47.32</td><td>68.20</td><td>-20.88</td><td>35.07</td><td>34.30</td><td>11.54</td><td>33.59</td><td>0.00</td><td>287 0 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5917.30	47.32	68.20	-20.88	35.07	34.30	11.54	33.59	0.00	287 0 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th colspan="2"></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>98.51</td><td>-----</td><td>-----</td><td>86.19</td><td>34.30</td><td>11.64</td><td>33.62</td><td>0.00</td><td>287 0 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	98.51	-----	-----	86.19	34.30	11.64	33.62	0.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5917.30	47.32	68.20	-20.88	35.07	34.30	11.54	33.59	0.00	287 0 AVERAGE																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5955.00	98.51	-----	-----	86.19	34.30	11.64	33.62	0.00	287 0 AVERAGE																																																																																								



Mode	29																																																																																																
	Band Edge																																																																																																
	U-NII-5_5.945~6.425_802.11ax HE20_CH1_Partial 106/53_5955MHz																																																																																																
ANT	4+3																																																																																																
Pol.	Horizontal						Fundamental																																																																																										
Peak																																																																																																	
	Site : 03CH12-HY Condition: PEAK_BE(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5924.97</td><td>74.15</td><td>88.20</td><td>-14.05</td><td>61.87</td><td>34.30</td><td>11.57</td><td>33.59</td><td>0.00</td><td>147</td><td>19 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.97	74.15	88.20	-14.05	61.87	34.30	11.57	33.59	0.00	147	19 PEAK	Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>112.37</td><td>-----</td><td>-----</td><td>100.05</td><td>34.30</td><td>11.64</td><td>33.62</td><td>0.00</td><td>147</td><td>19 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	112.37	-----	-----	100.05	34.30	11.64	33.62	0.00	147
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5924.97	74.15	88.20	-14.05	61.87	34.30	11.57	33.59	0.00	147	19 PEAK																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5955.00	112.37	-----	-----	100.05	34.30	11.64	33.62	0.00	147	19 PEAK																																																																																						
Avg																																																																																																	
	Site : 03CH12-HY Condition: AVG_BE(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5924.45</td><td>57.55</td><td>68.20</td><td>-10.65</td><td>45.28</td><td>34.30</td><td>11.56</td><td>33.59</td><td>0.00</td><td>147</td><td>19 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.45	57.55	68.20	-10.65	45.28	34.30	11.56	33.59	0.00	147	19 AVERAGE	Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>103.98</td><td>-----</td><td>-----</td><td>91.65</td><td>34.29</td><td>11.66</td><td>33.62</td><td>0.00</td><td>147</td><td>19 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	103.98	-----	-----	91.65	34.29	11.66	33.62	0.00	147
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5924.45	57.55	68.20	-10.65	45.28	34.30	11.56	33.59	0.00	147	19 AVERAGE																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5955.00	103.98	-----	-----	91.65	34.29	11.66	33.62	0.00	147	19 AVERAGE																																																																																						



Mode	29																																																																																																					
	Band Edge																																																																																																					
	U-NII-5_5.945~6.425_802.11ax HE20_CH1_Partial 106/53_5955MHz																																																																																																					
ANT	4+3																																																																																																					
Pol.	Vertical						Fundamental																																																																																															
Peak																																																																																																						
	Site : 03CH12-HY Condition: PEAK_BE(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto						Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto																																																																																															
Avg																																																																																																						
	Site : 03CH12-HY Condition: AVG_BE(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:1.000kHz SMT:Auto						Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:1.000kHz SMT:Auto																																																																																															
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5922.50</td><td>65.93</td><td>88.20</td><td>-22.27</td><td>53.66</td><td>34.30</td><td>11.56</td><td>33.59</td><td>0.00</td><td>300</td><td>0 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5922.50	65.93	88.20	-22.27	53.66	34.30	11.56	33.59	0.00	300	0 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>108.00</td><td>-----</td><td>-----</td><td>95.68</td><td>34.30</td><td>11.64</td><td>33.62</td><td>0.00</td><td>300</td><td>0 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	108.00	-----	-----	95.68	34.30	11.64	33.62	0.00	300	0 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor	Factor																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	5922.50	65.93	88.20	-22.27	53.66	34.30	11.56	33.59	0.00	300	0 PEAK																																																																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor	Factor																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	5955.00	108.00	-----	-----	95.68	34.30	11.64	33.62	0.00	300	0 PEAK																																																																																											
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.97</td><td>53.94</td><td>68.20</td><td>-14.26</td><td>41.66</td><td>34.30</td><td>11.57</td><td>33.59</td><td>0.00</td><td>300</td><td>0 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.97	53.94	68.20	-14.26	41.66	34.30	11.57	33.59	0.00	300	0 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>99.65</td><td>-----</td><td>-----</td><td>87.32</td><td>34.29</td><td>11.66</td><td>33.62</td><td>0.00</td><td>300</td><td>0 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	99.65	-----	-----	87.32	34.29	11.66	33.62	0.00	300	0 AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor	Factor																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	5924.97	53.94	68.20	-14.26	41.66	34.30	11.57	33.59	0.00	300	0 AVERAGE																																																																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor	Factor																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	5955.00	99.65	-----	-----	87.32	34.29	11.66	33.62	0.00	300	0 AVERAGE																																																																																											




Appendix D. Duty Cycle Plots

<For Radiated Spurious Emission test>


Antenna	Band	Duty Cycle(%)	T(us)	1/T(kHz)	VBW Setting
4+3	6GHz 802.11a	93.44	1425	0.70	1kHz
4+3	6GHz 802.11ax HE20 Full RU	91.19	1035	0.97	1kHz
4+3	6GHz 802.11ax HE20 26 RU	97.88	1617	0.62	1kHz
4+3	6GHz 802.11ax HE20 52 RU	97.98	1458	0.69	1kHz
4+3	6GHz 802.11ax HE20 106 RU	97.60	1302	0.77	1kHz
4+3	6GHz 802.11ax HE40 Full RU	90.99	1010	0.99	1kHz
4+3	6GHz 802.11ax HE80 Full RU	86.39	730	1.37	3kHz

MIMO <Ant. 4+3>







6GHz 802.11ax HE20 26 RU




6GHz 802.11ax HE20 52 RU




6GHz 802.11ax HE20 106 RU



6GHz 802.11ax HE40 Full RU



6GHz 802.11ax HE80 Full RU






<For Conducted test>

Antenna	Band	Duty Cycle(%)	T(us)	Duty Factor(dB)
4+3	802.11a for Ant 4	93.72	1432	0.28
4+3	802.11a for Ant 3	93.46	1430	0.29
4+3	6GHz 802.11ax HE20 Full RU for Ant 4	91.27	1045	0.40
4+3	6GHz 802.11ax HE20 Full RU for Ant 3	91.27	1045	0.40
4+3	6GHz 802.11ax HE20 26 RU for Ant 4	89.47	850	0.48
4+3	6GHz 802.11ax HE20 26 RU for Ant 3	89.47	850	0.48
4+3	6GHz 802.11ax HE20 52 RU for Ant 4	88.57	775	0.53
4+3	6GHz 802.11ax HE20 52 RU for Ant 3	88.57	775	0.53
4+3	6GHz 802.11ax HE20 106 RU for Ant 4	87.42	695	0.58
4+3	6GHz 802.11ax HE20 106 RU for Ant 3	87.34	690	0.59
4+3	6GHz 802.11ax HE40 Full RU for Ant 4	91.11	1025	0.40
4+3	6GHz 802.11ax HE40 Full RU for Ant 3	91.15	1030	0.40
4+3	6GHz 802.11ax HE80 Full RU for Ant 4	88.24	750	0.54
4+3	6GHz 802.11ax HE80 Full RU for Ant 3	88.24	750	0.54

MIMO <Ant. 4>



—THE END—