




TX1

Part 22H Mode 4

WCDMA B5 Ch4233

H




Site : 03CH23-HY

Condition: -13 3m DRH18-E_LE2C05A18EN_240620 Horizontal

: WCDMA Ch4233

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		Factor	dB			dBuV	dBm		
1	1680.00	-66.49	RMS	25.00	-24.97	1.30	-95.23	27.41	-13.00	-53.49	Horizontal
2	2544.00	-60.07	RMS	27.00	-24.24	1.44	-95.23	30.96	-13.00	-47.07	Horizontal
3	3384.00	-62.69	RMS	28.44	-23.69	1.68	-95.23	26.11	-13.00	-49.69	Horizontal



Site : 03CH23-HY

Condition: -13 3m DRH18-E_LE2C05A18EN_240620 Vertical

: WCDMA Ch4233

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		Factor	dB			dBuV	dBm		
1	1680.00	-66.84	RMS	25.00	-24.97	1.30	-95.23	27.06	-13.00	-53.84	Vertical
2	2544.00	-58.27	RMS	27.00	-24.24	1.44	-95.23	32.76	-13.00	-45.27	Vertical
3	3384.00	-62.76	RMS	28.44	-23.69	1.68	-95.23	26.04	-13.00	-49.76	Vertical




TX0

Part 24E Mode 1


GSM 1900 Ch512

L



Site : 03CH23-HY
Condition: -13 1m SHF_1223_230710 Horizontal
: GSM Ch512

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
			Factor	1					
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	3705.00	-59.50 RMS	29.95	-23.43	1.85	-95.23	27.36	-13.00	-46.50 Horizontal
2	5550.00	-39.01 RMS	33.00	-22.56	2.08	-95.23	43.70	-13.00	-26.01 Horizontal
3	7395.00	-53.73 RMS	37.21	-22.78	1.99	-95.23	25.08	-13.00	-40.73 Horizontal
4	9251.00	-53.82 RMS	37.40	-23.67	2.25	-95.23	25.43	-13.00	-40.82 Horizontal



Site : 03CH23-HY
Condition: -13 1m SHF_1223_230710 Vertical
: GSM Ch512

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
			Factor	1					
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	3705.00	-58.63 RMS	29.95	-23.43	1.85	-95.23	28.23	-13.00	-45.63 Vertical
2	5550.00	-33.77 RMS	33.00	-22.56	2.08	-95.23	48.94	-13.00	-20.77 Vertical
3	7395.00	-54.56 RMS	37.21	-22.78	1.99	-95.23	24.25	-13.00	-41.56 Vertical
4	9251.00	-50.65 RMS	37.40	-23.67	2.25	-95.23	28.60	-13.00	-37.65 Vertical




TX0

Part 24E Mode 1


GSM 1900 Ch661

M



Site : 03CH23-HY
Condition: -13 1m SHF_1223_230710 Horizontal
: GSM Ch661

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	3760.00	-58.73	RMS	30.42	-23.50	1.81	-95.23	27.77	-13.00	-45.73 Horizontal
2	5640.00	-37.19	RMS	33.44	-22.67	2.10	-95.23	45.17	-13.00	-24.19 Horizontal
3	7520.00	-54.55	RMS	36.96	-22.96	2.00	-95.23	24.68	-13.00	-41.55 Horizontal
4	9400.00	-52.11	RMS	37.40	-23.79	2.38	-95.23	27.13	-13.00	-39.11 Horizontal



Site : 03CH23-HY
Condition: -13 1m SHF_1223_230710 Vertical
: GSM Ch661

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	3760.00	-58.52	RMS	30.42	-23.50	1.81	-95.23	27.98	-13.00	-45.52 Vertical
2	5640.00	-35.28	RMS	33.44	-22.67	2.10	-95.23	47.08	-13.00	-22.28 Vertical
3	7520.00	-54.64	RMS	36.96	-22.96	2.00	-95.23	24.59	-13.00	-41.64 Vertical
4	9400.00	-52.48	RMS	37.40	-23.79	2.38	-95.23	26.76	-13.00	-39.48 Vertical




TX0


Part 24E Mode 1

GSM 1900 Ch810

H



	Freq	Level	Detector	Ant Amp\Cb Filter				EIRPCF	Readin	Limit	Margin Pol	
				Factor	1							
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	3819.00	-58.44	RMS		30.65	-23.55	1.78	-95.23	27.91	-13.00	-45.44	Horizontal
2	5729.00	-40.16	RMS		33.86	-22.86	2.09	-95.23	41.98	-13.00	-27.16	Horizontal
3	7639.00	-54.79	RMS		36.90	-23.15	2.01	-95.23	24.68	-13.00	-41.79	Horizontal



	Freq	Level	Detector	Ant Amp\Cb Filter				EIRPCF	Readin	Limit	Margin Pol	
				Factor	1							
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	3819.00	-56.78	RMS		30.65	-23.55	1.78	-95.23	29.57	-13.00	-43.78	Vertical
2	5729.00	-35.23	RMS		33.86	-22.86	2.09	-95.23	46.91	-13.00	-22.23	Vertical
3	7639.00	-54.97	RMS		36.90	-23.15	2.01	-95.23	24.50	-13.00	-41.97	Vertical




TX0

Part 24E Mode 3


WCDMA B2 Ch9262

L



Site : 03CH23-HY
Condition: -13 1m SHF_1223_230710 Horizontal
: GSM Ch9262

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	3705.00	-60.08	RMS	29.95	-23.43	1.85	-95.23	26.78	-13.00	-47.08	Horizontal			
2	5557.00	-42.26	RMS	33.03	-22.56	2.08	-95.23	40.42	-13.00	-29.26	Horizontal			
3	7410.00	-54.14	RMS	37.20	-22.79	1.99	-95.23	24.69	-13.00	-41.14	Horizontal			



Site : 03CH23-HY
Condition: -13 1m SHF_1223_230710 Vertical
: GSM Ch9262

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	3705.00	-60.12	RMS	29.95	-23.43	1.85	-95.23	26.74	-13.00	-47.12	Vertical			
2	5557.00	-45.26	RMS	33.03	-22.56	2.08	-95.23	37.42	-13.00	-32.26	Vertical			
3	7410.00	-54.30	RMS	37.20	-22.79	1.99	-95.23	24.53	-13.00	-41.30	Vertical			




TX0

Part 24E Mode 3


WCDMA B2 Ch9400

M



Site : 03CH23-HY
Condition: -13 1m SHF_1223_230710 Horizontal
: GSM Ch9400

	Freq Level		Detector	Ant Amp\Cb Filter				Readin	Limit	Margin Pol	
	MHz	dBm		Factor	1	EIRPCF	g				
1	3760.00	-60.03	RMS	30.42	-23.50	1.81	-95.23	26.47	-13.00	-47.03	Horizontal
2	5640.00	-43.06	RMS	33.44	-22.67	2.10	-95.23	39.30	-13.00	-30.06	Horizontal
3	7520.00	-54.70	RMS	36.96	-22.96	2.00	-95.23	24.53	-13.00	-41.70	Horizontal



Site : 03CH23-HY
Condition: -13 1m SHF_1223_230710 Vertical
: GSM Ch9400

	Freq Level		Detector	Ant Amp\Cb Filter				Readin	Limit	Margin Pol	
	MHz	dBm		Factor	1	EIRPCF	g				
1	3760.00	-60.08	RMS	30.42	-23.50	1.81	-95.23	26.42	-13.00	-47.08	Vertical
2	5640.00	-48.20	RMS	33.44	-22.67	2.10	-95.23	34.16	-13.00	-35.20	Vertical
3	7520.00	-54.76	RMS	36.96	-22.96	2.00	-95.23	24.47	-13.00	-41.76	Vertical




TX0


Part 24E Mode 3

WCDMA B2 Ch9538

H



	Freq Level		Detector	Ant Amp\Cb Filter				Readin	Limit	Margin Pol	
	MHz	dBm		Factor	1	EIRPCF	g				
1	3815.00	-59.57	RMS	30.62	-23.55	1.78	-95.23	26.81	-13.00	-46.57	Horizontal
2	5723.00	-44.17	RMS	33.85	-22.84	2.09	-95.23	37.96	-13.00	-31.17	Horizontal
3	7630.00	-54.93	RMS	36.90	-23.14	2.01	-95.23	24.53	-13.00	-41.93	Horizontal



	Freq Level		Detector	Ant Amp\Cb Filter				Readin	Limit	Margin Pol	
	MHz	dBm		Factor	1	EIRPCF	g				
1	3815.00	-59.59	RMS	30.62	-23.55	1.78	-95.23	26.79	-13.00	-46.59	Vertical
2	5723.00	-46.82	RMS	33.85	-22.84	2.09	-95.23	35.31	-13.00	-33.82	Vertical
3	7630.00	-54.39	RMS	36.90	-23.14	2.01	-95.23	25.07	-13.00	-41.39	Vertical




TX1


Part 24E Mode 2

GSM 1900 Ch512

L



	Freq Level		Detector	Ant Amp\Cb Filter				Readin	Limit	Margin Pol	
	MHz	dBm		Factor	1	EIRPCF	g				
1	3700.00	-59.87	RMS	29.90	-23.43	1.85	-95.23	27.04	-13.00	-46.87	Horizontal
2	5550.00	-54.84	RMS	33.00	-22.56	2.08	-95.23	27.87	-13.00	-41.84	Horizontal
3	7400.00	-54.19	RMS	37.20	-22.77	1.99	-95.23	24.62	-13.00	-41.19	Horizontal



	Freq Level		Detector	Ant Amp\Cb Filter				Readin	Limit	Margin Pol	
	MHz	dBm		Factor	1	EIRPCF	g				
1	3700.00	-59.80	RMS	29.90	-23.43	1.85	-95.23	27.11	-13.00	-46.80	Vertical
2	5550.00	-55.43	RMS	33.00	-22.56	2.08	-95.23	27.28	-13.00	-42.43	Vertical
3	7400.00	-54.13	RMS	37.20	-22.77	1.99	-95.23	24.68	-13.00	-41.13	Vertical




TX1

Part 24E Mode 2


GSM 1900 Ch661

M



Site : 03CH23-HY
Condition: -13 1m SHF_1223_230710 Horizontal
: GSM Ch661

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm		dB/m	dB			dB	dBuV		
1	3760.00	-59.40	RMS	30.42	-23.50	1.81	-95.23	27.10	-13.00	-46.40	Horizontal
2	5640.00	-50.90	RMS	33.44	-22.67	2.10	-95.23	31.46	-13.00	-37.90	Horizontal
3	7520.00	-54.74	RMS	36.96	-22.96	2.00	-95.23	24.49	-13.00	-41.74	Horizontal



Site : 03CH23-HY
Condition: -13 1m SHF_1223_230710 Vertical
: GSM Ch661

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	3760.00	-59.79	RMS	30.42	-23.50	1.81	-95.23	26.71	-13.00	-46.79	Vertical
2	5640.00	-53.25	RMS	33.44	-22.67	2.10	-95.23	29.11	-13.00	-40.25	Vertical
3	7520.00	-54.73	RMS	36.96	-22.96	2.00	-95.23	24.50	-13.00	-41.73	Vertical




TX1

Part 24E Mode 2


GSM 1900 Ch810

H



Site : 03CH23-HY
Condition: -13 1m SHF_1223_230710 Horizontal
: GSM Ch810

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm		dB/m	dB			dB	dBuV		
1	3819.00	-59.34	RMS	30.65	-23.55	1.78	-95.23	27.01	-13.00	-46.34	Horizontal
2	5729.00	-50.70	RMS	33.86	-22.86	2.09	-95.23	31.44	-13.00	-37.70	Horizontal
3	7639.00	-54.84	RMS	36.90	-23.15	2.01	-95.23	24.63	-13.00	-41.84	Horizontal



Site : 03CH23-HY
Condition: -13 1m SHF_1223_230710 Vertical
: GSM Ch810

	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	3819.00	-59.36	RMS	30.65	-23.55	1.78	-95.23	26.99	-13.00	-46.36	Vertical
2	5729.00	-51.86	RMS	33.86	-22.86	2.09	-95.23	30.28	-13.00	-38.86	Vertical
3	7639.00	-54.64	RMS	36.90	-23.15	2.01	-95.23	24.83	-13.00	-41.64	Vertical




TX1

Part 24E Mode 4


WCDMA B2 Ch9262

L



Site : 03CH23-HY
Condition: -13 1m SHF_1223_230710 Horizontal
: WCDMA II Ch9262

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	3705.00	-60.44	RMS	29.95	-23.43	1.85	-95.23	26.42	-13.00	-47.44	Horizontal			
2	5557.00	-42.94	RMS	33.03	-22.56	2.08	-95.23	39.74	-13.00	-29.94	Horizontal			
3	7410.00	-53.99	RMS	37.20	-22.79	1.99	-95.23	24.84	-13.00	-40.99	Horizontal			



Site : 03CH23-HY
Condition: -13 1m SHF_1223_230710 Vertical
: WCDMA II Ch9262

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	3705.00	-60.50	RMS	29.95	-23.43	1.85	-95.23	26.36	-13.00	-47.50	Vertical			
2	5557.00	-46.14	RMS	33.03	-22.56	2.08	-95.23	36.54	-13.00	-33.14	Vertical			
3	7410.00	-54.49	RMS	37.20	-22.79	1.99	-95.23	24.34	-13.00	-41.49	Vertical			




TX1

Part 24E Mode 4


WCDMA B2 Ch9400

M



Site : 03CH23-HY
Condition: -13 1m SHF_1223_230710 Horizontal
: WCDMA II Ch9400

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		Factor	1			dBuV	dBm		
1	3760.00	-60.51	RMS	30.42	-23.50	1.81	-95.23	25.99	-13.00	-47.51	Horizontal
2	5640.00	-43.59	RMS	33.44	-22.67	2.10	-95.23	38.77	-13.00	-30.59	Horizontal
3	7520.00	-54.46	RMS	36.96	-22.96	2.00	-95.23	24.77	-13.00	-41.46	Horizontal



Site : 03CH23-HY
Condition: -13 1m SHF_1223_230710 Vertical
: WCDMA II Ch9400

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		Factor	1			dBuV	dBm		
1	3760.00	-59.82	RMS	30.42	-23.50	1.81	-95.23	26.68	-13.00	-46.82	Vertical
2	5640.00	-48.78	RMS	33.44	-22.67	2.10	-95.23	33.58	-13.00	-35.78	Vertical
3	7520.00	-54.54	RMS	36.96	-22.96	2.00	-95.23	24.69	-13.00	-41.54	Vertical




TX1

Part 24E Mode 4


WCDMA B2 Ch9538

H



Site : 03CH23-HY
Condition: -13 1m SHF_1223_230710 Horizontal
: WCDMA II Ch9538

	Freq Level		Detector	Ant Amp\Cb Filter				Readin g	Limit		Margin	Pol
	MHz	dBm		Factor	1	EIRPCF			dBm	dB		
1	3815.00	-60.05	RMS	30.62	-23.55	1.78	-95.23	26.33	-13.00	-47.05	Horizontal	
2	5723.00	-44.83	RMS	33.85	-22.84	2.09	-95.23	37.30	-13.00	-31.83	Horizontal	
3	7630.00	-55.68	RMS	36.90	-23.14	2.01	-95.23	23.78	-13.00	-42.68	Horizontal	



Site : 03CH23-HY
Condition: -13 1m SHF_1223_230710 Vertical
: WCDMA II Ch9538

	Freq Level		Detector	Ant Amp\Cb Filter				Readin g	Limit		Margin	Pol
	MHz	dBm		Factor	1	EIRPCF			dBm	dB		
1	3815.00	-60.01	RMS	30.62	-23.55	1.78	-95.23	26.37	-13.00	-47.01	Vertical	
2	5723.00	-47.44	RMS	33.85	-22.84	2.09	-95.23	34.69	-13.00	-34.44	Vertical	
3	7630.00	-54.65	RMS	36.90	-23.14	2.01	-95.23	24.81	-13.00	-41.65	Vertical	




TX0

Part 27L Mode 9

WCDMA B4 Ch1312

L




Site : 03CH23-HY

Condition: -13 3m DRH18-E_LE2C05A18EN_240620 Horizontal

: WCDMA IV Ch1312

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF		Readin Limit		Margin Pol	
	MHz	dBm		Factor	dB	dB	dB	dBuV	dBm	dB	
1	3424.00	-60.12	RMS	28.60	-23.65	2.09	-95.23	28.07	-13.00	-47.12	Horizontal
2	5137.00	-45.60	RMS	32.80	-22.75	1.79	-95.23	37.79	-13.00	-32.60	Horizontal
3	6849.00	-55.68	RMS	36.50	-22.89	1.89	-95.23	24.05	-13.00	-42.68	Horizontal



Site : 03CH23-HY

Condition: -13 3m DRH18-E_LE2C05A18EN_240620 Vertical

: WCDMA IV Ch1312

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF		Readin Limit		Margin Pol	
	MHz	dBm		Factor	dB	dB	dB	dBuV	dBm	dB	
1	3424.00	-61.06	RMS	28.60	-23.65	2.09	-95.23	27.13	-13.00	-48.06	Vertical
2	5137.00	-42.50	RMS	32.80	-22.75	1.79	-95.23	40.89	-13.00	-29.50	Vertical
3	6849.00	-55.64	RMS	36.50	-22.89	1.89	-95.23	24.09	-13.00	-42.64	Vertical




TX0

Part 27L Mode 9

WCDMA B4 Ch1413

M




Site : 03CH23-HY

Condition: -13 3m DRH18-E_LE2C05A18EN_240620 Horizontal

: WCDMA IV Ch1413

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		Factor	dB			dBuV	dBm		
1	3465.00	-60.93	RMS	28.76	-23.58	2.05	-95.23	27.07	-13.00	-47.93	Horizontal
2	5197.00	-46.62	RMS	32.71	-22.85	1.81	-95.23	36.94	-13.00	-33.62	Horizontal
3	6930.00	-55.20	RMS	36.56	-23.05	1.92	-95.23	24.60	-13.00	-42.20	Horizontal



Site : 03CH23-HY

Condition: -13 3m DRH18-E_LE2C05A18EN_240620 Vertical

: WCDMA IV Ch1413

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		Factor	dB			dBuV	dBm		
1	3465.00	-61.55	RMS	28.76	-23.58	2.05	-95.23	26.45	-13.00	-48.55	Vertical
2	5197.00	-43.84	RMS	32.71	-22.85	1.81	-95.23	39.72	-13.00	-30.84	Vertical
3	6930.00	-55.51	RMS	36.56	-23.05	1.92	-95.23	24.29	-13.00	-42.51	Vertical




TX0

Part 27L Mode 9

WCDMA B4 Ch1513

H




Site : 03CH23-HY

Condition: -13 3m DRH18-E_LE2C05A18EN_240620 Horizontal

: WCDMA IV Ch1513

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		Factor	1			dBuV	dBm		
1	3505.00	-60.44	RMS	28.95	-23.51	2.01	-95.23	27.34	-13.00	-47.44	Horizontal
2	5257.00	-45.36	RMS	32.69	-22.72	1.87	-95.23	38.03	-13.00	-32.36	Horizontal
3	7010.00	-55.21	RMS	36.70	-23.18	1.96	-95.23	24.54	-13.00	-42.21	Horizontal



Site : 03CH23-HY

Condition: -13 3m DRH18-E_LE2C05A18EN_240620 Vertical

: WCDMA IV Ch1513

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		Factor	1			dBuV	dBm		
1	3505.00	-61.11	RMS	28.95	-23.51	2.01	-95.23	26.67	-13.00	-48.11	Vertical
2	5257.00	-44.02	RMS	32.69	-22.72	1.87	-95.23	39.37	-13.00	-31.02	Vertical
3	7010.00	-55.18	RMS	36.70	-23.18	1.96	-95.23	24.57	-13.00	-42.18	Vertical




TX1

Part 27L Mode 10

WCDMA B4 Ch1312

L




Site : 03CH23-HY

Condition: -13 3m DRH18-E_LE2C05A18EN_240620 Horizontal

: WCDMA IV Ch1312

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		Factor	dB			dBuV	dBm		
1	3424.00	-62.16	RMS	28.60	-23.65	2.09	-95.23	26.03	-13.00	-49.16	Horizontal
2	5137.00	-58.33	RMS	32.80	-22.75	1.79	-95.23	25.06	-13.00	-45.33	Horizontal
3	6849.00	-55.71	RMS	36.50	-22.89	1.89	-95.23	24.02	-13.00	-42.71	Horizontal



Site : 03CH23-HY

Condition: -13 3m DRH18-E_LE2C05A18EN_240620 Vertical

: WCDMA IV Ch1312

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		Factor	dB			dBuV	dBm		
1	3424.00	-62.16	RMS	28.60	-23.65	2.09	-95.23	26.03	-13.00	-49.16	Vertical
2	5137.00	-58.09	RMS	32.80	-22.75	1.79	-95.23	25.30	-13.00	-45.09	Vertical
3	6849.00	-55.91	RMS	36.50	-22.89	1.89	-95.23	23.82	-13.00	-42.91	Vertical




TX1

Part 27L Mode 10

WCDMA B4 Ch1413

M




Site : 03CH23-HY

Condition: -13 3m DRH18-E_LE2C05A18EN_240620 Horizontal

: WCDMA IV CH1413

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit		Margin	Pol
	MHz	dBm		Factor	1		g	dBuV	dBm		
1	3465.00	-61.83	RMS	28.76	-23.58	2.05	-95.23	26.17	-13.00	-48.83	Horizontal
2	5197.00	-58.45	RMS	32.71	-22.85	1.81	-95.23	25.11	-13.00	-45.45	Horizontal
3	6930.00	-55.68	RMS	36.56	-23.05	1.92	-95.23	24.12	-13.00	-42.68	Horizontal



Site : 03CH23-HY

Condition: -13 3m DRH18-E_LE2C05A18EN_240620 Vertical

: WCDMA IV CH1413

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit		Margin	Pol
	MHz	dBm		Factor	1		g	dBuV	dBm		
1	3465.00	-61.96	RMS	28.76	-23.58	2.05	-95.23	26.04	-13.00	-48.96	Vertical
2	5197.00	-58.52	RMS	32.71	-22.85	1.81	-95.23	25.04	-13.00	-45.52	Vertical
3	6930.00	-55.74	RMS	36.56	-23.05	1.92	-95.23	24.06	-13.00	-42.74	Vertical




TX1

Part 27L Mode 10

WCDMA B4 Ch1513

H




Site : 03CH23-HY

Condition: -13 3m DRH18-E_LE2C05A18EN_240620 Horizontal

: WCDMA IV CH1513

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF		Readin Limit		Margin Pol	
	MHz	dBm		Factor	dB	dB	dB	dBuV	dBm	dB	
1	3505.00	-62.00	RMS	28.95	-23.51	2.01	-95.23	25.78	-13.00	-49.00	Horizontal
2	5257.00	-58.15	RMS	32.69	-22.72	1.87	-95.23	25.24	-13.00	-45.15	Horizontal
3	7010.00	-54.91	RMS	36.70	-23.18	1.96	-95.23	24.84	-13.00	-41.91	Horizontal



Site : 03CH23-HY

Condition: -13 3m DRH18-E_LE2C05A18EN_240620 Vertical

: WCDMA IV CH1513

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF		Readin Limit		Margin Pol	
	MHz	dBm		Factor	dB	dB	dB	dBuV	dBm	dB	
1	3505.00	-62.11	RMS	28.95	-23.51	2.01	-95.23	25.67	-13.00	-49.11	Vertical
2	5257.00	-58.01	RMS	32.69	-22.72	1.87	-95.23	25.38	-13.00	-45.01	Vertical
3	7010.00	-54.75	RMS	36.70	-23.18	1.96	-95.23	25.00	-13.00	-41.75	Vertical




TX0


Part 22H Mode 1

GSM 850 20M Ch189

M



1	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm									
1	837.04	-22.09	RMS	28.71	-27.25	0.18	-95.23	71.50	-13.00	-9.09	Horizontal



1	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm									
1	837.04	-23.17	RMS	28.71	-27.25	0.18	-95.23	70.42	-13.00	-10.17	Vertical

Remark: #1 is fundamental signal which can be ignored

—THE END—