





FR1 n77 / 50MHz / CP OFDM / 64QAM

Lowest Band Edge / Full RB



Highest Band Edge / Full RB



FR1 n77 / 50MHz / CP OFDM / 256QAM

Lowest Band Edge / Full RB




Highest Band Edge / Full RB






FR1 n77 / 60MHz / CP OFDM / QPSK

Lowest Band Edge / Full RB




Highest Band Edge / Full RB




FR1 n77 / 60MHz / CP OFDM / 16QAM

Lowest Band Edge / Full RB




Highest Band Edge / Full RB






FR1 n77 / 60MHz / CP OFDM / 64QAM

Lowest Band Edge / Full RB




Highest Band Edge / Full RB



FR1 n77 / 60MHz / CP OFDM / 256QAM

Lowest Band Edge / Full RB



Highest Band Edge / Full RB






FR1 n77 / 70MHz / CP OFDM / QPSK

Lowest Band Edge / Full RB




Highest Band Edge / Full RB



FR1 n77 / 70MHz / CP OFDM / 16QAM

Lowest Band Edge / Full RB



Highest Band Edge / Full RB





FR1 n77 / 70MHz / CP OFDM / 64QAM

Lowest Band Edge / Full RB




Highest Band Edge / Full RB




FR1 n77 / 70MHz / CP OFDM / 256QAM

Lowest Band Edge / Full RB




Highest Band Edge / Full RB






FR1 n77 / 80MHz / CP OFDM / QPSK

Lowest Band Edge / Full RB




Highest Band Edge / Full RB




FR1 n77 / 80MHz / CP OFDM / 16QAM

Lowest Band Edge / Full RB




Highest Band Edge / Full RB






FR1 n77 / 80MHz / CP OFDM / 64QAM

Lowest Band Edge / Full RB




Highest Band Edge / Full RB




FR1 n77 / 80MHz / CP OFDM / 256QAM

Lowest Band Edge / Full RB



Highest Band Edge / Full RB






FR1 n77 / 90MHz / CP OFDM / QPSK

Lowest Band Edge / Full RB




Highest Band Edge / Full RB



FR1 n77 / 90MHz / CP OFDM / 16QAM

Lowest Band Edge / Full RB




Highest Band Edge / Full RB






FR1 n77 / 90MHz / CP OFDM / 64QAM

Lowest Band Edge / Full RB




Highest Band Edge / Full RB



FR1 n77 / 90MHz / CP OFDM / 256QAM

Lowest Band Edge / Full RB




Highest Band Edge / Full RB






FR1 n77 / 100MHz / CP OFDM / QPSK

Lowest Band Edge / Full RB




Highest Band Edge / Full RB



FR1 n77 / 100MHz / CP OFDM / 16QAM

Lowest Band Edge / Full RB



Highest Band Edge / Full RB






FR1 n77 / 100MHz / CP OFDM / 64QAM

Lowest Band Edge / Full RB




Highest Band Edge / Full RB




FR1 n77 / 100MHz / CP OFDM / 256QAM

Lowest Band Edge / Full RB



Highest Band Edge / Full RB







Conducted Spurious Emission

FR1 n77 / 10MHz / CP OFDM / QPSK / 1RB1


Lowest Channel



Middle Channel



Highest Channel



Frequency Stability

Test Conditions		FR1 n77 (QPSK) / Middle Channel	Limit
Temperature (°C)	Voltage (Volt)	BW 20MHz	Note 2.
		Deviation (ppm)	Result
50	Normal Voltage	0.0035	PASS
40	Normal Voltage	0.0044	
30	Normal Voltage	0.0012	
20(Ref.)	Normal Voltage	0.0000	
10	Normal Voltage	0.0025	
0	Normal Voltage	0.0011	
-10	Normal Voltage	0.0045	
-20	Normal Voltage	0.0014	
-30	Normal Voltage	0.0002	
20	Maximum Voltage	0.0005	
20	Normal Voltage	0.0000	
20	Battery End Point	0.0027	

Note:

1. Normal Voltage = 3.9 V. ; Battery End Point (BEP) = 3.6 V. ; Maximum Voltage = 4.5 V.
2. The frequency fundamental emissions stay within the authorized frequency block.



Appendix B. Test Results of Radiated Test

B1. Summary of each worse mode

Mode	Part	Band	Ch	Freq (MHz)	Level (dBm)	Det	Ant Factor (dB)	Amp\Cbl (dB)	Filter (dB)	EIRPCF (dB)	Reading (dBuV)	Limit (dBm)	Margin (dB)	Pol	Ant
1	Part 22H	NR SA n26	H	2491	-50.53	RMS	26.90	-24.11	0.35	-95.23	41.56	-13.00	-37.53	H	0
2	Part 22H	NR SA n26	H	2491	-42.65	RMS	26.90	-24.11	0.35	-95.23	49.44	-13.00	-29.65	H	1
3	Part 22H	EN-DC B2+n26	M	2483	-53.70	RMS	26.63	-24.12	0.35	-95.23	38.67	-13.00	-40.70	H	1
1	Part 24E	NR SA n25	H	5689	-45.35	RMS	33.53	-21.80	0.70	-95.23	37.45	-13.00	-32.35	H	2
2	Part 24E	NR SA n25	L	7405	-55.52	RMS	36.90	-21.26	0.42	-95.23	23.65	-13.00	-42.52	V	0
3	Part 24E	EN-DC B5+n25	M	5621	-49.88	RMS	34.78	-21.84	0.74	-95.23	31.67	-13.00	-36.88	H	2
1	Part 27L	NR SA n70	M	5095	-38.73	RMS	34.20	-21.73	0.40	-95.23	43.63	-13.00	-25.73	H	2
2	Part 27L	NR SA n70	M	5088	-44.30	RMS	34.20	-21.72	0.40	-95.23	38.05	-13.00	-31.30	H	2
3	Part 27L	NR SA n70	M	5095	-49.06	RMS	34.20	-21.73	0.40	-95.23	33.30	-13.00	-36.06	H	0
4	Part 27L	NR SA n70	M	5088	-48.13	RMS	34.20	-21.72	0.40	-95.23	34.22	-13.00	-35.13	V	0
5	Part 27L	NR SA n66	H	5284	-42.86	RMS	32.53	-21.77	0.50	-95.23	41.11	-13.00	-29.86	H	2
6	Part 27L	NR SA n66	H	5284	-46.11	RMS	32.53	-21.77	0.50	-95.23	37.86	-13.00	-33.11	H	0
7	Part 27L	EN-DC B5+n70	M	6793	-56.69	RMS	36.19	-21.49	0.43	-95.23	23.41	-13.00	-43.69	H	2
8	Part 27D	NR SA n30	M	6917	-49.46	RMS	36.33	-21.50	0.45	-95.23	30.49	-40.00	-9.46	H	2
9	Part 27D	NR SA n30	M	6924	-50.12	RMS	36.35	-21.50	0.45	-95.23	29.81	-40.00	-10.12	H	2
10	Part 27D	NR SA n30	M	6917	-47.36	RMS	36.33	-21.50	0.45	-95.23	32.59	-40.00	-7.36	H	0
11	Part 27D	NR SA n30	H	6932	-47.26	RMS	36.36	-21.50	0.45	-95.23	32.66	-40.00	-7.26	V	0
12	Part 27D	EN-DC B5+n30	M	9223	-55.26	RMS	36.95	-21.59	0.45	-95.23	24.16	-40.00	-15.26	H	0
13	Part 27H	NR SA n12	L	2099	-55.59	RMS	26.39	-24.61	0.47	-95.23	37.39	-13.00	-42.59	V	0
14	Part 27H	NR SA n12	L	2099	-48.23	RMS	26.39	-24.61	0.47	-95.23	44.75	-13.00	-35.23	V	1
15	Part 27H	EN-DC B2+n12	M	2813	-64.69	RMS	27.80	-23.61	0.39	-95.23	25.96	-13.00	-51.69	V	1
16	Part 27N	NR SA n71	H	2038	-55.88	RMS	31.38	-24.70	0.49	-95.23	32.18	-13.00	-42.88	H	0
17	Part 27N	NR SA n71	M	2015	-51.63	RMS	31.50	-24.73	0.50	-95.23	36.33	-13.00	-38.63	H	1
18	Part 27N	EN-DC B2+n71	M	2015	-56.59	RMS	26.25	-24.73	0.50	-95.23	36.62	-13.00	-43.59	H	1
19	Part 27M	NR SA n7	M	10105	-54.73	RMS	37.21	-21.47	0.42	-95.23	24.34	-25.00	-29.73	H	2
20	Part 27M	NR SA n7	L	7504	-46.64	RMS	36.79	-21.20	0.39	-95.23	32.61	-25.00	-21.64	H	0
21	Part 27M	NR SA n41	M	7753	-37.22	RMS	36.60	-21.35	0.40	-95.23	42.36	-25.00	-12.22	V	2



Mode	Part	Band	Ch	Freq (MHz)	Level (dBm)	Det	Ant Factor (dB)	Amp\Cbl (dB)	Filter (dB)	EIRPCF (dB)	Reading (dBuV)	Limit (dBm)	Margin (dB)	Pol	Ant
22	Part 27M	NR SA n41	M	7753	-37.78	RMS	36.60	-21.35	0.40	-95.23	41.80	-25.00	-12.78	V	0
23	Part 27M	EN-DC B5+n41	M	5169	-48.02	RMS	34.28	-21.74	0.39	-95.23	34.28	-25.00	-23.02	V	2
24	Part 27M	NR SA n41	H	8014	-40.54	RMS	35.87	-21.57	0.38	-95.23	40.01	-25.00	-15.54	V	2+5
25	Part 27M	NR SA n41	M	7753	-43.02	RMS	35.80	-21.35	0.40	-95.23	37.36	-25.00	-18.02	H	0+1
26	Part 27O	NR SA n77	L	11104	-39.79	RMS	38.11	-21.61	0.44	-95.23	38.50	-13.00	-26.79	H	6
27	Part 27O	NR SA n77	H	7923	-43.91	RMS	36.60	-21.50	0.84	-95.23	35.38	-13.00	-30.91	V	2
28	Part 27O	EN-DC B5+n77	M	15325	-51.96	RMS	39.40	-23.17	0.43	-95.23	26.61	-13.00	-38.96	H	6
29	Part 27O	NR SA n77	H	7923	-42.92	RMS	35.85	-21.50	0.84	-95.23	37.12	-13.00	-29.92	V	6+1
30	Part 27O	NR SA n77	H	7923	-42.31	RMS	35.85	-21.50	0.84	-95.23	37.73	-13.00	-29.31	V	2+5
31	Part 27Q	NR SA n77	L	10354	-33.74	RMS	37.39	-21.62	0.57	-95.23	45.15	-13.00	-20.74	H	6
32	Part 27Q	NR SA n77	M	10474	-48.89	RMS	37.10	-21.69	0.57	-95.23	30.36	-13.00	-35.89	H	2
33	Part 27Q	EN-DC B5+n77	M	13965	-52.71	RMS	38.63	-22.02	0.45	-95.23	25.46	-13.00	-39.71	H	6
34	Part 27Q	NR SA n77	H	10594	-49.59	RMS	37.39	-21.69	0.56	-95.23	29.38	-13.00	-36.59	H	6+1
35	Part 27Q	NR SA n77	M	10474	-51.34	RMS	37.15	-21.69	0.57	-95.23	27.86	-13.00	-38.34	V	2+5
1	Part 90S	NR SA n26	M	2451	-53.34	RMS	26.90	-24.16	0.35	-95.23	38.80	-13.00	-40.34	H	0
2	Part 90S	NR SA n26	M	2453	-54.86	RMS	26.90	-24.16	0.35	-95.23	37.28	-13.00	-41.86	H	0
3	Part 90S	NR SA n26	M	2451	-45.65	RMS	26.90	-24.16	0.35	-95.23	46.49	-13.00	-32.65	V	1
4	Part 90S	NR SA n26	M	2453	-44.65	RMS	26.90	-24.16	0.35	-95.23	47.49	-13.00	-31.65	V	1
5	Part 90S	EN-DC B2+n26	M	2453	-51.50	RMS	26.64	-24.16	0.35	-95.23	40.90	-13.00	-38.50	V	1
6	Part 90R	NR SA n14	M	1578	-59.01	RMS	28.26	-25.29	0.64	-95.23	32.61	-42.15	-16.86	V	0
7	Part 90R	NR SA n14	M	1582	-58.23	RMS	28.34	-25.28	0.64	-95.23	33.30	-42.15	-16.08	H	0
8	Part 90R	NR SA n14	M	1578	-64.74	RMS	28.26	-25.29	0.64	-95.23	26.88	-42.15	-22.59	V	1
9	Part 90R	NR SA n14	H	1587	-64.40	RMS	28.44	-25.28	0.64	-95.23	27.03	-42.15	-22.25	V	1
10	Part 90R	EN-DC B2+n14	M	1578	-64.67	RMS	24.40	-25.29	0.64	-95.23	30.81	-42.15	-22.52	V	0




Ant. 0

Part 22H Mode 1

NR SA n26 20M Ch166800 1RB1 BPSK

L




Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_230712 Horizontal

NR SA n26 20M Ch166800 1RB1 BPSK

	Freq	Level	Detector	Ant	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
				Factor	1				g		
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1651.00	-54.93	RMS	24.70	-25.18	0.65	-95.23	40.13	-13.00	-41.93	Horizontal
2	2476.00	-50.70	RMS	26.86	-24.13	0.35	-95.23	41.45	-13.00	-37.70	Horizontal
3	3301.00	-64.30	RMS	28.30	-23.26	0.35	-95.23	25.54	-13.00	-51.30	Horizontal



Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_230712 Vertical

NR SA n26 20M Ch166800 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dBuV	dBm	dB	
1	1651.00	-57.32	RMS	24.70	-25.18	0.65	-95.23	37.74	-13.00	-44.32 Vertical
2	2476.00	-50.54	RMS	26.86	-24.13	0.35	-95.23	41.61	-13.00	-37.54 Vertical
3	3301.00	-64.40	RMS	28.30	-23.26	0.35	-95.23	25.44	-13.00	-51.40 Vertical




Ant. 0

Part 22H Mode 1

NR SA n26 20M Ch167300 1RB1 BPSK

M




Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_230712 Horizontal

NR SA n26 20M Ch167300 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
				Factor	1						
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1	1656.00	-56.17	RMS		24.70	-25.17	0.65	-95.23	38.88	-13.00	-43.17
2	2483.00	-52.43	RMS		26.90	-24.12	0.35	-95.23	39.67	-13.00	-39.43
3	3311.00	-64.16	RMS		28.30	-23.26	0.35	-95.23	25.68	-13.00	-51.16



Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_230712 Vertical

NR SA n26 20M Ch167300 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
				Factor	1						
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1	1656.00	-57.27	RMS		24.70	-25.17	0.65	-95.23	37.78	-13.00	-44.27
2	2483.00	-50.97	RMS		26.90	-24.12	0.35	-95.23	41.13	-13.00	-37.97
3	3311.00	-63.90	RMS		28.30	-23.26	0.35	-95.23	25.94	-13.00	-50.90




Ant. 0

Part 22H Mode 1

NR SA n26 20M Ch167800 1RB1 BPSK

H




Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_230712 Horizontal

NR SA n26 20M Ch167800 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	1661.00	-54.43	RMS	24.69	-25.17	0.65	-95.23	40.63	-13.00	-41.43 Horizontal
2	2491.00	-50.53	RMS	26.90	-24.11	0.35	-95.23	41.56	-13.00	-37.53 Horizontal
3	3321.00	-64.23	RMS	28.30	-23.26	0.35	-95.23	25.61	-13.00	-51.23 Horizontal



Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_230712 Vertical

NR SA n26 20M Ch167800 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	1661.00	-55.18	RMS	24.69	-25.17	0.65	-95.23	39.88	-13.00	-42.18 Vertical
2	2491.00	-51.01	RMS	26.90	-24.11	0.35	-95.23	41.08	-13.00	-38.01 Vertical
3	3321.00	-64.36	RMS	28.30	-23.26	0.35	-95.23	25.48	-13.00	-51.36 Vertical




Ant. 1

Part 22H Mode 2

NR SA n26 20M Ch166800 1RB1 BPSK

L




Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_230712 Horizontal

NR SA n26 20M Ch166800 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm								
1	1651.00	-63.68	RMS	24.70	-25.18	0.65	-95.23	31.38	-13.00	-50.68 Horizontal
2	2476.00	-43.36	RMS	26.86	-24.13	0.35	-95.23	48.79	-13.00	-30.36 Horizontal
3	3301.00	-64.39	RMS	28.30	-23.26	0.35	-95.23	25.45	-13.00	-51.39 Horizontal



Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_230712 Vertical

NR SA n26 20M Ch166800 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm								
1	1651.00	-62.15	RMS	24.70	-25.18	0.65	-95.23	32.91	-13.00	-49.15 Vertical
2	2476.00	-48.82	RMS	26.86	-24.13	0.35	-95.23	43.33	-13.00	-35.82 Vertical
3	3301.00	-64.30	RMS	28.30	-23.26	0.35	-95.23	25.54	-13.00	-51.30 Vertical




Ant. 1

Part 22H Mode 2

NR SA n26 20M Ch167300 1RB1 BPSK

M




Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_230712 Horizontal

NR SA n26 20M Ch167300 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	1656.00	-64.51	RMS	24.70	-25.17	0.65	-95.23	30.54	-13.00	-51.51 Horizontal
2	2483.00	-43.24	RMS	26.90	-24.12	0.35	-95.23	48.86	-13.00	-30.24 Horizontal
3	3311.00	-63.96	RMS	28.30	-23.26	0.35	-95.23	25.88	-13.00	-50.96 Horizontal



Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_230712 Vertical

NR SA n26 20M Ch167300 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	1656.00	-61.28	RMS	24.70	-25.17	0.65	-95.23	33.77	-13.00	-48.28 Vertical
2	2483.00	-47.80	RMS	26.90	-24.12	0.35	-95.23	44.30	-13.00	-34.80 Vertical
3	3311.00	-64.19	RMS	28.30	-23.26	0.35	-95.23	25.65	-13.00	-51.19 Vertical




Ant. 1

Part 22H Mode 2

NR SA n26 20M Ch167800 1RB1 BPSK

H




Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_230712 Horizontal

NR SA n26 20M Ch167800 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1661.00	-64.27	RMS	24.69	-25.17	0.65	-95.23	30.79	-13.00	-51.27	Horizontal
2	2491.00	-42.65	RMS	26.90	-24.11	0.35	-95.23	49.44	-13.00	-29.65	Horizontal
3	3321.00	-64.44	RMS	28.30	-23.26	0.35	-95.23	25.40	-13.00	-51.44	Horizontal



Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_230712 Vertical

NR SA n26 20M Ch167800 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1661.00	-60.02	RMS	24.69	-25.17	0.65	-95.23	35.04	-13.00	-47.02	Vertical
2	2491.00	-48.13	RMS	26.90	-24.11	0.35	-95.23	43.96	-13.00	-35.13	Vertical
3	3321.00	-64.20	RMS	28.30	-23.26	0.35	-95.23	25.64	-13.00	-51.20	Vertical




Ant. 1

Part 22H Mode 3


EN-DC B2+n26 10M + 20M Ch18900 1RB0 QPSK + Ch167300 1RB1 BPSK

M



Site : 03CH21-HY
Condition: -13 3m DRH18-E_LE2C03A18EN_240711 Horizontal
: LTE B2 10M Ch18900 1RB0 QPSK
: SA n26 20M Ch167300 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol	
				Factor	1						
	MHz	dBm		dB/m	dB	dB	dBuV	dBm	dB		
1	1656.00	-68.38	RMS	24.64	-25.17	0.65	-95.23	26.73	-13.00	-55.38	Horizontal
2	2483.00	-53.70	RMS	26.63	-24.12	0.35	-95.23	38.67	-13.00	-40.70	Horizontal
3	3311.00	-64.87	RMS	28.04	-23.26	0.35	-95.23	25.23	-13.00	-51.87	Horizontal



Site : 03CH21-HY
Condition: -13 3m DRH18-E_LE2C03A18EN_240711 Vertical
: LTE B2 10M Ch18900 1RB0 QPSK
: SA n26 20M Ch167300 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1656.00	-66.42	RMS	24.64	-25.17	0.65	-95.23	28.69	-13.00	-53.42	Vertical
2	2483.00	-55.92	RMS	26.63	-24.12	0.35	-95.23	36.45	-13.00	-42.92	Vertical
3	3311.00	-64.61	RMS	28.04	-23.26	0.35	-95.23	25.49	-13.00	-51.61	Vertical




Ant. 2

Part 24E Mode 1

NR SA n25 20M Ch372000 1RB1 BPSK

L




Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_240624 Horizontal

: SA n25 20M Ch372000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	3703.00	-59.71	RMS	29.82	-23.21	0.85	-95.23	28.06	-13.00	-46.71
2	5554.00	-47.15	RMS	33.00	-21.86	0.73	-95.23	36.21	-13.00	-34.15
3	7405.00	-55.61	RMS	36.90	-21.26	0.42	-95.23	23.56	-13.00	-42.61



Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_240624 Vertical

: SA n25 20M Ch372000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	3703.00	-58.54	RMS	29.82	-23.21	0.85	-95.23	29.23	-13.00	-45.54
2	5554.00	-46.94	RMS	33.00	-21.86	0.73	-95.23	36.42	-13.00	-33.94
3	7405.00	-55.97	RMS	36.90	-21.26	0.42	-95.23	23.20	-13.00	-42.97




Ant. 2

Part 24E Mode 1

NR SA n25 20M Ch376500 1RB1 BPSK

M




Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_240624 Horizontal

: SA n25 20M Ch376500 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit		Margin	Pol
				Factor	1						
1	3748.00	-58.48	RMS	30.18	-23.15	0.84	-95.23	28.88	-13.00	-45.48	Horizontal
2	5621.00	-46.68	RMS	33.13	-21.84	0.74	-95.23	36.52	-13.00	-33.68	Horizontal
3	7495.00	-56.02	RMS	36.81	-21.20	0.39	-95.23	23.21	-13.00	-43.02	Horizontal



Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_240624 Vertical

: SA n25 20M Ch376500 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit		Margin	Pol
				Factor	1						
1	3748.00	-58.22	RMS	30.18	-23.15	0.84	-95.23	29.14	-13.00	-45.22	Vertical
2	5621.00	-45.64	RMS	33.13	-21.84	0.74	-95.23	37.56	-13.00	-32.64	Vertical
3	7495.00	-56.27	RMS	36.81	-21.20	0.39	-95.23	22.96	-13.00	-43.27	Vertical




Ant. 2

Part 24E Mode 1

NR SA n25 20M Ch381000 1RB1 BPSK

H




Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_240624 Horizontal

: SA n25 20M Ch381000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm								
1	3793.00	-60.60	RMS	30.37	-23.09	0.83	-95.23	26.52	-13.00	-47.60 Horizontal
2	5689.00	-45.35	RMS	33.53	-21.80	0.70	-95.23	37.45	-13.00	-32.35 Horizontal
3	7585.00	-56.14	RMS	36.77	-21.24	0.36	-95.23	23.20	-13.00	-43.14 Horizontal



Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_240624 Vertical

: SA n25 20M Ch381000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm								
1	3793.00	-59.93	RMS	30.37	-23.09	0.83	-95.23	27.19	-13.00	-46.93 Vertical
2	5689.00	-45.96	RMS	33.53	-21.80	0.70	-95.23	36.84	-13.00	-32.96 Vertical
3	7585.00	-56.26	RMS	36.77	-21.24	0.36	-95.23	23.08	-13.00	-43.26 Vertical




Ant. 2

Part 24E Mode 3

EN-DC B5+n25 10M + 20M Ch20525 1RB0 QPSK + Ch376500 1RB1 BPSK

M




Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_240624 Horizontal

: LTE Band 5 10M Ch 20525 1RB0 QPSK

: SA n25 20M Ch376500 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	3748.00	-57.23	RMS	33.40	-23.15	0.84	-95.23	26.91	-13.00	-44.23
2	5621.00	-49.88	RMS	34.78	-21.84	0.74	-95.23	31.67	-13.00	-36.88
3	7495.00	-57.54	RMS	35.61	-21.20	0.39	-95.23	22.89	-13.00	-44.54



Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_240624 Vertical

: LTE Band 5 10M Ch 20525 1RB0 QPSK

: SA n25 20M Ch376500 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	3748.00	-57.49	RMS	33.40	-23.15	0.84	-95.23	26.65	-13.00	-44.49
2	5621.00	-50.25	RMS	34.78	-21.84	0.74	-95.23	31.30	-13.00	-37.25
3	7495.00	-57.33	RMS	35.61	-21.20	0.39	-95.23	23.10	-13.00	-44.33




Ant. 0

Part 24E Mode 2

NR SA n25 20M Ch372000 1RB1 BPSK

L




Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_240624 Horizontal

: SA n25 20M Ch372000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
				Factor	1						
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	3703.00	-61.59	RMS	29.82	-23.21	0.85	-95.23	26.18	-13.00	-48.59	Horizontal
2	5554.00	-59.12	RMS	33.00	-21.86	0.73	-95.23	24.24	-13.00	-46.12	Horizontal
3	7405.00	-55.84	RMS	36.90	-21.26	0.42	-95.23	23.33	-13.00	-42.84	Horizontal



Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_240624 Vertical

: SA n25 20M Ch372000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	3703.00	-61.85	RMS	29.82	-23.21	0.85	-95.23	25.92	-13.00	-48.85	Vertical
2	5554.00	-59.07	RMS	33.00	-21.86	0.73	-95.23	24.29	-13.00	-46.07	Vertical
3	7405.00	-55.52	RMS	36.90	-21.26	0.42	-95.23	23.65	-13.00	-42.52	Vertical




Ant. 0

Part 24E Mode 2

NR SA n25 20M Ch376500 1RB1 BPSK

M




Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_240624 Horizontal

: SA n25 20M Ch376500 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	3748.00	-61.06	RMS	30.18	-23.15	0.84	-95.23	26.30	-13.00	-48.06
2	5621.00	-59.52	RMS	33.13	-21.84	0.74	-95.23	23.68	-13.00	-46.52
3	7495.00	-56.17	RMS	36.81	-21.20	0.39	-95.23	23.06	-13.00	-43.17



Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_240624 Vertical

: SA n25 20M Ch376500 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	3748.00	-60.91	RMS	30.18	-23.15	0.84	-95.23	26.45	-13.00	-47.91
2	5621.00	-58.75	RMS	33.13	-21.84	0.74	-95.23	24.45	-13.00	-45.75
3	7495.00	-56.34	RMS	36.81	-21.20	0.39	-95.23	22.89	-13.00	-43.34




Ant. 0

Part 24E Mode 2

NR SA n25 20M Ch381000 1RB1 BPSK

H




Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_240624 Horizontal

: SA n25 20M Ch381000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	3793.00	-60.74	RMS	30.37	-23.09	0.83	-95.23	26.38	-13.00	-47.74 Horizontal
2	5689.00	-59.22	RMS	33.53	-21.80	0.70	-95.23	23.58	-13.00	-46.22 Horizontal
3	7585.00	-56.32	RMS	36.77	-21.24	0.36	-95.23	23.02	-13.00	-43.32 Horizontal



Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_240624 Vertical

: SA n25 20M Ch381000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	3793.00	-60.92	RMS	30.37	-23.09	0.83	-95.23	26.20	-13.00	-47.92 Vertical
2	5689.00	-57.00	RMS	33.53	-21.80	0.70	-95.23	25.80	-13.00	-44.00 Vertical
3	7585.00	-56.47	RMS	36.77	-21.24	0.36	-95.23	22.87	-13.00	-43.47 Vertical




Ant. 2

Part 27L Mode 1

NR SA n70 10M Ch340000 1RB1 BPSK

L




Site : 03CH21-HY

Condition: -13 3m ETS-Lindgren_3117_00227880_231004 Horizontal

: SA n70 10M Ch340000 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb		Filter	EIRPCF		Readin Limit		Margin	Pol
	MHz	dBm		Factor	dB		dB	dB	dBuV	dBm	dB	
1	3392.00	-56.11	RMS	32.60	-23.24	1.13	-95.23	28.63	-13.00	-43.11	Horizontal	
2	5087.00	-39.84	RMS	34.20	-21.72	0.40	-95.23	42.51	-13.00	-26.84	Horizontal	
3	6783.00	-57.42	RMS	35.63	-21.49	0.42	-95.23	23.25	-13.00	-44.42	Horizontal	



Site : 03CH21-HY

Condition: -13 3m ETS-Lindgren_3117_00227880_231004 Vertical

: SA n70 10M Ch340000 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb		Filter	EIRPCF		Readin Limit		Margin	Pol
	MHz	dBm		Factor	dB		dB	dB	dBuV	dBm	dB	
1	3392.00	-57.91	RMS	32.60	-23.24	1.13	-95.23	26.83	-13.00	-44.91	Vertical	
2	5087.00	-42.90	RMS	34.20	-21.72	0.40	-95.23	39.45	-13.00	-29.90	Vertical	
3	6783.00	-57.33	RMS	35.63	-21.49	0.42	-95.23	23.34	-13.00	-44.33	Vertical	




Ant. 2

Part 27L Mode 1

NR SA n70 10M Ch340500 1RB1 BPSK

M




Site : 03CH21-HY

Condition: -13 3m ETS-Lindgren_3117_00227880_231004 Horizontal

: SA n70 10M Ch340500 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin		Pol
	MHz	dBm		Factor	1		dB	dB					
1	3397.00	-53.94	RMS	32.60	-23.24	1.12	-95.23	30.81	-13.00	-40.94	Horizontal		
2	5095.00	-38.73	RMS	34.20	-21.73	0.40	-95.23	43.63	-13.00	-25.73	Horizontal		
3	6793.00	-57.54	RMS	35.67	-21.49	0.43	-95.23	23.08	-13.00	-44.54	Horizontal		



Site : 03CH21-HY

Condition: -13 3m ETS-Lindgren_3117_00227880_231004 Vertical

: SA n70 10M Ch340500 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin		Pol
	MHz	dBm		Factor	1		dB	dB					
1	3397.00	-58.31	RMS	32.60	-23.24	1.12	-95.23	26.44	-13.00	-45.31	Vertical		
2	5095.00	-42.07	RMS	34.20	-21.73	0.40	-95.23	40.29	-13.00	-29.07	Vertical		
3	6793.00	-57.45	RMS	35.67	-21.49	0.43	-95.23	23.17	-13.00	-44.45	Vertical		




Ant. 2

Part 27L Mode 1

NR SA n70 10M Ch341000 1RB1 BPSK

H




Site : 03CH21-HY

Condition: -13 3m ETS-Lindgren_3117_00227880_231004 Horizontal

: SA n70 10M Ch341000 1RB1 BPSK

	Freq		Detector	Ant		Filter	EIRPCF	Readin		Limit	Margin	Pol
	MHz	dBm		Factor	Amp\Cb			g	dBm			
1	3402.00	-55.04	RMS	32.60	-23.24	1.11	-95.23	29.72	-13.00	-42.04	Horizontal	
2	5102.00	-41.30	RMS	34.20	-21.73	0.40	-95.23	41.06	-13.00	-28.30	Horizontal	
3	6803.00	-57.22	RMS	35.69	-21.49	0.43	-95.23	23.38	-13.00	-44.22	Horizontal	



Site : 03CH21-HY

Condition: -13 3m ETS-Lindgren_3117_00227880_231004 Vertical

: SA n70 10M Ch341000 1RB1 BPSK

	Freq		Detector	Ant		Filter	EIRPCF	Readin		Limit	Margin	Pol
	MHz	dBm		Factor	Amp\Cb			g	dBm			
1	3402.00	-57.81	RMS	32.60	-23.24	1.11	-95.23	26.95	-13.00	-44.81	Vertical	
2	5102.00	-44.19	RMS	34.20	-21.73	0.40	-95.23	38.17	-13.00	-31.19	Vertical	
3	6803.00	-57.22	RMS	35.69	-21.49	0.43	-95.23	23.38	-13.00	-44.22	Vertical	




Ant. 2

Part 27L Mode 2

NR SA n70 15M Ch340500 1RB1 BPSK

M




Site : 03CH21-HY

Condition: -13 3m ETS-Lindgren_3117_00227880_231004 Horizontal

: SA n70 15M Ch340500 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
				Factor	1						
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	3392.00	-51.20	RMS	32.60	-23.24	1.13	-95.23	33.54	-13.00	-38.20	Horizontal
2	5088.00	-44.30	RMS	34.20	-21.72	0.40	-95.23	38.05	-13.00	-31.30	Horizontal
3	6784.00	-57.36	RMS	35.64	-21.49	0.43	-95.23	23.29	-13.00	-44.36	Horizontal



Site : 03CH21-HY

Condition: -13 3m ETS-Lindgren_3117_00227880_231004 Vertical

: SA n70 15M Ch340500 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
				Factor	1						
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	3392.00	-56.53	RMS	32.60	-23.24	1.13	-95.23	28.21	-13.00	-43.53	Vertical
2	5088.00	-47.31	RMS	34.20	-21.72	0.40	-95.23	35.04	-13.00	-34.31	Vertical
3	6784.00	-57.26	RMS	35.64	-21.49	0.43	-95.23	23.39	-13.00	-44.26	Vertical




Ant. 2

Part 27L Mode 5

NR SA n66 20M Ch344000 1RB1 BPSK

L




Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_230712 Horizontal

: SA n66 20M Ch344000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	3423.00	-59.06	RMS	28.59	-23.26	1.08	-95.23	29.76	-13.00	-46.06
2	5134.00	-45.62	RMS	32.60	-21.73	0.40	-95.23	38.34	-13.00	-32.62
3	6845.00	-57.11	RMS	36.21	-21.50	0.44	-95.23	22.97	-13.00	-44.11



Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_230712 Vertical

: SA n66 20M Ch344000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	3423.00	-59.91	RMS	28.59	-23.26	1.08	-95.23	28.91	-13.00	-46.91
2	5134.00	-48.15	RMS	32.60	-21.73	0.40	-95.23	35.81	-13.00	-35.15
3	6845.00	-57.00	RMS	36.21	-21.50	0.44	-95.23	23.08	-13.00	-44.00




Ant. 2

Part 27L Mode 5

NR SA n66 20M Ch349000 1RB1 BPSK

M




Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_230712 Horizontal

: SA n66 20M Ch349000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	3473.00	-56.91	RMS	28.79	-23.31	1.02	-95.23	31.82	-13.00	-43.91
2	5209.00	-45.27	RMS	32.60	-21.75	0.40	-95.23	38.71	-13.00	-32.27
3	6945.00	-56.61	RMS	36.39	-21.51	0.45	-95.23	23.29	-13.00	-43.61



Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_230712 Vertical

: SA n66 20M Ch349000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	3473.00	-56.66	RMS	28.79	-23.31	1.02	-95.23	32.07	-13.00	-43.66
2	5209.00	-47.58	RMS	32.60	-21.75	0.40	-95.23	36.40	-13.00	-34.58
3	6945.00	-56.69	RMS	36.39	-21.51	0.45	-95.23	23.21	-13.00	-43.69




Ant. 2

Part 27L Mode 5

NR SA n66 20M Ch354000 1RB1 BPSK

H




Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_230712 Horizontal

: SA n66 20M Ch354000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	3523.00	-59.52	RMS	29.08	-23.34	0.96	-95.23	29.01	-13.00	-46.52
2	5284.00	-42.86	RMS	32.53	-21.77	0.50	-95.23	41.11	-13.00	-29.86
3	7045.00	-56.46	RMS	36.50	-21.47	0.46	-95.23	23.28	-13.00	-43.46



Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_230712 Vertical

: SA n66 20M Ch354000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	3523.00	-60.43	RMS	29.08	-23.34	0.96	-95.23	28.10	-13.00	-47.43
2	5284.00	-46.80	RMS	32.53	-21.77	0.50	-95.23	37.17	-13.00	-33.80
3	7045.00	-56.27	RMS	36.50	-21.47	0.46	-95.23	23.47	-13.00	-43.27




Ant. 2

Part 27L Mode 7

EN-DC B5+n70 10M + 10M Ch20525 1RB0 QPSK + Ch340500 1RB1 BPSK

M




Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_240711 Horizontal

: LTE Band 5 10M Ch20525 1RB0 QPSK

: SA n70 10M Ch340500 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	EIRPCF		Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB		dBuV	dBm	dB	
1	3397.00	-63.50	RMS	28.29	-23.24	1.12	-95.23	25.56	-13.00	-50.50	Horizontal		
2	5095.00	-59.44	RMS	32.60	-21.73	0.40	-95.23	24.52	-13.00	-46.44	Horizontal		
3	6793.00	-56.69	RMS	36.19	-21.49	0.43	-95.23	23.41	-13.00	-43.69	Horizontal		



Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_240711 Vertical

: LTE Band 5 10M Ch20525 1RB0 QPSK

: SA n70 10M Ch340500 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	EIRPCF		Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB		dBuV	dBm	dB	
1	3397.00	-63.35	RMS	28.29	-23.24	1.12	-95.23	25.71	-13.00	-50.35	Vertical		
2	5095.00	-59.19	RMS	32.60	-21.73	0.40	-95.23	24.77	-13.00	-46.19	Vertical		
3	6793.00	-57.07	RMS	36.19	-21.49	0.43	-95.23	23.03	-13.00	-44.07	Vertical		




Ant. 0

Part 27L Mode 3

NR SA n70 10M Ch340000 1RB1 BPSK

L




Site : 03CH21-HY

Condition: -13 3m ETS-Lindgren_3117_00227880_231004 Horizontal

: SA n70 10M Ch340000 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb		Filter	EIRPCF	Readin Limit		Margin	Pol
	MHz	dBm		Factor	dB	dB	dB	dBuV	dBm	dB	
1	3392.00	-56.21	RMS	32.60	-23.24	1.13	-95.23	28.53	-13.00	-43.21	Horizontal
2	5087.00	-50.45	RMS	34.20	-21.72	0.40	-95.23	31.90	-13.00	-37.45	Horizontal
3	8479.00	-51.48	RMS	35.70	-21.60	0.75	-95.23	28.90	-13.00	-38.48	Horizontal



Site : 03CH21-HY

Condition: -13 3m ETS-Lindgren_3117_00227880_231004 Vertical

: SA n70 10M Ch340000 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb		Filter	EIRPCF	Readin Limit		Margin	Pol
	MHz	dBm		Factor	dB	dB	dB	dBuV	dBm	dB	
1	3392.00	-58.25	RMS	32.60	-23.24	1.13	-95.23	26.49	-13.00	-45.25	Vertical
2	5087.00	-50.08	RMS	34.20	-21.72	0.40	-95.23	32.27	-13.00	-37.08	Vertical
3	8479.00	-56.50	RMS	35.70	-21.60	0.75	-95.23	23.88	-13.00	-43.50	Vertical




Ant. 0

Part 27L Mode 3

NR SA n70 10M Ch340500 1RB1 BPSK

M




Site : 03CH21-HY

Condition: -13 3m ETS-Lindgren_3117_00227880_231004 Horizontal

: SA n70 10M Ch340500 1RB1 BPSK

	Freq		Detector	Ant Amp\Cb		Filter	EIRPCF	Readin		Limit	Margin		Pol
	MHz	dBm		Factor	dB	dB	dB	dBuV	dBm		dB	dB	
1	3397.00	-57.21	RMS	32.60	-23.24	1.12	-95.23	27.54	-13.00	-44.21	Horizontal		
2	5095.00	-49.06	RMS	34.20	-21.73	0.40	-95.23	33.30	-13.00	-36.06	Horizontal		
3	8491.00	-53.63	RMS	35.70	-21.60	0.74	-95.23	26.76	-13.00	-40.63	Horizontal		



Site : 03CH21-HY

Condition: -13 3m ETS-Lindgren_3117_00227880_231004 Vertical

: SA n70 10M Ch340500 1RB1 BPSK

	Freq		Detector	Ant Amp\Cb		Filter	EIRPCF	Readin		Limit	Margin		Pol
	MHz	dBm		Factor	dB	dB	dB	dBuV	dBm		dB	dB	
1	3397.00	-58.69	RMS	32.60	-23.24	1.12	-95.23	26.06	-13.00	-45.69	Vertical		
2	5095.00	-49.87	RMS	34.20	-21.73	0.40	-95.23	32.49	-13.00	-36.87	Vertical		
3	8491.00	-55.71	RMS	35.70	-21.60	0.74	-95.23	24.68	-13.00	-42.71	Vertical		




Ant. 0

Part 27L Mode 3

NR SA n70 10M Ch341000 1RB1 BPSK

H




Site : 03CH21-HY

Condition: -13 3m ETS-Lindgren_3117_00227880_231004 Horizontal

: SA n70 10M Ch341000 1RB1 BPSK

	Freq		Detector	Ant		Filter	EIRPCF	Readin		Limit	Margin	Pol
	MHz	dBm		Factor	Amp\Cb			g	dBm			
1	3402.00	-56.67	RMS	32.60	-23.24	1.11	-95.23	28.09	-13.00	-43.67	Horizontal	
2	5102.00	-49.80	RMS	34.20	-21.73	0.40	-95.23	32.56	-13.00	-36.80	Horizontal	
3	8493.00	-53.21	RMS	35.70	-21.60	0.74	-95.23	27.18	-13.00	-40.21	Horizontal	



Site : 03CH21-HY

Condition: -13 3m ETS-Lindgren_3117_00227880_231004 Vertical

: SA n70 10M Ch341000 1RB1 BPSK

	Freq		Detector	Ant		Filter	EIRPCF	Readin		Limit	Margin	Pol
	MHz	dBm		Factor	Amp\Cb			g	dBm			
1	3402.00	-58.76	RMS	32.60	-23.24	1.11	-95.23	26.00	-13.00	-45.76	Vertical	
2	5102.00	-50.08	RMS	34.20	-21.73	0.40	-95.23	32.28	-13.00	-37.08	Vertical	
3	8493.00	-54.87	RMS	35.70	-21.60	0.74	-95.23	25.52	-13.00	-41.87	Vertical	




Ant. 0


Part 27L Mode 4

NR SA n70 15M Ch340500 1RB1 BPSK

M



	Freq Level		Detector	Ant	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	Factor	1									
	MHz	dBm		dB/m	dB	dB		dBuV	dBm	dB	
1	3392.00	-56.77	RMS	32.60	-23.24	1.13	-95.23	27.97	-13.00	-43.77	Horizontal
2	5088.00	-50.71	RMS	34.20	-21.72	0.40	-95.23	31.64	-13.00	-37.71	Horizontal
3	6784.00	-57.14	RMS	35.64	-21.49	0.43	-95.23	23.51	-13.00	-44.14	Horizontal



	Freq	Level	Detector	Ant Factor	Amp\Cb l	Filter	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	3392.00	-58.01	RMS	32.60	-23.24	1.13	-95.23	26.73	-13.00	-45.01	Vertical
2	5088.00	-48.13	RMS	34.20	-21.72	0.40	-95.23	34.22	-13.00	-35.13	Vertical
3	6784.00	-57.33	RMS	35.64	-21.49	0.43	-95.23	23.32	-13.00	-44.33	Vertical




Ant. 0

Part 27L Mode 6

NR SA n66 20M Ch344000 1RB1 BPSK

L




Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_230712 Horizontal

: SA n66 20M Ch344000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	3423.00	-58.14	RMS	28.59	-23.26	1.08	-95.23	30.68	-13.00	-45.14
2	5134.00	-48.36	RMS	32.60	-21.73	0.40	-95.23	35.60	-13.00	-35.36
3	6845.00	-56.91	RMS	36.21	-21.50	0.44	-95.23	23.17	-13.00	-43.91



Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_230712 Vertical

: SA n66 20M Ch344000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	3423.00	-58.46	RMS	28.59	-23.26	1.08	-95.23	30.36	-13.00	-45.46
2	5134.00	-48.50	RMS	32.60	-21.73	0.40	-95.23	35.46	-13.00	-35.50
3	6845.00	-57.01	RMS	36.21	-21.50	0.44	-95.23	23.07	-13.00	-44.01




Ant. 0

Part 27L Mode 6

NR SA n66 20M Ch349000 1RB1 BPSK

M




Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_230712 Horizontal

: SA n66 20M Ch349000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1		g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	3473.00	-59.11	RMS	28.79	-23.31	1.02	-95.23	29.62	-13.00	-46.11
2	5209.00	-47.99	RMS	32.60	-21.75	0.40	-95.23	35.99	-13.00	-34.99
3	6945.00	-56.60	RMS	36.39	-21.51	0.45	-95.23	23.30	-13.00	-43.60



Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_230712 Vertical

: SA n66 20M Ch349000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1		g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	3473.00	-59.84	RMS	28.79	-23.31	1.02	-95.23	28.89	-13.00	-46.84
2	5209.00	-48.69	RMS	32.60	-21.75	0.40	-95.23	35.29	-13.00	-35.69
3	6945.00	-56.49	RMS	36.39	-21.51	0.45	-95.23	23.41	-13.00	-43.49




Ant. 0

Part 27L Mode 6

NR SA n66 20M Ch354000 1RB1 BPSK

H




Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_230712 Horizontal

: SA n66 20M Ch354000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	3523.00	-61.71	RMS	29.08	-23.34	0.96	-95.23	26.82	-13.00	-48.71
2	5284.00	-46.11	RMS	32.53	-21.77	0.50	-95.23	37.86	-13.00	-33.11
3	7045.00	-56.22	RMS	36.50	-21.47	0.46	-95.23	23.52	-13.00	-43.22



Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_230712 Vertical

: SA n66 20M Ch354000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	3523.00	-61.20	RMS	29.08	-23.34	0.96	-95.23	27.33	-13.00	-48.20
2	5284.00	-48.53	RMS	32.53	-21.77	0.50	-95.23	35.44	-13.00	-35.53
3	7045.00	-56.45	RMS	36.50	-21.47	0.46	-95.23	23.29	-13.00	-43.45




Ant. 2

Part 27D Mode 8

NR SA n30 10M Ch462000 1RB1 BPSK

M




Site : 03CH21-HY

Condition: -40 1m BBHA9170_1223_240624 Horizontal

: NR n30 10M Ch462000 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Factor	Amp\Cb		Filter 1	EIRPCF	Readin g	Limit dBm	Margin	Pol
					dB/m	dB						
1	4612.00	-59.73	RMS	31.85	-22.72	0.64	-95.23	25.73	-40.00	-19.73	Horizontal	
2	6917.00	-49.46	RMS	36.33	-21.50	0.45	-95.23	30.49	-40.00	-9.46	Horizontal	
3	9223.00	-54.96	RMS	37.05	-21.59	0.45	-95.23	24.36	-40.00	-14.96	Horizontal	
4	18446.00	-63.52	RMS	38.18	-39.36	-9.54	-95.23	42.43	-40.00	-23.52	Horizontal	



Site : 03CH21-HY

Condition: -40 1m BBHA9170_1223_240624 Vertical

: NR n30 10M Ch462000 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Factor	Amp\Cb		Filter 1	EIRPCF	Readin g	Limit dBm	Margin	Pol
					dB/m	dB						
1	4612.00	-59.93	RMS	31.85	-22.72	0.64	-95.23	25.53	-40.00	-19.93	Vertical	
2	6917.00	-50.95	RMS	36.33	-21.50	0.45	-95.23	29.00	-40.00	-10.95	Vertical	
3	9223.00	-55.14	RMS	37.05	-21.59	0.45	-95.23	24.18	-40.00	-15.14	Vertical	
4	18446.00	-63.80	RMS	38.18	-39.36	-9.54	-95.23	42.15	-40.00	-23.80	Vertical	




Ant. 2

Part 27D Mode 9

NR SA n30 5M Ch461500 1RB1 BPSK

L




Site : 03CH21-HY

Condition: -40 1m BBHA9170_1223_240624 Horizontal

NR n30 5M Ch461500 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	4611.00	-60.17	RMS	31.84	-22.73	0.64	-95.23	25.31	-40.00	-20.17
2	6917.00	-50.45	RMS	36.33	-21.50	0.45	-95.23	29.50	-40.00	-10.45
3	9222.00	-55.27	RMS	37.06	-21.59	0.45	-95.23	24.04	-40.00	-15.27



Site : 03CH21-HY

Condition: -40 1m BBHA9170_1223_240624 Vertical

NR n30 5M Ch461500 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	4611.00	-59.67	RMS	31.84	-22.73	0.64	-95.23	25.81	-40.00	-19.67
2	6917.00	-52.34	RMS	36.33	-21.50	0.45	-95.23	27.61	-40.00	-12.34
3	9222.00	-55.42	RMS	37.06	-21.59	0.45	-95.23	23.89	-40.00	-15.42




Ant. 2

Part 27D Mode 9

NR SA n30 5M Ch462000 1RB1 BPSK

M




Site : 03CH21-HY

Condition: -40 1m BBHA9170_1223_240624 Horizontal

: NR n30 5M Ch462000 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Factor	Amp\Cb		Filter 1	EIRPCF	Readin g	Limit dBm	Margin dB	Pol
					dB/m	dB		dB	dBuV			
1	4616.00	-60.07	RMS	31.86	-22.70	0.64	-95.23	25.36	-40.00	-20.07	Horizontal	
2	6924.00	-50.12	RMS	36.35	-21.50	0.45	-95.23	29.81	-40.00	-10.12	Horizontal	
3	9232.00	-54.87	RMS	37.04	-21.59	0.45	-95.23	24.46	-40.00	-14.87	Horizontal	
4	18464.00	-61.87	RMS	38.23	-39.34	-9.54	-95.23	44.01	-40.00	-21.87	Horizontal	



Site : 03CH21-HY

Condition: -40 1m BBHA9170_1223_240624 Vertical

: NR n30 5M Ch462000 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Factor	Amp\Cb		Filter 1	EIRPCF	Readin g	Limit dBm	Margin dB	Pol
					dB/m	dB		dB	dBuV			
1	4616.00	-60.16	RMS	31.86	-22.70	0.64	-95.23	25.27	-40.00	-20.16	Vertical	
2	6924.00	-51.53	RMS	36.35	-21.50	0.45	-95.23	28.40	-40.00	-11.53	Vertical	
3	9232.00	-55.21	RMS	37.04	-21.59	0.45	-95.23	24.12	-40.00	-15.21	Vertical	
4	18464.00	-64.57	RMS	38.23	-39.34	-9.54	-95.23	41.31	-40.00	-24.57	Vertical	




Ant. 2


Part 27D Mode 9

NR SA n30 5M Ch462500 1RB1 BPSK

H



	Freq	Level	Detector	Ant Factor	Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
					dB/m	dB						
	MHz	dBm					dB	dB	dBuV	dBm	dB	
1	4621.00	-59.52	RMS	31.88	-22.67	0.64	-95.23	25.86	-40.00	-19.52	Horizontal	
2	6932.00	-51.21	RMS	36.36	-21.50	0.45	-95.23	28.71	-40.00	-11.21	Horizontal	
3	9242.00	-54.93	RMS	37.02	-21.59	0.44	-95.23	24.43	-40.00	-14.93	Horizontal	
4	18484.00	-63.47	RMS	38.27	-39.32	-9.54	-95.23	42.35	-40.00	-23.47	Horizontal	



	Freq	Level	Detector	Ant Factor	Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
					dB/m	dB						
	MHz	dBm					dB	dB	dBuV	dBm	dB	
1	4621.00	-59.78	RMS	31.88	-22.67	0.64	-95.23	25.60	-40.00	-19.78	Vertical	
2	6932.00	-53.60	RMS	36.36	-21.50	0.45	-95.23	26.32	-40.00	-13.60	Vertical	
3	9242.00	-54.98	RMS	37.02	-21.59	0.44	-95.23	24.38	-40.00	-14.98	Vertical	
4	18484.00	-64.96	RMS	38.27	-39.32	-9.54	-95.23	40.86	-40.00	-24.96	Vertical	




Ant. 0

Part 27D Mode 10

NR SA n30 10M Ch462000 1RB1 BPSK

M




Site : 03CH21-HY

Condition: -40 1m BBHA9170_1223_240624 Horizontal

NR n30 10M Ch462000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
				Factor	1						
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	4612.00	-60.27	RMS	31.85	-22.72	0.64	-95.23	25.19	-40.00	-20.27	Horizontal
2	6917.00	-47.36	RMS	36.33	-21.50	0.45	-95.23	32.59	-40.00	-7.36	Horizontal
3	9223.00	-55.06	RMS	37.05	-21.59	0.45	-95.23	24.26	-40.00	-15.06	Horizontal



Site : 03CH21-HY

Condition: -40 1m BBHA9170_1223_240624 Vertical

NR n30 10M Ch462000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
				Factor	1						
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	4612.00	-60.00	RMS	31.85	-22.72	0.64	-95.23	25.46	-40.00	-20.00	Vertical
2	6917.00	-48.55	RMS	36.33	-21.50	0.45	-95.23	31.40	-40.00	-8.55	Vertical
3	9223.00	-55.18	RMS	37.05	-21.59	0.45	-95.23	24.14	-40.00	-15.18	Vertical




Ant. 0

Part 27D Mode 11

NR SA n30 5M Ch461500 1RB1 BPSK

L




Site : 03CH21-HY

Condition: -40 1m BBHA9170_1223_240624 Horizontal

: NR n30 5M Ch461500 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit		Margin	Pol
				Factor	1						
1	4611.00	-60.06	RMS	31.84	-22.73	0.64	-95.23	25.42	-40.00	-20.06	Horizontal
2	6917.00	-50.57	RMS	36.33	-21.50	0.45	-95.23	29.38	-40.00	-10.57	Horizontal
3	9222.00	-55.25	RMS	37.06	-21.59	0.45	-95.23	24.06	-40.00	-15.25	Horizontal



Site : 03CH21-HY

Condition: -40 1m BBHA9170_1223_240624 Vertical

: NR n30 5M Ch461500 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit		Margin	Pol
				Factor	1						
1	4611.00	-60.22	RMS	31.84	-22.73	0.64	-95.23	25.26	-40.00	-20.22	Vertical
2	6917.00	-50.88	RMS	36.33	-21.50	0.45	-95.23	29.07	-40.00	-10.88	Vertical
3	9222.00	-55.12	RMS	37.06	-21.59	0.45	-95.23	24.19	-40.00	-15.12	Vertical




Ant. 0

Part 27D Mode 11

NR SA n30 5M Ch462000 1RB1 BPSK

M




Site : 03CH21-HY

Condition: -40 1m BBHA9170_1223_240624 Horizontal

NR n30 5M Ch462000 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit		Margin	Pol
				Factor	1						
1	4616.00	-59.87	RMS	31.86	-22.70	0.64	-95.23	25.56	-40.00	-19.87	Horizontal
2	6924.00	-48.13	RMS	36.35	-21.50	0.45	-95.23	31.80	-40.00	-8.13	Horizontal
3	9232.00	-55.03	RMS	37.04	-21.59	0.45	-95.23	24.30	-40.00	-15.03	Horizontal



Site : 03CH21-HY

Condition: -40 1m BBHA9170_1223_240624 Vertical

NR n30 5M Ch462000 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit		Margin	Pol
				Factor	1						
1	4616.00	-60.42	RMS	31.86	-22.70	0.64	-95.23	25.01	-40.00	-20.42	Vertical
2	6924.00	-48.53	RMS	36.35	-21.50	0.45	-95.23	31.40	-40.00	-8.53	Vertical
3	9232.00	-54.84	RMS	37.04	-21.59	0.45	-95.23	24.49	-40.00	-14.84	Vertical




Ant. 0

Part 27D Mode 11

NR SA n30 5M Ch462500 1RB1 BPSK

H




Site : 03CH21-HY

Condition: -40 1m BBHA9170_1223_240624 Horizontal

NR n30 5M Ch462500 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit	Margin	Pol
				Factor	1					
1	4621.00	-60.22	RMS	31.88	-22.67	0.64 -95.23	25.16	-40.00	-20.22	Horizontal
2	6932.00	-47.89	RMS	36.36	-21.50	0.45 -95.23	32.03	-40.00	-7.89	Horizontal
3	9242.00	-55.04	RMS	37.02	-21.59	0.44 -95.23	24.32	-40.00	-15.04	Horizontal



Site : 03CH21-HY

Condition: -40 1m BBHA9170_1223_240624 Vertical

NR n30 5M Ch462500 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit	Margin	Pol
				Factor	1					
1	4621.00	-60.05	RMS	31.88	-22.67	0.64 -95.23	25.33	-40.00	-20.05	Vertical
2	6932.00	-47.26	RMS	36.36	-21.50	0.45 -95.23	32.66	-40.00	-7.26	Vertical
3	9242.00	-54.79	RMS	37.02	-21.59	0.44 -95.23	24.57	-40.00	-14.79	Vertical




Ant. 0

Part 27D Mode 12

EN-DC B5+n30 10M + 10M Ch20525 1RB0 QPSK + Ch462000 1RB1 BPSK

M




Site : 03CH21-HY

Condition: -40 1m BBHA9170_1223_240624 Horizontal

: LTE B5 10M Ch20525 1RB0 QPSK

: NR n30 10M Ch462000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
					dB/m	dB			dBuV	dBm		
1	4612.00	-60.52	RMS		31.75	-22.72	0.64	-95.23	25.04	-40.00	-20.52	Horizontal
2	6917.00	-56.99	RMS		36.30	-21.50	0.45	-95.23	22.99	-40.00	-16.99	Horizontal
3	9223.00	-55.26	RMS		36.95	-21.59	0.45	-95.23	24.16	-40.00	-15.26	Horizontal



Site : 03CH21-HY

Condition: -40 1m BBHA9170_1223_240624 Vertical

: LTE B5 10M Ch20525 1RB0 QPSK

: NR n30 10M Ch462000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
					dB/m	dB			dBuV	dBm		
1	4612.00	-60.26	RMS		31.75	-22.72	0.64	-95.23	25.30	-40.00	-20.26	Vertical
2	6917.00	-56.50	RMS		36.30	-21.50	0.45	-95.23	23.48	-40.00	-16.50	Vertical
3	9223.00	-55.30	RMS		36.95	-21.59	0.45	-95.23	24.12	-40.00	-15.30	Vertical




Ant. 0

Part 27H Mode 13

NR SA n12 10M Ch140800 1RB1 BPSK

L




Site : 03CH21-HY

Condition: 700 AC BAND 3m DRH18-E_LE2C03A18EN_230712 Horizontal

NR SA n12 10M Ch140800 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit	Margin Pol	
				Factor	1					
1	1400.00	-63.24	RMS	dB/m	dB	dB	dB	dBuV	dBm	dB
2	2099.00	-57.96	RMS	24.60	-25.59	0.73	-95.23	32.25	-13.00	-50.24 Horizontal
3	2799.00	-64.80	RMS	26.39	-24.61	0.47	-95.23	35.02	-13.00	-44.96 Horizontal



Site : 03CH21-HY

Condition: 700 AC BAND 3m DRH18-E_LE2C03A18EN_230712 Vertical

NR SA n12 10M Ch140800 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit	Margin Pol	
				Factor	1					
1	1400.00	-63.44	RMS	dB/m	dB	dB	dB	dBuV	dBm	dB
2	2099.00	-55.59	RMS	24.60	-25.59	0.73	-95.23	32.05	-13.00	-50.44 Vertical
3	2799.00	-64.73	RMS	26.39	-24.61	0.47	-95.23	37.39	-13.00	-42.59 Vertical




Ant. 0

Part 27H Mode 13

NR SA n12 10M Ch141500 1RB1 BPSK

M




Site : 03CH21-HY

Condition: 700 AC BAND 3m DRH18-E_LE2C03A18EN_230712 Horizontal

NR SA n12 10M Ch141500 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm								
1	1407.00	-62.76	RMS	24.67	-25.58	0.73	-95.23	32.65	-13.00	-49.76 Horizontal
2	2110.00	-58.81	RMS	26.40	-24.59	0.47	-95.23	34.14	-13.00	-45.81 Horizontal
3	2813.00	-64.35	RMS	28.07	-23.61	0.39	-95.23	26.03	-13.00	-51.35 Horizontal



Site : 03CH21-HY

Condition: 700 AC BAND 3m DRH18-E_LE2C03A18EN_230712 Vertical

NR SA n12 10M Ch141500 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm								
1	1407.00	-62.49	RMS	24.67	-25.58	0.73	-95.23	32.92	-13.00	-49.49 Vertical
2	2110.00	-57.40	RMS	26.40	-24.59	0.47	-95.23	35.55	-13.00	-44.40 Vertical
3	2813.00	-64.47	RMS	28.07	-23.61	0.39	-95.23	25.91	-13.00	-51.47 Vertical




Ant. 0

Part 27H Mode 13

NR SA n12 10M Ch142200 1RB1 BPSK

H




Site : 03CH21-HY

Condition: 700 AC BAND 3m DRH18-E_LE2C03A18EN_230712 Horizontal

NR SA n12 10M Ch142200 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm								
1	1414.00	-60.97	RMS	24.74	-25.57	0.72	-95.23	34.37	-13.00	-47.97 Horizontal
2	2120.00	-58.79	RMS	26.40	-24.58	0.46	-95.23	34.16	-13.00	-45.79 Horizontal
3	2827.00	-64.28	RMS	28.07	-23.59	0.39	-95.23	26.08	-13.00	-51.28 Horizontal



Site : 03CH21-HY

Condition: 700 AC BAND 3m DRH18-E_LE2C03A18EN_230712 Vertical

NR SA n12 10M Ch142200 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm								
1	1414.00	-62.34	RMS	24.74	-25.57	0.72	-95.23	33.00	-13.00	-49.34 Vertical
2	2120.00	-60.35	RMS	26.40	-24.58	0.46	-95.23	32.60	-13.00	-47.35 Vertical
3	2827.00	-64.16	RMS	28.07	-23.59	0.39	-95.23	26.20	-13.00	-51.16 Vertical




Ant. 1

Part 27H Mode 14

NR SA n12 10M Ch140800 1RB1 BPSK

L




Site : 03CH21-HY

Condition: 700 AC BAND 3m DRH18-E_LE2C03A18EN_230712 Horizontal

NR SA n12 10M Ch140800 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm								
1	1400.00	-66.71	RMS	24.60	-25.59	0.73	-95.23	28.78	-13.00	-53.71 Horizontal
2	2099.00	-51.93	RMS	26.39	-24.61	0.47	-95.23	41.05	-13.00	-38.93 Horizontal
3	2799.00	-64.85	RMS	28.00	-23.63	0.39	-95.23	25.62	-13.00	-51.85 Horizontal



Site : 03CH21-HY

Condition: 700 AC BAND 3m DRH18-E_LE2C03A18EN_230712 Vertical

NR SA n12 10M Ch140800 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm								
1	1400.00	-63.13	RMS	24.60	-25.59	0.73	-95.23	32.36	-13.00	-50.13 Vertical
2	2099.00	-48.23	RMS	26.39	-24.61	0.47	-95.23	44.75	-13.00	-35.23 Vertical
3	2799.00	-64.69	RMS	28.00	-23.63	0.39	-95.23	25.78	-13.00	-51.69 Vertical




Ant. 1

Part 27H Mode 14

NR SA n12 10M Ch141500 1RB1 BPSK

M




Site : 03CH21-HY

Condition: 700 AC BAND 3m DRH18-E_LE2C03A18EN_230712 Horizontal

NR SA n12 10M Ch141500 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	1407.00	-67.70	RMS	24.67	-25.58	0.73	-95.23	27.71	-13.00	-54.70 Horizontal
2	2110.00	-51.60	RMS	26.40	-24.59	0.47	-95.23	41.35	-13.00	-38.60 Horizontal
3	2813.00	-64.55	RMS	28.07	-23.61	0.39	-95.23	25.83	-13.00	-51.55 Horizontal



Site : 03CH21-HY

Condition: 700 AC BAND 3m DRH18-E_LE2C03A18EN_230712 Vertical

NR SA n12 10M Ch141500 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	1407.00	-63.27	RMS	24.67	-25.58	0.73	-95.23	32.14	-13.00	-50.27 Vertical
2	2110.00	-50.38	RMS	26.40	-24.59	0.47	-95.23	42.57	-13.00	-37.38 Vertical
3	2813.00	-64.39	RMS	28.07	-23.61	0.39	-95.23	25.99	-13.00	-51.39 Vertical




Ant. 1

Part 27H Mode 14

NR SA n12 10M Ch142200 1RB1 BPSK

H




Site : 03CH21-HY

Condition: 700 AC BAND 3m DRH18-E_LE2C03A18EN_230712 Horizontal

NR SA n12 10M Ch142200 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	1								
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB		
1	1414.00	-67.83	RMS		24.74	-25.57	0.72	-95.23	27.51	-13.00	-54.83		Horizontal
2	2120.00	-50.02	RMS		26.40	-24.58	0.46	-95.23	42.93	-13.00	-37.02		Horizontal
3	2827.00	-64.58	RMS		28.07	-23.59	0.39	-95.23	25.78	-13.00	-51.58		Horizontal



Site : 03CH21-HY

Condition: 700 AC BAND 3m DRH18-E_LE2C03A18EN_230712 Vertical

NR SA n12 10M Ch142200 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	1								
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB		
1	1414.00	-63.49	RMS		24.74	-25.57	0.72	-95.23	31.85	-13.00	-50.49		Vertical
2	2120.00	-49.88	RMS		26.40	-24.58	0.46	-95.23	43.07	-13.00	-36.88		Vertical
3	2827.00	-64.68	RMS		28.07	-23.59	0.39	-95.23	25.68	-13.00	-51.68		Vertical




Ant. 1

Part 27H Mode 15


EN-DC B2+n12 10M + 10M Ch18900 1RB0 QPSK + Ch141500 1RB1 BPSK

M



Site : 03CH21-HY
Condition: 700 AC BAND 3m DRH18-E_LE2C03A18EN_240711 Horizontal
: LTE B2 10M Ch18900 1RB0 QPSK
: NR SA n12 10M Ch141500 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1		g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	1407.00	-68.35	RMS	24.60	-25.58	0.73	-95.23	27.13	-13.00	-55.35 Horizontal
2	2110.00	-66.09	RMS	26.30	-24.59	0.47	-95.23	26.96	-13.00	-53.09 Horizontal
3	2813.00	-64.72	RMS	27.80	-23.61	0.39	-95.23	25.93	-13.00	-51.72 Horizontal



Site : 03CH21-HY
Condition: 700 AC BAND 3m DRH18-E_LE2C03A18EN_240711 Vertical
: LTE B2 10M Ch18900 1RB0 QPSK
: NR SA n12 10M Ch141500 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1		g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	1407.00	-68.32	RMS	24.60	-25.58	0.73	-95.23	27.16	-13.00	-55.32 Vertical
2	2110.00	-65.95	RMS	26.30	-24.59	0.47	-95.23	27.10	-13.00	-52.95 Vertical
3	2813.00	-64.69	RMS	27.80	-23.61	0.39	-95.23	25.96	-13.00	-51.69 Vertical




Ant. 0

Part 27N Mode 16

NR SA n71 20M Ch134600 1RB1 BPSK

L




Site : 03CH21-HY

Condition: -13 3m ETS-Lindgren_3117_00227880_231004 Horizontal

: NR SA n71 20M Ch134600 1RB1 BPSK

	Freq		Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin g	Limit	Margin	Pol
	MHz	dBm			Factor	dB		dB	dB		dBm		
1	1329.00	-63.30	RMS		28.61	-25.73	0.82	-95.23	28.23	-13.00	-50.30	Horizontal	
2	1993.00	-57.33	RMS		31.46	-24.76	0.51	-95.23	30.69	-13.00	-44.33	Horizontal	
3	2657.00	-60.16	RMS		32.30	-23.85	0.35	-95.23	26.27	-13.00	-47.16	Horizontal	



Site : 03CH21-HY

Condition: -13 3m ETS-Lindgren_3117_00227880_231004 Vertical

: NR SA n71 20M Ch134600 1RB1 BPSK

	Freq		Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin g	Limit	Margin	Pol
					Factor	1							
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB		
1	1329.00	-63.17	RMS		28.61	-25.73	0.82	-95.23	28.36	-13.00	-50.17	Vertical	
2	1993.00	-59.06	RMS		31.46	-24.76	0.51	-95.23	28.96	-13.00	-46.06	Vertical	
3	2657.00	-60.58	RMS		32.30	-23.85	0.35	-95.23	25.85	-13.00	-47.58	Vertical	




Ant. 0

Part 27N Mode 16

NR SA n71 20M Ch136100 1RB1 BPSK

M




Site : 03CH21-HY

Condition: -13 3m ETS-Lindgren_3117_00227880_231004 Horizontal

: NR SA n71 20M Ch136100 1RB1 BPSK

	Freq		Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			Factor	dB	dB	dB	dBuV	dBm	dB	
1	1344.00	-65.13	RMS		28.56	-25.70	0.80	-95.23	26.44	-13.00	-52.13	Horizontal
2	2015.00	-56.40	RMS		31.50	-24.73	0.50	-95.23	31.56	-13.00	-43.40	Horizontal
3	2687.00	-60.39	RMS		32.30	-23.81	0.36	-95.23	25.99	-13.00	-47.39	Horizontal



Site : 03CH21-HY

Condition: -13 3m ETS-Lindgren_3117_00227880_231004 Vertical

: NR SA n71 20M Ch136100 1RB1 BPSK

	Freq		Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			Factor	dB	dB	dB	dBuV	dBm	dB	
1	1344.00	-65.05	RMS		28.56	-25.70	0.80	-95.23	26.52	-13.00	-52.05	Vertical
2	2015.00	-57.67	RMS		31.50	-24.73	0.50	-95.23	30.29	-13.00	-44.67	Vertical
3	2687.00	-60.31	RMS		32.30	-23.81	0.36	-95.23	26.07	-13.00	-47.31	Vertical




Ant. 0

Part 27N Mode 16

NR SA n71 20M Ch137600 1RB1 BPSK

H




Site : 03CH21-HY

Condition: -13 3m ETS-Lindgren_3117_00227880_231004 Horizontal

NR SA n71 20M Ch137600 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
				Factor	1						
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1359.00	-63.27	RMS	28.50	-25.67	0.78	-95.23	28.35	-13.00	-50.27	Horizontal
2	2038.00	-55.88	RMS	31.38	-24.70	0.49	-95.23	32.18	-13.00	-42.88	Horizontal
3	2717.00	-60.56	RMS	32.30	-23.76	0.37	-95.23	25.76	-13.00	-47.56	Horizontal



Site : 03CH21-HY

Condition: -13 3m ETS-Lindgren_3117_00227880_231004 Vertical

NR SA n71 20M Ch137600 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
				Factor	1						
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1359.00	-63.27	RMS	28.50	-25.67	0.78	-95.23	28.35	-13.00	-50.27	Vertical
2	2038.00	-57.13	RMS	31.38	-24.70	0.49	-95.23	30.93	-13.00	-44.13	Vertical
3	2717.00	-60.43	RMS	32.30	-23.76	0.37	-95.23	25.89	-13.00	-47.43	Vertical




Ant. 1

Part 27N Mode 17

NR SA n71 20M Ch134600 1RB1 BPSK

L




Site : 03CH21-HY

Condition: -13 3m ETS-Lindgren_3117_00227880_231004 Horizontal

NR SA n71 20M Ch134600 1RB1 BPSK

	Freq		Level	Detector	Ant		Amp\Cb 1	Filter	EIRPCF	Readin g	Limit	Margin	Pol
					Factor								
	MHz	dBm			dB/m	dB		dB		dBuV	dBm	dB	
1	1329.00	-63.12	RMS		28.61	-25.73		0.82	-95.23	28.41	-13.00	-50.12	Horizontal
2	1993.00	-53.18	RMS		31.46	-24.76		0.51	-95.23	34.84	-13.00	-40.18	Horizontal
3	2657.00	-60.64	RMS		32.30	-23.85		0.35	-95.23	25.79	-13.00	-47.64	Horizontal



Site : 03CH21-HY

Condition: -13 3m ETS-Lindgren_3117_00227880_231004 Vertical

NR SA n71 20M Ch134600 1RB1 BPSK

	Freq		Level	Detector	Ant		Amp\Cb 1	Filter	EIRPCF	Readin g	Limit	Margin	Pol
					Factor								
	MHz	dBm			dB/m	dB		dB		dBuV	dBm	dB	
1	1329.00	-63.31	RMS		28.61	-25.73	0.82	-95.23		28.22	-13.00	-50.31	Vertical
2	1993.00	-57.59	RMS		31.46	-24.76	0.51	-95.23		30.43	-13.00	-44.59	Vertical
3	2657.00	-60.44	RMS		32.30	-23.85	0.35	-95.23		25.99	-13.00	-47.44	Vertical




Ant. 1

Part 27N Mode 17

NR SA n71 20M Ch136100 1RB1 BPSK

M




Site : 03CH21-HY

Condition: -13 3m ETS-Lindgren_3117_00227880_231004 Horizontal

NR SA n71 20M Ch136100 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin		Pol
	MHz	dBm		Factor	dB		dB	dB			dB	dB	
1	1344.00	-64.79	RMS	28.56	-25.70	0.80	-95.23	26.78	-13.00	-51.79	Horizontal		
2	2015.00	-51.63	RMS	31.50	-24.73	0.50	-95.23	36.33	-13.00	-38.63	Horizontal		
3	2687.00	-60.55	RMS	32.30	-23.81	0.36	-95.23	25.83	-13.00	-47.55	Horizontal		



Site : 03CH21-HY

Condition: -13 3m ETS-Lindgren_3117_00227880_231004 Vertical

NR SA n71 20M Ch136100 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin		Pol
	MHz	dBm		Factor	dB		dB	dB			dB	dB	
1	1344.00	-64.91	RMS	28.56	-25.70	0.80	-95.23	26.66	-13.00	-51.91	Vertical		
2	2015.00	-56.61	RMS	31.50	-24.73	0.50	-95.23	31.35	-13.00	-43.61	Vertical		
3	2687.00	-60.43	RMS	32.30	-23.81	0.36	-95.23	25.95	-13.00	-47.43	Vertical		




Ant. 1

Part 27N Mode 17

NR SA n71 20M Ch137600 1RB1 BPSK

H




Site : 03CH21-HY

Condition: -13 3m ETS-Lindgren_3117_00227880_231004 Horizontal

NR SA n71 20M Ch137600 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
				Factor	1						
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1359.00	-63.55	RMS	28.50	-25.67	0.78	-95.23	28.07	-13.00	-50.55	Horizontal
2	2038.00	-54.37	RMS	31.38	-24.70	0.49	-95.23	33.69	-13.00	-41.37	Horizontal
3	2717.00	-60.47	RMS	32.30	-23.76	0.37	-95.23	25.85	-13.00	-47.47	Horizontal



Site : 03CH21-HY

Condition: -13 3m ETS-Lindgren_3117_00227880_231004 Vertical

NR SA n71 20M Ch137600 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
				Factor	1						
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1359.00	-63.50	RMS	28.50	-25.67	0.78	-95.23	28.12	-13.00	-50.50	Vertical
2	2038.00	-57.23	RMS	31.38	-24.70	0.49	-95.23	30.83	-13.00	-44.23	Vertical
3	2717.00	-60.23	RMS	32.30	-23.76	0.37	-95.23	26.09	-13.00	-47.23	Vertical




Ant. 1

Part 27N Mode 18

EN-DC B2+n71 10M + 20M Ch18900 1RB0 QPSK + Ch136100 1RB1 BPSK

M




Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_240711 Horizontal

: LTE B2 10M Ch18900 1RB0 QPSK

: NR SA n71 20M Ch136100 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		Factor	1			dBuV	dBm		
1	1344.00	-67.43	RMS	24.28	-25.70	0.80	-95.23	28.42	-13.00	-54.43	Horizontal
2	2015.00	-56.59	RMS	26.25	-24.73	0.50	-95.23	36.62	-13.00	-43.59	Horizontal
3	2687.00	-64.97	RMS	27.50	-23.81	0.36	-95.23	26.21	-13.00	-51.97	Horizontal



Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_240711 Vertical

: LTE B2 10M Ch18900 1RB0 QPSK

: NR SA n71 20M Ch136100 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		Factor	1			dBuV	dBm		
1	1344.00	-68.96	RMS	24.28	-25.70	0.80	-95.23	26.89	-13.00	-55.96	Vertical
2	2015.00	-59.69	RMS	26.25	-24.73	0.50	-95.23	33.52	-13.00	-46.69	Vertical
3	2687.00	-65.27	RMS	27.50	-23.81	0.36	-95.23	25.91	-13.00	-52.27	Vertical




Ant. 2

Part 27M Mode 19

NR SA n7 20M Ch502000 1RB1 BPSK

L




Site : 03CH21-HY

Condition: -25 1m BBHA9170_1223_240624 Horizontal

: SA n7 20M Ch502000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1		g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	5003.00	-59.08	RMS	32.69	-21.71	0.41	-95.23	24.76	-25.00	-34.08 Horizontal
2	7504.00	-56.08	RMS	36.79	-21.20	0.39	-95.23	23.17	-25.00	-31.08 Horizontal
3	10005.00	-55.54	RMS	37.30	-21.40	0.41	-95.23	23.38	-25.00	-30.54 Horizontal



Site : 03CH21-HY

Condition: -25 1m BBHA9170_1223_240624 Vertical

: SA n7 20M Ch502000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1		g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	5003.00	-58.37	RMS	32.69	-21.71	0.41	-95.23	25.47	-25.00	-33.37 Vertical
2	7504.00	-55.85	RMS	36.79	-21.20	0.39	-95.23	23.40	-25.00	-30.85 Vertical
3	10005.00	-55.08	RMS	37.30	-21.40	0.41	-95.23	23.84	-25.00	-30.08 Vertical




Ant. 2

Part 27M Mode 19

NR SA n7 20M Ch507000 1RB1 BPSK

M




Site : 03CH21-HY

Condition: -25 1m BBHA9170_1223_240624 Horizontal

: SA n7 20M Ch507000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	5053.00	-58.69	RMS	32.60	-21.72	0.40	-95.23	25.26	-25.00	-33.69
2	7579.00	-55.88	RMS	36.76	-21.24	0.37	-95.23	23.46	-25.00	-30.88
3	10105.00	-54.73	RMS	37.21	-21.47	0.42	-95.23	24.34	-25.00	-29.73



Site : 03CH21-HY

Condition: -25 1m BBHA9170_1223_240624 Vertical

: SA n7 20M Ch507000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	5053.00	-57.05	RMS	32.60	-21.72	0.40	-95.23	26.90	-25.00	-32.05
2	7579.00	-55.97	RMS	36.76	-21.24	0.37	-95.23	23.37	-25.00	-30.97
3	10105.00	-55.55	RMS	37.21	-21.47	0.42	-95.23	23.52	-25.00	-30.55




Ant. 2

Part 27M Mode 19

NR SA n7 20M Ch512000 1RB1 BPSK

H




Site : 03CH21-HY

Condition: -25 1m BBHA9170_1223_240624 Horizontal

: SA n7 20M Ch512000 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit		Margin	Pol
				Factor	1						
1	5103.00	-57.69	RMS	32.60	-21.73	0.40	-95.23	26.27	-25.00	-32.69	Horizontal
2	7654.00	-56.08	RMS	36.69	-21.28	0.37	-95.23	23.37	-25.00	-31.08	Horizontal
3	10205.00	-54.97	RMS	37.38	-21.53	0.44	-95.23	23.97	-25.00	-29.97	Horizontal



Site : 03CH21-HY

Condition: -25 1m BBHA9170_1223_240624 Vertical

: SA n7 20M Ch512000 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit		Margin	Pol
				Factor	1						
1	5103.00	-55.40	RMS	32.60	-21.73	0.40	-95.23	28.56	-25.00	-30.40	Vertical
2	7654.00	-55.88	RMS	36.69	-21.28	0.37	-95.23	23.57	-25.00	-30.88	Vertical
3	10205.00	-54.79	RMS	37.38	-21.53	0.44	-95.23	24.15	-25.00	-29.79	Vertical




Ant. 2

Part 27M Mode 21

NR SA n41 20M Ch501204 1RB1 BPSK

L




Site : 03CH21-HY

Condition: -25 1m BBHA9170_1223_240624 Horizontal

: SA n41 20M Ch501204 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	1								
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB		
1	4995.00	-59.18	RMS		32.70	-21.71	0.41	-95.23	24.65	-25.00	-34.18		Horizontal
2	7492.00	-55.89	RMS		36.82	-21.21	0.39	-95.23	23.34	-25.00	-30.89		Horizontal
3	9989.00	-55.15	RMS		37.30	-21.41	0.41	-95.23	23.78	-25.00	-30.15		Horizontal



Site : 03CH21-HY

Condition: -25 1m BBHA9170_1223_240624 Vertical

: SA n41 20M Ch501204 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	1								
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB		
1	4995.00	-59.18	RMS		32.70	-21.71	0.41	-95.23	24.65	-25.00	-34.18		Vertical
2	7492.00	-55.78	RMS		36.82	-21.21	0.39	-95.23	23.45	-25.00	-30.78		Vertical
3	9989.00	-55.29	RMS		37.30	-21.41	0.41	-95.23	23.64	-25.00	-30.29		Vertical




Ant. 2

Part 27M Mode 21

NR SA n41 20M Ch518598 1RB1 BPSK

M




Site : 03CH21-HY

Condition: -25 1m BBHA9170_1223_240624 Horizontal

: SA n41 20M Ch518598 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit		Margin	Pol
				Factor	1			dBm	dB		
1	5169.00	-51.36	RMS	32.60	-21.74	0.39	-95.23	32.62	-25.00	-26.36	Horizontal
2	7753.00	-47.71	RMS	36.60	-21.35	0.40	-95.23	31.87	-25.00	-22.71	Horizontal
3	10337.00	-55.35	RMS	37.35	-21.61	0.45	-95.23	23.69	-25.00	-30.35	Horizontal



Site : 03CH21-HY

Condition: -25 1m BBHA9170_1223_240624 Vertical

: SA n41 20M Ch518598 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit		Margin	Pol
				Factor	1			dBm	dB		
1	5169.00	-48.77	RMS	32.60	-21.74	0.39	-95.23	35.21	-25.00	-23.77	Vertical
2	7753.00	-37.22	RMS	36.60	-21.35	0.40	-95.23	42.36	-25.00	-12.22	Vertical
3	10337.00	-55.31	RMS	37.35	-21.61	0.45	-95.23	23.73	-25.00	-30.31	Vertical




Ant. 2

Part 27M Mode 21

NR SA n41 20M Ch535998 1RB1 BPSK

H




Site : 03CH21-HY

Condition: -25 1m BBHA9170_1223_240624 Horizontal

: SA n41 20M Ch535998 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit	Margin Pol	
				Factor	1					
1	5343.00	-55.84	RMS	32.41	-21.78	0.58	-95.23	28.18	-25.00	-30.84 Horizontal
2	8014.00	-52.93	RMS	36.67	-21.57	0.38	-95.23	26.82	-25.00	-27.93 Horizontal
3	10685.00	-54.65	RMS	37.50	-21.68	0.50	-95.23	24.26	-25.00	-29.65 Horizontal



Site : 03CH21-HY

Condition: -25 1m BBHA9170_1223_240624 Vertical

: SA n41 20M Ch535998 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit	Margin Pol	
				Factor	1					
1	5343.00	-49.42	RMS	32.41	-21.78	0.58	-95.23	34.60	-25.00	-24.42 Vertical
2	8014.00	-41.07	RMS	36.67	-21.57	0.38	-95.23	38.68	-25.00	-16.07 Vertical
3	10685.00	-54.66	RMS	37.50	-21.68	0.50	-95.23	24.25	-25.00	-29.66 Vertical




Ant. 2


Part 27M Mode 23

EN-DC B5+n41 10M + 20M Ch20525 1RB0 QPSK + Ch518598 1RB1 BPSK

M



	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin		Pol
				Factor	1							
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	5169.00	-53.70	RMS		34.28	-21.74	0.39	-95.23	28.60	-25.00	-28.70	Horizontal
2	7753.00	-56.69	RMS		35.80	-21.35	0.40	-95.23	23.69	-25.00	-31.69	Horizontal
3	10337.00	-54.57	RMS		37.15	-21.61	0.45	-95.23	24.67	-25.00	-29.57	Horizontal



	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin		Pol
				Factor	1							
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	5169.00	-48.02	RMS		34.28	-21.74	0.39	-95.23	34.28	-25.00	-23.02	Vertical
2	7753.00	-53.06	RMS		35.80	-21.35	0.40	-95.23	27.32	-25.00	-28.06	Vertical
3	10337.00	-53.76	RMS		37.15	-21.61	0.45	-95.23	25.48	-25.00	-28.76	Vertical




MIMO <Ant. 2+5>

Part 27M Mode 24

NR SA n41 20M Ch501204 1RB1 BPSK

L




Site : 03CH21-HY

Condition: -25 1m BBHA9170_1223_240624 Horizontal

: SA n41 20M Ch501204 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	4995.00	-57.31	RMS	34.20	-21.71	0.41	-95.23	25.02	-25.00	-32.31	Horizontal
2	7492.00	-47.43	RMS	35.62	-21.21	0.39	-95.23	33.00	-25.00	-22.43	Horizontal
3	9989.00	-55.47	RMS	36.96	-21.41	0.41	-95.23	23.80	-25.00	-30.47	Horizontal



Site : 03CH21-HY

Condition: -25 1m BBHA9170_1223_240624 Vertical

: SA n41 20M Ch501204 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	4995.00	-57.36	RMS	34.20	-21.71	0.41	-95.23	24.97	-25.00	-32.36	Vertical
2	7492.00	-46.37	RMS	35.62	-21.21	0.39	-95.23	34.06	-25.00	-21.37	Vertical
3	9989.00	-55.58	RMS	36.96	-21.41	0.41	-95.23	23.69	-25.00	-30.58	Vertical




MIMO <Ant. 2+5>

Part 27M Mode 24

NR SA n41 20M Ch518598 1RB1 BPSK

M




Site : 03CH21-HY

Condition: -25 1m BBHA9170_1223_240624 Horizontal

: SA n41 20M Ch518598 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	1								
	MHz	dBm		dB/m	dB	dB	dB	dB	dBuV	dBm	dB		
1	5169.00	-54.06	RMS	34.28	-21.74	0.39	-95.23	28.24	-25.00	-29.06	Horizontal		
2	7753.00	-45.59	RMS	35.80	-21.35	0.40	-95.23	34.79	-25.00	-20.59	Horizontal		
3	10337.00	-55.37	RMS	37.15	-21.61	0.45	-95.23	23.87	-25.00	-30.37	Horizontal		




Site : 03CH21-HY


Condition: -25 1m BBHA9170_1223_240624 Vertical

: SA n41 20M Ch518598 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	1								
	MHz	dBm		dB/m	dB	dB	dB	dB	dBuV	dBm	dB		
1	5169.00	-50.72	RMS	34.28	-21.74	0.39	-95.23	31.58	-25.00	-25.72	Vertical		
2	7753.00	-43.76	RMS	35.80	-21.35	0.40	-95.23	36.62	-25.00	-18.76	Vertical		
3	10337.00	-53.03	RMS	37.15	-21.61	0.45	-95.23	26.21	-25.00	-28.03	Vertical		

MIMO <Ant. 2+5>
Part 27M Mode 24
NR SA n41 20M Ch535998 1RB1 BPSK
H

Site : 03CH21-HY
Condition: -25 1m BBHA9170_1223_240624 Horizontal
: SA n41 20M Ch535998 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1	5343.00	-52.21	RMS	34.69	-21.78	0.58	-95.23	29.53	-25.00	-27.21	Horizontal
2	8014.00	-48.13	RMS	35.87	-21.57	0.38	-95.23	32.41	-25.00	-23.13	Horizontal
3	10685.00	-54.73	RMS	37.50	-21.68	0.50	-95.23	24.18	-25.00	-29.73	Horizontal


Site : 03CH21-HY
Condition: -25 1m BBHA9170_1223_240624 Vertical
: SA n41 20M Ch535998 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1	5343.00	-45.74	RMS	34.69	-21.78	0.58	-95.23	36.00	-25.00	-20.74	Vertical
2	8014.00	-40.54	RMS	35.87	-21.57	0.38	-95.23	40.01	-25.00	-15.54	Vertical
3	10685.00	-51.64	RMS	37.50	-21.68	0.50	-95.23	27.27	-25.00	-26.64	Vertical




Ant. 0

Part 27M Mode 20

NR SA n7 20M Ch502000 1RB1 BPSK

L




Site : 03CH21-HY

Condition: -25 1m BBHA9170_1223_240624 Horizontal

: SA n7 20M Ch502000 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit		Margin	Pol
				Factor	1						
1	5003.00	-56.38	RMS	32.69	-21.71	0.41	-95.23	27.46	-25.00	-31.38	Horizontal
2	7504.00	-46.64	RMS	36.79	-21.20	0.39	-95.23	32.61	-25.00	-21.64	Horizontal
3	10005.00	-54.52	RMS	37.30	-21.40	0.41	-95.23	24.40	-25.00	-29.52	Horizontal



Site : 03CH21-HY

Condition: -25 1m BBHA9170_1223_240624 Vertical

: SA n7 20M Ch502000 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit		Margin	Pol
				Factor	1						
1	5003.00	-57.18	RMS	32.69	-21.71	0.41	-95.23	26.66	-25.00	-32.18	Vertical
2	7504.00	-49.93	RMS	36.79	-21.20	0.39	-95.23	29.32	-25.00	-24.93	Vertical
3	10005.00	-54.79	RMS	37.30	-21.40	0.41	-95.23	24.13	-25.00	-29.79	Vertical




Ant. 0

Part 27M Mode 20

NR SA n7 20M Ch507000 1RB1 BPSK

M




Site : 03CH21-HY

Condition: -25 1m BBHA9170_1223_240624 Horizontal

: SA n7 20M Ch507000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	5053.00	-58.53	RMS	32.60	-21.72	0.40	-95.23	25.42	-25.00	-33.53
2	7579.00	-47.67	RMS	36.76	-21.24	0.37	-95.23	31.67	-25.00	-22.67
3	10105.00	-55.04	RMS	37.21	-21.47	0.42	-95.23	24.03	-25.00	-30.04



Site : 03CH21-HY

Condition: -25 1m BBHA9170_1223_240624 Vertical

: SA n7 20M Ch507000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	5053.00	-57.67	RMS	32.60	-21.72	0.40	-95.23	26.28	-25.00	-32.67
2	7579.00	-50.85	RMS	36.76	-21.24	0.37	-95.23	28.49	-25.00	-25.85
3	10105.00	-54.66	RMS	37.21	-21.47	0.42	-95.23	24.41	-25.00	-29.66




Ant. 0

Part 27M Mode 20

NR SA n7 20M Ch512000 1RB1 BPSK

H




Site : 03CH21-HY

Condition: -25 1m BBHA9170_1223_240624 Horizontal

: SA n7 20M Ch512000 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit		Margin	Pol
				Factor	1						
1	5103.00	-58.07	RMS	32.60	-21.73	0.40	-95.23	25.89	-25.00	-33.07	Horizontal
2	7654.00	-47.99	RMS	36.69	-21.28	0.37	-95.23	31.46	-25.00	-22.99	Horizontal
3	10205.00	-54.22	RMS	37.38	-21.53	0.44	-95.23	24.72	-25.00	-29.22	Horizontal



Site : 03CH21-HY

Condition: -25 1m BBHA9170_1223_240624 Vertical

: SA n7 20M Ch512000 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit		Margin	Pol
				Factor	1						
1	5103.00	-57.26	RMS	32.60	-21.73	0.40	-95.23	26.70	-25.00	-32.26	Vertical
2	7654.00	-49.97	RMS	36.69	-21.28	0.37	-95.23	29.48	-25.00	-24.97	Vertical
3	10205.00	-54.42	RMS	37.38	-21.53	0.44	-95.23	24.52	-25.00	-29.42	Vertical




Ant. 0

Part 27M Mode 22

NR SA n41 20M Ch501204 1RB1 BPSK

L




Site : 03CH21-HY

Condition: -25 1m BBHA9170_1223_240624 Horizontal

: SA n41 20M Ch501204 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1		g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	4995.00	-59.07	RMS	32.70	-21.71	0.41	-95.23	24.76	-25.00	-34.07 Horizontal
2	7492.00	-54.98	RMS	36.82	-21.21	0.39	-95.23	24.25	-25.00	-29.98 Horizontal
3	9989.00	-54.98	RMS	37.30	-21.41	0.41	-95.23	23.95	-25.00	-29.98 Horizontal



Site : 03CH21-HY

Condition: -25 1m BBHA9170_1223_240624 Vertical

: SA n41 20M Ch501204 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1		g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	4995.00	-57.95	RMS	32.70	-21.71	0.41	-95.23	25.88	-25.00	-32.95 Vertical
2	7492.00	-50.40	RMS	36.82	-21.21	0.39	-95.23	28.83	-25.00	-25.40 Vertical
3	9989.00	-55.43	RMS	37.30	-21.41	0.41	-95.23	23.50	-25.00	-30.43 Vertical




Ant. 0

Part 27M Mode 22

NR SA n41 20M Ch518598 1RB1 BPSK

M




Site : 03CH21-HY

Condition: -25 1m BBHA9170_1223_240624 Horizontal

: SA n41 20M Ch518598 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit		Margin	Pol
				Factor	1			dBm	dB		
1	5169.00	-52.69	RMS	32.60	-21.74	0.39	-95.23	31.29	-25.00	-27.69	Horizontal
2	7753.00	-44.62	RMS	36.60	-21.35	0.40	-95.23	34.96	-25.00	-19.62	Horizontal
3	10337.00	-54.76	RMS	37.35	-21.61	0.45	-95.23	24.28	-25.00	-29.76	Horizontal



Site : 03CH21-HY

Condition: -25 1m BBHA9170_1223_240624 Vertical

: SA n41 20M Ch518598 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit		Margin	Pol
				Factor	1			dBm	dB		
1	5169.00	-50.07	RMS	32.60	-21.74	0.39	-95.23	33.91	-25.00	-25.07	Vertical
2	7753.00	-37.78	RMS	36.60	-21.35	0.40	-95.23	41.80	-25.00	-12.78	Vertical
3	10337.00	-55.31	RMS	37.35	-21.61	0.45	-95.23	23.73	-25.00	-30.31	Vertical




Ant. 0

Part 27M Mode 22

NR SA n41 20M Ch535998 1RB1 BPSK

H




Site : 03CH21-HY

Condition: -25 1m BBHA9170_1223_240624 Horizontal

: SA n41 20M Ch535998 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit	Margin Pol	
				Factor	1					
1	5343.00	-57.31	RMS	32.41	-21.78	0.58	-95.23	26.71	-25.00	-32.31 Horizontal
2	8014.00	-51.78	RMS	36.67	-21.57	0.38	-95.23	27.97	-25.00	-26.78 Horizontal
3	10685.00	-54.57	RMS	37.50	-21.68	0.50	-95.23	24.34	-25.00	-29.57 Horizontal



Site : 03CH21-HY

Condition: -25 1m BBHA9170_1223_240624 Vertical

: SA n41 20M Ch535998 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit	Margin Pol	
				Factor	1					
1	5343.00	-54.49	RMS	32.41	-21.78	0.58	-95.23	29.53	-25.00	-29.49 Vertical
2	8014.00	-45.47	RMS	36.67	-21.57	0.38	-95.23	34.28	-25.00	-20.47 Vertical
3	10685.00	-54.93	RMS	37.50	-21.68	0.50	-95.23	23.98	-25.00	-29.93 Vertical




MIMO <Ant. 0+1>

Part 27M Mode 25

NR SA n41 20M Ch501204 1RB1 BPSK

L




Site : 03CH21-HY

Condition: -25 1m BBHA9170_1223_240624 Horizontal

: SA n41 20M Ch501204 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit		Margin	Pol
				Factor	1						
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	4995.00	-56.98	RMS	34.20	-21.71	0.41	-95.23	25.35	-25.00	-31.98	Horizontal
2	7492.00	-43.55	RMS	35.62	-21.21	0.39	-95.23	36.88	-25.00	-18.55	Horizontal
3	9989.00	-55.49	RMS	36.96	-21.41	0.41	-95.23	23.78	-25.00	-30.49	Horizontal



Site : 03CH21-HY

Condition: -25 1m BBHA9170_1223_240624 Vertical

: SA n41 20M Ch501204 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit		Margin	Pol
				Factor	1						
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	4995.00	-56.54	RMS	34.20	-21.71	0.41	-95.23	25.79	-25.00	-31.54	Vertical
2	7492.00	-46.36	RMS	35.62	-21.21	0.39	-95.23	34.07	-25.00	-21.36	Vertical
3	9989.00	-55.25	RMS	36.96	-21.41	0.41	-95.23	24.02	-25.00	-30.25	Vertical




MIMO <Ant. 0+1>

Part 27M Mode 25

NR SA n41 20M Ch518598 1RB1 BPSK

M




Site : 03CH21-HY

Condition: -25 1m BBHA9170_1223_240624 Horizontal

: SA n41 20M Ch518598 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	1		dB	dB					
	MHz	dBm		dB/m	dB	dB	dB	dB	dBuV	dBm	dB		
1	5169.00	-57.11	RMS	34.28	-21.74	0.39	-95.23	25.19	-25.00	-32.11	Horizontal		
2	7753.00	-43.02	RMS	35.80	-21.35	0.40	-95.23	37.36	-25.00	-18.02	Horizontal		
3	10337.00	-54.91	RMS	37.15	-21.61	0.45	-95.23	24.33	-25.00	-29.91	Horizontal		



Site : 03CH21-HY

Condition: -25 1m BBHA9170_1223_240624 Vertical

: SA n41 20M Ch518598 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	1		dB	dB					
	MHz	dBm		dB/m	dB	dB	dB	dB	dBuV	dBm	dB		
1	5169.00	-56.62	RMS	34.28	-21.74	0.39	-95.23	25.68	-25.00	-31.62	Vertical		
2	7753.00	-46.63	RMS	35.80	-21.35	0.40	-95.23	33.75	-25.00	-21.63	Vertical		
3	10337.00	-55.11	RMS	37.15	-21.61	0.45	-95.23	24.13	-25.00	-30.11	Vertical		




MIMO <Ant. 0+1>

Part 27M Mode 25

NR SA n41 20M Ch535998 1RB1 BPSK

H




Site : 03CH21-HY

Condition: -25 1m BBHA9170_1223_240624 Horizontal

: SA n41 20M Ch535998 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
				Factor	1						
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	5343.00	-57.48	RMS	34.69	-21.78	0.58	-95.23	24.26	-25.00	-32.48	Horizontal
2	8014.00	-43.69	RMS	35.87	-21.57	0.38	-95.23	36.86	-25.00	-18.69	Horizontal
3	10685.00	-54.75	RMS	37.50	-21.68	0.50	-95.23	24.16	-25.00	-29.75	Horizontal



Site : 03CH21-HY

Condition: -25 1m BBHA9170_1223_240624 Vertical

: SA n41 20M Ch535998 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
				Factor	1						
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	5343.00	-57.74	RMS	34.69	-21.78	0.58	-95.23	24.00	-25.00	-32.74	Vertical
2	8014.00	-49.90	RMS	35.87	-21.57	0.38	-95.23	30.65	-25.00	-24.90	Vertical
3	10685.00	-54.64	RMS	37.50	-21.68	0.50	-95.23	24.27	-25.00	-29.64	Vertical




Ant. 6

Part 270 Mode 26

NR SA n77 20M Ch647334 1RB1 BPSK

L




Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_240624 Horizontal

: SA n77 20M Ch647334 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			dB	dB	dB	dBuV	dBm	dB	
1	7403.00	-50.39	RMS	36.90	-21.26	1.03	-95.23	28.17	-13.00	-37.39	Horizontal
2	11104.00	-39.79	RMS	38.11	-21.61	0.44	-95.23	38.50	-13.00	-26.79	Horizontal
3	14805.00	-49.77	RMS	41.60	-23.08	0.42	-95.23	26.52	-13.00	-36.77	Horizontal
4	18506.00	-58.28	RMS	38.30	-39.29	-9.54	-95.23	47.48	-13.00	-45.28	Horizontal
5	22208.00	-54.70	RMS	38.05	-33.63	-9.54	-95.23	45.65	-13.00	-41.70	Horizontal



Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_240624 Vertical

: SA n77 20M Ch647334 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			dB	dB	dB	dBuV	dBm	dB	
1	7403.00	-42.97	RMS	36.90	-21.26	1.03	-95.23	35.59	-13.00	-29.97	Vertical
2	11104.00	-40.33	RMS	38.11	-21.61	0.44	-95.23	37.96	-13.00	-27.33	Vertical
3	14805.00	-49.97	RMS	41.60	-23.08	0.42	-95.23	26.32	-13.00	-36.97	Vertical
4	18506.00	-57.20	RMS	38.30	-39.29	-9.54	-95.23	48.56	-13.00	-44.20	Vertical
5	22208.00	-60.89	RMS	38.05	-33.63	-9.54	-95.23	39.46	-13.00	-47.89	Vertical




Ant. 6

Part 270 Mode 26

NR SA n77 20M Ch656000 1RB1 BPSK

M




Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_240624 Horizontal

: SA n77 20M Ch656000 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin g	Limit dBm	Margin	Pol
				Factor	1						
1	7663.00	-47.99	RMS	36.67	-21.29	0.80	-95.23	31.06	-13.00	-34.99	Horizontal
2	11494.00	-40.80	RMS	38.70	-21.55	0.44	-95.23	36.84	-13.00	-27.80	Horizontal
3	15325.00	-49.62	RMS	40.90	-23.17	0.43	-95.23	27.45	-13.00	-36.62	Horizontal
4	19156.00	-55.94	RMS	38.28	-38.56	-9.54	-95.23	49.11	-13.00	-42.94	Horizontal
5	22988.00	-57.31	RMS	39.02	-32.72	-9.54	-95.23	41.16	-13.00	-44.31	Horizontal



Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_240624 Vertical

: SA n77 20M Ch656000 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin g	Limit dBm	Margin	Pol
				Factor	1						
1	7663.00	-45.04	RMS	36.67	-21.29	0.80	-95.23	34.01	-13.00	-32.04	Vertical
2	11494.00	-42.90	RMS	38.70	-21.55	0.44	-95.23	34.74	-13.00	-29.90	Vertical
3	15325.00	-49.56	RMS	40.90	-23.17	0.43	-95.23	27.51	-13.00	-36.56	Vertical
4	19156.00	-55.74	RMS	38.28	-38.56	-9.54	-95.23	49.31	-13.00	-42.74	Vertical
5	22988.00	-58.26	RMS	39.02	-32.72	-9.54	-95.23	40.21	-13.00	-45.26	Vertical




Ant. 6

Part 270 Mode 26

NR SA n77 20M Ch664666 1RB1 BPSK

H




Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_240624 Horizontal

: SA n77 20M Ch664666 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1	7923.00	-50.30	RMS		36.60	-21.50	0.84	-95.23	28.99	-13.00	-37.30 Horizontal
2	11884.00	-47.14	RMS		38.53	-21.78	0.43	-95.23	30.91	-13.00	-34.14 Horizontal
3	15845.00	-48.97	RMS		40.71	-23.40	0.44	-95.23	28.51	-13.00	-35.97 Horizontal
4	19806.00	-60.29	RMS		37.90	-37.47	-9.54	-95.23	44.05	-13.00	-47.29 Horizontal
5	23768.00	-61.98	RMS		38.84	-31.89	-9.54	-95.23	35.84	-13.00	-48.98 Horizontal



Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_240624 Vertical

: SA n77 20M Ch664666 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1	7923.00	-48.50	RMS		36.60	-21.50	0.84	-95.23	30.79	-13.00	-35.50 Vertical
2	11884.00	-49.58	RMS		38.53	-21.78	0.43	-95.23	28.47	-13.00	-36.58 Vertical
3	15845.00	-50.27	RMS		40.71	-23.40	0.44	-95.23	27.21	-13.00	-37.27 Vertical
4	19806.00	-62.77	RMS		37.90	-37.47	-9.54	-95.23	41.57	-13.00	-49.77 Vertical
5	23768.00	-63.38	RMS		38.84	-31.89	-9.54	-95.23	34.44	-13.00	-50.38 Vertical




Ant. 6

Part 270 Mode 28


EN-DC B5+n77 10M + 20M Ch20525 1RB0 QPSK + Ch656000 1RB1 BPSK

M



Site : 03CH21-HY
Condition: -13 1m BBHA9170_1223_240624 Horizontal
: LTE Band 5 10M Ch20525 1RB0 QPSK
: SA n77 20M Ch656000 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Factor	Amp\Cb		Filter 1	EIRPCF	Readin g	Limit		Margin	Pol
					dB/m	dB	dB	dB	dBuV	dBm	dB		
1	7663.00	-56.74	RMS		35.70	-21.29	0.80	-95.23	23.28	-13.00	-43.74	Horizontal	
2	11494.00	-54.79	RMS		37.99	-21.55	0.44	-95.23	23.56	-13.00	-41.79	Horizontal	
3	15325.00	-51.96	RMS		39.40	-23.17	0.43	-95.23	26.61	-13.00	-38.96	Horizontal	
4	19160.00	-65.38	RMS		38.26	-38.55	-9.54	-95.23	39.68	-13.00	-52.38	Horizontal	
5	22992.00	-61.93	RMS		39.02	-32.72	-9.54	-95.23	36.54	-13.00	-48.93	Horizontal	



Site : 03CH21-HY
Condition: -13 1m BBHA9170_1223_240624 Vertical
: LTE Band 5 10M Ch20525 1RB0 QPSK
: SA n77 20M Ch656000 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Factor	Amp\Cb		Filter 1	EIRPCF	Readin g	Limit		Margin	Pol
					dB/m	dB	dB	dB	dBuV	dBm	dB		
1	7663.00	-56.76	RMS		35.70	-21.29	0.80	-95.23	23.26	-13.00	-43.76	Vertical	
2	11494.00	-54.77	RMS		37.99	-21.55	0.44	-95.23	23.58	-13.00	-41.77	Vertical	
3	15325.00	-52.28	RMS		39.40	-23.17	0.43	-95.23	26.29	-13.00	-39.28	Vertical	
4	19160.00	-63.04	RMS		38.26	-38.55	-9.54	-95.23	42.02	-13.00	-50.04	Vertical	
5	22992.00	-62.34	RMS		39.02	-32.72	-9.54	-95.23	36.13	-13.00	-49.34	Vertical	




MIMO <Ant. 6+1>

Part 270 Mode 29

NR SA n77 20M Ch647334 1RB1 BPSK

L




Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_240624 Horizontal

: SA n77 20M Ch647334 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			dB	dB	dB	dBuV	dBm	dB	
1	7403.00	-53.20	RMS	35.51	-21.26	1.03	-95.23	26.75	-13.00	-40.20	Horizontal
2	11104.00	-50.78	RMS	37.60	-21.61	0.44	-95.23	28.02	-13.00	-37.78	Horizontal
3	14805.00	-52.17	RMS	39.60	-23.08	0.42	-95.23	26.12	-13.00	-39.17	Horizontal



Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_240624 Vertical

: SA n77 20M Ch647334 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			dB	dB	dB	dBuV	dBm	dB	
1	7403.00	-54.35	RMS	35.51	-21.26	1.03	-95.23	25.60	-13.00	-41.35	Vertical
2	11104.00	-52.50	RMS	37.60	-21.61	0.44	-95.23	26.30	-13.00	-39.50	Vertical
3	14805.00	-52.38	RMS	39.60	-23.08	0.42	-95.23	25.91	-13.00	-39.38	Vertical




MIMO <Ant. 6+1>

Part 270 Mode 29

NR SA n77 20M Ch656000 1RB1 BPSK

M




Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_240624 Horizontal

: SA n77 20M Ch656000 1RB1 BPSK

	Freq	Level	Detector	Ant	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm		Factor	1			g	dBm	dB	
1	7663.00	-48.90	RMS	35.70	-21.29	0.80	-95.23	31.12	-13.00	-35.90	Horizontal
2	11494.00	-48.81	RMS	37.99	-21.55	0.44	-95.23	29.54	-13.00	-35.81	Horizontal
3	15325.00	-52.13	RMS	39.40	-23.17	0.43	-95.23	26.44	-13.00	-39.13	Horizontal
4	19156.00	-65.14	RMS	38.28	-38.56	-9.54	-95.23	39.91	-13.00	-52.14	Horizontal
5	22988.00	-64.61	RMS	39.02	-32.72	-9.54	-95.23	33.86	-13.00	-51.61	Horizontal



Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_240624 Vertical

: SA n77 20M Ch656000 1RB1 BPSK

	Freq	Level	Detector	Ant	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm		Factor	1			g	dBm	dB	
1	7663.00	-46.82	RMS	35.70	-21.29	0.80	-95.23	33.20	-13.00	-33.82	Vertical
2	11494.00	-50.14	RMS	37.99	-21.55	0.44	-95.23	28.21	-13.00	-37.14	Vertical
3	15325.00	-52.04	RMS	39.40	-23.17	0.43	-95.23	26.53	-13.00	-39.04	Vertical
4	19156.00	-61.59	RMS	38.28	-38.56	-9.54	-95.23	43.46	-13.00	-48.59	Vertical
5	22988.00	-63.04	RMS	39.02	-32.72	-9.54	-95.23	35.43	-13.00	-50.04	Vertical




MIMO <Ant. 6+1>

Part 270 Mode 29

NR SA n77 20M Ch664666 1RB1 BPSK

H




Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_240624 Horizontal

: SA n77 20M Ch664666 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			dB	dB	dB	dBuV	dBm	dB	
1	7923.00	-45.99	RMS	35.85	-21.50	0.84	-95.23	34.05	-13.00	-32.99	Horizontal
2	11884.00	-43.21	RMS	38.37	-21.78	0.43	-95.23	35.00	-13.00	-30.21	Horizontal
3	15845.00	-51.69	RMS	40.02	-23.40	0.44	-95.23	26.48	-13.00	-38.69	Horizontal



Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_240624 Vertical

: SA n77 20M Ch664666 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			dB	dB	dB	dBuV	dBm	dB	
1	7923.00	-42.92	RMS	35.85	-21.50	0.84	-95.23	37.12	-13.00	-29.92	Vertical
2	11884.00	-44.12	RMS	38.37	-21.78	0.43	-95.23	34.09	-13.00	-31.12	Vertical
3	15845.00	-51.90	RMS	40.02	-23.40	0.44	-95.23	26.27	-13.00	-38.90	Vertical




Ant. 2

Part 270 Mode 27

NR SA n77 20M Ch647334 1RB1 BPSK

L




Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_240624 Horizontal

: SA n77 20M Ch647334 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			dB	dB	dB	dBuV	dBm	dB	
1	7403.00	-51.67	RMS	36.90	-21.26	1.03	-95.23	26.89	-13.00	-38.67	Horizontal
2	11104.00	-50.22	RMS	38.11	-21.61	0.44	-95.23	28.07	-13.00	-37.22	Horizontal
3	14805.00	-50.05	RMS	41.60	-23.08	0.42	-95.23	26.24	-13.00	-37.05	Horizontal
4	18506.00	-54.30	RMS	38.30	-39.29	-9.54	-95.23	51.46	-13.00	-41.30	Horizontal
5	22208.00	-56.41	RMS	38.05	-33.63	-9.54	-95.23	43.94	-13.00	-43.41	Horizontal



Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_240624 Vertical

: SA n77 20M Ch647334 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			dB	dB	dB	dBuV	dBm	dB	
1	7403.00	-50.94	RMS	36.90	-21.26	1.03	-95.23	27.62	-13.00	-37.94	Vertical
2	11104.00	-50.50	RMS	38.11	-21.61	0.44	-95.23	27.79	-13.00	-37.50	Vertical
3	14805.00	-49.66	RMS	41.60	-23.08	0.42	-95.23	26.63	-13.00	-36.66	Vertical
4	18506.00	-58.59	RMS	38.30	-39.29	-9.54	-95.23	47.17	-13.00	-45.59	Vertical
5	22208.00	-59.84	RMS	38.05	-33.63	-9.54	-95.23	40.51	-13.00	-46.84	Vertical