



Company:
Model Tested:
Report Number:
DLS Project:

Whirlpool Corporation
WICHTO01
22691
8732

166 South Carter, Genoa City, WI 53128

Appendix B

B7.0 Operating Band-Edge Measurements – RF Conducted

Rule Part:

15.247(d)

Test Procedure:

ANSI C63.10-2013
11.11 Emissions in non-restricted frequency bands
11.11.2 Reference Level Measurement
11.11.3 Unwanted Emissions Level Measurement

Limit:

The peak conducted output power measured within any 100 kHz outside the authorized frequency band shall be attenuated by at least 20 dB relative to the maximum measured in-band peak PSD level.

Results:

Compliant

Notes:


The EUT has 2 on-board antennas and one external antenna port of which only one can operate at a time. Initial output power measurements indicate the highest power levels occurred from the external antenna port. Measurements were performed on this port to represent worst-case emissions. Testing was performed using the manufacturer's test software with output power setting 14 and with modulation and data rate set to 802.11-n, MCS7 (widest signal; worst-case). The EUT was tested at the lowest, and highest channels of operation. The spectrum analyzer measurements were corrected to account for the cable loss and external attenuator.

Test Date: 03-16-2017
Company: Whirlpool Corporation
EUT: Tourmaline
Test: Emissions in non-restricted frequency bands
RF conducted band-edge emission
Operator: Craig B

Antenna: External Antenna Port
Channel: Low, 2412 MHz
Modulation: 802.11-n, MCS7
Power setting: 14

Limit: Band-Edge > 20 dB Below Peak In-Band Emission

Band-Edge Frequency = 2.4 GHz




Date: 16.MAR.2017 12:58:51

Test Date: 03-16-2017
Company: Whirlpool Corporation
EUT: Tourmaline
Test: Emissions in non-restricted frequency bands
RF conducted band-edge emission
Operator: Craig B

Antenna: External Antenna Port
Channel: High, 2462 MHz
Modulation: 802.11-n, MCS7
Power setting: 14

Limit: Band-Edge > 20 dB Below Peak In-Band Emission

Band-Edge Frequency = 2.4835 GHz



Date: 16.MAR.2017 13:08:11



Company:
Model Tested:
Report Number:
DLS Project:

Whirlpool Corporation
WICHTO01
22691
8732

166 South Carter, Genoa City, WI 53128

Appendix B

B8.0 Restricted Band-Edge Measurements – Radiated

Measured at nearest restricted bands

Rule Part:

15.247(d), 15.205(a), 15.209(a)

Test Procedure:

ANSI C63.10-2013
11.12 Emissions in Restricted Frequency Bands
11.12.1 Radiated Emissions Measurements

Limit:

15.209(a)

Results:

Compliant

Notes:


Measurements were performed while the EUT was transmitting from on-board antenna number 1. Testing was then repeated with the EUT transmitting from on-board antenna number 2. Testing was then repeated with the EUT transmitting from the external antenna port with the PIFA and F antennas. Testing was performed with all modulation types using the data rate that produced the widest signal. The EUT was tested at various channels of operation. The highest output power setting that resulted in a passing condition is noted on the data. Measurements were performed at the 2.39 GHz and 2.4835 GHz restricted band edges.

Test Date: 03-23-2017
Company: Whirlpool Corporation
EUT: Tourmaline
Test: Lower Restricted Band-Edge Radiated
Rule part: FCC Part 15.247(d) and FCC Part 15.205
Operator: Craig B

Antenna: On-board, #1
Channel: Low, 2412 MHz, channel 1
Modulation: 802.11-b, 1 Mbps
Power setting: 18

VERTICAL:

AVERAGE: Limit = 54 dB μ V/m @ 3 meters




Date: 23.MAR.2017 13:55:14

Test Date: 03-23-2017
Company: Whirlpool Corporation
EUT: Tourmaline
Test: Lower Restricted Band-Edge Radiated
Rule part: FCC Part 15.247(d) and FCC Part 15.205
Operator: Craig B

Antenna: On-board, #1
Channel: Low, 2412 MHz, channel 1
Modulation: 802.11-b, 1 Mbps
Power setting: 18

VERTICAL:

PEAK: Limit = 74 dB μ V/m @ 3 meters




Date: 23.MAR.2017 13:56:43

Test Date: 03-23-2017
Company: Whirlpool Corporation
EUT: Tourmaline
Test: Lower Restricted Band-Edge Radiated
Rule part: FCC Part 15.247(d) and FCC Part 15.205
Operator: Craig B

Antenna: On-board, #1
Channel: Low, 2412 MHz, channel 1
Modulation: 802.11-b, 1 Mbps
Power setting: 18

HORIZONTAL:

AVERAGE: Limit = 54 dB μ V/m @ 3 meters




Date: 23.MAR.2017 14:44:11

Test Date: 03-23-2017
Company: Whirlpool Corporation
EUT: Tourmaline
Test: Lower Restricted Band-Edge Radiated
Rule part: FCC Part 15.247(d) and FCC Part 15.205
Operator: Craig B

Antenna: On-board, #1
Channel: Low, 2412 MHz, channel 1
Modulation: 802.11-b, 1 Mbps
Power setting: 18

HORIZONTAL:

PEAK: Limit = 74 dB μ V/m @ 3 meters




Date: 23.MAR.2017 14:45:37

Test Date: 03-23-2017
Company: Whirlpool Corporation
EUT: Tourmaline
Test: Lower Restricted Band-Edge Radiated
Rule part: FCC Part 15.247(d) and FCC Part 15.205
Operator: Craig B

Antenna: On-board, #1
Channel: Low, 2412 MHz, channel 1
Modulation: 802.11-g, 54 Mbps
Power setting: 15

VERTICAL:

AVERAGE: Limit = 54 dB μ V/m @ 3 meters




Date: 23.MAR.2017 13:59:49

Test Date: 03-23-2017
Company: Whirlpool Corporation
EUT: Tourmaline
Test: Lower Restricted Band-Edge Radiated
Rule part: FCC Part 15.247(d) and FCC Part 15.205
Operator: Craig B

Antenna: On-board, #1
Channel: Low, 2412 MHz, channel 1
Modulation: 802.11-g, 54 Mbps
Power setting: 15

VERTICAL:

PEAK: Limit = 74 dB μ V/m @ 3 meters




Date: 23.MAR.2017 14:01:06

Test Date: 03-23-2017
Company: Whirlpool Corporation
EUT: Tourmaline
Test: Lower Restricted Band-Edge Radiated
Rule part: FCC Part 15.247(d) and FCC Part 15.205
Operator: Craig B

Antenna: On-board, #1
Channel: Low, 2412 MHz, channel 1
Modulation: 802.11-g, 54 Mbps
Power setting: 14

HORIZONTAL:

AVERAGE: Limit = 54 dB μ V/m @ 3 meters




Date: 23.MAR.2017 14:48:06

Test Date: 03-23-2017
Company: Whirlpool Corporation
EUT: Tourmaline
Test: Lower Restricted Band-Edge Radiated
Rule part: FCC Part 15.247(d) and FCC Part 15.205
Operator: Craig B

Antenna: On-board, #1
Channel: Low, 2412 MHz, channel 1
Modulation: 802.11-g, 54 Mbps
Power setting: 14

HORIZONTAL:

PEAK: Limit = 74 dB μ V/m @ 3 meters




Date: 23.MAR.2017 14:49:28

Test Date: 03-23-2017
Company: Whirlpool Corporation
EUT: Tourmaline
Test: Lower Restricted Band-Edge Radiated
Rule part: FCC Part 15.247(d) and FCC Part 15.205
Operator: Craig B

Antenna: On-board, #1
Channel: 2417 MHz, channel 2
Modulation: 802.11-g, 54 Mbps
Power setting: 17

VERTICAL:

AVERAGE: Limit = 54 dB μ V/m @ 3 meters




Date: 23.MAR.2017 14:02:35

Test Date: 03-23-2017
Company: Whirlpool Corporation
EUT: Tourmaline
Test: Lower Restricted Band-Edge Radiated
Rule part: FCC Part 15.247(d) and FCC Part 15.205
Operator: Craig B

Antenna: On-board, #1
Channel: 2417 MHz, channel 2
Modulation: 802.11-g, 54 Mbps
Power setting: 17

VERTICAL:

PEAK: Limit = 74 dB μ V/m @ 3 meters




Date: 23.MAR.2017 14:04:39

Test Date: 03-23-2017
Company: Whirlpool Corporation
EUT: Tourmaline
Test: Lower Restricted Band-Edge Radiated
Rule part: FCC Part 15.247(d) and FCC Part 15.205
Operator: Craig B

Antenna: On-board, #1
Channel: 2417 MHz, channel 2
Modulation: 802.11-g, 54 Mbps
Power setting: 17

HORIZONTAL:

AVERAGE: Limit = 54 dB μ V/m @ 3 meters




Date: 23.MAR.2017 14:51:21

Test Date: 03-23-2017
Company: Whirlpool Corporation
EUT: Tourmaline
Test: Lower Restricted Band-Edge Radiated
Rule part: FCC Part 15.247(d) and FCC Part 15.205
Operator: Craig B

Antenna: On-board, #1
Channel: 2417 MHz, channel 2
Modulation: 802.11-g, 54 Mbps
Power setting: 17

HORIZONTAL:

PEAK: Limit = 74 dB μ V/m @ 3 meters




Date: 23.MAR.2017 14:54:03

Test Date: 03-23-2017
Company: Whirlpool Corporation
EUT: Tourmaline
Test: Lower Restricted Band-Edge Radiated
Rule part: FCC Part 15.247(d) and FCC Part 15.205
Operator: Craig B

Antenna: On-board, #1
Channel: Low, 2412 MHz, channel 1
Modulation: 802.11-n, MCS7
Power setting: 13

VERTICAL:

AVERAGE: Limit = 54 dB μ V/m @ 3 meters




Date: 23.MAR.2017 14:18:21

Test Date: 03-23-2017
Company: Whirlpool Corporation
EUT: Tourmaline
Test: Lower Restricted Band-Edge Radiated
Rule part: FCC Part 15.247(d) and FCC Part 15.205
Operator: Craig B

Antenna: On-board, #1
Channel: Low, 2412 MHz, channel 1
Modulation: 802.11-n, MCS7
Power setting: 13

VERTICAL:

PEAK: Limit = 74 dB μ V/m @ 3 meters




Date: 23.MAR.2017 14:20:54

Test Date: 03-23-2017
Company: Whirlpool Corporation
EUT: Tourmaline
Test: Lower Restricted Band-Edge Radiated
Rule part: FCC Part 15.247(d) and FCC Part 15.205
Operator: Craig B

Antenna: On-board, #1
Channel: Low, 2412 MHz, channel 1
Modulation: 802.11-n, MCS7
Power setting: 13

HORIZONTAL:

AVERAGE: Limit = 54 dB μ V/m @ 3 meters




Date: 23.MAR.2017 14:56:01

Test Date: 03-23-2017
Company: Whirlpool Corporation
EUT: Tourmaline
Test: Lower Restricted Band-Edge Radiated
Rule part: FCC Part 15.247(d) and FCC Part 15.205
Operator: Craig B

Antenna: On-board, #1
Channel: Low, 2412 MHz, channel 1
Modulation: 802.11-n, MCS7
Power setting: 13

HORIZONTAL:

PEAK: Limit = 74 dB μ V/m @ 3 meters




Date: 23.MAR.2017 14:59:00

Test Date: 03-23-2017
Company: Whirlpool Corporation
EUT: Tourmaline
Test: Lower Restricted Band-Edge Radiated
Rule part: FCC Part 15.247(d) and FCC Part 15.205
Operator: Craig B

Antenna: On-board, #1
Channel: 2417 MHz, channel 2
Modulation: 802.11-n, MCS7
Power setting: 14

VERTICAL:

AVERAGE: Limit = 54 dB μ V/m @ 3 meters




Date: 23.MAR.2017 14:23:57

Test Date: 03-23-2017
Company: Whirlpool Corporation
EUT: Tourmaline
Test: Lower Restricted Band-Edge Radiated
Rule part: FCC Part 15.247(d) and FCC Part 15.205
Operator: Craig B

Antenna: On-board, #1
Channel: 2417 MHz, channel 2
Modulation: 802.11-n, MCS7
Power setting: 14

VERTICAL:

PEAK: Limit = 74 dB μ V/m @ 3 meters




Date: 23.MAR.2017 14:25:19

Test Date: 03-23-2017
Company: Whirlpool Corporation
EUT: Tourmaline
Test: Lower Restricted Band-Edge Radiated
Rule part: FCC Part 15.247(d) and FCC Part 15.205
Operator: Craig B

Antenna: On-board, #1
Channel: 2417 MHz, channel 2
Modulation: 802.11-n, MCS7
Power setting: 14

HORIZONTAL:

AVERAGE: Limit = 54 dB μ V/m @ 3 meters




Date: 23.MAR.2017 15:03:58

Test Date: 03-23-2017
Company: Whirlpool Corporation
EUT: Tourmaline
Test: Lower Restricted Band-Edge Radiated
Rule part: FCC Part 15.247(d) and FCC Part 15.205
Operator: Craig B

Antenna: On-board, #1
Channel: 2417 MHz, channel 2
Modulation: 802.11-n, MCS7
Power setting: 14

HORIZONTAL:

PEAK: Limit = 74 dB μ V/m @ 3 meters




Date: 23.MAR.2017 15:01:43

Test Date: 03-23-2017
Company: Whirlpool Corporation
EUT: Tourmaline
Test: Upper Restricted Band-Edge Radiated
Rule part: FCC Part 15.247(d) and FCC Part 15.205
Operator: Craig B

Antenna: On-board, #1
Channel: High, 2462 MHz, channel 11
Modulation: 802.11-b, 1 Mbps
Power setting: 18

VERTICAL:

AVERAGE: Limit = 54 dB μ V/m @ 3 meters




Date: 23.MAR.2017 12:50:15

Test Date: 03-23-2017
Company: Whirlpool Corporation
EUT: Tourmaline
Test: Upper Restricted Band-Edge Radiated
Rule part: FCC Part 15.247(d) and FCC Part 15.205
Operator: Craig B

Antenna: On-board, #1
Channel: High, 2462 MHz, channel 11
Modulation: 802.11-b, 1 Mbps
Power setting: 18

VERTICAL:

PEAK: Limit = 74 dB μ V/m @ 3 meters




Date: 23.MAR.2017 12:51:25

Test Date: 03-23-2017
Company: Whirlpool Corporation
EUT: Tourmaline
Test: Upper Restricted Band-Edge Radiated
Rule part: FCC Part 15.247(d) and FCC Part 15.205
Operator: Craig B

Antenna: On-board, #1
Channel: High, 2462 MHz, channel 11
Modulation: 802.11-b, 1 Mbps
Power setting: 18

HORIZONTAL:

AVERAGE: Limit = 54 dB μ V/m @ 3 meters




Date: 23.MAR.2017 11:37:34

Test Date: 03-23-2017
Company: Whirlpool Corporation
EUT: Tourmaline
Test: Upper Restricted Band-Edge Radiated
Rule part: FCC Part 15.247(d) and FCC Part 15.205
Operator: Craig B

Antenna: On-board, #1
Channel: High, 2462 MHz, channel 11
Modulation: 802.11-b, 1 Mbps
Power setting: 18

HORIZONTAL:

PEAK: Limit = 74 dB μ V/m @ 3 meters




Date: 23.MAR.2017 11:38:41

Test Date: 03-23-2017
Company: Whirlpool Corporation
EUT: Tourmaline
Test: Upper Restricted Band-Edge Radiated
Rule part: FCC Part 15.247(d) and FCC Part 15.205
Operator: Craig B

Antenna: On-board, #1
Channel: High, 2462 MHz, channel 11
Modulation: 802.11-g, 54 Mbps
Power setting: 13

VERTICAL:

AVERAGE: Limit = 54 dB μ V/m @ 3 meters




Date: 23.MAR.2017 12:53:40

Test Date: 03-23-2017
Company: Whirlpool Corporation
EUT: Tourmaline
Test: Upper Restricted Band-Edge Radiated
Rule part: FCC Part 15.247(d) and FCC Part 15.205
Operator: Craig B

Antenna: On-board, #1
Channel: High, 2462 MHz, channel 11
Modulation: 802.11-g, 54 Mbps
Power setting: 13

VERTICAL:

PEAK: Limit = 74 dB μ V/m @ 3 meters




Date: 23.MAR.2017 12:56:17

Test Date: 03-23-2017
Company: Whirlpool Corporation
EUT: Tourmaline
Test: Upper Restricted Band-Edge Radiated
Rule part: FCC Part 15.247(d) and FCC Part 15.205
Operator: Craig B

Antenna: On-board, #1
Channel: High, 2462 MHz, channel 11
Modulation: 802.11-g, 54 Mbps
Power setting: 11

HORIZONTAL:

AVERAGE: Limit = 54 dB μ V/m @ 3 meters




Date: 23.MAR.2017 11:41:40

Test Date: 03-23-2017
Company: Whirlpool Corporation
EUT: Tourmaline
Test: Upper Restricted Band-Edge Radiated
Rule part: FCC Part 15.247(d) and FCC Part 15.205
Operator: Craig B

Antenna: On-board, #1
Channel: High, 2462 MHz, channel 11
Modulation: 802.11-g, 54 Mbps
Power setting: 11

HORIZONTAL:

PEAK: Limit = 74 dB μ V/m @ 3 meters




Date: 23.MAR.2017 11:42:43

Test Date: 03-23-2017
Company: Whirlpool Corporation
EUT: Tourmaline
Test: Upper Restricted Band-Edge Radiated
Rule part: FCC Part 15.247(d) and FCC Part 15.205
Operator: Craig B

Antenna: On-board, #1
Channel: 2457 MHz, channel 10
Modulation: 802.11-g, 54 Mbps
Power setting: 16

VERTICAL:

AVERAGE: Limit = 54 dB μ V/m @ 3 meters




Date: 23.MAR.2017 12:58:23

Test Date: 03-23-2017
Company: Whirlpool Corporation
EUT: Tourmaline
Test: Upper Restricted Band-Edge Radiated
Rule part: FCC Part 15.247(d) and FCC Part 15.205
Operator: Craig B

Antenna: On-board, #1
Channel: 2457 MHz, channel 10
Modulation: 802.11-g, 54 Mbps
Power setting: 16

VERTICAL:

PEAK: Limit = 74 dB μ V/m @ 3 meters




Date: 23.MAR.2017 12:59:49

Test Date: 03-23-2017
Company: Whirlpool Corporation
EUT: Tourmaline
Test: Upper Restricted Band-Edge Radiated
Rule part: FCC Part 15.247(d) and FCC Part 15.205
Operator: Craig B

Antenna: On-board, #1
Channel: 2457 MHz, channel 10
Modulation: 802.11-g, 54 Mbps
Power setting: 16

HORIZONTAL:

AVERAGE: Limit = 54 dB μ V/m @ 3 meters




Date: 23.MAR.2017 11:44:28

Test Date: 03-23-2017
Company: Whirlpool Corporation
EUT: Tourmaline
Test: Upper Restricted Band-Edge Radiated
Rule part: FCC Part 15.247(d) and FCC Part 15.205
Operator: Craig B

Antenna: On-board, #1
Channel: 2457 MHz, channel 10
Modulation: 802.11-g, 54 Mbps
Power setting: 16

HORIZONTAL:

PEAK: Limit = 74 dB μ V/m @ 3 meters




Date: 23.MAR.2017 11:46:37

Test Date: 03-23-2017
Company: Whirlpool Corporation
EUT: Amber
Test: Upper Restricted Band-Edge Radiated
Rule part: FCC Part 15.247(d) and FCC Part 15.205
Operator: Craig B

Antenna: On-board, #1
Channel: 2452 MHz, channel 9
Modulation: 802.11-g, 54 Mbps
Power setting: 17

VERTICAL:

AVERAGE: Limit = 54 dB μ V/m @ 3 meters




Date: 23.MAR.2017 13:04:13

Test Date: 03-23-2017
Company: Whirlpool Corporation
EUT: Amber
Test: Upper Restricted Band-Edge Radiated
Rule part: FCC Part 15.247(d) and FCC Part 15.205
Operator: Craig B

Antenna: On-board, #1
Channel: 2452 MHz, channel 9
Modulation: 802.11-g, 54 Mbps
Power setting: 17

VERTICAL:

PEAK: Limit = 74 dB μ V/m @ 3 meters




Date: 23.MAR.2017 13:05:38

Test Date: 03-23-2017
Company: Whirlpool Corporation
EUT: Tourmaline
Test: Upper Restricted Band-Edge Radiated
Rule part: FCC Part 15.247(d) and FCC Part 15.205
Operator: Craig B

Antenna: On-board, #1
Channel: 2452 MHz, channel 9
Modulation: 802.11-g, 54 Mbps
Power setting: 17

HORIZONTAL:

AVERAGE: Limit = 54 dB μ V/m @ 3 meters




Date: 23.MAR.2017 11:51:06

Test Date: 03-23-2017
Company: Whirlpool Corporation
EUT: Tourmaline
Test: Upper Restricted Band-Edge Radiated
Rule part: FCC Part 15.247(d) and FCC Part 15.205
Operator: Craig B

Antenna: On-board, #1
Channel: 2452 MHz, channel 9
Modulation: 802.11-g, 54 Mbps
Power setting: 17

HORIZONTAL:

PEAK: Limit = 74 dB μ V/m @ 3 meters




Date: 23.MAR.2017 11:49:12

Test Date: 03-23-2017
Company: Whirlpool Corporation
EUT: Tourmaline
Test: Upper Restricted Band-Edge Radiated
Rule part: FCC Part 15.247(d) and FCC Part 15.205
Operator: Craig B

Antenna: On-board, #1
Channel: High, 2462 MHz, channel 11
Modulation: 802.11-n, MCS7
Power setting: 11

VERTICAL:

AVERAGE: Limit = 54 dB μ V/m @ 3 meters




Date: 23.MAR.2017 13:08:06

Test Date: 03-23-2017
Company: Whirlpool Corporation
EUT: Tourmaline
Test: Upper Restricted Band-Edge Radiated
Rule part: FCC Part 15.247(d) and FCC Part 15.205
Operator: Craig B

Antenna: On-board, #1
Channel: High, 2462 MHz, channel 11
Modulation: 802.11-n, MCS7
Power setting: 11

VERTICAL:

PEAK: Limit = 74 dB μ V/m @ 3 meters




Date: 23.MAR.2017 13:09:19

Test Date: 03-23-2017
Company: Whirlpool Corporation
EUT: Tourmaline
Test: Upper Restricted Band-Edge Radiated
Rule part: FCC Part 15.247(d) and FCC Part 15.205
Operator: Craig B

Antenna: On-board, #1
Channel: High, 2462 MHz, channel 11
Modulation: 802.11-n, MCS7
Power setting: 11

HORIZONTAL:

AVERAGE: Limit = 54 dB μ V/m @ 3 meters




Date: 23.MAR.2017 12:27:09

Test Date: 03-23-2017
Company: Whirlpool Corporation
EUT: Tourmaline
Test: Upper Restricted Band-Edge Radiated
Rule part: FCC Part 15.247(d) and FCC Part 15.205
Operator: Craig B

Antenna: On-board, #1
Channel: High, 2462 MHz, channel 11
Modulation: 802.11-n, MCS7
Power setting: 11

HORIZONTAL:

PEAK: Limit = 74 dB μ V/m @ 3 meters




Date: 23.MAR.2017 12:28:48

Test Date: 03-23-2017
Company: Whirlpool Corporation
EUT: Tourmaline
Test: Upper Restricted Band-Edge Radiated
Rule part: FCC Part 15.247(d) and FCC Part 15.205
Operator: Craig B

Antenna: On-board, #1
Channel: 2457 MHz, channel 10
Modulation: 802.11-n, MCS7
Power setting: 14

VERTICAL:

AVERAGE: Limit = 54 dB μ V/m @ 3 meters




Date: 23.MAR.2017 13:12:37

Test Date: 03-23-2017
Company: Whirlpool Corporation
EUT: Tourmaline
Test: Upper Restricted Band-Edge Radiated
Rule part: FCC Part 15.247(d) and FCC Part 15.205
Operator: Craig B

Antenna: On-board, #1
Channel: 2457 MHz, channel 10
Modulation: 802.11-n, MCS7
Power setting: 14

VERTICAL:

PEAK: Limit = 74 dB μ V/m @ 3 meters




Date: 23.MAR.2017 13:11:17

Test Date: 03-23-2017
Company: Whirlpool Corporation
EUT: Tourmaline
Test: Upper Restricted Band-Edge Radiated
Rule part: FCC Part 15.247(d) and FCC Part 15.205
Operator: Craig B

Antenna: On-board, #1
Channel: 2457 MHz, channel 10
Modulation: 802.11-n, MCS7
Power setting: 14

HORIZONTAL:

AVERAGE: Limit = 54 dB μ V/m @ 3 meters




Date: 23.MAR.2017 12:36:35

Test Date: 03-23-2017
Company: Whirlpool Corporation
EUT: Tourmaline
Test: Upper Restricted Band-Edge Radiated
Rule part: FCC Part 15.247(d) and FCC Part 15.205
Operator: Craig B

Antenna: On-board, #1
Channel: 2457 MHz, channel 10
Modulation: 802.11-n, MCS7
Power setting: 14

HORIZONTAL:

PEAK: Limit = 74 dB μ V/m @ 3 meters




Date: 23.MAR.2017 12:33:17

Test Date: 03-24-2017
Company: Whirlpool Corporation
EUT: Tourmaline
Test: Lower Restricted Band-Edge Radiated
Rule part: FCC Part 15.247(d) and FCC Part 15.205
Operator: Paul L

Antenna: On-board, #2
Channel: Low, 2412 MHz, channel 1
Modulation: 802.11-b, 1 Mbps
Power setting: 18

VERTICAL:

AVERAGE: Limit = 54 dB μ V/m @ 3 meters




Date: 24.MAR.2017 14:43:16

Test Date: 03-24-2017
Company: Whirlpool Corporation
EUT: Tourmaline
Test: Lower Restricted Band-Edge Radiated
Rule part: FCC Part 15.247(d) and FCC Part 15.205
Operator: Paul L

Antenna: On-board, #2
Channel: Low, 2412 MHz, channel 1
Modulation: 802.11-b, 1 Mbps
Power setting: 18

VERTICAL:

PEAK: Limit = 74 dB μ V/m @ 3 meters




Date: 24.MAR.2017 14:48:35

Test Date: 03-24-2017
Company: Whirlpool Corporation
EUT: Tourmaline
Test: Lower Restricted Band-Edge Radiated
Rule part: FCC Part 15.247(d) and FCC Part 15.205
Operator: Paul L

Antenna: On-board, #2
Channel: Low, 2412 MHz, channel 1
Modulation: 802.11-b, 1 Mbps
Power setting: 18

HORIZONTAL:

AVERAGE: Limit = 54 dB μ V/m @ 3 meters




Date: 24.MAR.2017 13:34:09

Test Date: 03-24-2017
Company: Whirlpool Corporation
EUT: Tourmaline
Test: Lower Restricted Band-Edge Radiated
Rule part: FCC Part 15.247(d) and FCC Part 15.205
Operator: Paul L

Antenna: On-board, #2
Channel: Low, 2412 MHz, channel 1
Modulation: 802.11-b, 1 Mbps
Power setting: 18

HORIZONTAL:

PEAK: Limit = 74 dB μ V/m @ 3 meters




Date: 24.MAR.2017 13:37:52

Test Date: 03-24-2017
Company: Whirlpool Corporation
EUT: Tourmaline
Test: Lower Restricted Band-Edge Radiated
Rule part: FCC Part 15.247(d) and FCC Part 15.205
Operator: Paul L

Antenna: On-board, #2
Channel: Low, 2412 MHz, channel 1
Modulation: 802.11-g, 54 Mbps
Power setting: 16

VERTICAL:

AVERAGE: Limit = 54 dB μ V/m @ 3 meters




Date: 24.MAR.2017 14:52:26

Test Date: 03-24-2017
Company: Whirlpool Corporation
EUT: Tourmaline
Test: Lower Restricted Band-Edge Radiated
Rule part: FCC Part 15.247(d) and FCC Part 15.205
Operator: Paul L

Antenna: On-board, #2
Channel: Low, 2412 MHz, channel 1
Modulation: 802.11-g, 54 Mbps
Power setting: 16

VERTICAL:

PEAK: Limit = 74 dB μ V/m @ 3 meters




Date: 24.MAR.2017 14:54:37

Test Date: 03-24-2017
Company: Whirlpool Corporation
EUT: Tourmaline
Test: Lower Restricted Band-Edge Radiated
Rule part: FCC Part 15.247(d) and FCC Part 15.205
Operator: Paul L

Antenna: On-board, #2
Channel: Low, 2412 MHz, channel 1
Modulation: 802.11-g, 54 Mbps
Power setting: 16

HORIZONTAL:

AVERAGE: Limit = 54 dB μ V/m @ 3 meters




Date: 24.MAR.2017 13:42:44

Test Date: 03-24-2017
Company: Whirlpool Corporation
EUT: Tourmaline
Test: Lower Restricted Band-Edge Radiated
Rule part: FCC Part 15.247(d) and FCC Part 15.205
Operator: Paul L

Antenna: On-board, #2
Channel: Low, 2412 MHz, channel 1
Modulation: 802.11-g, 54 Mbps
Power setting: 16

HORIZONTAL:

PEAK: Limit = 74 dB μ V/m @ 3 meters




Date: 24.MAR.2017 13:44:50

Test Date: 03-24-2017
Company: Whirlpool Corporation
EUT: Tourmaline
Test: Lower Restricted Band-Edge Radiated
Rule part: FCC Part 15.247(d) and FCC Part 15.205
Operator: Paul I

Antenna: On-board, #2
Channel: 2417 MHz, channel 2
Modulation: 802.11-g, 54 Mbps
Power setting: 17

VERTICAL:

AVERAGE: Limit = 54 dB μ V/m @ 3 meters




Date: 24.MAR.2017 14:58:25

Test Date: 03-24-2017
Company: Whirlpool Corporation
EUT: Tourmaline
Test: Lower Restricted Band-Edge Radiated
Rule part: FCC Part 15.247(d) and FCC Part 15.205
Operator: Paul L

Antenna: On-board, #2
Channel: 2417 MHz, channel 2
Modulation: 802.11-g, 54 Mbps
Power setting: 17

VERTICAL:

PEAK: Limit = 74 dB μ V/m @ 3 meters




Date: 24.MAR.2017 15:03:47

Test Date: 03-24-2017
Company: Whirlpool Corporation
EUT: Tourmaline
Test: Lower Restricted Band-Edge Radiated
Rule part: FCC Part 15.247(d) and FCC Part 15.205
Operator: Paul L

Antenna: On-board, #2
Channel: 2417 MHz, channel 2
Modulation: 802.11-g, 54 Mbps
Power setting: 17

HORIZONTAL:

AVERAGE: Limit = 54 dB μ V/m @ 3 meters




Date: 24.MAR.2017 13:52:26

Test Date: 03-24-2017
Company: Whirlpool Corporation
EUT: Tourmaline
Test: Lower Restricted Band-Edge Radiated
Rule part: FCC Part 15.247(d) and FCC Part 15.205
Operator: Paul L

Antenna: On-board, #2
Channel: 2417 MHz, channel 2
Modulation: 802.11-g, 54 Mbps
Power setting: 17

HORIZONTAL:

PEAK: Limit = 74 dB μ V/m @ 3 meters




Date: 24.MAR.2017 13:55:11

Test Date: 03-24-2017
Company: Whirlpool Corporation
EUT: Tourmaline
Test: Lower Restricted Band-Edge Radiated
Rule part: FCC Part 15.247(d) and FCC Part 15.205
Operator: Paul L

Antenna: On-board, #2
Channel: Low, 2412 MHz, channel 1
Modulation: 802.11-n, MCS7
Power setting: 14

VERTICAL:

AVERAGE: Limit = 54 dB μ V/m @ 3 meters




Date: 24.MAR.2017 15:09:05

Test Date: 03-24-2017
Company: Whirlpool Corporation
EUT: Tourmaline
Test: Lower Restricted Band-Edge Radiated
Rule part: FCC Part 15.247(d) and FCC Part 15.205
Operator: Paul L

Antenna: On-board, #2
Channel: Low, 2412 MHz, channel 1
Modulation: 802.11-n, MCS7
Power setting: 14

VERTICAL:

PEAK: Limit = 74 dB μ V/m @ 3 meters




Date: 24.MAR.2017 15:11:42

Test Date: 03-24-2017
Company: Whirlpool Corporation
EUT: Tourmaline
Test: Lower Restricted Band-Edge Radiated
Rule part: FCC Part 15.247(d) and FCC Part 15.205
Operator: Paul L

Antenna: On-board, #2
Channel: Low, 2412 MHz, channel 1
Modulation: 802.11-n, MCS7
Power setting: 13

HORIZONTAL:

AVERAGE: Limit = 54 dB μ V/m @ 3 meters




Date: 24.MAR.2017 13:59:29

Test Date: 03-24-2017
Company: Whirlpool Corporation
EUT: Tourmaline
Test: Lower Restricted Band-Edge Radiated
Rule part: FCC Part 15.247(d) and FCC Part 15.205
Operator: Paul L

Antenna: On-board, #2
Channel: Low, 2412 MHz, channel 1
Modulation: 802.11-n, MCS7
Power setting: 13

HORIZONTAL:

PEAK: Limit = 74 dB μ V/m @ 3 meters




Date: 24.MAR.2017 14:02:51

Test Date: 03-24-2017
Company: Whirlpool Corporation
EUT: Tourmaline
Test: Lower Restricted Band-Edge Radiated
Rule part: FCC Part 15.247(d) and FCC Part 15.205
Operator: Paul L

Antenna: On-board, #2
Channel: 2417 MHz, channel 2
Modulation: 802.11-n, MCS7
Power setting: 14

HORIZONTAL:

AVERAGE: Limit = 54 dB μ V/m @ 3 meters




Date: 24.MAR.2017 14:14:56

Test Date: 03-24-2017
Company: Whirlpool Corporation
EUT: Tourmaline
Test: Lower Restricted Band-Edge Radiated
Rule part: FCC Part 15.247(d) and FCC Part 15.205
Operator: Paul L

Antenna: On-board, #2
Channel: 2417 MHz, channel 2
Modulation: 802.11-n, MCS7
Power setting: 14

HORIZONTAL:

PEAK: Limit = 74 dB μ V/m @ 3 meters




Date: 24.MAR.2017 14:08:26

Test Date: 03-24-2017
Company: Whirlpool Corporation
EUT: Tourmaline
Test: Upper Restricted Band-Edge Radiated
Rule part: FCC Part 15.247(d) and FCC Part 15.205
Operator: Paul L

Antenna: On-board, #2
Channel: High, 2462 MHz, channel 11
Modulation: 802.11-b, 1 Mbps
Power setting: 18

VERTICAL:

AVERAGE: Limit = 54 dBμV/m @ 3 meters




Date: 24.MAR.2017 09:24:52

Test Date: 03-24-2017
Company: Whirlpool Corporation
EUT: Tourmaline
Test: Upper Restricted Band-Edge Radiated
Rule part: FCC Part 15.247(d) and FCC Part 15.205
Operator: Paul L

Antenna: On-board, #2
Channel: High, 2462 MHz, channel 11
Modulation: 802.11-b, 1 Mbps
Power setting: 18

VERTICAL:

PEAK: Limit = 74 dB μ V/m @ 3 meters




Date: 24.MAR.2017 09:30:26

Test Date: 03-24-2017
Company: Whirlpool Corporation
EUT: Tourmaline
Test: Upper Restricted Band-Edge Radiated
Rule part: FCC Part 15.247(d) and FCC Part 15.205
Operator: Paul L

Antenna: On-board, #2
Channel: High, 2462 MHz, channel 11
Modulation: 802.11-b, 1 Mbps
Power setting: 18

HORIZONTAL:

AVERAGE: Limit = 54 dB μ V/m @ 3 meters




Date: 24.MAR.2017 10:45:47

Test Date: 03-24-2017
Company: Whirlpool Corporation
EUT: Tourmaline
Test: Upper Restricted Band-Edge Radiated
Rule part: FCC Part 15.247(d) and FCC Part 15.205
Operator: Paul L

Antenna: On-board, #2
Channel: High, 2462 MHz, channel 11
Modulation: 802.11-b, 1 Mbps
Power setting: 18

HORIZONTAL:

PEAK: Limit = 74 dB μ V/m @ 3 meters




Date: 24.MAR.2017 10:48:02

Test Date: 03-24-2017
Company: Whirlpool Corporation
EUT: Tourmaline
Test: Upper Restricted Band-Edge Radiated
Rule part: FCC Part 15.247(d) and FCC Part 15.205
Operator: Paul L

Antenna: On-board, #2
Channel: High, 2462 MHz, channel 11
Modulation: 802.11-g, 54 Mbps
Power setting: 12

VERTICAL:

AVERAGE: Limit = 54 dB μ V/m @ 3 meters




Date: 24.MAR.2017 09:37:35

Test Date: 03-24-2017
Company: Whirlpool Corporation
EUT: Tourmaline
Test: Upper Restricted Band-Edge Radiated
Rule part: FCC Part 15.247(d) and FCC Part 15.205
Operator: Paul L

Antenna: On-board, #2
Channel: High, 2462 MHz, channel 11
Modulation: 802.11-g, 54 Mbps
Power setting: 12

VERTICAL:

PEAK: Limit = 74 dB μ V/m @ 3 meters




Date: 24.MAR.2017 09:40:06

Test Date: 03-24-2017
Company: Whirlpool Corporation
EUT: Tourmaline
Test: Upper Restricted Band-Edge Radiated
Rule part: FCC Part 15.247(d) and FCC Part 15.205
Operator: Paul L

Antenna: On-board, #2
Channel: High, 2462 MHz, channel 11
Modulation: 802.11-g, 54 Mbps
Power setting: 11

HORIZONTAL:

AVERAGE: Limit = 54 dB μ V/m @ 3 meters




Date: 24.MAR.2017 10:54:05

Test Date: 03-24-2017
Company: Whirlpool Corporation
EUT: Tourmaline
Test: Upper Restricted Band-Edge Radiated
Rule part: FCC Part 15.247(d) and FCC Part 15.205
Operator: Paul L

Antenna: On-board, #2
Channel: High, 2462 MHz, channel 11
Modulation: 802.11-g, 54 Mbps
Power setting: 11

HORIZONTAL:

PEAK: Limit = 74 dB μ V/m @ 3 meters




Date: 24.MAR.2017 10:56:35

Test Date: 03-24-2017
Company: Whirlpool Corporation
EUT: Tourmaline
Test: Upper Restricted Band-Edge Radiated
Rule part: FCC Part 15.247(d) and FCC Part 15.205
Operator: Paul L

Antenna: On-board, #2
Channel: 2457 MHz, channel 10
Modulation: 802.11-g, 54 Mbps
Power setting: 16

VERTICAL:

AVERAGE: Limit = 54 dB μ V/m @ 3 meters




Date: 24.MAR.2017 09:47:55

Test Date: 03-24-2017
Company: Whirlpool Corporation
EUT: Tourmaline
Test: Upper Restricted Band-Edge Radiated
Rule part: FCC Part 15.247(d) and FCC Part 15.205
Operator: Paul L

Antenna: On-board, #2
Channel: 2457 MHz, channel 10
Modulation: 802.11-g, 54 Mbps
Power setting: 16

VERTICAL:

PEAK: Limit = 74 dB μ V/m @ 3 meters




Date: 24.MAR.2017 09:51:45

Test Date: 03-24-2017
Company: Whirlpool Corporation
EUT: Tourmaline
Test: Upper Restricted Band-Edge Radiated
Rule part: FCC Part 15.247(d) and FCC Part 15.205
Operator: Paul L

Antenna: On-board, #2
Channel: 2457 MHz, channel 10
Modulation: 802.11-g, 54 Mbps
Power setting: 16

HORIZONTAL:

AVERAGE: Limit = 54 dB μ V/m @ 3 meters




Date: 24.MAR.2017 12:30:04

Test Date: 03-24-2017
Company: Whirlpool Corporation
EUT: Tourmaline
Test: Upper Restricted Band-Edge Radiated
Rule part: FCC Part 15.247(d) and FCC Part 15.205
Operator: Paul L

Antenna: On-board, #2
Channel: 2457 MHz, channel 10
Modulation: 802.11-g, 54 Mbps
Power setting: 16

HORIZONTAL:

PEAK: Limit = 74 dB μ V/m @ 3 meters




Date: 24.MAR.2017 12:32:57

Test Date: 03-24-2017
Company: Whirlpool Corporation
EUT: Tourmaline
Test: Upper Restricted Band-Edge Radiated
Rule part: FCC Part 15.247(d) and FCC Part 15.205
Operator: Paul L

Antenna: On-board, #2
Channel: 2452 MHz, channel 9
Modulation: 802.11-g, 54 Mbps
Power setting: 17

VERTICAL:

AVERAGE: Limit = 54 dB μ V/m @ 3 meters




Date: 24.MAR.2017 09:57:55

Test Date: 03-24-2017
Company: Whirlpool Corporation
EUT: Tourmaline
Test: Upper Restricted Band-Edge Radiated
Rule part: FCC Part 15.247(d) and FCC Part 15.205
Operator: Paul L

Antenna: On-board, #2
Channel: 2452 MHz, channel 9
Modulation: 802.11-g, 54 Mbps
Power setting: 17

VERTICAL:

PEAK: Limit = 74 dB μ V/m @ 3 meters




Date: 24.MAR.2017 10:02:58

Test Date: 03-24-2017
Company: Whirlpool Corporation
EUT: Tourmaline
Test: Upper Restricted Band-Edge Radiated
Rule part: FCC Part 15.247(d) and FCC Part 15.205
Operator: Paul L

Antenna: On-board, #2
Channel: 2452 MHz, channel 9
Modulation: 802.11-g, 54 Mbps
Power setting: 17

HORIZONTAL:

AVERAGE: Limit = 54 dB μ V/m @ 3 meters




Date: 24.MAR.2017 12:38:26

Test Date: 03-24-2017
Company: Whirlpool Corporation
EUT: Tourmaline
Test: Upper Restricted Band-Edge Radiated
Rule part: FCC Part 15.247(d) and FCC Part 15.205
Operator: Paul L

Antenna: On-board, #2
Channel: 2452 MHz, channel 9
Modulation: 802.11-g, 54 Mbps
Power setting: 17

HORIZONTAL:

PEAK: Limit = 74 dB μ V/m @ 3 meters




Date: 24.MAR.2017 12:41:40

Test Date: 03-24-2017
Company: Whirlpool Corporation
EUT: Tourmaline
Test: Upper Restricted Band-Edge Radiated
Rule part: FCC Part 15.247(d) and FCC Part 15.205
Operator: Paul L

Antenna: On-board, #2
Channel: High, 2462 MHz, channel 11
Modulation: 802.11-n, MCS7
Power setting: 10

VERTICAL:

AVERAGE: Limit = 54 dB μ V/m @ 3 meters




Date: 24.MAR.2017 10:08:51

Test Date: 03-24-2017
Company: Whirlpool Corporation
EUT: Tourmaline
Test: Upper Restricted Band-Edge Radiated
Rule part: FCC Part 15.247(d) and FCC Part 15.205
Operator: Paul L

Antenna: On-board, #2
Channel: High, 2462 MHz, channel 11
Modulation: 802.11-n, MCS7
Power setting: 10

VERTICAL:

PEAK: Limit = 74 dB μ V/m @ 3 meters




Date: 24.MAR.2017 10:11:02

Test Date: 03-24-2017
Company: Whirlpool Corporation
EUT: Tourmaline
Test: Upper Restricted Band-Edge Radiated
Rule part: FCC Part 15.247(d) and FCC Part 15.205
Operator: Paul L

Antenna: On-board, #2
Channel: High, 2462 MHz, channel 11
Modulation: 802.11-n, MCS7
Power setting: 11

HORIZONTAL:

AVERAGE: Limit = 54 dB μ V/m @ 3 meters




Date: 24.MAR.2017 12:52:51

Test Date: 03-24-2017
Company: Whirlpool Corporation
EUT: Tourmaline
Test: Upper Restricted Band-Edge Radiated
Rule part: FCC Part 15.247(d) and FCC Part 15.205
Operator: Paul L

Antenna: On-board, #2
Channel: High, 2462 MHz, channel 11
Modulation: 802.11-n, MCS7
Power setting: 11

HORIZONTAL:

PEAK: Limit = 74 dB μ V/m @ 3 meters




Date: 24.MAR.2017 12:57:08

Test Date: 03-24-2017
Company: Whirlpool Corporation
EUT: Tourmaline
Test: Upper Restricted Band-Edge Radiated
Rule part: FCC Part 15.247(d) and FCC Part 15.205
Operator: Paul L

Antenna: On-board, #2
Channel: 2457 MHz, channel 10
Modulation: 802.11-n, MCS7
Power setting: 14

VERTICAL:

AVERAGE: Limit = 54 dB μ V/m @ 3 meters




Date: 24.MAR.2017 10:14:24

Test Date: 03-24-2017
Company: Whirlpool Corporation
EUT: Tourmaline
Test: Upper Restricted Band-Edge Radiated
Rule part: FCC Part 15.247(d) and FCC Part 15.205
Operator: Paul L

Antenna: On-board, #2
Channel: 2457 MHz, channel 10
Modulation: 802.11-n, MCS7
Power setting: 14

VERTICAL:

PEAK: Limit = 74 dB μ V/m @ 3 meters




Date: 24.MAR.2017 10:19:05

Test Date: 03-24-2017
Company: Whirlpool Corporation
EUT: Tourmaline
Test: Upper Restricted Band-Edge Radiated
Rule part: FCC Part 15.247(d) and FCC Part 15.205
Operator: Paul L

Antenna: On-board, #2
Channel: 2457 MHz, channel 10
Modulation: 802.11-n, MCS7
Power setting: 14

HORIZONTAL:

AVERAGE: Limit = 54 dB μ V/m @ 3 meters




Date: 24.MAR.2017 13:01:13

Test Date: 03-24-2017
Company: Whirlpool Corporation
EUT: Tourmaline
Test: Upper Restricted Band-Edge Radiated
Rule part: FCC Part 15.247(d) and FCC Part 15.205
Operator: Paul L

Antenna: On-board, #2
Channel: 2457 MHz, channel 10
Modulation: 802.11-n, MCS7
Power setting: 14

HORIZONTAL:

PEAK: Limit = 74 dB μ V/m @ 3 meters




Date: 24.MAR.2017 13:04:27

Test Date: 03-22-2017
Company: Whirlpool Corporation
EUT: Tourmaline
Test: Lower Restricted Band-Edge Radiated
Rule part: FCC Part 15.247(d) and FCC Part 15.205
Operator: Craig B

Antenna: PIFA antenna
Channel: Low, 2412 MHz, channel 1
Modulation: 802.11-b, 1 Mbps
Power setting: 18

VERTICAL:

AVERAGE: Limit = 54 dB μ V/m @ 3 meters




Date: 22.MAR.2017 14:04:43

Test Date: 03-22-2017
Company: Whirlpool Corporation
EUT: Tourmaline
Test: Lower Restricted Band-Edge Radiated
Rule part: FCC Part 15.247(d) and FCC Part 15.205
Operator: Craig B

Antenna: PIFA antenna
Channel: Low, 2412 MHz, channel 1
Modulation: 802.11-b, 1 Mbps
Power setting: 18

VERTICAL:

PEAK: Limit = 74 dB μ V/m @ 3 meters




Date: 22.MAR.2017 14:06:27

Test Date: 03-22-2017
Company: Whirlpool Corporation
EUT: Tourmaline
Test: Lower Restricted Band-Edge Radiated
Rule part: FCC Part 15.247(d) and FCC Part 15.205
Operator: Craig B

Antenna: PIFA antenna
Channel: Low, 2412 MHz, channel 1
Modulation: 802.11-b, 1 Mbps
Power setting: 18

HORIZONTAL:

AVERAGE: Limit = 54 dB μ V/m @ 3 meters




Date: 22.MAR.2017 14:44:33

Test Date: 03-22-2017
Company: Whirlpool Corporation
EUT: Tourmaline
Test: Lower Restricted Band-Edge Radiated
Rule part: FCC Part 15.247(d) and FCC Part 15.205
Operator: Craig B

Antenna: PIFA antenna
Channel: Low, 2412 MHz, channel 1
Modulation: 802.11-b, 1 Mbps
Power setting: 18

HORIZONTAL:

PEAK: Limit = 74 dB μ V/m @ 3 meters




Date: 22.MAR.2017 14:45:50

Test Date: 03-22-2017
Company: Whirlpool Corporation
EUT: Tourmaline
Test: Lower Restricted Band-Edge Radiated
Rule part: FCC Part 15.247(d) and FCC Part 15.205
Operator: Craig B

Antenna: PIFA antenna
Channel: Low, 2412 MHz, channel 1
Modulation: 802.11-g, 54 Mbps
Power setting: 13

VERTICAL:

AVERAGE: Limit = 54 dB μ V/m @ 3 meters




Date: 22.MAR.2017 14:08:50

Test Date: 03-22-2017
Company: Whirlpool Corporation
EUT: Tourmaline
Test: Lower Restricted Band-Edge Radiated
Rule part: FCC Part 15.247(d) and FCC Part 15.205
Operator: Craig B

Antenna: PIFA antenna
Channel: Low, 2412 MHz, channel 1
Modulation: 802.11-g, 54 Mbps
Power setting: 13

VERTICAL:

PEAK: Limit = 74 dB μ V/m @ 3 meters




Date: 22.MAR.2017 14:10:29

Test Date: 03-22-2017
Company: Whirlpool Corporation
EUT: Tourmaline
Test: Lower Restricted Band-Edge Radiated
Rule part: FCC Part 15.247(d) and FCC Part 15.205
Operator: Craig B

Antenna: PIFA antenna
Channel: Low, 2412 MHz, channel 1
Modulation: 802.11-g, 54 Mbps
Power setting: 13

HORIZONTAL:

AVERAGE: Limit = 54 dB μ V/m @ 3 meters




Date: 22.MAR.2017 14:48:35

Test Date: 03-22-2017
Company: Whirlpool Corporation
EUT: Tourmaline
Test: Lower Restricted Band-Edge Radiated
Rule part: FCC Part 15.247(d) and FCC Part 15.205
Operator: Craig B

Antenna: PIFA antenna
Channel: Low, 2412 MHz, channel 1
Modulation: 802.11-g, 54 Mbps
Power setting: 13

HORIZONTAL:

PEAK: Limit = 74 dB μ V/m @ 3 meters




Date: 22.MAR.2017 14:50:07

Test Date: 03-22-2017
Company: Whirlpool Corporation
EUT: Tourmaline
Test: Lower Restricted Band-Edge Radiated
Rule part: FCC Part 15.247(d) and FCC Part 15.205
Operator: Craig B

Antenna: PIFA antenna
Channel: 2417 MHz, channel 2
Modulation: 802.11-g, 54 Mbps
Power setting: 16

VERTICAL:

AVERAGE: Limit = 54 dB μ V/m @ 3 meters




Date: 22.MAR.2017 14:13:08

Test Date: 03-22-2017
Company: Whirlpool Corporation
EUT: Tourmaline
Test: Lower Restricted Band-Edge Radiated
Rule part: FCC Part 15.247(d) and FCC Part 15.205
Operator: Craig B

Antenna: PIFA antenna
Channel: 2417 MHz, channel 2
Modulation: 802.11-g, 54 Mbps
Power setting: 16

VERTICAL:

PEAK: Limit = 74 dB μ V/m @ 3 meters




Date: 22.MAR.2017 14:14:55

Test Date: 03-22-2017
Company: Whirlpool Corporation
EUT: Tourmaline
Test: Lower Restricted Band-Edge Radiated
Rule part: FCC Part 15.247(d) and FCC Part 15.205
Operator: Craig B

Antenna: PIFA antenna
Channel: 2417 MHz, channel 2
Modulation: 802.11-g, 54 Mbps
Power setting: 16

HORIZONTAL:

AVERAGE: Limit = 54 dB μ V/m @ 3 meters




Date: 22.MAR.2017 14:53:09

Test Date: 03-22-2017
Company: Whirlpool Corporation
EUT: Tourmaline
Test: Lower Restricted Band-Edge Radiated
Rule part: FCC Part 15.247(d) and FCC Part 15.205
Operator: Craig B

Antenna: PIFA antenna
Channel: 2417 MHz, channel 2
Modulation: 802.11-g, 54 Mbps
Power setting: 16

HORIZONTAL:

PEAK: Limit = 74 dB μ V/m @ 3 meters




Date: 22.MAR.2017 14:54:34

Test Date: 03-22-2017
Company: Whirlpool Corporation
EUT: Tourmaline
Test: Lower Restricted Band-Edge Radiated
Rule part: FCC Part 15.247(d) and FCC Part 15.205
Operator: Craig B

Antenna: PIFA antenna
Channel: 2422 MHz, channel 3
Modulation: 802.11-g, 54 Mbps
Power setting: 17

VERTICAL:

AVERAGE: Limit = 54 dB μ V/m @ 3 meters




Date: 22.MAR.2017 14:19:30

Test Date: 03-22-2017
Company: Whirlpool Corporation
EUT: Tourmaline
Test: Lower Restricted Band-Edge Radiated
Rule part: FCC Part 15.247(d) and FCC Part 15.205
Operator: Craig B

Antenna: PIFA antenna
Channel: 2422 MHz, channel 3
Modulation: 802.11-g, 54 Mbps
Power setting: 17

VERTICAL:

PEAK: Limit = 74 dB μ V/m @ 3 meters




Date: 22.MAR.2017 14:18:02

Test Date: 03-22-2017
Company: Whirlpool Corporation
EUT: Tourmaline
Test: Lower Restricted Band-Edge Radiated
Rule part: FCC Part 15.247(d) and FCC Part 15.205
Operator: Craig B

Antenna: PIFA antenna
Channel: 2422 MHz, channel 3
Modulation: 802.11-g, 54 Mbps
Power setting: 17

HORIZONTAL:

AVERAGE: Limit = 54 dB μ V/m @ 3 meters




Date: 22.MAR.2017 14:58:19

Test Date: 03-22-2017
Company: Whirlpool Corporation
EUT: Tourmaline
Test: Lower Restricted Band-Edge Radiated
Rule part: FCC Part 15.247(d) and FCC Part 15.205
Operator: Craig B

Antenna: PIFA antenna
Channel: 2422 MHz, channel 3
Modulation: 802.11-g, 54 Mbps
Power setting: 17

HORIZONTAL:

PEAK: Limit = 74 dB μ V/m @ 3 meters




Date: 22.MAR.2017 14:57:08

Test Date: 03-22-2017
Company: Whirlpool Corporation
EUT: Tourmaline
Test: Lower Restricted Band-Edge Radiated
Rule part: FCC Part 15.247(d) and FCC Part 15.205
Operator: Craig B

Antenna: PIFA antenna
Channel: Low, 2412 MHz, channel 1
Modulation: 802.11-n, MCS7
Power setting: 11

VERTICAL:

AVERAGE: Limit = 54 dB μ V/m @ 3 meters




Date: 22.MAR.2017 14:22:36

Test Date: 03-22-2017
Company: Whirlpool Corporation
EUT: Tourmaline
Test: Lower Restricted Band-Edge Radiated
Rule part: FCC Part 15.247(d) and FCC Part 15.205
Operator: Craig B

Antenna: PIFA antenna
Channel: Low, 2412 MHz, channel 1
Modulation: 802.11-n, MCS7
Power setting: 11

VERTICAL:

PEAK: Limit = 74 dB μ V/m @ 3 meters




Date: 22.MAR.2017 14:24:02

Test Date: 03-22-2017
Company: Whirlpool Corporation
EUT: Tourmaline
Test: Lower Restricted Band-Edge Radiated
Rule part: FCC Part 15.247(d) and FCC Part 15.205
Operator: Craig B

Antenna: PIFA antenna
Channel: Low, 2412 MHz, channel 1
Modulation: 802.11-n, MCS7
Power setting: 12

HORIZONTAL:

AVERAGE: Limit = 54 dB μ V/m @ 3 meters




Date: 22.MAR.2017 15:01:35

Test Date: 03-22-2017
Company: Whirlpool Corporation
EUT: Tourmaline
Test: Lower Restricted Band-Edge Radiated
Rule part: FCC Part 15.247(d) and FCC Part 15.205
Operator: Craig B

Antenna: PIFA antenna
Channel: Low, 2412 MHz, channel 1
Modulation: 802.11-n, MCS7
Power setting: 12

HORIZONTAL:

PEAK: Limit = 74 dB μ V/m @ 3 meters




Date: 22.MAR.2017 15:02:58

Test Date: 03-22-2017
Company: Whirlpool Corporation
EUT: Tourmaline
Test: Lower Restricted Band-Edge Radiated
Rule part: FCC Part 15.247(d) and FCC Part 15.205
Operator: Craig B

Antenna: PIFA antenna
Channel: 2417 MHz, channel 2
Modulation: 802.11-n, MCS7
Power setting: 14

VERTICAL:

AVERAGE: Limit = 54 dB μ V/m @ 3 meters




Date: 22.MAR.2017 14:27:37

Test Date: 03-22-2017
Company: Whirlpool Corporation
EUT: Tourmaline
Test: Lower Restricted Band-Edge Radiated
Rule part: FCC Part 15.247(d) and FCC Part 15.205
Operator: Craig B

Antenna: PIFA antenna
Channel: 2417 MHz, channel 2
Modulation: 802.11-n, MCS7
Power setting: 14

VERTICAL:

PEAK: Limit = 74 dB μ V/m @ 3 meters




Date: 22.MAR.2017 14:26:01

Test Date: 03-22-2017
Company: Whirlpool Corporation
EUT: Tourmaline
Test: Lower Restricted Band-Edge Radiated
Rule part: FCC Part 15.247(d) and FCC Part 15.205
Operator: Craig B

Antenna: PIFA antenna
Channel: 2417 MHz, channel 2
Modulation: 802.11-n, MCS7
Power setting: 14

HORIZONTAL:

AVERAGE: Limit = 54 dB μ V/m @ 3 meters




Date: 22.MAR.2017 15:08:50

Test Date: 03-22-2017
Company: Whirlpool Corporation
EUT: Tourmaline
Test: Lower Restricted Band-Edge Radiated
Rule part: FCC Part 15.247(d) and FCC Part 15.205
Operator: Craig B

Antenna: PIFA antenna
Channel: 2417 MHz, channel 2
Modulation: 802.11-n, MCS7
Power setting: 14

HORIZONTAL:

PEAK: Limit = 74 dB μ V/m @ 3 meters




Date: 22.MAR.2017 15:07:16

Test Date: 03-22-2017
Company: Whirlpool Corporation
EUT: Tourmaline
Test: Upper Restricted Band-Edge Radiated
Rule part: FCC Part 15.247(d) and FCC Part 15.205
Operator: Craig B

Antenna: PIFA antenna
Channel: High, 2462 MHz, channel 11
Modulation: 802.11-b, 1 Mbps
Power setting: 17

VERTICAL:

AVERAGE: Limit = 54 dB μ V/m @ 3 meters




Date: 22.MAR.2017 13:04:08

Test Date: 03-22-2017
Company: Whirlpool Corporation
EUT: Tourmaline
Test: Upper Restricted Band-Edge Radiated
Rule part: FCC Part 15.247(d) and FCC Part 15.205
Operator: Craig B

Antenna: PIFA antenna
Channel: High, 2462 MHz, channel 11
Modulation: 802.11-b, 1 Mbps
Power setting: 17

VERTICAL:

PEAK: Limit = 74 dB μ V/m @ 3 meters




Date: 22.MAR.2017 13:06:04

Test Date: 03-22-2017
Company: Whirlpool Corporation
EUT: Tourmaline
Test: Upper Restricted Band-Edge Radiated
Rule part: FCC Part 15.247(d) and FCC Part 15.205
Operator: Craig B

Antenna: PIFA antenna
Channel: High, 2462 MHz, channel 11
Modulation: 802.11-b, 1 Mbps
Power setting: 17

HORIZONTAL:

AVERAGE: Limit = 54 dB μ V/m @ 3 meters




Date: 22.MAR.2017 09:49:38

Test Date: 03-22-2017
Company: Whirlpool Corporation
EUT: Tourmaline
Test: Upper Restricted Band-Edge Radiated
Rule part: FCC Part 15.247(d) and FCC Part 15.205
Operator: Craig B

Antenna: PIFA antenna
Channel: High, 2462 MHz, channel 11
Modulation: 802.11-b, 1 Mbps
Power setting: 17

HORIZONTAL:

PEAK: Limit = 74 dB μ V/m @ 3 meters




Date: 22.MAR.2017 11:21:24

Test Date: 03-22-2017
Company: Whirlpool Corporation
EUT: Tourmaline
Test: Upper Restricted Band-Edge Radiated
Rule part: FCC Part 15.247(d) and FCC Part 15.205
Operator: Craig B

Antenna: PIFA antenna
Channel: 2457 MHz, channel 10
Modulation: 802.11-b, 1 Mbps
Power setting: 18

VERTICAL:

AVERAGE: Limit = 54 dB μ V/m @ 3 meters




Date: 22.MAR.2017 13:10:05

Test Date: 03-22-2017
Company: Whirlpool Corporation
EUT: Tourmaline
Test: Upper Restricted Band-Edge Radiated
Rule part: FCC Part 15.247(d) and FCC Part 15.205
Operator: Craig B

Antenna: PIFA antenna
Channel: 2457 MHz, channel 10
Modulation: 802.11-b, 1 Mbps
Power setting: 18

VERTICAL:

PEAK: Limit = 74 dB μ V/m @ 3 meters




Date: 22.MAR.2017 13:08:30

Test Date: 03-22-2017
Company: Whirlpool Corporation
EUT: Tourmaline
Test: Upper Restricted Band-Edge Radiated
Rule part: FCC Part 15.247(d) and FCC Part 15.205
Operator: Craig B

Antenna: PIFA antenna
Channel: 2457 MHz, channel 10
Modulation: 802.11-b, 1 Mbps
Power setting: 18

HORIZONTAL:

AVERAGE: Limit = 54 dB μ V/m @ 3 meters




Date: 22.MAR.2017 11:25:17

Test Date: 03-22-2017
Company: Whirlpool Corporation
EUT: Tourmaline
Test: Upper Restricted Band-Edge Radiated
Rule part: FCC Part 15.247(d) and FCC Part 15.205
Operator: Craig B

Antenna: PIFA antenna
Channel: 2457 MHz, channel 10
Modulation: 802.11-b, 1 Mbps
Power setting: 18

HORIZONTAL:

PEAK: Limit = 74 dB μ V/m @ 3 meters




Date: 22.MAR.2017 11:26:45

Test Date: 03-22-2017
Company: Whirlpool Corporation
EUT: Tourmaline
Test: Upper Restricted Band-Edge Radiated
Rule part: FCC Part 15.247(d) and FCC Part 15.205
Operator: Craig B

Antenna: PIFA antenna
Channel: High, 2462 MHz, channel 11
Modulation: 802.11-g, 54 Mbps
Power setting: 9

VERTICAL:

AVERAGE: Limit = 54 dB μ V/m @ 3 meters




Date: 22.MAR.2017 13:13:59

Test Date: 03-22-2017
Company: Whirlpool Corporation
EUT: Tourmaline
Test: Upper Restricted Band-Edge Radiated
Rule part: FCC Part 15.247(d) and FCC Part 15.205
Operator: Craig B

Antenna: PIFA antenna
Channel: High, 2462 MHz, channel 11
Modulation: 802.11-g, 54 Mbps
Power setting: 9

VERTICAL:

PEAK: Limit = 74 dB μ V/m @ 3 meters




Date: 22.MAR.2017 13:15:26

Test Date: 03-22-2017
Company: Whirlpool Corporation
EUT: Tourmaline
Test: Upper Restricted Band-Edge Radiated
Rule part: FCC Part 15.247(d) and FCC Part 15.205
Operator: Craig B

Antenna: PIFA antenna
Channel: High, 2462 MHz, channel 11
Modulation: 802.11-g, 54 Mbps
Power setting: 10

HORIZONTAL:

AVERAGE: Limit = 54 dB μ V/m @ 3 meters




Date: 22.MAR.2017 11:31:00

Test Date: 03-22-2017
Company: Whirlpool Corporation
EUT: Tourmaline
Test: Upper Restricted Band-Edge Radiated
Rule part: FCC Part 15.247(d) and FCC Part 15.205
Operator: Craig B

Antenna: PIFA antenna
Channel: High, 2462 MHz, channel 11
Modulation: 802.11-g, 54 Mbps
Power setting: 10

HORIZONTAL:

PEAK: Limit = 74 dB μ V/m @ 3 meters




Date: 22.MAR.2017 11:32:19

Test Date: 03-22-2017
Company: Whirlpool Corporation
EUT: Tourmaline
Test: Upper Restricted Band-Edge Radiated
Rule part: FCC Part 15.247(d) and FCC Part 15.205
Operator: Craig B

Antenna: PIFA antenna
Channel: 2457 MHz, channel 10
Modulation: 802.11-g, 54 Mbps
Power setting: 15

VERTICAL:

AVERAGE: Limit = 54 dB μ V/m @ 3 meters




Date: 22.MAR.2017 13:18:34

Test Date: 03-22-2017
Company: Whirlpool Corporation
EUT: Tourmaline
Test: Upper Restricted Band-Edge Radiated
Rule part: FCC Part 15.247(d) and FCC Part 15.205
Operator: Craig B

Antenna: PIFA antenna
Channel: 2457 MHz, channel 10
Modulation: 802.11-g, 54 Mbps
Power setting: 15

VERTICAL:

PEAK: Limit = 74 dB μ V/m @ 3 meters




Date: 22.MAR.2017 13:21:13

Test Date: 03-22-2016
Company: Whirlpool Corporation
EUT: Tourmaline
Test: Upper Restricted Band-Edge Radiated
Rule part: FCC Part 15.247(d) and FCC Part 15.205
Operator: Craig B

Antenna: PIFA antenna
Channel: 2457 MHz, channel 10
Modulation: 802.11-g, 54 Mbps
Power setting: 15

HORIZONTAL:

AVERAGE: Limit = 54 dB μ V/m @ 3 meters




Date: 22.MAR.2017 11:36:08

Test Date: 03-22-2016
Company: Whirlpool Corporation
EUT: Tourmaline
Test: Upper Restricted Band-Edge Radiated
Rule part: FCC Part 15.247(d) and FCC Part 15.205
Operator: Craig B

Antenna: PIFA antenna
Channel: 2457 MHz, channel 10
Modulation: 802.11-g, 54 Mbps
Power setting: 15

HORIZONTAL:

PEAK: Limit = 74 dB μ V/m @ 3 meters




Date: 22.MAR.2017 11:38:11

Test Date: 03-22-2017
Company: Whirlpool Corporation
EUT: Tourmaline
Test: Upper Restricted Band-Edge Radiated
Rule part: FCC Part 15.247(d) and FCC Part 15.205
Operator: Craig B

Antenna: PIFA antenna
Channel: 2452 MHz, channel 9
Modulation: 802.11-g, 54 Mbps
Power setting: 15

VERTICAL:

AVERAGE: Limit = 54 dB μ V/m @ 3 meters




Date: 22.MAR.2017 13:24:06

Test Date: 03-22-2017
Company: Whirlpool Corporation
EUT: Tourmaline
Test: Upper Restricted Band-Edge Radiated
Rule part: FCC Part 15.247(d) and FCC Part 15.205
Operator: Craig B

Antenna: PIFA antenna
Channel: 2452 MHz, channel 9
Modulation: 802.11-g, 54 Mbps
Power setting: 15

VERTICAL:

PEAK: Limit = 74 dB μ V/m @ 3 meters




Date: 22.MAR.2017 13:25:22

Test Date: 03-22-2016
Company: Whirlpool Corporation
EUT: Tourmaline
Test: Upper Restricted Band-Edge Radiated
Rule part: FCC Part 15.247(d) and FCC Part 15.205
Operator: Craig B

Antenna: PIFA antenna
Channel: 2452 MHz, channel 9
Modulation: 802.11-g, 54 Mbps
Power setting: 16

HORIZONTAL:

AVERAGE: Limit = 54 dB μ V/m @ 3 meters




Date: 22.MAR.2017 11:41:00

Test Date: 03-22-2016
Company: Whirlpool Corporation
EUT: Tourmaline
Test: Upper Restricted Band-Edge Radiated
Rule part: FCC Part 15.247(d) and FCC Part 15.205
Operator: Craig B

Antenna: PIFA antenna
Channel: 2452 MHz, channel 9
Modulation: 802.11-g, 54 Mbps
Power setting: 16

HORIZONTAL:

PEAK: Limit = 74 dB μ V/m @ 3 meters




Date: 22.MAR.2017 11:42:36

Test Date: 03-22-2017
Company: Whirlpool Corporation
EUT: Tourmaline
Test: Upper Restricted Band-Edge Radiated
Rule part: FCC Part 15.247(d) and FCC Part 15.205
Operator: Craig B

Antenna: PIFA antenna
Channel: 2447 MHz, channel 8
Modulation: 802.11-g, 54 Mbps
Power setting: 17

VERTICAL:

AVERAGE: Limit = 54 dB μ V/m @ 3 meters




Date: 22.MAR.2017 13:27:57

Test Date: 03-22-2017
Company: Whirlpool Corporation
EUT: Tourmaline
Test: Upper Restricted Band-Edge Radiated
Rule part: FCC Part 15.247(d) and FCC Part 15.205
Operator: Craig B

Antenna: PIFA antenna
Channel: 2447 MHz, channel 8
Modulation: 802.11-g, 54 Mbps
Power setting: 17

VERTICAL:

PEAK: Limit = 74 dB μ V/m @ 3 meters




Date: 22.MAR.2017 13:29:42

Test Date: 03-22-2016
Company: Whirlpool Corporation
EUT: Tourmaline
Test: Upper Restricted Band-Edge Radiated
Rule part: FCC Part 15.247(d) and FCC Part 15.205
Operator: Craig B

Antenna: PIFA antenna
Channel: 2447 MHz, channel 8
Modulation: 802.11-g, 54 Mbps
Power setting: 17

HORIZONTAL:

AVERAGE: Limit = 54 dB μ V/m @ 3 meters




Date: 22.MAR.2017 11:44:46

Test Date: 03-22-2016
Company: Whirlpool Corporation
EUT: Tourmaline
Test: Upper Restricted Band-Edge Radiated
Rule part: FCC Part 15.247(d) and FCC Part 15.205
Operator: Craig B

Antenna: PIFA antenna
Channel: 2447 MHz, channel 8
Modulation: 802.11-g, 54 Mbps
Power setting: 17

HORIZONTAL:

PEAK: Limit = 74 dB μ V/m @ 3 meters




Date: 22.MAR.2017 11:46:26

Test Date: 03-22-2017
Company: Whirlpool Corporation
EUT: Tourmaline
Test: Upper Restricted Band-Edge Radiated
Rule part: FCC Part 15.247(d) and FCC Part 15.205
Operator: Craig B

Antenna: PIFA antenna
Channel: High, 2462 MHz, channel 11
Modulation: 802.11-n, MCS7
Power setting: 8

VERTICAL:

AVERAGE: Limit = 54 dB μ V/m @ 3 meters




Date: 22.MAR.2017 13:34:18

Test Date: 03-22-2017
Company: Whirlpool Corporation
EUT: Tourmaline
Test: Upper Restricted Band-Edge Radiated
Rule part: FCC Part 15.247(d) and FCC Part 15.205
Operator: Craig B

Antenna: PIFA antenna
Channel: High, 2462 MHz, channel 11
Modulation: 802.11-n, MCS7
Power setting: 8

VERTICAL:

PEAK: Limit = 74 dB μ V/m @ 3 meters




Date: 22.MAR.2017 13:35:45

Test Date: 03-22-2017
Company: Whirlpool Corporation
EUT: Tourmaline
Test: Upper Restricted Band-Edge Radiated
Rule part: FCC Part 15.247(d) and FCC Part 15.205
Operator: Craig B

Antenna: PIFA antenna
Channel: High, 2462 MHz, channel 11
Modulation: 802.11-n, MCS7
Power setting: 8

HORIZONTAL:

AVERAGE: Limit = 54 dB μ V/m @ 3 meters




Date: 22.MAR.2017 12:40:19

Test Date: 03-22-2017
Company: Whirlpool Corporation
EUT: Tourmaline
Test: Upper Restricted Band-Edge Radiated
Rule part: FCC Part 15.247(d) and FCC Part 15.205
Operator: Craig B

Antenna: PIFA antenna
Channel: High, 2462 MHz, channel 11
Modulation: 802.11-n, MCS7
Power setting: 8

HORIZONTAL:

PEAK: Limit = 74 dB μ V/m @ 3 meters




Date: 22.MAR.2017 12:42:13

Test Date: 03-22-2017
Company: Whirlpool Corporation
EUT: Tourmaline
Test: Upper Restricted Band-Edge Radiated
Rule part: FCC Part 15.247(d) and FCC Part 15.205
Operator: Craig B

Antenna: PIFA antenna
Channel: 2457 MHz, channel 10
Modulation: 802.11-n, MCS7
Power setting: 14

VERTICAL:

AVERAGE: Limit = 54 dB μ V/m @ 3 meters




Date: 22.MAR.2017 13:37:52

Test Date: 03-22-2017
Company: Whirlpool Corporation
EUT: Tourmaline
Test: Upper Restricted Band-Edge Radiated
Rule part: FCC Part 15.247(d) and FCC Part 15.205
Operator: Craig B

Antenna: PIFA antenna
Channel: 2457 MHz, channel 10
Modulation: 802.11-n, MCS7
Power setting: 14

VERTICAL:

PEAK: Limit = 74 dB μ V/m @ 3 meters




Date: 22.MAR.2017 13:40:04

Test Date: 03-22-2017
Company: Whirlpool Corporation
EUT: Tourmaline
Test: Upper Restricted Band-Edge Radiated
Rule part: FCC Part 15.247(d) and FCC Part 15.205
Operator: Craig B

Antenna: PIFA antenna
Channel: 2457 MHz, channel 10
Modulation: 802.11-n, MCS7
Power setting: 14

HORIZONTAL:

AVERAGE: Limit = 54 dB μ V/m @ 3 meters




Date: 22.MAR.2017 12:45:26

Test Date: 03-22-2017
Company: Whirlpool Corporation
EUT: Tourmaline
Test: Upper Restricted Band-Edge Radiated
Rule part: FCC Part 15.247(d) and FCC Part 15.205
Operator: Craig B

Antenna: PIFA antenna
Channel: 2457 MHz, channel 10
Modulation: 802.11-n, MCS7
Power setting: 14

HORIZONTAL:

PEAK: Limit = 74 dB μ V/m @ 3 meters




Date: 22.MAR.2017 12:47:09

Test Date: 03-23-2017
Company: Whirlpool Corporation
EUT: Tourmaline
Test: Lower Restricted Band-Edge Radiated
Rule part: FCC Part 15.247(d) and FCC Part 15.205
Operator: Craig B

Antenna: F antenna
Channel: Low, 2412 MHz, channel 1
Modulation: 802.11-b, 1 Mbps
Power setting: 18

VERTICAL:

AVERAGE: Limit = 54 dB μ V/m @ 3 meters




Date: 23.MAR.2017 10:21:20

Test Date: 03-23-2017
Company: Whirlpool Corporation
EUT: Tourmaline
Test: Lower Restricted Band-Edge Radiated
Rule part: FCC Part 15.247(d) and FCC Part 15.205
Operator: Craig B

Antenna: F antenna
Channel: Low, 2412 MHz, channel 1
Modulation: 802.11-b, 1 Mbps
Power setting: 18

VERTICAL:

PEAK: Limit = 74 dB μ V/m @ 3 meters




Date: 23.MAR.2017 10:22:24

Test Date: 03-23-2017
Company: Whirlpool Corporation
EUT: Tourmaline
Test: Lower Restricted Band-Edge Radiated
Rule part: FCC Part 15.247(d) and FCC Part 15.205
Operator: Craig B

Antenna: F antenna
Channel: Low, 2412 MHz, channel 1
Modulation: 802.11-b, 1 Mbps
Power setting: 18

HORIZONTAL:

AVERAGE: Limit = 54 dB μ V/m @ 3 meters




Date: 23.MAR.2017 10:49:53

Test Date: 03-23-2017
Company: Whirlpool Corporation
EUT: Tourmaline
Test: Lower Restricted Band-Edge Radiated
Rule part: FCC Part 15.247(d) and FCC Part 15.205
Operator: Craig B

Antenna: F antenna
Channel: Low, 2412 MHz, channel 1
Modulation: 802.11-b, 1 Mbps
Power setting: 18

HORIZONTAL:

PEAK: Limit = 74 dB μ V/m @ 3 meters




Date: 23.MAR.2017 10:51:10

Test Date: 03-23-2017
Company: Whirlpool Corporation
EUT: Tourmaline
Test: Lower Restricted Band-Edge Radiated
Rule part: FCC Part 15.247(d) and FCC Part 15.205
Operator: Craig B

Antenna: F antenna
Channel: Low, 2412 MHz, channel 1
Modulation: 802.11-g, 54 Mbps
Power setting: 16

VERTICAL:

AVERAGE: Limit = 54 dB μ V/m @ 3 meters




Date: 23.MAR.2017 10:26:37

Test Date: 03-23-2017
Company: Whirlpool Corporation
EUT: Tourmaline
Test: Lower Restricted Band-Edge Radiated
Rule part: FCC Part 15.247(d) and FCC Part 15.205
Operator: Craig B

Antenna: F antenna
Channel: Low, 2412 MHz, channel 1
Modulation: 802.11-g, 54 Mbps
Power setting: 16

VERTICAL:

PEAK: Limit = 74 dB μ V/m @ 3 meters




Date: 23.MAR.2017 10:28:19

Test Date: 03-23-2017
Company: Whirlpool Corporation
EUT: Tourmaline
Test: Lower Restricted Band-Edge Radiated
Rule part: FCC Part 15.247(d) and FCC Part 15.205
Operator: Craig B

Antenna: F antenna
Channel: Low, 2412 MHz, channel 1
Modulation: 802.11-g, 54 Mbps
Power setting: 16

HORIZONTAL:

AVERAGE: Limit = 54 dB μ V/m @ 3 meters




Date: 23.MAR.2017 10:53:48

Test Date: 03-23-2017
Company: Whirlpool Corporation
EUT: Tourmaline
Test: Lower Restricted Band-Edge Radiated
Rule part: FCC Part 15.247(d) and FCC Part 15.205
Operator: Craig B

Antenna: F antenna
Channel: Low, 2412 MHz, channel 1
Modulation: 802.11-g, 54 Mbps
Power setting: 16

HORIZONTAL:

PEAK: Limit = 74 dB μ V/m @ 3 meters



Date: 23.MAR.2017 10:54:59