



 新益技术	深圳市新益技术有限公司 Tel: 0755-82997688 Shenzhen Xinyi Technology Co., LTD																				
	测试数据报告		地址: 深圳市龙华区大浪街道颂丰华创新产业园5栋2楼 2nd Floor, Building 5, Hifeng Innovation Industrial Park, Haling Sub-Street, Longhua District, Shenzhen																		
	软件版本: SNF V2.4.2 导出时间: 2025/5/13 10:22:25																				
Frequency ID	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21
Frequency (MHz)	2350	2360	2370	2380	2390	2400	2410	2420	2430	2440	2450	2460	2470	2480	2490	2500	2510	2520	2530	2540	2550
Gain (dBi)	-3.75	-3.59	-3.55	-3.01	-2.55	-2.15	-2.00	-1.89	0	-1.65	-1.95	-2.45	-2.55	-2.36	-2.38	-2.47	-2.70	-2.78	-3.16	-3.55	-3.65
Peak Gain Position (Theta)	146.00	145.00	145.00	145.00	144.00	144.00	145.00	145.00	145.00	145.00	145.00	145.00	145.00	144.00	144.00	144.00	145.00	146.00	147.00	148.00	148.00
Peak Gain Position (Phi)	134.00	134.00	135.00	137.00	139.00	139.00	139.00	139.00	137.00	135.00	136.00	136.00	137.00	136.00	136.00	138.00	140.00	143.00	144.00	145.00	142.00
Efficiency (dB)	-8.16	-7.80	-7.38	-6.79	-6.40	-6.16	-6.02	-5.92	-5.82	-5.86	-5.92	-6.09	-6.09	-5.94	-5.98	-6.10	-6.30	-6.57	-7.11	-7.50	-7.97
Efficiency (%)	15.29	16.60	18.28	20.93	22.90	24.23	25.02	25.56	26.16	25.95	25.57	24.58	24.58	25.48	25.23	24.57	23.47	22.05	19.45	17.79	15.96
Plane: Phi=0	2350	2360	2370	2380	2390	2400	2410	2420	2430	2440	2450	2460	2470	2480	2490	2500	2510	2520	2530	2540	2550
Plane: Phi=90	2350	2360	2370	2380	2390	2400	2410	2420	2430	2440	2450	2460	2470	2480	2490	2500	2510	2520	2530	2540	2550
Plane: Theta=90	2350	2360	2370	2380	2390	2400	2410	2420	2430	2440	2450	2460	2470	2480	2490	2500	2510	2520	2530	2540	2550




2350MHz

MAX: -3.75dBi
MIN: -19.61dBi




-3.75
-6.92
-10.09
-13.27
-16.44
-19.61

MAX: -3.75dBi
MIN: -19.61dBi




-3.75
-6.92
-10.09
-13.27
-16.44
-19.61

MAX: -3.75dBi
MIN: -19.61dBi



-3.75
-6.92
-10.09
-13.27
-16.44
-19.61


MAX: -3.75dBi
MIN: -19.61dBi



-3.75
-6.92
-10.09
-13.27
-16.44
-19.61


2360MHz

MAX: -3.59dBi
MIN: -19.05dBi




-3.59
-6.68
-9.77
-12.86
-15.96
-19.05

MAX: -3.59dBi
MIN: -19.05dBi




-3.59
-6.68
-9.77
-12.86
-15.96
-19.05

MAX: -3.59dBi
MIN: -19.05dBi



-3.59
-6.68
-9.77
-12.86
-15.96
-19.05


MAX: -3.59dBi
MIN: -19.05dBi



-3.59
-6.68
-9.77
-12.86
-15.96
-19.05


2370MHz

MAX: -3.55dBi
MIN: -18.4dBi




-3.55
-6.52
-9.49
-12.46
-15.43
-18.4

MAX: -3.55dBi
MIN: -18.4dBi




-3.55
-6.52
-9.49
-12.46
-15.43
-18.4

MAX: -3.55dBi
MIN: -18.4dBi



-3.55
-6.52
-9.49
-12.46
-15.43
-18.4


MAX: -3.55dBi
MIN: -18.4dBi




-3.55
-6.52
-9.49
-12.46
-15.43
-18.4

2380MHz



MAX: -3.01dBi
MIN: -18.02dBi





MAX: -3.01dBi
MIN: -18.02dBi



MAX: -3.01dBi
MIN: -18.02dBi




MAX: -3.01dBi
MIN: -18.02dBi




2390MHz


MAX: -2.55dBi
MIN: -17.06dBi





MAX: -2.55dBi
MIN: -17.06dBi



MAX: -2.55dBi
MIN: -17.06dBi





MAX: -2.55dBi
MIN: -17.06dBi





2400MHz



MAX: -2.15dBi
MIN: -17.27dBi





MAX: -2.15dBi
MIN: -17.27dBi



MAX: -2.15dBi
MIN: -17.27dBi




MAX: -2.15dBi
MIN: -17.27dBi




2410MHz


MAX: -2dBi
MIN: -17.04dBi




MAX: -2dBi
MIN: -17.04dBi



MAX: -2dBi
MIN: -17.04dBi




MAX: -2dBi
MIN: -17.04dBi




2420MHz


MAX: -1.89dBi
MIN: -17.17dBi




MAX: -1.89dBi
MIN: -17.17dBi



MAX: -1.89dBi
MIN: -17.17dBi




MAX: -1.89dBi
MIN: -17.17dBi




2430MHz


MAX: 0 dBi
MIN: -16.8dBi




MAX: 0 dBi
MIN: -16.8dBi



MAX: 0 dBi
MIN: -16.8dBi




MAX: 0dBi
MIN: -16.8dBi




2440MHz


MAX: -1.65dBi
MIN: -16.53dBi




MAX: -1.65dBi
MIN: -16.53dBi



MAX: -1.65dBi
MIN: -16.53dBi




MAX: -1.65dBi
MIN: -16.53dBi




2450MHz


MAX: -1.95dBi
MIN: -16dBi




MAX: -1.95dBi
MIN: -16dBi



MAX: -1.95dBi
MIN: -16dBi




MAX: -1.95dBi
MIN: -16dBi




2460MHz


MAX: -2.45dBi
MIN: -15.82dBi




MAX: -2.45dBi
MIN: -15.82dBi



MAX: -2.45dBi
MIN: -15.82dBi




MAX: -2.45dBi
MIN: -15.82dBi




2470MHz


MAX: -2.55dBi
MIN: -15.64dBi




MAX: -2.55dBi
MIN: -15.64dBi



MAX: -2.55dBi
MIN: -15.64dBi




MAX: -2.55dBi
MIN: -15.64dBi




2480MHz


MAX: -2.36dBi
MIN: -15.57dBi




MAX: -2.36dBi
MIN: -15.57dBi



MAX: -2.36dBi
MIN: -15.57dBi




MAX: -2.36dBi
MIN: -15.57dBi




2490MHz


MAX: -2.38dBi
MIN: -15.33dBi




MAX: -2.38dBi
MIN: -15.33dBi






MAX: -2.38dBi
MIN: -15.33dBi




MAX: -2.38dBi
MIN: -15.33dBi






2530MHz


MAX: -3.16dBi
MIN: -15.63dBi




MAX: -3.16dBi
MIN: -15.63dBi



MAX: -3.16dBi
MIN: -15.63dBi




MAX: -3.16dBi
MIN: -15.63dBi




2540MHz



MAX: -3.55dBi
MIN: -15.78dBi




MAX: -3.55dBi
MIN: -15.78dBi



MAX: -3.55dBi
MIN: -15.78dBi




MAX: -3.55dBi
MIN: -15.78dBi




2550MHz


MAX: -3.65dBi
MIN: -16.96dBi



MAX: -3.65dBi
MIN: -16.96dBi



MAX: -3.65dBi
MIN: -16.96dBi



MAX: -3.65dBi
MIN: -16.96dBi

