

NEC FCC ID: A98-KMP6J1F1-1A -- 850MHz. GSM Head SAR

SAM Phantom; Right Hand Section; Probe:ET3DV6 - SN1677; ConvF(6.70,6.70,6.70)

Med. Parameters 835 MHz Brain: $\sigma = 0.91$ mho/m $\epsilon_r = 40.0$ $\rho = 1.00$ g/cm³; Antenna Position -- Fixed; Crest Factor 8.0


SAR (1g): 0.524 mW/g, SAR (10g): 0.378 mW/g

NEC DualBand GSM Phone Model: KMP6J1F1

850MHz GSM Mode, Ch.251[848.8MHz]; Standard Battery; Ambient Temp. = 22.3°C / Meas.Tissue Temp. = 22.2°C

Conducted Power = 31.0dBm; Right Head Phantom; Flip = open; Cheek/Touch position

Test Date -- 09/03/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



NEC FCC ID: A98-KMP6J1F1-1A -- 850MHz. GSM Head SAR

SAM Phantom; Right Hand Section; Probe:ET3DV6 - SN1677; ConvF(6.70,6.70,6.70)

Med. Parameters 835 MHz Brain: $\sigma = 0.91$ mho/m $\epsilon_r = 40.0$ $\rho = 1.00$ g/cm³; Antenna Position -- Fixed; Crest Factor 8.0


SAR (1g): 0.0788 mW/g, SAR (10g): 0.0543 mW/g

NEC DualBand GSM Phone Model: KMP6J1F1

850MHz GSM Mode, Ch.251 [848.8MHz]; Standard Battery; Ambient Temp. = 22.3°C / Meas.Tissue Temp. = 22.2°

Conducted Power = 31.0dBm; Right Head Phantom; Flip = open; EAR/15 Degree Tilt position

Test Date -- 09/03/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



NEC FCC ID: A98-KMP6J1F1-1A -- 850MHz. GSM Head SAR

SAM Phantom; Left Hand Section; Probe:ET3DV6 - SN1677; ConvF(6.70,6.70,6.70)

Med. Parameters 835 MHz Brain: $\sigma = 0.91$ mho/m $\epsilon_r = 40.0$ $\rho = 1.00$ g/cm³; Antenna Position -- Fixed; Crest Factor 8.0


SAR (1g): 0.518 mW/g, SAR (10g): 0.354 mW/g

NEC DualBand GSM Phone Model: KMP6J1F1

850MHz GSM Mode, Ch.251 [848.8MHz]; Standard Battery; Ambient Temp. = 22.3°C / Meas.Tissue Temp. = 22.2°C

Conducted Power = 31.0dBm; Left Head Phantom; Flip = open; Cheek/Touch position

Test Date -- 09/03/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



NEC FCC ID: A98-KMP6J1F1-1A -- 850MHz. GSM Head SAR

SAM Phantom; Left Hand Section; Probe:ET3DV6 - SN1677; ConvF(6.70,6.70,6.70)

Med. Parameters 835 MHz Brain: $\sigma = 0.91$ mho/m $\epsilon_r = 40.0$ $\rho = 1.00$ g/cm³; Antenna Position -- Fixed; Crest Factor 8.0


SAR (1g): 0.0790 mW/g, SAR (10g): 0.0549 mW/g

NEC DualBand GSM Phone Model: KMP6J1F1

850MHz GSM Mode, Ch.251 [848.8MHz]; Standard Battery; Ambient Temp. = 22.3°C / Meas.Tissue Temp. = 22.2°

Conducted Power = 31.0dBm; Left Head Phantom; Flip = open; EAR/15 Degree Tilt position

Test Date -- 09/03/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



NEC FCC ID: A98-KMP6J1F1-1A -- 1900 GSM Head SAR

SAM Phantom; Right Hand Section; Probe:ET3DV6 - SN1677; ConvF(5.30,5.30,5.30)

Med. Parameters 1900 MHz Brain: $\sigma = 1.42$ mho/m $\epsilon_r = 40.7$ $\rho = 1.00$ g/cm³; Antenna Position -- Fixed; Crest Factor 8.0


SAR (1g): 1.20 mW/g, SAR (10g): 0.789 mW/g

NEC DualBand GSM Phone Model: KMP6J1F1

1900MHz GSM Mode, Ch.810 [1909.8MHz]; Standard Battery; Ambient Temp.= 22.3°C / Meas.Tissue Temp. = 22.2°C

Conducted Power = 31.0dBm; Right Head Phantom; Flip = open; Cheek/Touch position

Test Date -- 08/30/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



NEC FCC ID: A98-KMP6J1F1-1A -- 1900 GSM Head SAR

SAM Phantom; Right Hand Section; Probe:ET3DV6 - SN1677; ConvF(5.30,5.30,5.30)

Med. Parameters 1900 MHz Brain: $\sigma = 1.42$ mho/m $\epsilon_r = 40.7$ $\rho = 1.00$ g/cm³; Antenna Position -- Fixed; Crest Factor 8.0


SAR (1g): 0.131 mW/g, SAR (10g): 0.0836 mW/g

NEC DualBand GSM Phone Model: KMP6J1F1

1900MHz GSM Mode, Ch.810 [1909.8MHz]; Standard Battery; Ambient Temp.= 22.3° Meas.Tissue Temp. = 22.2°

Conducted Power = 31.0dBm; Right Head Phantom; Flip = open; EAR/15 Degree Tilt position

Test Date -- 08/30/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



NEC FCC ID: A98-KMP6J1F1-1A -- 1900 GSM Head SAR

SAM Phantom; Left Hand Section; Probe:ET3DV6 - SN1677; ConvF(5.30,5.30,5.30)

Med. Parameters 1900 MHz Brain: $\sigma = 1.42$ mho/m $\epsilon_r = 40.7$ $\rho = 1.00$ g/cm³; Antenna Position -- Fixed; Crest Factor 8.0


SAR (1g): 1.18 mW/g, SAR (10g): 0.754 mW/g

NEC DualBand GSM Phone Model: KMP6J1F1

1900MHz GSM Mode, Ch.810 [1909.8MHz]; Standard Battery; Ambient Temp.= 22.3°C / Meas.Tissue Temp. = 22.2°C

Conducted Power = 31.0dBm; Left Head Phantom; Flip = open; Cheek/Touchposition

Test Date -- 08/30/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



NEC FCC ID: A98-KMP6J1F1-1A -- 1900 GSM Head SAR

SAM Phantom; Left Hand Section; Probe:ET3DV6 - SN1677; ConvF(5.30,5.30,5.30)

Med. Parameters 1900 MHz Brain: $\sigma = 1.42$ mho/m $\epsilon_r = 40.7$ $\rho = 1.00$ g/cm³; Antenna Position -- Fixed; Crest Factor 8.0


SAR (1g): 0.155 mW/g, SAR (10g): 0.0908 mW/g

NEC Dual Band GSM Phone Model: KMP6J1F1

1900MHz GSM Mode, Ch.810 [1909.8MHz]; Standard Battery; Ambient Temp.= 22.3° Meas.Tissue Temp. = 22.2°

Conducted Power = 31.0dBm; Left Head Phantom; Flip = open; EAR/15 Degree Tiltposition

Test Date -- 08/30/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



NEC FCC ID: A98-KMP6J1F1-1A -- 850 GSM Body SAR

SAM Phantom; Flat Section; Probe:ET3DV6 - SN1677; ConvF(6.40,6.40,6.40)

Med. Parameters 835 MHz Muscle: $\sigma = 0.98$ mho/m $\epsilon_r = 55.6$ $\rho = 1.00$ g/cm³; Antenna Position -- Fixed; Crest Factor 8.0


SAR (1g): 0.493 mW/g, SAR (10g): 0.369 mW/g

NEC DualBand GSM Phone Model: KMP6J1F1

850 GSM Mode, Ch.251 [848.8MHz]; Standard Battery; Flip = closed; Ambient Temp. = 22.3°C / Meas. Tissue Temp. = 22.2°C

Conducted Power = 31.0dBm; Spacing = 1.5cm from back of EUT to flat phantom, No BeltClip/No Holster

Test Date -- 09/04/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



NEC FCC ID: A98-KMP6J1F1-1A -- 1900 GSM Body SAR

SAM Phantom; Flat Section; Probe:ET3DV6 - SN1677; ConvF(4.90,4.90,4.90)

Med. Parameters 1900 MHz Muscle: $\sigma = 1.57$ mho/m $\epsilon_r = 55.4$ $\rho = 1.00$ g/cm³; Antenna Position -- Fixed; Crest Factor 8.0


SAR (1g): 0.561 mW/g, SAR (10g): 0.322 mW/g

NEC DualBand GSM Phone Model: KMP6J1F1

1900 GSM Mode, Ch.810 [1909.8MHz]; Standard Battery; Flip = closed; Ambient Temp. = 22.3°C / Meas. Tissue Temp. = 22.3°C

Conducted Power = 31.0dBm; Spacing = 1.5cm from back of EUT to flat phantom, No BeltClip/No Holster

Test Date -- 09/04/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



NEC FCC ID: A98-KMP6J1F1-1A -- 850MHz. GSM Head SAR

SAM Phantom; Right Hand Section; Probe:ET3DV6 - SN1677; ConvF(6.70,6.70,6.70)

Med. Parameters 835 MHz Brain: $\sigma = 0.91$ mho/m $\epsilon_r = 40.0$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 8.0


SAR (1g): 0.524 mW/g, SAR (10g): 0.378 mW/g

NEC DualBand GSM Phone Model: KMP6J1F1

850MHz GSM Mode, Ch.251[848.8MHz]; Standard Battery; Ambient Temp. = 22.3°C / Meas.Tissue Temp. = 22.2°

Conducted Power = 31.0dBm; Right Head Phantom; Flip = open; Cheek/Touch position

Test Date -- 09/03/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



NEC FCC ID: A98-KMP6J1F1-1A -- 850MHz. GSM Body SAR

SAM Phantom; Flat Section; Probe:ET3DV6 - SN1677; ConvF(6.40,6.40,6.40)

Med. Parameters 835 MHz Muscle: $\sigma = 0.98$ mho/m $\epsilon_r = 55.6$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 8.0


SAR (1g): 0.493 mW/g, SAR (10g): 0.369 mW/g

NEC DualBand GSM Phone Model: KMP6J1F1

850 GSM Mode, Ch.251 [848.8MHz]; Standard Battery; Flip = closed; Ambient Temp. = 22.3°C / Meas. Tissue Temp. = 22.2°C

Conducted Power = 31.0dBm; Spacing = 1.5cm from back of EUT to flat phantom, No BeltClip/No Holster

Test Date -- 09/04/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



NEC FCC ID:A98-KMP6J1F1-1A -- 1900MHz. GSM Head S A R

S A M Phantom; Right Hand Section; Probe:ET3DV6 - SN1677; ConvF(5.30,5.30,5.30)

Med. Parameters 1900MHz Brain: $\sigma = 1.42 \text{ mho/m}$ $\epsilon_r = 40.7$ $\rho = 1.00 \text{ g/cm}^3$; Antenna Position -- Out; Crest Factor 8.0


SAR (1g): 1.20 mW/g, SAR (10g): 0.789 mW/g

NEC DualBand GSM Phone Model: KMP6J1F1

1900MHz GSM Mode, Ch.810 [1909.8MHz]; Standard Battery; Ambient Temp.= 22.3°C / Meas.Tissue Temp. = 22.2°C

Conducted Power = 31.0dBm; Right Head Phantom, Cheek/Touch position

Test Date -- 08/30/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



NEC FCC ID: A98-KMP6J1F1-1A -- 1900MHz. GSM Body SAR

SAM Phantom; Flat Section; Probe:ET3DV6 - SN1677; ConvF(4.90,4.90,4.90)

Med. Parameters 1900 MHz Muscle: $\sigma = 1.57$ mho/m $\epsilon_r = 55.4$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 8.0

SAR (1g): 0.561 mW/g SAR (10g): 0.322 mW/g

NEC DualBand GSM Phone Model: KMP6J1F1

1900 GSM Mode, Ch.810 [1909.8MHz]; Standard Battery; Flip = closed; Ambient Temp. = 22.3°C / Meas. Tissue Temp. = 22.2°C

Conducted Power = 31.0dBm; Spacing = 1.5cm from back of EUT to flat phantom, No BeltClip/No Holster

Test Date -- 09/04/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]

