



Intertek Testing Services

ETL SEMKO

Report No.: 0204369
Channel 3

Tested By: Hong, Report No.: 0204369


Scan Settings (1 Range)

Frequencies			Receiver Settings						
Start	Stop	Step	IF	BW	Detector	M-Time	Atten	Preamp	OpRge
450k	30M	5k	10k	PK	20ms	AUTO	LN	OFF	60dB

Final Measurement: x QP

Meas Time: 1 s
Subranges: 16
Acc Margin: 20dB

Transducer No.	Start	Stop	Name
21	9k	30M	EVW0698



Ctrl No.: N/A



Intertek Testing Services

ETL SEMKO

Report No.: 0204369
Channel 3

Tested By: Hong, Report No.: 0204369

Scan Settings (1 Range)

|----- Frequencies -----| |----- Receiver Settings -----|

Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
450k	30M	5k	10k	PK	20ms	AUTO	LN OFF	60dB

Final Measurement

Results:

Frequency	QP Level	QP Limit
MHz	dBuV	dBuV
4.45500	42.8	48.0
4.82500	28.7	48.0
8.84500	27.2	48.0
30.00000	36.5	48.0

* limit exceeded



Intertek Testing Services

ETL SEMKO

Report No.: 0204369
Channel 4

Tested By: Hong, Report No.: 0204369


Scan Settings (1 Range)

Frequencies				Receiver Settings			
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp OpRge
450k	30M	5k	10k	PK	20ms	AUTO	LN OFF 60dB

Final Measurement: XQP

Meas Time: 1 s
Subranges: 16
Acc Margin: 20dB

Transducer No. Start Stop Name
21 9k 30M EW0698





Intertek Testing Services

ETL SEMKO

Report No.: 0204369
Channel 4

Tested By: Hong, Report No.: 0204369

Scan Settings (1 Range)

Frequencies			Receiver Settings					
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
450k	30M	5k	10k	PK	20ms	AUTO	LN OFF	60dB

Final Measurement
Results:

Frequency	QP Level	QP Limit
MHz	dBuV	dBuV
4.41000	42.7	48.0
4.82500	28.5	48.0
8.84500	28.0	48.0
30.00000	35.5	48.0

* limit exceeded

Ctrl No.: N/A