

Tested By: Hong, Report No.: 0626484

Scan Settings (1 Range)

Frequencies			Receiver Settings					
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
150k	30M	5k	10k	PK+AV	10ms	AUTO	LN OFF	60dB


Final Measurement: x QP / + AV

Meas Time: 1 s

Subranges: 16

Acc Margin: 20dB

Transducer No.	Start	Stop	Name
1	15	9k	30M
	21	9k	30M
			EW0090
			EW0698



Report No.: 06264842  
Transmit mode  
AC Mains

Tested By: Hong, Report No.: 0626484

Scan Settings (1 Range)

|----- Frequencies -----||----- Receiver Settings -----|

Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
150k	30M	5k	10k	PK+AV	10ms	AUTO	LN OFF	60dB

Final Measurement Results:

no Results


Tested By: Hong, Report No.: 0626484

Scan Settings (1 Range)

Frequencies			Receiver Settings					
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
150k	30M	5k	10k	PK+AV	10ms	AUTO	LN OFF	60dB

Final Measurement: x QP / + AV  
 Meas Time: 1 s  
 Subranges: 16  
 Acc Margin: 20dB

Transducer No.	Start	Stop	Name
2	1 9k	30M	EW0700
12	9k	30M	EW1449



**Tested By:**Hong, **Report No.:**0626484

**Scan Settings (1 Range)**

----- Frequencies -----			Receiver Settings -----					
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
150k	30M	5k	10k	PK+AV	10ms	AUTO	LN OFF	60dB

**Final Measurement Results:**

no Results