

## INDEX OF SUBMITTED MEASURED DATA

### **EXHIBIT 6F (Revised)** – Conducted Spurious Emissions (12 Graphs)

6F-1: 44 Watts, 465.0125 MHz, 12.5 kHz Channel Spacing  
6F-2: 44 Watts, 480.0125 MHz, 12.5 kHz Channel Spacing  
6F-3: 44 Watts, 494.9875 MHz, 12.5 kHz Channel Spacing  
6F-4: 44 Watts, 465.0125 MHz, 25 kHz Channel Spacing  
6F-5: 44 Watts, 480.0125 MHz, 25 kHz Channel Spacing  
6F-6: 44 Watts, 494.9875 MHz, 25 kHz Channel Spacing  
6F-7: 25 Watts, 465.0125 MHz, 12.5 kHz Channel Spacing  
6F-8: 25 Watts, 480.0125 MHz, 12.5 kHz Channel Spacing  
6F-9: 25 Watts, 494.9875 MHz, 12.5 kHz Channel Spacing  
6F-10: 25 Watts, 465.0125 MHz, 25 kHz Channel Spacing  
6F-11: 25 Watts, 480.0125 MHz, 25 kHz Channel Spacing  
6F-12: 25 Watts, 494.9875 MHz, 25 kHz Channel Spacing

### **EXHIBIT 6G (Revised)** – Radiated Spurious Emissions (6 Graphs)

6G-1: 44 Watts, 465.0125 MHz, 12.5 kHz Channel Spacing  
& 44 Watts, 480.0125 MHz, 12.5 kHz Channel Spacing  
6G-2: 44 Watts, 494.9875 MHz, 12.5 kHz Channel Spacing  
6G-3: 44 Watts, 465.0125 MHz, 25 kHz Channel Spacing  
& 44 Watts, 480.0125 MHz, 25 kHz Channel Spacing  
6G-4: 44 Watts, 494.9875 MHz, 25 kHz Channel Spacing  
6G-5: 25 Watts, 465.0125 MHz, 12.5 kHz Channel Spacing  
& 25 Watts, 480.0125 MHz, 12.5 kHz Channel Spacing  
6G-6: 25 Watts, 494.9875 MHz, 12.5 kHz Channel Spacing  
6G-7: 25 Watts, 465.0125 MHz, 25 kHz Channel Spacing  
& 25 Watts, 480.0125 MHz, 25 kHz Channel Spacing  
6G-8: 25 Watts, 494.9875 MHz, 25 kHz Channel Spacing

EXHIBIT 6F (Revised)  
Transmitter Conducted Spurious Emissions - Pursuant 47 CFR 2.1047 and 2.1033(c) (13)




Table 6F-1: 44 Watts, 465.0125 MHz, 12.5 kHz Channel Spacing




Table 6F-2: 44 Watts, 480.0125 MHz, 12.5 kHz Channel Spacing

Note: Spurs which are not shown is less than -100dBc.




Table 6F-3: 44 Watts, 494.9875 MHz, 12.5 kHz Channel Spacing




Table 6F-4: 44 Watts, 465.0125 MHz, 25 kHz Channel Spacing

Note: Spurs which are not shown is less than -100dBc.




Table 6F-5: 44 Watts, 480.0125 MHz, 25 kHz Channel Spacing




Table 6F-6: 44 Watts, 494.9875 MHz, 25 kHz Channel Spacing

Note: Spurs which are not shown is less than -100dBc.




Table 6F-7: 25 Watts, 465.0125 MHz, 12.5 kHz Channel Spacing




Table 6F-7: 25 Watts, 480.0125 MHz, 12.5 kHz Channel Spacing

Note: Spurs which are not shown is less than -100dBc.




Table 6F-9: 25 Watts, 494.9875 MHz, 12.5 kHz Channel Spacing




Table 6F-10: 25 Watts, 465.0125 MHz, 25 kHz Channel Spacing

Note: Spurs which are not shown is less than -100dBc.




Table 6F-11: 25 Watts, 480.0125 MHz, 25 kHz Channel Spacing




Table 6F-12: 25 Watts, 494.9875 MHz, 25 kHz Channel Spacing

Note: Spurs which are not shown is less than -100dBc.

## Exhibit 6-G (Revised)

## Transmitter Radiated Spurious Emissions - Pursuant 47 CFR 2.1047 and 2.1033(c)(13)


## Transmit Radiated Spurious Emissions: ELM EPP U3HP

Tx Power: 44 Watts

465.0125 MHz

Channel Spacing 12.5kHz | S/N 019TFU1002

| Frequency (MHz) | FCC Failing Limit (dBm) | Horizontal Measured Emission<br>Equiv. Pwr Into Ideal Dipole (dBm) | Vertical Measured Emission Equiv<br>Pwr Into Ideal Dipole (dBm) |
|-----------------|-------------------------|--------------------------------------------------------------------|-----------------------------------------------------------------|
| 930.0250        | -20                     | -54.04                                                             | -58.42                                                          |
| 1395.0375       | -20                     | -53.04                                                             | -53.38                                                          |
| 1860.0500       | -20                     | *                                                                  | -42.66                                                          |
| 2325.0625       | -20                     | -37.64                                                             | -34.88                                                          |
| 2790.0750       | -20                     | -54.57                                                             | -56.07                                                          |
| 3255.0875       | -20                     | -60.96                                                             | -57.33                                                          |
| 3720.1000       | -20                     | -60.84                                                             | -56.95                                                          |
| 4185.1125       | -20                     | *                                                                  | *                                                               |
| 4650.1250       | -20                     | *                                                                  | *                                                               |




## Transmit Radiated Spurious Emissions: ELM EPP U3HP

Tx Power: 44 Watts

480.0125 MHz

Channel Spacing 12.5kHz | S/N 019TFU1002

| Frequency (MHz) | FCC Failing Limit (dBm) | Horizontal Measured Emission<br>Equiv. Pwr Into Ideal Dipole (dBm) | Vertical Measured Emission Equiv<br>Pwr Into Ideal Dipole (dBm) |
|-----------------|-------------------------|--------------------------------------------------------------------|-----------------------------------------------------------------|
| 960.0250        | -20                     | -58.80                                                             | -62.44                                                          |
| 1440.0375       | -20                     | -58.37                                                             | -54.64                                                          |
| 1920.0500       | -20                     | -58.93                                                             | -53.02                                                          |
| 2400.0625       | -20                     | -41.33                                                             | -39.59                                                          |
| 2880.0750       | -20                     | -64.01                                                             | -60.74                                                          |
| 3360.0875       | -20                     | -60.35                                                             | -58.01                                                          |
| 3840.1000       | -20                     | -62.38                                                             | *                                                               |
| 4320.1125       | -20                     | *                                                                  | *                                                               |
| 4800.1250       | -20                     | *                                                                  | *                                                               |



\* Indicates the spurious emission could not be detected due to noise limitations or ambients.

The data presented here was taken using the substitution method as found in the TIA/EIA-603 document.

Motorola Plantation EMC Lab – Test Performed by: Curt Mc Lennan

November 29, 2005

FCC Registration: 91932 / Industry Canada: IC3679

6G-1: 44 Watts, 465.0125 MHz, 12.5 kHz Channel Spacing  
& 44 Watts, 480.0125 MHz, 12.5 kHz Channel Spacing




Transmit Radiated Spurious Emissions: ELM EPP U3HP

Tx Power: 44 Watts

494.9875 MHz

Channel Spacing 12.5kHz | S/N 019TFU1002

| Frequency (MHz) | FCC Failing Limit (dBm) | Horizontal Measured Emission Equiv. Pwr Into Ideal Dipole (dBm) | Vertical Measured Emission Equiv Pwr Into Ideal Dipole (dBm) |
|-----------------|-------------------------|-----------------------------------------------------------------|--------------------------------------------------------------|
| 989.9750        | -20                     | -57.42                                                          | -60.87                                                       |
| 1484.9625       | -20                     | -56.56                                                          | -55.34                                                       |
| 1979.9500       | -20                     | *                                                               | *                                                            |
| 2474.9375       | -20                     | -37.72                                                          | -36.91                                                       |
| 2969.9250       | -20                     | -63.72                                                          | -59.96                                                       |
| 3464.9125       | -20                     | -55.86                                                          | -53.01                                                       |
| 3959.9000       | -20                     | -60.88                                                          | -55.89                                                       |
| 4454.8875       | -20                     | *                                                               | *                                                            |
| 4949.8750       | -20                     | *                                                               | *                                                            |




Motorola Plantation EMC Lab – Test Performed by: Curt Mc Lennan  
FCC Registration: 91932 / Industry Canada: IC3679

November 29, 2005


6G-2: 44 Watts, 494.9875 MHz, 12.5 kHz Channel Spacing

**Transmit Radiated Spurious Emissions: ELM EPP U3HP****Tx Power: 44 Watts****465.0125 MHz****Channel Spacing 25kHz | S/N 019TFU1002**

| Frequency (MHz) | FCC Failing Limit (dBm) | Horizontal Measured Emission<br>Equiv. Pwr Into Ideal Dipole (dBm) | Vertical Measured Emission Equiv<br>Pwr Into Ideal Dipole (dBm) |
|-----------------|-------------------------|--------------------------------------------------------------------|-----------------------------------------------------------------|
| 930.0250        | -13                     | -53.02                                                             | -56.40                                                          |
| 1395.0375       | -13                     | -45.71                                                             | -51.93                                                          |
| 1860.0500       | -13                     | -47.93                                                             | -43.27                                                          |
| 2325.0625       | -13                     | -35.56                                                             | -33.02                                                          |
| 2790.0750       | -13                     | -53.05                                                             | -49.13                                                          |
| 3255.0875       | -13                     | -60.42                                                             | -58.04                                                          |
| 3720.1000       | -13                     | -63.45                                                             | -56.81                                                          |
| 4185.1125       | -13                     | *                                                                  | *                                                               |
| 4650.1250       | -13                     | *                                                                  | *                                                               |

**Transmit Radiated Spurious Emissions: ELM EPP U3HP****Tx Power: 44 Watts****480.0125 MHz****Channel Spacing 25kHz | S/N 019TFU1002**

| Frequency (MHz) | FCC Failing Limit (dBm) | Horizontal Measured Emission<br>Equiv. Pwr Into Ideal Dipole (dBm) | Vertical Measured Emission Equiv<br>Pwr Into Ideal Dipole (dBm) |
|-----------------|-------------------------|--------------------------------------------------------------------|-----------------------------------------------------------------|
| 960.0250        | -13                     | -56.26                                                             | -63.20                                                          |
| 1440.0375       | -13                     | -54.67                                                             | -56.56                                                          |
| 1920.0500       | -13                     | -59.43                                                             | -53.86                                                          |
| 2400.0625       | -13                     | -40.43                                                             | -39.19                                                          |
| 2880.0750       | -13                     | -62.38                                                             | -60.76                                                          |
| 3360.0875       | -13                     | -62.67                                                             | -58.05                                                          |
| 3840.1000       | -13                     | -61.55                                                             | -55.74                                                          |
| 4320.1125       | -13                     | *                                                                  | *                                                               |
| 4800.1250       | -13                     | *                                                                  | *                                                               |



\* Indicates the spurious emission could not be detected due to noise limitations or ambients.

The data presented here was taken using the substitution method as found in the TIA/EIA-603 document.

Motorola Plantation EMC Lab – Test Performed by: Curt Mc Lennan


November 30, 2005

FCC Registration: 91932 / Industry Canada: IC3679

6G-3: 44 Watts, 465.0125 MHz, 25 kHz Channel Spacing  
& 44 Watts, 480.0125 MHz, 25 kHz Channel Spacing

**Transmit Radiated Spurious Emissions: ELM EPP U3HP****Tx Power: 44 Watts****494.9875 MHz****Channel Spacing 25kHz | S/N 019TFU1002**

| Frequency (MHz) | FCC Failing Limit (dBm) | Horizontal Measured Emission<br>Equiv. Pwr Into Ideal Dipole (dBm) | Vertical Measured Emission Equiv<br>Pwr Into Ideal Dipole (dBm) |
|-----------------|-------------------------|--------------------------------------------------------------------|-----------------------------------------------------------------|
| 989.9750        | -13                     | -56.81                                                             | -65.01                                                          |
| 1484.9625       | -13                     | -57.70                                                             | -54.00                                                          |
| 1979.9500       | -13                     | *                                                                  | *                                                               |
| 2474.9375       | -13                     | -39.93                                                             | -40.08                                                          |
| 2969.9250       | -13                     | -64.50                                                             | -62.44                                                          |
| 3464.9125       | -13                     | -57.63                                                             | -53.41                                                          |
| 3959.9000       | -13                     | *                                                                  | *                                                               |
| 4454.8875       | -13                     | *                                                                  | *                                                               |
| 4949.8750       | -13                     | *                                                                  | *                                                               |



\* Indicates the spurious emission could not be detected due to noise limitations or ambients.

The data presented here was taken using the substitution method as found in the TIA/EIA-603 document.

Motorola Plantation EMC Lab – Test Performed by: Curt Mc Lennan


November 30, 2005

FCC Registration: 91932 / Industry Canada: IC3679


6G-4: 44 Watts, 494.9875 MHz, 25 kHz Channel Spacing

**Transmit Radiated Spurious Emissions: ELM EPP U3HP****Tx Power: 25 Watts****465.0125 MHz****Channel Spacing 12.5kHz | S/N 019TFU1002**

| Frequency (MHz) | FCC Failing Limit (dBm) | Horizontal Measured Emission Equiv. Pwr Into Ideal Dipole (dBm) | Vertical Measured Emission Equiv Pwr Into Ideal Dipole (dBm) |
|-----------------|-------------------------|-----------------------------------------------------------------|--------------------------------------------------------------|
| 930.0250        | -20                     | -54.22                                                          | -58.17                                                       |
| 1395.0375       | -20                     | -55.54                                                          | -54.06                                                       |
| 1860.0500       | -20                     | -52.11                                                          | -47.44                                                       |
| 2325.0625       | -20                     | -39.73                                                          | -40.00                                                       |
| 2790.0750       | -20                     | -56.38                                                          | -57.10                                                       |
| 3255.0875       | -20                     | -62.43                                                          | *                                                            |
| 3720.1000       | -20                     | *                                                               | *                                                            |
| 4185.1125       | -20                     | *                                                               | *                                                            |
| 4650.1250       | -20                     | *                                                               | *                                                            |

**Transmit Radiated Spurious Emissions: ELM EPP U3HP****Tx Power: 25 Watts****480.0125 MHz****Channel Spacing 12.5kHz | S/N 019TFU1002**

| Frequency (MHz) | FCC Failing Limit (dBm) | Horizontal Measured Emission Equiv. Pwr Into Ideal Dipole (dBm) | Vertical Measured Emission Equiv Pwr Into Ideal Dipole (dBm) |
|-----------------|-------------------------|-----------------------------------------------------------------|--------------------------------------------------------------|
| 960.0250        | -20                     | -56.70                                                          | -63.06                                                       |
| 1440.0375       | -20                     | -61.57                                                          | -58.22                                                       |
| 1920.0500       | -20                     | -61.72                                                          | -56.48                                                       |
| 2400.0625       | -20                     | -48.56                                                          | -45.16                                                       |
| 2880.0750       | -20                     | *                                                               | *                                                            |
| 3360.0875       | -20                     | *                                                               | *                                                            |
| 3840.1000       | -20                     | *                                                               | *                                                            |
| 4320.1125       | -20                     | *                                                               | *                                                            |
| 4800.1250       | -20                     | *                                                               | *                                                            |



\* Indicates the spurious emission could not be detected due to noise limitations or ambients.


The data presented here was taken using the substitution method as found in the TIA/EIA-603 document.

**Motorola Plantation EMC Lab – Test Performed by: Curt Mc Lennan****November 29, 2005****FCC Registration: 91932 / Industry Canada: IC3679**

6G-5: 25 Watts, 465.0125 MHz, 12.5 kHz Channel Spacing  
& 25 Watts, 480.0125 MHz, 12.5 kHz Channel Spacing

**Transmit Radiated Spurious Emissions: ELM EPP U3HP****Tx Power: 25 Watts****494.9875 MHz****Channel Spacing 12.5kHz | S/N 019TFU1002**

| Frequency (MHz) | FCC Failing Limit (dBm) | Horizontal Measured Emission<br>Equiv. Pwr Into Ideal Dipole (dBm) | Vertical Measured Emission Equiv<br>Pwr Into Ideal Dipole (dBm) |
|-----------------|-------------------------|--------------------------------------------------------------------|-----------------------------------------------------------------|
| 989.9750        | -20                     | -58.20                                                             | -65.62                                                          |
| 1484.9625       | -20                     | -61.73                                                             | -59.21                                                          |
| 1979.9500       | -20                     | *                                                                  | *                                                               |
| 2474.9375       | -20                     | -40.69                                                             | -46.64                                                          |
| 2969.9250       | -20                     | *                                                                  | *                                                               |
| 3464.9125       | -20                     | -59.86                                                             | -56.33                                                          |
| 3959.9000       | -20                     | *                                                                  | *                                                               |
| 4454.8875       | -20                     | *                                                                  | *                                                               |
| 4949.8750       | -20                     | *                                                                  | *                                                               |



\* Indicates the spurious emission could not be detected due to noise limitations or ambients.

The data presented here was taken using the substitution method as found in the TIA/EIA-603 document.

Motorola Plantation EMC Lab – Test Performed by: Curt Mc Lennan


November 29, 2005

FCC Registration: 91932 / Industry Canada: IC3679


6G-6: 25 Watts, 494.9875 MHz, 12.5 kHz Channel Spacing

**Transmit Radiated Spurious Emissions: ELM EPP U3HP****Tx Power: 25 Watts****465.0125 MHz****Channel Spacing 25kHz | S/N 019TFU1002**

| Frequency (MHz) | FCC Failing Limit (dBm) | Horizontal Measured Emission Equiv. Pwr Into Ideal Dipole (dBm) | Vertical Measured Emission Equiv Pwr Into Ideal Dipole (dBm) |
|-----------------|-------------------------|-----------------------------------------------------------------|--------------------------------------------------------------|
| 930.0250        | -13                     | -56.54                                                          | -57.86                                                       |
| 1395.0375       | -13                     | -58.29                                                          | -59.48                                                       |
| 1860.0500       | -13                     | -55.79                                                          | -51.93                                                       |
| 2325.0625       | -13                     | -48.08                                                          | -46.21                                                       |
| 2790.0750       | -13                     | -59.48                                                          | -57.34                                                       |
| 3255.0875       | -13                     | *                                                               | *                                                            |
| 3720.1000       | -13                     | *                                                               | *                                                            |
| 4185.1125       | -13                     | *                                                               | *                                                            |
| 4650.1250       | -13                     | *                                                               | *                                                            |

**Transmit Radiated Spurious Emissions: ELM EPP U3HP****Tx Power: 25 Watts****480.0125 MHz****Channel Spacing 25kHz | S/N 019TFU1002**

| Frequency (MHz) | FCC Failing Limit (dBm) | Horizontal Measured Emission Equiv. Pwr Into Ideal Dipole (dBm) | Vertical Measured Emission Equiv Pwr Into Ideal Dipole (dBm) |
|-----------------|-------------------------|-----------------------------------------------------------------|--------------------------------------------------------------|
| 960.0250        | -13                     | -57.69                                                          | -60.62                                                       |
| 1440.0375       | -13                     | -58.10                                                          | -59.21                                                       |
| 1920.0500       | -13                     | -59.11                                                          | -54.00                                                       |
| 2400.0625       | -13                     | -47.67                                                          | -45.20                                                       |
| 2880.0750       | -13                     | -63.77                                                          | -60.98                                                       |
| 3360.0875       | -13                     | -64.19                                                          | *                                                            |
| 3840.1000       | -13                     | *                                                               | *                                                            |
| 4320.1125       | -13                     | *                                                               | *                                                            |
| 4800.1250       | -13                     | *                                                               | *                                                            |



\* Indicates the spurious emission could not be detected due to noise limitations or ambients.


The data presented here was taken using the substitution method as found in the TIA/EIA-603 document.

**Motorola Plantation EMC Lab – Test Performed by: Curt Mc Lennan****November 30, 2005****FCC Registration: 91932 / Industry Canada: IC3679**

6G-7: 25 Watts, 465.0125 MHz, 25 kHz Channel Spacing  
& 25 Watts, 480.0125 MHz, 25 kHz Channel Spacing

**Transmit Radiated Spurious Emissions: ELM EPP U3HP****Tx Power: 25 Watts****494.9875 MHz****Channel Spacing 25kHz | S/N 019TFU1002**

| Frequency (MHz) | FCC Failing Limit (dBm) | Horizontal Measured Emission<br>Equiv. Pwr Into Ideal Dipole (dBm) | Vertical Measured Emission Equiv<br>Pwr Into Ideal Dipole (dBm) |
|-----------------|-------------------------|--------------------------------------------------------------------|-----------------------------------------------------------------|
| 989.9750        | -13                     | -57.87                                                             | -64.75                                                          |
| 1484.9625       | -13                     | -60.59                                                             | -60.28                                                          |
| 1979.9500       | -13                     | *                                                                  | *                                                               |
| 2474.9375       | -13                     | -39.99                                                             | -45.00                                                          |
| 2969.9250       | -13                     | -65.10                                                             | *                                                               |
| 3464.9125       | -13                     | -61.75                                                             | -58.07                                                          |
| 3959.9000       | -13                     | *                                                                  | *                                                               |
| 4454.8875       | -13                     | *                                                                  | *                                                               |
| 4949.8750       | -13                     | *                                                                  | *                                                               |



\* Indicates the spurious emission could not be detected due to noise limitations or ambients.

The data presented here was taken using the substitution method as found in the TIA/EIA-603 document.

Motorola Plantation EMC Lab – Test Performed by: Curt Mc Lennan

November 30, 2005

FCC Registration: 91932 / Industry Canada: IC3679

6G-8: 25 Watts, 494.9875 MHz, 25 kHz Channel Spacing