


Test Mode UNII-2C_TX AC (VHT80) Mode_Ant. 1


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	-8.64	0.00	-8.64	11.00	Complies
122	5610	-8.53	0.00	-8.53	11.00	Complies

CH106



Date: 26.FEB.2019 11:49:55

CH122




Date: 26.FEB.2019 11:50:57

Test Mode UNII-2C_TX AC (VHT80) Mode_Ant. 2


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	-9.70	0.00	-9.70	11.00	Complies
122	5610	-10.69	0.00	-10.69	11.00	Complies

CH106



Date: 25.FEB.2019 17:16:54

CH122






Date: 25.FEB.2019 17:20:12

Test Mode UNII-2C_TX AC (VHT80) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	-6.13	11.00	Complies
122	5610	-6.47	11.00	Complies




Test Mode	UNII-3_TX AC (VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	2.64	0.00	2.64	30.00	Complies
157	5785	2.00	0.00	2.00	30.00	Complies
165	5825	1.94	0.00	1.94	30.00	Complies



Test Mode	UNII-3_TX AC (VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	0.42	0.00	0.42	30.00	Complies
157	5785	1.06	0.00	1.06	30.00	Complies
165	5825	1.51	0.00	1.51	30.00	Complies




Test Mode	UNII-3_TX AC (VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	4.68	30.00	Complies
157	5785	4.57	30.00	Complies
165	5825	4.74	30.00	Complies

Test Mode UNII-3_TX AC (VHT40) Mode_Ant. 1


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	-4.62	0.00	-4.62	30.00	Complies
159	5795	-5.26	0.00	-5.26	30.00	Complies

CH151



Date: 25.FEB.2019 16:20:25

CH159




Date: 25.FEB.2019 16:21:43

Test Mode UNII-3_TX AC (VHT40) Mode_Ant. 2


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	-6.91	0.00	-6.91	30.00	Complies
159	5795	-6.73	0.00	-6.73	30.00	Complies

CH151



Date: 25.FEB.2019 16:05:40

CH159




Date: 25.FEB.2019 16:06:33

Test Mode UNII-3_TX AC (VHT40) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	-2.61	30.00	Complies
159	5795	-2.92	30.00	Complies


Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	-11.43	0.00	-11.43	30.00	Complies



Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	-13.80	0.00	-13.80	30.00	Complies



Test Mode	UNII-3_TX AC (VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	-9.44	30.00	Complies

APPENDIX H - FREQUENCY STABILITY

Test Mode	UNII-1
-----------	--------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5180.0000
138	5179.9772
120	5179.9776
102	5179.9772
Maximum Deviation (MHz)	0.0208
Maximum Deviation (ppm)	4.0154

Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)
(°C)	5180.0000
0	5179.9848
10	5179.9848
20	5179.9848
30	5179.9852
40	5179.9856
Maximum Deviation (MHz)	0.0208
Maximum Deviation (ppm)	4.0154

Test Mode	UNII-2A
-----------	---------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5260.0000
138	5259.9788
120	5259.9788
102	5259.9788
Maximum Deviation (MHz)	0.0212
Maximum Deviation (ppm)	4.0304

Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)
(°C)	5260.0000
0	5259.9784
10	5259.9784
20	5259.9784
30	5259.9784
40	5259.9784
Maximum Deviation (MHz)	0.0220
Maximum Deviation (ppm)	4.1825

Test Mode	UNII-2C
-----------	---------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5500.0000
138	5499.9768
120	5499.9768
102	5499.9764
Maximum Deviation (MHz)	0.0236
Maximum Deviation (ppm)	4.2909

Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)
(°C)	5500.0000
0	5499.9760
10	5499.9760
20	5499.9760
30	5499.9760
40	5499.9760
Maximum Deviation (MHz)	0.0240
Maximum Deviation (ppm)	4.3636

Test Mode	UNII-3
-----------	--------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5745.0000
138	5744.9744
120	5744.9744
102	5744.9744
Maximum Deviation (MHz)	0.0256
Maximum Deviation (ppm)	4.4560

Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)
(°C)	5745.0000
0	5744.9744
10	5744.9740
20	5744.9740
30	5744.9740
40	5744.9740
Maximum Deviation (MHz)	0.0260
Maximum Deviation (ppm)	4.5257

End of Test Report