



11N20SISO_Ant1_5260




Date: 24.DEC.2024 13:41:22

11N20SISO_Ant1_5300




Date: 24.DEC.2024 19:00:40

11N20SISO_Ant1_5320




Date: 24.DEC.2024 19:06:17

11N20SISO_Ant1_5500




Date: 31.DEC.2024 19:28:43

11N20SISO_Ant1_5600




Date: 24.DEC.2024 20:14:05

11N20SISO_Ant1_5700




Date: 24.DEC.2024 20:19:16

11N20SISO_Ant1_5745




Date: 24.DEC.2024 21:00:28

11N20SISO_Ant1_5785




Date: 24.DEC.2024 21:07:02

11N20SISO_Ant1_5825




Date: 24.DEC.2024 21:12:23

11N40SISO_Ant1_5190




Date: 24.DEC.2024 13:01:30

11N40SISO_Ant1_5230




Date: 24.DEC.2024 13:07:41

11N40SISO_Ant1_5270




Date: 24.DEC.2024 19:12:44


11N40SISO_Ant1_5310




11N40SISO_Ant1_5510



11N40SISO_Ant1_5590




11N40SISO_Ant1_5670




Date: 24.DEC.2024 20:35:56

11N40SISO_Ant1_5755



Date: 24.DEC.2024 21:18:43

11N40SISO_Ant1_5795




Date: 24.DEC.2024 21:24:37

Min emission bandwidth


TestMode	Antenna	Freq(MHz)	6db EBW [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
11A	Ant Left	5745	16.52	5736.72	5753.24	0.5	PASS
		5785	16.40	5776.80	5793.20	0.5	PASS
		5825	16.52	5816.72	5833.24	0.5	PASS
11N20SISO	Ant Left	5745	17.64	5736.16	5753.80	0.5	PASS
		5785	17.56	5776.20	5793.76	0.5	PASS
		5825	17.56	5816.20	5833.76	0.5	PASS
11N40SISO	Ant Left	5755	35.68	5736.84	5772.52	0.5	PASS
		5795	36.40	5776.76	5813.16	0.5	PASS

11A_Ant1_5745




Date: 22.JAN.2025 13:03:06

11A_Ant1_5785







Date: 22.JAN.2025 13:09:36

11A_Ant1_5825




Date: 22.JAN.2025 13:16:09






TestMode	Antenna	Freq(MHz)	6db EBW [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
11A	Ant Right	5745	16.40	5736.80	5753.20	0.5	PASS
		5785	16.40	5776.80	5793.20	0.5	PASS
		5825	16.28	5816.84	5833.12	0.5	PASS
11N20SISO	Ant Right	5745	17.56	5736.20	5753.76	0.5	PASS
		5785	17.56	5776.20	5793.76	0.5	PASS
		5825	17.56	5816.20	5833.76	0.5	PASS
11N40SISO	Ant Right	5755	36.32	5736.84	5773.16	0.5	PASS
		5795	36.08	5777.08	5813.16	0.5	PASS




11N20SISO_Ant1_5745




Date: 24.DEC.2024 21:00:35

11N20SISO_Ant1_5785




Date: 24.DEC.2024 21:07:09

11N20SISO_Ant1_5825




Date: 24.DEC.2024 21:12:30

11N40SISO_Ant1_5755



Date: 24.DEC.2024 21:18:50

11N40SISO_Ant1_5795




Date: 24.DEC.2024 21:24:45

APPENDIXF -MAXIMUMOUTPUT POWER


Test Mode	Antenna	Freq (MHz)	Channel Power [dBm]	Duty Cycle [%]	DC Factor [dBm]	Result [dBm]	Limit [dBm]	Verdict
11A	Ant Left	5180	14.66	57.45	2.41	17.07	≤23.98	PASS
		5200	15.45	66.67	1.76	17.21	≤23.98	PASS
		5240	15.44	67.00	1.74	17.18	≤23.98	PASS
		5260	15.85	66.67	1.76	17.61	≤23.98	PASS
		5300	17.12	67.00	1.74	18.86	≤23.98	PASS
		5320	17.09	66.67	1.76	18.85	≤23.98	PASS
		5500	16.20	66.89	1.75	17.95	≤23.98	PASS
		5600	17.58	67.00	1.74	19.32	≤23.98	PASS
		5700	16.83	67.00	1.74	18.57	≤23.98	PASS
		5745	15.27	66.67	1.76	17.03	≤30.00	PASS
		5785	15.80	66.67	1.76	17.56	≤30.00	PASS
11N20SISO	Ant Left	5825	15.44	66.67	1.76	17.20	≤30.00	PASS
		5180	15.20	65.17	1.86	17.06	≤23.98	PASS
		5200	15.28	65.40	1.84	17.12	≤23.98	PASS
		5240	15.16	65.05	1.87	17.03	≤23.98	PASS
		5260	15.86	65.40	1.84	17.70	≤23.98	PASS
		5300	17.21	65.05	1.87	19.08	≤23.98	PASS
		5320	16.94	65.40	1.84	18.78	≤23.98	PASS
		5500	16.56	65.40	1.84	18.40	≤23.98	PASS
		5600	16.68	65.40	1.84	18.52	≤23.98	PASS
		5700	16.60	65.40	1.84	18.44	≤23.98	PASS
		5745	15.27	65.40	1.84	17.11	≤30.00	PASS
11N40SISO	Ant Left	5785	15.55	65.17	1.86	17.41	≤30.00	PASS
		5825	15.52	65.05	1.87	17.39	≤30.00	PASS
		5190	13.93	48.19	3.17	17.10	≤23.98	PASS
		5230	14.12	48.19	3.17	17.29	≤23.98	PASS
		5270	14.05	47.67	3.22	17.27	≤23.98	PASS
		5310	13.91	48.19	3.17	17.08	≤23.98	PASS
		5510	14.00	47.67	3.22	17.22	≤23.98	PASS
		5590	13.89	48.19	3.17	17.06	≤23.98	PASS
		5670	14.05	48.19	3.17	17.22	≤23.98	PASS
		5755	13.91	48.19	3.17	17.08	≤30.00	PASS
		5795	14.19	48.19	3.17	17.36	≤30.00	PASS

Note: The Duty Cycle Factor is compensated in the graph.


11A_Ant1_5180




11A_Ant1_5200




11A_Ant1_5240




11A_Ant1_5260




11A_Ant1_5300




11A_Ant1_5320




11A_Ant1_5500




11A_Ant1_5600




11A_Ant1_5700




11A_Ant1_5745




11A_Ant1_5785




11A_Ant1_5825




11N20SISO_Ant1_5180




11N20SISO_Ant1_5200




11N20SISO_Ant1_5240




11N20SISO_Ant1_5260




11N20SISO_Ant1_5300




11N20SISO_Ant1_5320




11N20SISO_Ant1_5500




11N20SISO_Ant1_5600




11N20SISO_Ant1_5700




11N20SISO_Ant1_5745




11N20SISO_Ant1_5785




11N20SISO_Ant1_5825




11N40SISO_Ant1_5190




11N40SISO_Ant1_5230




11N40SISO_Ant1_5270




11N40SISO_Ant1_5310




11N40SISO_Ant1_5510




11N40SISO_Ant1_5590




11N40SISO_Ant1_5670



11N40SISO_Ant1_5755




11N40SISO_Ant1_5795




Test Mode	Antenna	Freq(MHz)	Channel Power [dBm]	Duty Cycle [%]	DC Factor [dBm]	Result [dBm]	Limit [dBm]	Verdict
11A	Ant Right	5180	15.43	66.89	1.75	17.18	≤23.98	PASS
		5200	16.06	66.89	1.75	17.81	≤23.98	PASS
		5240	15.37	67.00	1.74	17.11	≤23.98	PASS
		5260	15.62	66.89	1.75	17.37	≤23.98	PASS
		5300	15.83	67.00	1.74	17.57	≤23.98	PASS
		5320	16.40	66.67	1.76	18.16	≤23.98	PASS
		5500	15.61	66.67	1.76	17.37	≤23.98	PASS
		5600	16.32	66.78	1.75	18.07	≤23.98	PASS
		5700	16.72	66.67	1.76	18.48	≤23.98	PASS
		5745	15.34	66.78	1.75	17.09	≤30.00	PASS
		5785	15.49	67.00	1.74	17.23	≤30.00	PASS
11N20 SISO	Ant Right	5825	15.81	67.00	1.74	17.55	≤30.00	PASS
		5180	15.36	65.40	1.84	17.20	≤23.98	PASS
		5200	15.95	65.40	1.84	17.79	≤23.98	PASS
		5240	15.35	65.40	1.84	17.19	≤23.98	PASS
		5260	15.67	65.40	1.84	17.51	≤23.98	PASS
		5300	16.67	65.40	1.84	18.51	≤23.98	PASS
		5320	17.03	65.40	1.84	18.87	≤23.98	PASS
		5500	15.71	65.40	1.84	17.55	≤23.98	PASS
		5600	15.40	65.17	1.86	17.26	≤23.98	PASS
		5700	16.97	65.05	1.87	18.84	≤23.98	PASS
		5745	15.35	65.17	1.86	17.21	≤30.00	PASS
11 N40 SISO	Ant Right	5785	15.25	65.40	1.84	17.09	≤30.00	PASS
		5825	15.70	65.40	1.84	17.54	≤30.00	PASS
		5190	14.00	48.19	3.17	17.17	≤23.98	PASS
		5230	13.73	48.19	3.17	16.90	≤23.98	PASS
		5270	14.69	48.19	3.17	17.86	≤23.98	PASS
		5310	15.73	48.19	3.17	18.90	≤23.98	PASS
		5510	13.39	48.19	3.17	16.56	≤23.98	PASS
		5590	13.87	48.19	3.17	17.04	≤23.98	PASS
		5670	14.73	48.19	3.17	17.90	≤23.98	PASS
		5755	13.30	48.19	3.17	16.47	≤30.00	PASS
		5795	13.47	48.19	3.17	16.64	≤30.00	PASS


11A_Ant1_5180




11A_Ant1_5200




11A_Ant1_5240




11A_Ant1_5260




11A_Ant1_5300




11A_Ant1_5320




11A_Ant1_5500




11A Ant1 5600




11A Ant1 5700




11A Ant1 5745




11A_Ant1_5785




11A_Ant1_5825




11N20SISO_Ant1_5180




11N20SISO_Ant1_5200




11N20SISO_Ant1_5240




11N20SISO_Ant1_5260




11N20SISO_Ant1_5300




11N20SISO_Ant1_5320




11N20SISO_Ant1_5500




11N20SISO_Ant1_5600




11N20SISO_Ant1_5700




11N20SISO_Ant1_5745




11N20SISO_Ant1_5785



11N20SISO_Ant1_5825




11N40SISO_Ant1_5190




11N40SISO_Ant1_5230




11N40SISO_Ant1_5270




11N40SISO_Ant1_5310




11N40SISO_Ant1_5510




11N40SISO_Ant1_5590




11N40SISO_Ant1_5670



11N40SISO_Ant1_5755



11N40SISO_Ant1_5795




APPENDIXG - POWER SPECTRAL DENSITY

TestMode	Antenna	Freq(MHz)	Result [dBm/MHz]	Limit[dBm/MHz]	Verdict
11A	Ant Left	5180	7.40	≤11.00	PASS
		5200	7.57	≤11.00	PASS
		5240	7.01	≤11.00	PASS
		5260	6.64	≤11.00	PASS
		5300	7.65	≤11.00	PASS
		5320	8.17	≤11.00	PASS
		5500	6.60	≤11.00	PASS
		5600	8.47	≤11.00	PASS
		5700	7.95	≤11.00	PASS
		5745	3.06	≤30.00	PASS
		5785	3.80	≤30.00	PASS
		5825	3.19	≤30.00	PASS
11N20SISO	Ant Left	5180	7.09	≤11.00	PASS
		5200	7.41	≤11.00	PASS
		5240	5.64	≤11.00	PASS
		5260	7.06	≤11.00	PASS
		5300	7.70	≤11.00	PASS
		5320	8.03	≤11.00	PASS
		5500	6.82	≤11.00	PASS
		5600	6.79	≤11.00	PASS
		5700	7.42	≤11.00	PASS
		5745	3.00	≤30.00	PASS
		5785	3.23	≤30.00	PASS
		5825	3.88	≤30.00	PASS
11N40SISO	Ant Left	5190	2.73	≤11.00	PASS
		5230	4.44	≤11.00	PASS
		5270	4.13	≤11.00	PASS
		5310	3.81	≤11.00	PASS
		5510	2.90	≤11.00	PASS
		5590	3.66	≤11.00	PASS
		5670	4.06	≤11.00	PASS
		5755	0.35	≤30.00	PASS
		5795	0.84	≤30.00	PASS


Note: 1.The Result and Limit Unit is dBm/500 kHz in the band 5.725–5.85 GHz.
2.The Duty Cycle Factor and RBW Factor is compensated in the graph.

11A_Ant1_5180




Date: 22.JAN.2025 10:30:36

11A_Ant1_5200



Date: 22.JAN.2025 10:36:27

11A_Ant1_5240



Date: 22.JAN.2025 10:41:42