

RF Exposure / SAR Statement

No. : 24CE0011-HO-3

Applicant : Matsushita Electric Industrial Co.,Ltd.
Type of Equipment : Bluetooth Headset
Model No. : EB-BHX70
FCC ID : ACJ29082EB-BHX70

Matsushita Electric Industrial Co.,Ltd. declares that Model : Bluetooth Headset complies with FCC radiation exposure requirement specified in the FCC Rules 2.1093. The "EB-BHX70" has 0.97 mW of conducted Peak Output power and 1.59 mW of EIRP. This kind of equipment is below 60/frequency[MHz] W(TCB Exclusion List) so that SAR testing is excluded. Following calculation is reference data for 20cm distance.

RF Exposure Calculations:

The following information provides the minimum separation distance for the highest gain antenna provided with the "EB-BHX70" as calculated from FCC OET Bulletin 65 Appendix A, Table (B) Limits for General Population / Uncontrolled Exposure. This calculation is based on the highest EIRP possible from the system, considering maximum power and antenna gain, and considering a 1.0mW/cm² uncontrolled exposure limit. The Friis formula used was:

$$S = (P * G) / (4 * \pi * r^2)$$

Where

P = 0.97 mW (Maximum peak output power)
G = 1.64 Numerical Antenna gain; equal 2.1 dBi
r = 20.0 cm

For: EB-BHX70

$$S = 0.00032 \text{ mW/cm}^2$$

UL Apex Co., Ltd.

Head Office EMC Lab.

4383-326 Asama-cho, Ise-shi, Mie-ken 516-0021 JAPAN

Telephone: int +81 596 24 8116

Facsimile: int +81 596 24 8124

Page 1