

EXHIBIT # : 3
FCC ID : ACJ927130TX
OUR REF. : MKES99-F023
MODEL NO. : PV-C2080
Sheet 14 of 20 Sheets

15.107 POWER LINE CONDUCTED VOLTAGE

- CONFIGURATION OF THE EQUIPMENT UNDER TEST -
(Arrangement of interface cable on the test table)



EXHIBIT # : 3
FCC ID : ACJ927130TX
OUR REF. : MKES99-F023
MODEL NO. : PV-C2080
Sheet 15 of 20 Sheets

15.209 & 15.239 RADIATED EMISSION

- CONFIGURATION OF THE EQUIPMENT UNDER TEST -
(Arrangement of interface cable on the test table)



EXHIBIT # : 3
FCC ID : ACJ927130TX
OUR REF. : MKES99-F023
MODEL NO. : PV-C2080
Sheet 16 of 20 Sheets

15.209 & 15.239 RADIATED EMISSION

- CONFIGURATION OF THE EQUIPMENT UNDER TEST -
(Arrangement of interface cable on the test table)



EXHIBIT # : 3
 FCC ID : ACJ927130TX
 OUR REF. : MKES99-F023
 MODEL NO. : PV-C2080

Sheet 17 of 20 Sheets

JIS A4 180 × 250mm




EXHIBIT # : 3


FCC ID : ACJ927130TX

OUR REF. : MKES99-F023

MODEL NO. : PV-C2080

Sheet 18 of 20 Sheets

CORRECTION FACTOR OF BBA9106



$E = V + K$

E : Field Strength


V : Correction Factor (dB)

———— : Correction Factor

----- : Antenna Factor

..... : Cable Loss

CORRECTION FACTOR OF UHALP9107



$E = V + K$

E : Field Strength

V : Correction Factor (dB)

———— : Correction Factor

----- : Antenna Factor

..... : Cable Loss

