

FCC 15C – Product Information

EUT AND PRODUCT INFORMATION

Type of Equipment	UPCS (DECT 6.0)
Applicant Name	Panasonic Corporation of North America
Address	Two Riverfront Plaza, 9th Floor Newark, NJ 07102-5490
Contact	Richard Mullen
Telephone	+1-201-348-7758
Email	Richard.Mullen@us.panasonic.com
Brand Name	Panasonic
Model Number	KX-HNB600
Hardware Version	
Software Version	
Grantee Code	
IC Company Number	

1. Basic Information			
FCC 15 Part	<input checked="" type="checkbox"/> 15.247	<input type="checkbox"/> 15.249	<input type="checkbox"/> Other
Please specify if other:			
Type of Equipment	<input type="checkbox"/> FHSS	<input type="checkbox"/> DTS	<input checked="" type="checkbox"/> Other
Please specify if other:			
Classification of EUT	<input type="checkbox"/> Portable	<input type="checkbox"/> Mobile	<input checked="" type="checkbox"/> Fixed
Lowest Operating Frequency	1CH 2412MHz		
Highest Operating Frequency	11CH 2462MHz		
Nominal Output Power	10.0 – 18.0 dBm		
Maximum Duty Cycle (in actual use)	b:0.98, g:0.97, n:0.97		
Operating Mode (list all)	IEEE802.11b/g/n (2.4GHz only)		
Modulation Type (list all)	b:DSSS(DBPSK,DQPSK,CCK), g:OFDM(BPSK,QPSK,16-QAM,64-QAM), n:OFDM(BPSK,QPSK,16-QAM,64-QAM)		
Nominal 99% Bandwidth	22MHz		
Maximum Number of channels	11ch		
Channel Separation	5MHz		
Number of Antennas	TX : 1 , RX : 1		
Antenna Diversity Supported	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	
Smart Antenna System	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	
Reduced output power on any channels	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	
If YES, please specify:			

FCC 15C – Product Information

2. FHSS Equipment (fill in if FHSS Equipment, FCC 15.247)		
Adaptive Frequency Hopping	<input type="checkbox"/> Yes	<input type="checkbox"/> No
If YES, please specify minimum number of hopping channels :		

3. DTS Equipment (fill in if DTS Equipment, FCC 15.247)	
Nominal 6 dB Bandwidth	

4. Bluetooth Equipment (fill in if Bluetooth Equipment)		
BT 2.0 EDR ?	<input type="checkbox"/> Yes	<input type="checkbox"/> No
BT 3.0 HS ?	<input type="checkbox"/> Yes	<input type="checkbox"/> No
BT Low Energy	<input type="checkbox"/> Yes	<input type="checkbox"/> No

5. 2.4GHz WLAN Equipment (fill in if 2.4GHz WLAN Equipment)				
Supported Operating Modes	<input checked="" type="checkbox"/> 802.11b	<input checked="" type="checkbox"/> 802.11g	<input checked="" type="checkbox"/> 802.11n	<input type="checkbox"/> 802.11ac
40 MHz mode supported	<input type="checkbox"/> Yes		<input checked="" type="checkbox"/> No	
Number of Antennas	TX :1 , RX : 1			
Antenna Diversity Supported	<input type="checkbox"/> Yes		<input checked="" type="checkbox"/> No	
Smart Antenna System	<input type="checkbox"/> Yes		<input checked="" type="checkbox"/> No	
If Smart Antenna System supported, please specify number of streams				
If number of channels differ in any of the operating modes, please specify:				

6. 5GHz WLAN Equipment (fill in if 5GHz WLAN Equipment)			
Supported Operating Modes	<input type="checkbox"/> 802.11a	<input type="checkbox"/> 802.11n	<input type="checkbox"/> 802.11ac
Supported Frequency Bands	<input type="checkbox"/> 5150 – 5250 MHz	<input type="checkbox"/> 5250 – 5350 MHz	
	<input type="checkbox"/> 5470 – 5725 MHz	<input type="checkbox"/> 5725 – 5825 MHz	
DFS Supported	<input type="checkbox"/> Yes		<input type="checkbox"/> No
If DFS, what mode	<input type="checkbox"/> Master		<input type="checkbox"/> Slave
40 MHz mode supported	<input type="checkbox"/> Yes		<input type="checkbox"/> No
Number of Antennas			
Antenna Diversity Supported	<input type="checkbox"/> Yes		<input type="checkbox"/> No
Smart Antenna System	<input type="checkbox"/> Yes		<input type="checkbox"/> No
If Smart Antenna System supported, please specify number of streams			
If Output Power is reduced on any channels in one of the Frequency Bands, please specify:			
If number of channels differ in any of the operating modes, please specify:			

FCC 15C – Product Information

About this document

This document specifies the information that is needed to select the correct testcases and test procedures for testing to FCC Part 15C. The form must be completed by the applicant and submitted to Nemko before testing is started.

Preparation of Equipment for Testing

Note (a): Number of samples for testing

In general, the following samples are needed for FCC 15C testing:

RF Conducted Tests:

One sample with a 50 ohm antenna connector (preferably SMA Female). Only one antenna connector is normally needed even if the equipment has more than one antenna, however EUTs with Smart Antenna Systems must have antenna connectors on all antennas.

Radiated Tests:

One sample with integral antennas. This sample will be used to measure Radiated Emissions, Antenna Gain, Part 15B and Power-Line Conducted tests.

If it is not possible to mount antenna connector(s) on the EUT all tests will be performed radiated or with a test jig. In this case the applicant shall always supply a value for the antenna gain.

Note (b): Power supply

Means of connecting the equipment to an external power supply shall be supplied by the applicant together with the equipment to be tested.

Battery operated equipment shall be supplied with the necessary batteries and chargers. All tests on battery operated equipment will be performed with new or fully charged batteries.

Note (c): Test Modes

Most RF tests are performed with the EUT in force transmit mode. Software and necessary programming tools must be submitted to Nemko together with the test samples before start of testing.

All tests will normally be performed on 3 channels and with all supported modulation types.

Frequency hopping equipment will be tested both with hopping active and without hopping.

Equipment with digital modulations other than Frequency hopping should transmit with as high duty cycle as possible.