

PANASONIC FCC: ACJ96NKX-TG2770 -- 2.4GHz. Head SAR

SAM Phantom; Right Hand Section; Probe:ET3DV6 - SN1677; ConvF(4.40,4.40,4.40)

Med. Parameters 2450 MHz Brain: $\sigma = 1.77$ mho/m $\epsilon_r = 39.4$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 4.0


SAR (1g): 0.0649 mW/g, SAR (10g): 0.0360 mW/g

Panasonic 2.4GHz FHSS Cordless Handset Model:KX-TG2770

Ch.44 [2440.158968MHz]; Standard Battery; Ambient Temp. = 19.4°C / Meas. Tissue Temp. = 18.3°C

Conducted Power = 18.9dBm; Right Head Phantom, Cheek/Touch position

Test Date --11/18/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



PANASONIC FCC: ACJ96NKX-TG2770 -- 2.4GHz. Head SAR

SAM Phantom; Right Hand Section; Probe:ET3DV6 - SN1677; ConvF(4.40,4.40,4.40)

Med. Parameters 2450 MHz Brain: $\sigma = 1.77$ mho/m $\epsilon_r = 39.4$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 4.0


SAR (1g): 0.108 mW/g, SAR (10g): 0.0576 mW/g

Panasonic 2.4GHz FHSS Cordless Handset Model:KX-TG2770

Ch.44 [2440.158968MHz]; Standard Battery; Ambient Temp. = 19.4°C / Meas. Tissue Temp. = 18.3°C

Conducted Power = 18.9dBm; Right Head Phantom, Ear/15 degree Tilt position

Test Date --11/18/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



PANASONIC FCC: ACJ96NKX-TG2770 -- 2.4GHz. Head SAR

SAM Phantom; Left Hand Section; Probe:ET3DV6 - SN1677; ConvF(4.40,4.40,4.40)

Med. Parameters 2450 MHz Brain: $\sigma = 1.77$ mho/m $\epsilon_r = 39.4$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 4.0


SAR (1g): 0.0660 mW/g, SAR (10g): 0.0355 mW/g

Panasonic 2.4GHz FHSS Cordless Handset Model:KX-TG2770

Ch.44 [2479.401MHz]; Standard Battery; Ambient Temp. = 19.4°C / Meas. Tissue Temp. = 18.3°C

Conducted Power = 17.7dBm; Left Head Phantom, Cheek/Touch position

Test Date --11/18/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



PANASONIC FCC: ACJ96NKX-TG2770 -- 2.4GHz. Head SAR

SAM Phantom; Left Hand Section; Probe:ET3DV6 - SN1677; ConvF(4.40,4.40,4.40)

Med. Parameters 2450 MHz Brain: $\sigma = 1.77$ mho/m $\epsilon_r = 39.4$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 4.0


SAR (1g): 0.173 mW/g, SAR (10g): 0.0874 mW/g

Panasonic 2.4GHz FHSS Cordless Handset Model:KX-TG2770

Ch.44 [2440.159MHz]; Standard Battery; Ambient Temp. = 19.4°C / Meas. Tissue Temp. = 18.3°C

Conducted Power = 18.9dBm; Left Head Phantom, Ear/15 degree Tilt position

Test Date --11/18/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



PANASONIC FCC: ACJ96NKX-TG2770 -- 2.4GHz. Body SAR

SAM Phantom; Flat Section; Probe:ET3DV6 - SN1677; ConvF(4.00,4.00,4.00)

Med. Parameters 2450 MHz Muscle: $\sigma = 1.96$ mho/m $\epsilon_r = 53.6$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 4.0


SAR (1g): 0.267 mW/g, SAR (10g): 0.121 mW/g

Panasonic 2.4GHz FHSS Cordless Handset Model:KX-TG2770

Ch.00 [2400.916645MHz]; Standard Battery; Ambient Temp. = 19.4°C / Meas. Tissue Temp. = 18.3°C

Conducted Power = 18.72dBm; Spacing = 1.5cm from back (antenna side) of EUT to flat phantom, with Belt Clip/No Holster

Test Date --11/18/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



PANASONIC FCC: ACJ96NKX-TG2770 -- 2.4GHz. Head SAR

SAM Phantom; Left Hand Section; Probe:ET3DV6 - SN1677; ConvF(4.40,4.40,4.40)

Med. Parameters 2450 MHz Brain: $\sigma = 1.77$ mho/m $\epsilon_r = 39.4$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 4.0


SAR (1g): 0.173 mW/g, SAR (10g): 0.0874 mW/g

Panasonic 2.4GHz FHSS Cordless Handset Model:KX-TG2770

Ch.44 [2440.159MHz]; Standard Battery; Ambient Temp. = 19.4°C / Meas. Tissue Temp. = 18.3°C

Conducted Power = 18.9dBm; Left Head Phantom, Ear/15 degree Tilt position

Test Date --11/18/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



PANASONIC FCC: ACJ96NKX-TG2770 -- 2.4GHz. Body SAR

SAM Phantom; Flat Section; Probe:ET3DV6 - SN1677; ConvF(4.00,4.00,4.00)

Med. Parameters 2450 MHz Muscle: $\sigma = 1.96$ mho/m $\epsilon_r = 53.6$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 4.0

SAR (1g): 0.267 mW/g, SAR (10g): 0.121 mW/g

Panasonic 2.4GHz FHSS Cordless Handset Model:KX-TG2770

Ch.00 [2400.916645MHz]; Standard Battery; Ambient Temp. = 19.4°C / Meas. Tissue Temp. = 18.3°C

Conducted Power = 18.72dBm; Spacing = 1.5cm from back (antenna side) of EUT to flat phantom, with Belt Clip/No Holster

Test Date --11/18/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]

