


\* Agilent

FCC ID:ACJ96NKX-5110 BASE PWR OUT C-44

Ref 24.27 dBm Atten 35 dB



Center 5.799 GHz

Span 10 MHz

#Res BW 3 MHz

VBW 3 MHz

Sweep 4 ms (401 pts)

Freq/Channel

Center Freq  
5.79894500 GHz

Start Freq  
5.79394500 GHz

Stop Freq  
5.80394500 GHz

CF Step  
1.00000000 MHz  
Auto Man

Freq Offset  
0.00000000 Hz


Signal Track  
On Off

Scale Type  
Log Lin

\* Agilent

FCC ID:ACJ96NKX-5110 BASE PWR OUT C-88

Ref 24.26 dBm Atten 35 dB



Center 5.838 GHz

Span 10 MHz

#Res BW 3 MHz

VBW 3 MHz

Sweep 4 ms (401 pts)

Freq/Channel

Center Freq  
5.83818700 GHz

Start Freq  
5.83318700 GHz

Stop Freq  
5.84318700 GHz


CF Step  
1.00000000 MHz  
Auto Man

Freq Offset  
0.00000000 Hz

Signal Track  
On Off


Scale Type  
Log Lin

Agilent




<b>Freq/Channel</b>
<b>Center Freq</b> 5.75970300 GHz
<b>Start Freq</b> 5.75470300 GHz
<b>Stop Freq</b> 5.76470300 GHz
<b>CF Step</b> 1.00000000 MHz Auto Man
<b>Freq Offset</b> 0.00000000 Hz
<b>Signal Track</b> On <u>Off</u>
<b>Scale Type</b> Log <u>Lin</u>

Agilent



<b>Freq/Channel</b>
<b>Center Freq</b> 5.79894500 GHz
<b>Start Freq</b> 5.79394500 GHz
<b>Stop Freq</b> 5.80394500 GHz
<b>CF Step</b> 1.00000000 MHz Auto Man
<b>Freq Offset</b> 0.00000000 Hz
<b>Signal Track</b> On <u>Off</u>
<b>Scale Type</b> Log <u>Lin</u>

\* Agilent



Freq/Channel

Center Freq  
5.79894500 GHz

Start Freq  
5.79394500 GHz

Stop Freq  
5.80394500 GHz


CF Step  
1.00000000 MHz  
Auto Man

Freq Offset  
0.00000000 Hz

Signal Track  
On Off

Scale Type  
Log Lin

\* Agilent



Freq/Channel

Center Freq  
5.93818700 GHz

Start Freq  
5.93318700 GHz

Stop Freq  
5.94318700 GHz

CF Step  
1.00000000 MHz  
Auto Man

Freq Offset  
0.00000000 Hz


Signal Track  
On Off

Scale Type  
Log Lin

Agilent

FCC ID:ACJ96NKX-5110 HANDSET PWR OUT C-00

Ref 22.3 dBm Atten 35 dB



Center 5.76 GHz Span 10 MHz  
\*Res BW 3 MHz VBW 3 MHz Sweep 4 ms (401 pts)

W1 S2  
S3 FC  
AA

Freq/Channel

Center Freq  
5.75970300 GHz

Start Freq  
5.75470300 GHz

Stop Freq  
5.76470300 GHz

CF Step  
1.00000000 MHz  
Auto Man

Freq Offset  
0.00000000 Hz


Signal Track  
On Off

Scale Type  
Log Lin

Agilent

FCC ID:ACJ96NKX-5110 HANDSET PWR OUT C-44

Ref 21.93 dBm Atten 30 dB



Center 5.799 GHz Span 10 MHz  
\*Res BW 3 MHz VBW 3 MHz Sweep 4 ms (401 pts)

W1 S2  
S3 FC  
AA

Freq/Channel

Center Freq  
5.79894500 GHz

Start Freq  
5.79394500 GHz

Stop Freq  
5.80394500 GHz


CF Step  
1.00000000 MHz  
Auto Man

Freq Offset  
0.00000000 Hz

Signal Track  
On Off

Scale Type  
Log Lin

\* Agilent



Freq/Channel

Center Freq  
5.75968000 GHz

Start Freq  
5.75818000 GHz

Stop Freq  
5.76118000 GHz


CF Step  
300.000000 kHz  
Auto Man

Freq Offset  
0.00000000 Hz

Signal Track  
On Off

Scale Type  
Log Lin

\* Agilent



Freq/Channel

Center Freq  
5.79891000 GHz

Start Freq  
5.79741000 GHz

Stop Freq  
5.80041000 GHz


CF Step  
300.000000 kHz  
Auto Man

Freq Offset  
0.00000000 Hz

Signal Track  
On Off


Scale Type  
Log Lin

Agilent




<b>Freq/Channel</b>
<b>Center Freq</b> 5.83813000 GHz
<b>Start Freq</b> 5.83663000 GHz
<b>Stop Freq</b> 5.83963000 GHz
<b>CF Step</b> 300.000000 kHz Auto Man
<b>Freq Offset</b> 0.00000000 Hz
<b>Signal Track</b> On Off
<b>Scale Type</b> Log Lin

Agilent



<b>Freq/Channel</b>
<b>Center Freq</b> 5.83813000 GHz
<b>Start Freq</b> 5.83663000 GHz
<b>Stop Freq</b> 5.83963000 GHz
<b>CF Step</b> 300.000000 kHz Auto Man
<b>Freq Offset</b> 0.00000000 Hz
<b>Signal Track</b> On Off
<b>Scale Type</b> Log Lin

\* Agilent



Freq/Channel

Center Freq  
5.85000000 GHz

Start Freq  
5.80000000 GHz

Stop Freq  
5.90000000 GHz


CF Step  
10.0000000 MHz  
Auto Man

Freq Offset  
0.00000000 Hz

Signal Track  
On Off

Scale Type  
Log Lin

\* Agilent



Freq/Channel

Center Freq  
5.72500000 GHz

Start Freq  
5.67500000 GHz

Stop Freq  
5.77500000 GHz

CF Step  
10.0000000 MHz  
Auto Man

Freq Offset  
0.00000000 Hz

Signal Track  
On Off

Scale Type  
Log Lin

Agilent

FCC ID:ACJ96NKX-5110 CHANNEL SPACING BASE Mkr1  $\Delta$  890 kHz


Ref -30 dBm

Atten 5 dB

0.345 dB

Peak  
Log  
7  
dB/

V1 S2  
S3 FC  
AA



Center 5.799 GHz

Span 10 MHz

\*Res BW 100 kHz

VBW 100 kHz

Sweep 4 ms (401 pts)

Span

Span  
10.0000000 MHz

Span Zoom


Full Span

Zero Span

Last Span

Zone

\* Agilent



Freq/Channel

Center Freq  
5.80400000 GHz

Start Freq  
5.75400000 GHz

Stop Freq  
5.85400000 GHz


CF Step  
10.0000000 MHz  
Auto Man

Freq Offset  
0.00000000 Hz

Signal Track  
On Off

Scale Type  
Log Lin

\* Agilent



Freq/Channel

Center Freq  
5.80400000 GHz

Start Freq  
5.75400000 GHz

Stop Freq  
5.85400000 GHz


CF Step  
10.0000000 MHz  
Auto Man

Freq Offset  
0.00000000 Hz

Signal Track  
On Off


Scale Type  
Log Lin

FCC ID: ACJ96NKX-TG5110 5.8GHz Phone  
w/ AC Adapter Model: POLV10 Line A




No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	.151	37.33	65.96	-28.63	32.19	56.00	-23.81
2	.191	33.44	64.01	-30.57	26.69	53.72	-27.03
3	.201	30.95	63.58	-32.63	25.18	53.24	-28.06
4	2.276	21.47	56.00	-34.53	17.42	46.00	-28.58
5	1.289	21.57	56.00	-34.43	17.38	46.00	-28.62
6	1.089	21.55	56.00	-34.45	17.42	46.00	-28.58
7	4.797	21.50	56.00	-34.50	17.40	46.00	-28.60
8	1.047	21.54	56.00	-34.46	17.33	46.00	-28.67
9	1.697	21.60	56.00	-34.40	17.30	46.00	-28.62
10	1.828	21.50	56.00	-34.50	17.36	46.00	-28.64

FCC ID: ACJ96NKX-TG5110 5.8GHz Phone  
w/ AC Adapter Model: POLV10 Line B




No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	.151	49.62	65.95	-16.33	44.30	56.00	-11.70
2	.184	44.91	64.28	-19.37	38.75	53.88	-15.13
3	.151	49.60	65.94	-16.34	43.45	55.66	-12.21
4	.325	31.98	59.57	-27.59	25.54	49.34	-23.80
5	.437	27.75	57.12	-29.37	21.14	47.00	-25.86
6	.379	29.49	50.30	-20.81	22.62	48.00	-25.38
7	.245	38.06	61.92	-23.86	32.11	51.60	-19.49
8	.220	40.81	62.83	-22.02	34.74	52.49	-17.75
9	.407	28.76	57.70	-28.94	22.39	47.84	-25.45
10	.454	27.51	56.80	-29.29	20.72	46.60	-25.88

FCC ID: ACJ96NKX-TG2770 2.4 GHz Phone PCTEST Engineering Lab.  
w/ AC Adapter Model: PQLV201 Line B




No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	2.531	41.60	56.00	-14.40	37.91	46.00	-8.09
2	2.434	40.65	56.00	-15.35	36.64	46.00	-9.36
3	.874	39.16	56.00	-16.84	36.61	46.00	-9.39
4	1.361	38.37	56.00	-17.63	35.46	46.00	-10.54
5	.777	38.52	56.00	-17.48	36.09	46.00	-9.91
6	2.630	37.85	56.00	-18.15	32.22	46.00	-13.78
7	.388	40.69	58.12	-17.43	38.67	48.12	-9.45
8	1.459	37.55	56.00	-18.45	34.76	46.00	-11.24
9	1.265	37.61	56.00	-18.39	33.98	46.00	-12.02
10	2.147	37.20	56.00	-18.80	33.14	46.00	-12.86

FCC ID: ACJ96NKX-TG2770 2.4 GHz Phone PCTEST Engineering Lab.  
w/ AC Adapter Model: PQLV201 Line B



No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	2.544	41.95	56.00	-14.05	38.50	46.00	-7.50
2	.878	39.43	56.00	-16.57	36.53	46.00	-9.47
3	1.367	39.12	56.00	-16.88	35.94	46.00	-10.06
4	2.447	40.40	56.00	-15.60	35.48	46.00	-10.52
5	2.640	38.58	56.00	-17.42	34.85	46.00	-11.15
6	.780	37.77	56.00	-18.23	35.06	46.00	-10.94
7	.389	39.90	58.09	-18.19	37.61	48.09	-10.48
8	1.465	38.77	56.00	-17.23	35.89	46.00	-10.11
9	.976	37.32	56.00	-18.68	34.86	46.00	-11.14
10	3.719	37.27	56.00	-18.73	32.59	46.00	-13.41

\* Agilent



Freq/Channel

Center Freq  
5.72500000 GHz

Start Freq  
5.67500000 GHz

Stop Freq  
5.77500000 GHz


CF Step  
10.0000000 MHz  
Auto Man

Freq Offset  
0.00000000 Hz

Signal Track  
On Off

Scale Type  
Log Lin

\* Agilent



Freq/Channel

Center Freq  
5.85000000 GHz

Start Freq  
5.80000000 GHz

Stop Freq  
5.90000000 GHz


CF Step  
10.0000000 MHz  
Auto Man

Freq Offset  
0.00000000 Hz

Signal Track  
On Off

Scale Type  
Log Lin

\* Agilent



Freq/Channel

Center Freq  
5.75970200 GHz

Start Freq  
5.75820200 GHz

Stop Freq  
5.76120200 GHz


CF Step  
300.000000 kHz  
Auto Man

Freq Offset  
0.00000000 Hz

Signal Track  
On Off

Scale Type  
Log Lin

\* Agilent



Freq/Channel

Center Freq  
5.79897300 GHz

Start Freq  
5.79747300 GHz

Stop Freq  
5.80047300 GHz


CF Step  
300.000000 kHz  
Auto Man

Freq Offset  
0.00000000 Hz

Signal Track  
On Off


Scale Type  
Log Lin

※ Agilent



<b>Freq/Channel</b>
<b>Center Freq</b> 5.83818700 GHz
<b>Start Freq</b> 5.83668700 GHz
<b>Stop Freq</b> 5.83968700 GHz
<b>CF Step</b> 300.000000 kHz Auto Man
<b>Freq Offset</b> 0.00000000 Hz
<b>Signal Track</b> On Off
<b>Scale Type</b> Log Lin

※ Agilent



<b>Freq/Channel</b>
<b>Center Freq</b> 5.75970200 GHz
<b>Start Freq</b> 5.75820200 GHz
<b>Stop Freq</b> 5.76120200 GHz
<b>CF Step</b> 300.000000 kHz Auto Man
<b>Freq Offset</b> 0.00000000 Hz
<b>Signal Track</b> On Off
<b>Scale Type</b> Log Lin

