

# **Appendix for the Report**

## **Dosimetric Assessment of the Portable Device KX-TPA60 from Panasonic (FCC ID: ACJ96NKX-TPA60) (IC: 216A-KXTPA60)**

### **According to the FCC Requirements**

July 11, 2014

**IMST GmbH**  
Carl-Friedrich-Gauß-Str. 2 - 4  
D-47475 Kamp-Lintfort

**Customer**  
Panasonic System Networks Co., Ltd.  
1 - 62, 4 - chome Minoshima, Hakata,  
Fukuoka 812-8531  
Japan

The test results only relate to the items tested.

This report shall not be reproduced except in full without the written approval of the testing laboratory.

## Subject of Investigation



Fig. 1: Pictures of the device under test.

### 7.9 Pictures of the Device under Test

Figure 12 - 13 show the device under test and the used accessory.



Fig. 12: Pictures of the device under test.



Fig. 13: Pictures of the used headset KX-TCA430.

### 7.10 Test Positions for the Device under Test

Figure 14 - 19 show the test positions for the SAR measurements.



Fig. 14: Cheek position, left side.



Fig. 15: Tilted position, left side.



Fig. 16: Cheek position, right side.



Fig. 17: Tilted position, right side.



Fig. 18: Body worn configuration for KX-TPA60, front of the device towards the phantom, headset and belt clip attached, 0 mm distance.



Fig. 19: Body worn configuration for KX-TPA60, back of the device towards the phantom, headset and belt clip attached, 0 mm distance.