



Antenna #0, Band n258b, 100 MHz, Lower Band Edge, DFT-s-OFDM (Worst Case)




Antenna #0, Band n258b, 100 MHz, Upper Band Edge, DFT-s-OFDM (Worst Case)


Antenna #0, Band n260, H+V

Channel	Bandwidth [MHz]	RB (Size/Offset)	Transmission scheme	Modulation	Frequency [GHz]	EIRP [dBm]	Limit [dBm]	Margin [dB]
Low	50	1RB (1/0)	DFT-s-OFDM	$\pi/2$ -BPSK	37.000	-6.63	-5	1.63
					36.995	-15.65	-13	2.65
			DFT-s-OFDM	QPSK	37.000	-6.59	-5	1.59
					36.995	-16.36	-13	3.36
			DFT-s-OFDM	16QAM	37.000	-8.15	-5	3.15
					36.995	-17.57	-13	4.57
			DFT-s-OFDM	64QAM	37.000	-11.06	-5	6.06
					36.995	-21.01	-13	8.01
		Full (32/0)	DFT-s-OFDM	$\pi/2$ -BPSK	37.000	-16.18	-5	11.18
					36.993	-19.71	-13	6.71
			DFT-s-OFDM	QPSK	37.000	-14.70	-5	9.70
					36.995	-15.79	-13	2.79
			DFT-s-OFDM	16QAM	37.000	-17.66	-5	12.66
					36.995	-20.46	-13	7.46
			DFT-s-OFDM	64QAM	37.000	-21.95	-5	16.95
					36.995	-29.57	-13	16.57
	100	1RB (1/0)	DFT-s-OFDM	$\pi/2$ -BPSK	37.000	-7.04	-5	2.04
					36.990	-22.83	-13	9.83
			DFT-s-OFDM	QPSK	37.000	-7.50	-5	2.50
					36.990	-22.86	-13	9.86
			DFT-s-OFDM	16QAM	37.000	-8.48	-5	3.48
					36.990	-23.44	-13	10.44
			DFT-s-OFDM	64QAM	37.000	-11.17	-5	6.17
					36.990	-26.46	-13	13.46
		Full (64/0)	DFT-s-OFDM	$\pi/2$ -BPSK	37.000	-21.41	-5	16.41
					36.990	-26.82	-13	13.82
			DFT-s-OFDM	QPSK	37.000	-18.31	-5	13.31
					36.990	-21.96	-13	8.96
			DFT-s-OFDM	16QAM	37.000	-22.67	-5	17.67
					36.990	-26.84	-13	13.84
			DFT-s-OFDM	64QAM	37.000	-25.49	-5	20.49
					36.990	-32.75	-13	19.75
High	50	1RB (1/31)	DFT-s-OFDM	$\pi/2$ -BPSK	40.000	-7.42	-5	2.42
					40.005	-14.76	-13	1.76
			DFT-s-OFDM	QPSK	40.000	-6.37	-5	1.37
					40.005	-13.55	-13	0.55
			DFT-s-OFDM	16QAM	40.000	-8.69	-5	3.69
					40.005	-16.20	-13	3.20
			DFT-s-OFDM	64QAM	40.000	-11.61	-5	6.61
					40.005	-18.86	-13	5.86
		Full (32/0)	DFT-s-OFDM	$\pi/2$ -BPSK	40.000	-12.90	-5	7.90
					40.006	-17.28	-13	4.28
			DFT-s-OFDM	QPSK	40.000	-11.11	-5	6.11
					40.005	-14.70	-13	1.70
			DFT-s-OFDM	16QAM	40.000	-15.67	-5	10.67
					40.005	-18.85	-13	5.85
			DFT-s-OFDM	64QAM	40.000	-20.87	-5	15.87
					40.005	-24.94	-13	11.94
	100	1RB (1/65)	DFT-s-OFDM	$\pi/2$ -BPSK	40.000	-7.46	-5	2.46
					40.010	-19.11	-13	6.11
			DFT-s-OFDM	QPSK	40.000	-7.62	-5	2.62
					40.010	-18.88	-13	5.88
			DFT-s-OFDM	16QAM	40.000	-9.27	-5	4.27
					40.010	-21.48	-13	8.48
			DFT-s-OFDM	64QAM	40.000	-12.45	-5	7.45
					40.010	-23.81	-13	10.81
		Full (64/0)	DFT-s-OFDM	$\pi/2$ -BPSK	40.000	-18.39	-5	13.39
					40.042	-20.74	-13	7.74
			DFT-s-OFDM	QPSK	40.000	-14.52	-5	9.52
					40.010	-15.39	-13	2.39
			DFT-s-OFDM	16QAM	40.000	-19.42	-5	14.42
					40.010	-21.10	-13	8.10
			DFT-s-OFDM	64QAM	40.000	-26.08	-5	21.08
					40.010	-28.17	-13	15.17


Antenna #0, Band n260, 50 MHz, Lower Band Edge, DFT-s-OFDM (Worst Case)




Antenna #0, Band n260, 50 MHz, Upper Band Edge, DFT-s-OFDM (Worst Case)




Antenna #0, Band n260, 100 MHz, Lower Band Edge, DFT-s-OFDM (Worst Case)




Antenna #0, Band n260, 100 MHz, Upper Band Edge, DFT-s-OFDM (Worst Case)

Antenna #0, Band n261, H+V

Channel	Bandwidth [MHz]	RB (Size/Offset)	Transmission scheme	Modulation	Frequency [GHz]	EIRP [dBm]	Limit [dBm]	Margin [dB]
Low	50	1RB (1/0)	DFT-s-OFDM	$\pi/2$ -BPSK	27.500	-10.75	-5	5.75
					27.495	-21.58	-13	8.58
			DFT-s-OFDM	QPSK	27.500	-10.58	-5	5.58
					27.495	-21.90	-13	8.90
			DFT-s-OFDM	16QAM	27.500	-11.14	-5	6.14
					27.495	-21.96	-13	8.96
		Full (32/0)	DFT-s-OFDM	$\pi/2$ -BPSK	27.500	-12.52	-5	7.52
					27.495	-25.60	-13	12.60
			DFT-s-OFDM	QPSK	27.500	-21.31	-5	16.31
					27.493	-25.61	-13	12.61
	100	1RB (1/0)	DFT-s-OFDM	$\pi/2$ -BPSK	27.500	-19.44	-5	14.44
					27.495	-22.67	-13	9.67
			DFT-s-OFDM	16QAM	27.500	-22.77	-5	17.77
					27.495	-25.96	-13	12.96
			DFT-s-OFDM	64QAM	27.500	-25.22	-5	20.22
					27.495	-28.51	-13	15.51
		Full (64/0)	DFT-s-OFDM	$\pi/2$ -BPSK	27.500	-25.96	-13	12.96
					27.490	-31.33	-13	18.33
			DFT-s-OFDM	QPSK	27.500	-24.94	-5	19.94
					27.464	-27.81	-13	14.81
High	50	1RB (1/31)	DFT-s-OFDM	$\pi/2$ -BPSK	27.500	-22.56	-5	17.56
					27.490	-25.52	-13	12.52
			DFT-s-OFDM	16QAM	27.500	-26.26	-5	21.26
					27.490	-27.91	-13	14.91
			DFT-s-OFDM	64QAM	27.500	-28.26	-5	23.26
					27.490	-30.22	-13	17.22
		Full (32/0)	DFT-s-OFDM	$\pi/2$ -BPSK	27.500	-28.26	-5	23.26
					27.490	-30.22	-13	17.22
			DFT-s-OFDM	QPSK	27.500	-28.26	-5	23.26
					27.490	-30.22	-13	17.22
			DFT-s-OFDM	16QAM	27.500	-28.26	-5	23.26
					27.490	-30.22	-13	17.22
	100	1RB (1/65)	DFT-s-OFDM	$\pi/2$ -BPSK	27.500	-28.26	-5	23.26
					27.490	-30.22	-13	17.22
			DFT-s-OFDM	QPSK	27.500	-28.26	-5	23.26
					27.490	-30.22	-13	17.22
			DFT-s-OFDM	16QAM	27.500	-28.26	-5	23.26
					27.490	-30.22	-13	17.22
		Full (64/0)	DFT-s-OFDM	$\pi/2$ -BPSK	27.500	-28.26	-5	23.26
					27.490	-30.22	-13	17.22
			DFT-s-OFDM	QPSK	27.500	-28.26	-5	23.26
					27.490	-30.22	-13	17.22
			DFT-s-OFDM	16QAM	27.500	-28.26	-5	23.26
					27.490	-30.22	-13	17.22
	50	1RB (1/31)	DFT-s-OFDM	$\pi/2$ -BPSK	28.350	-13.25	-5	8.25
					28.355	-21.15	-13	8.15
			DFT-s-OFDM	QPSK	28.350	-12.88	-5	7.88
					28.355	-20.95	-13	7.95
			DFT-s-OFDM	16QAM	28.350	-13.95	-5	8.95
					28.355	-21.51	-13	8.51
		Full (32/0)	DFT-s-OFDM	$\pi/2$ -BPSK	28.350	-17.60	-5	12.60
					28.355	-26.10	-13	13.10
			DFT-s-OFDM	QPSK	28.350	-21.90	-5	16.90
					28.355	-25.80	-13	12.80
			DFT-s-OFDM	16QAM	28.350	-20.77	-5	15.77
					28.355	-22.44	-13	9.44
	100	1RB (1/65)	DFT-s-OFDM	$\pi/2$ -BPSK	28.350	-22.86	-5	17.86
					28.355	-25.22	-13	12.22
			DFT-s-OFDM	QPSK	28.350	-26.31	-5	21.31
					28.355	-27.96	-13	14.96
			DFT-s-OFDM	64QAM	28.350	-27.96	-13	14.96
					28.355	-27.96	-13	14.96
		Full (64/0)	DFT-s-OFDM	$\pi/2$ -BPSK	28.350	-27.96	-13	14.96
					28.355	-27.96	-13	14.96
			DFT-s-OFDM	QPSK	28.350	-13.73	-5	8.73
					28.360	-28.76	-13	15.76
			DFT-s-OFDM	16QAM	28.350	-11.34	-5	6.34
					28.360	-25.49	-13	12.49
	50	1RB (1/31)	DFT-s-OFDM	$\pi/2$ -BPSK	28.350	-14.69	-5	9.69
					28.360	-28.52	-13	15.52
			DFT-s-OFDM	QPSK	28.350	-16.11	-5	11.11
					28.360	-30.29	-13	17.29
			DFT-s-OFDM	16QAM	28.350	-16.11	-5	11.11
					28.360	-30.29	-13	17.29
		Full (32/0)	DFT-s-OFDM	$\pi/2$ -BPSK	28.350	-30.29	-13	17.29
					28.360	-30.29	-13	17.29
			DFT-s-OFDM	QPSK	28.350	-25.91	-5	20.91
					28.383	-28.76	-13	15.76
			DFT-s-OFDM	16QAM	28.350	-24.45	-5	19.45
					28.360	-26.90	-13	13.90
	100	1RB (1/65)	DFT-s-OFDM	$\pi/2$ -BPSK	28.350	-27.77	-5	22.77
					28.360	-29.36	-13	16.36
			DFT-s-OFDM	QPSK	28.350	-30.10	-5	25.10
					28.360	-30.86	-13	17.86
			DFT-s-OFDM	16QAM	28.350	-30.10	-5	25.10
					28.360	-30.86	-13	17.86
		Full (64/0)	DFT-s-OFDM	$\pi/2$ -BPSK	28.350	-30.10	-5	25.10
					28.360	-30.86	-13	17.86
			DFT-s-OFDM	QPSK	28.350	-30.10	-5	25.10
					28.360	-30.86	-13	17.86
			DFT-s-OFDM	16QAM	28.350	-30.10	-5	25.10
					28.360	-30.86	-13	17.86

Antenna #0, Band n261, 50 MHz, Lower Band Edge, DFT-s-OFDM (Worst Case)

Antenna #0, Band n261, 50 MHz, Upper Band Edge, DFT-s-OFDM (Worst Case)

Antenna #0, Band n261, 100 MHz, Lower Band Edge, DFT-s-OFDM (Worst Case)

