


**WLAN5.2GHz + WWAN**  
**Figure (1)**




Mode	Peak SAR mW/g	X m	Y m	Z m
Wi-Fi Main 5.2 GHz	0.991	-0.006	0.053	-0.179
GSM850	1.13	-0.0045	-0.0895	-0.184

d: Calculated distance (mm)
142.6

The Peak Location Separation Distance is computed by using the formula below:  
 $\text{SQRT}((X1-X2)^2+(Y1-Y2)^2+(Z1-Z2)^2)$

**WLAN5.2GHz + WWAN**  
**Figure (2)**




Mode	Peak SAR	X	Y	Z
	mW/g	m	m	m
Wi-Fi Main 5.2 GHz	0.991	-0.006	0.053	-0.179
PCS1900	1.92	-0.002	-0.0795	-0.183

d: Calculated distance (mm)
132.6

The Peak Location Separation Distance is computed by using the formula below:  
 $SQRT((X1-X2)^2+(Y1-Y2)^2+(Z1-Z2)^2)$

**WLAN5.2GHz + WWAN**  
**Figure (3)**




Mode	Peak SAR	X	Y	Z
	mW/g	m	m	m
Wi-Fi Main 5.2 GHz	0.991	-0.006	0.053	-0.179
WCDMA Band IV	1.79	0.001	-0.0795	-0.182

d: Calculated distance (mm)
132.7

The Peak Location Separation Distance is computed by using the formula below:  
 $SQRT((X1-X2)^2+(Y1-Y2)^2+(Z1-Z2)^2)$

**WLAN5.2GHz + WWAN**  
**Figure (4)**




Mode	Peak SAR	X	Y	Z
	mW/g	m	m	m
Wi-Fi Main 5.2 GHz	0.991	-0.006	0.053	-0.179
WCDMA Band II	1.59	-0.002	-0.078	-0.182

d: Calculated distance (mm)
131.1

The Peak Location Separation Distance is computed by using the formula below:  
 $SQRT((X1-X2)^2+(Y1-Y2)^2+(Z1-Z2)^2)$


**WLAN5.2GHz + WWAN**  
**Figure (5)**



Mode	Peak SAR	X	Y	Z
	mW/g	m	m	m
Wi-Fi Main 5.2 GHz	0.991	-0.006	0.053	-0.179
CDMA BC0 1xRTT	1.54	-0.0035	-0.0855	-0.183
d: Calculated distance (mm)				
138.6				

The Peak Location Separation Distance is computed by using the formula below:  
 $SQRT((X1-X2)^2+(Y1-Y2)^2+(Z1-Z2)^2)$


**WLAN5.2GHz + WWAN**  
**Figure (6)**



Mode	Peak SAR	X	Y	Z
	mW/g	m	m	m
Wi-Fi Main 5.2 GHz	0.991	-0.006	0.053	-0.179
CDMA BC1 1xRTT	2.09	-0.002	-0.0795	-0.182
d: Calculated distance (mm)				
132.6				

The Peak Location Separation Distance is computed by using the formula below:  
 $SQRT((X1-X2)^2+(Y1-Y2)^2+(Z1-Z2)^2)$

**WLAN5.2GHz + WWAN**  
**Figure (7)**



Mode	Peak SAR mW/g	X m	Y m	Z m
Wi-Fi Main 5.2 GHz	0.991	-0.006	0.053	-0.179
CDMA BC1 EVDO	2.01	-0.0005	-0.078	-0.183


  

d: Calculated distance (mm)	
131.2	

The Peak Location Separation Distance is computed by using the formula below:  

$$\text{SQRT}((X1-X2)^2+(Y1-Y2)^2+(Z1-Z2)^2)$$


**WLAN5.2GHz + WWAN**  
**Figure (8)**



Mode	Peak SAR	X	Y	Z
	mW/g	m	m	m
Wi-Fi Main 5.2 GHz	0.991	-0.006	0.053	-0.179
LTE Band 5	1.39	-0.0035	-0.093	-0.182
d: Calculated distance (mm)				
146.1				

The Peak Location Separation Distance is computed by using the formula below:  
 $SQRT((X1-X2)^2+(Y1-Y2)^2+(Z1-Z2)^2)$

**WLAN5.2GHz + WWAN**  
**Figure (9)**




Mode	Peak SAR mW/g	X m	Y m	Z m
Wi-Fi Main 5.2 GHz	0.991	-0.006	0.053	-0.179
LTE Band 13	1.45	-0.005	-0.0945	-0.182

d: Calculated distance (mm)	
147.5	

The Peak Location Separation Distance is computed by using the formula below:  
 $SQRT((X1-X2)^2+(Y1-Y2)^2+(Z1-Z2)^2)$


**WLAN5.2GHz + WWAN**  
**Figure (10)**



Mode	Peak SAR	X	Y	Z
	mW/g	m	m	m
Wi-Fi Main 5.2 GHz	0.991	-0.006	0.053	-0.179
LTE Band 17	1.56	-0.0035	-0.0945	-0.183
d: Calculated distance (mm)				
147.6				

The Peak Location Separation Distance is computed by using the formula below:  
 $SQRT((X1-X2)^2+(Y1-Y2)^2+(Z1-Z2)^2)$

**WLAN5.2GHz + WWAN**  
**Figure (11)**



Mode	Peak SAR mW/g	X m	Y m	Z m
Wi-Fi Main 5.2 GHz	0.991	-0.006	0.053	-0.179
LTE Band 25	1.73	-0.0005	-0.0825	-0.182
d: Calculated distance (mm)				
135.6				

The Peak Location Separation Distance is computed by using the formula below:  

$$\text{SQRT}((X1-X2)^2+(Y1-Y2)^2+(Z1-Z2)^2)$$