

### 1.3 Test Methodology

Both conducted and radiated testing were performed according to the procedures in ANSI C63.4-1992. Radiated testing was performed at an antenna to EUT distance of 3 meters.

### 1.4 Test Facility

The open area test site and conducted measurement facility used to collect the radiated data is located at 1471 Murata-cho, Tosu-shi, Saga-ken, 841 Japan. This site has been fully described in a report dated March 4, 1996 submitted to your office, and accepted in a letter dated April 17, 1996.

## 2 Product Labeling

Figure 2.1 FCC ID Label





Figure 2.2 location of label on EUT



KMKPS-98-F001  
PCMCIA Card, Model JDWBL820  
FCC ID: ACJKMKPJSJDWBL820A

Product label appears on bottom enclosure of PCMCIA Card:

FCC ID: ACJKMKPJSJDWBL820A  
This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

FCC user information appears within associated Instruction Manual for CD-ROM Drive:

Federal Communication Commission Interference Statement

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

FCC Caution: To assure continued compliance, use only the provided SCSI shielded interface cable with ferrite core when connecting computer to CD-ROM Player. Any changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate this equipment.

**FCC ID: ACJKMKPSJDWBL820A**  
This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.




Figure 8.2 Bottom view of the EUT