



D		C		B		A	
REV.	MARK	ECR/ECN NO.	DATE	UPDATE DESCRIPTION		SIGNATURE	
0			11/APR/2016	<b>First Release</b>		Odo	
1			07/MAR/2017	Add Host SN in label and move screw position		Dennis	



Material : 50 u POLYESTER WHITE REMOVABLE FOR AUTO-STICKER  
Ribon : unitech, UTR06045-PR5



Material : Symbio POB7H or Flexcon 21940  
Ribon : RICOH, B110A INSIDE

MATERIAL (SPEC.)								SCALE 1 : 1	<b>FOXCONN</b> <b>HON HAI PRECISION IND. CO., LTD.</b> <b>CNSBG</b>																																																																																																																												
FINISH								SHEET 1 / 1																																																																																																																													
<table border="1"> <tr> <td colspan="2">Select</td> <td colspan="2">A</td> <td colspan="2">B</td> <td colspan="2">C</td> <td>EPS</td> <td>EPE</td> <td>BAG</td> <td>CTN</td> <td>Label</td> <td>USR</td> </tr> <tr> <td>Dim.</td> <td>Tol.</td> <td>0.05</td> <td>0.05</td> <td>0.10</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.20</td> </tr> <tr> <td>0~6</td> <td></td> <td>0.05</td> <td>0.05</td> <td>0.10</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.20</td> </tr> <tr> <td>6~30</td> <td></td> <td>0.10</td> <td>0.15</td> <td>0.20</td> <td>0.50</td> <td>0.50</td> <td>3.00</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.20</td> </tr> <tr> <td>30~120</td> <td></td> <td>0.15</td> <td>0.20</td> <td>0.30</td> <td>0.50</td> <td>0.50</td> <td>5.00</td> <td>2.00</td> <td></td> <td></td> <td></td> <td></td> <td>0.25</td> </tr> <tr> <td>120~300</td> <td></td> <td>0.20</td> <td>0.30</td> <td>0.40</td> <td>1.00</td> <td>1.00</td> <td>10.00</td> <td>3.00</td> <td>0.30</td> <td></td> <td></td> <td></td> <td>0.30</td> </tr> <tr> <td>300~450</td> <td></td> <td>0.25</td> <td>0.40</td> <td>0.50</td> <td>2.00</td> <td>2.00</td> <td>15.00</td> <td>5.00</td> <td>0.50</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>450~600</td> <td></td> <td>0.30</td> <td>0.50</td> <td>0.60</td> <td>3.00</td> <td>3.00</td> <td>20.00</td> <td>5.00</td> <td>0.80</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td colspan="2">DRAFT TOLERANCE</td> <td colspan="2">+ 0.2°</td> <td colspan="2">CRITICAL DIM.</td> <td colspan="2">MARK</td> <td>*</td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </table>								Select		A		B		C		EPS	EPE	BAG	CTN	Label	USR	Dim.	Tol.	0.05	0.05	0.10									0.20	0~6		0.05	0.05	0.10									0.20	6~30		0.10	0.15	0.20	0.50	0.50	3.00						0.20	30~120		0.15	0.20	0.30	0.50	0.50	5.00	2.00					0.25	120~300		0.20	0.30	0.40	1.00	1.00	10.00	3.00	0.30				0.30	300~450		0.25	0.40	0.50	2.00	2.00	15.00	5.00	0.50					450~600		0.30	0.50	0.60	3.00	3.00	20.00	5.00	0.80					DRAFT TOLERANCE		+ 0.2°		CRITICAL DIM.		MARK		*					
Select		A		B		C		EPS	EPE	BAG	CTN	Label	USR																																																																																																																								
Dim.	Tol.	0.05	0.05	0.10									0.20																																																																																																																								
0~6		0.05	0.05	0.10									0.20																																																																																																																								
6~30		0.10	0.15	0.20	0.50	0.50	3.00						0.20																																																																																																																								
30~120		0.15	0.20	0.30	0.50	0.50	5.00	2.00					0.25																																																																																																																								
120~300		0.20	0.30	0.40	1.00	1.00	10.00	3.00	0.30				0.30																																																																																																																								
300~450		0.25	0.40	0.50	2.00	2.00	15.00	5.00	0.50																																																																																																																												
450~600		0.30	0.50	0.60	3.00	3.00	20.00	5.00	0.80																																																																																																																												
DRAFT TOLERANCE		+ 0.2°		CRITICAL DIM.		MARK		*																																																																																																																													
UNIT mm	PART NAME																																																																																																																																				
Mini4k Label Proposal																																																																																																																																					
SIZE A3	MODEL	PART NO.	DESIGNED Odo																																																																																																																																		
				CUSTOMER MODEL	CUSTOMER PART NO.	APPROVED																																																																																																																															
	IP900		Loran																																																																																																																																		