

Napco Security Technologies, Inc. iSecure Go Anywhere Hub



Occupied Bandwidth
Power Output
Antenna Port, Conducted Emissions
Power Density

Napco Security Technologies, Inc. iSecure Go Anywhere Hub



Spurious Radiated Emissions, EUT Configuration, Front View



Spurious Radiated Emissions, EUT Configuration, Rear View

Napco Security Technologies, Inc. iSecure Go Anywhere Hub



Spurious Radiated Emissions, Horizontal Polarization, 30 MHz to 200 MHz



Spurious Radiated Emissions, Vertical Polarization, 30 MHz to 200 MHz

Napco Security Technologies, Inc. iSecure Go Anywhere Hub



Spurious Radiated Emissions, Horizontal Polarization, 200 MHz to 1 GHz



Spurious Radiated Emissions, Vertical Polarization, 200 MHz to 1 GHz

Napco Security Technologies, Inc. iSecure Go Anywhere Hub




Spurious Radiated Emissions, Horizontal Polarization, 1 GHz to 10 GHz



Spurious Radiated Emissions, Vertical Polarization, 1 GHz to 10 GHz

Napco Security Technologies, Inc. iSecure Go Anywhere Hub
FCC ID: AD8ISECHUB



Conducted Emissions, Power Leads, Front Configuration



Conducted Emissions, Power Leads, Rear Configuration