| Attestation Statements  |   |  |  |  |
|---|---|--|--|--|
| MANUEACTURER  | DITDON, INO   |  |  |  |
| MANUFACTURER:   | RITRON, INC.<br>505 West Carmel Drive<br>Carmel, IN 46032 |  |  |  |
| MODEL:  | JMX-141   |  |  |  |
| TYPE OF UNIT:   | VHF-FM Handheld Transceiver                               |  |  |  |
| FCC ID:   | AIERIT14-141  |  |  |  |
| DATE:   | July 23, 2000   |  |  |  |
| The following is a list of attached exhibits required by the Federal Communications Commission for the application to and grant of FCC Type Acceptance. |   |  |  |  |
| Manufacturer's Statement 2.1033   |   |  |  |  |
| JMX-141 Occupied Bandwidth and Power Characteristics 2.1046 & 2.1049 (c)(1)   |   |  |  |  |
| Statement of Certifying Engineer  |   |  |  |  |
| List of Test Equipment Used   |   |  |  |  |

TYPE OF EXHIBIT: MANUFACTURER'S STATEMENT

**FCC PART**: 2.1033 (c)(1-2)

MANUFACTURER: RITRON, INC.

505 West Carmel Drive

Carmel, IN 46032

MODEL: JMX-141

TYPE OF UNIT: VHF-FM Handheld Transceiver

FCC ID: AIERIT14-141

**DATE:** June 29, 2000

The AIERIT14-141 is a 148-161 MHz or 161-174 MHz VHF-FM Handheld Transceiver to be manufactured and marketed in the United States of America by the applicant, RITRON, Inc. of Carmel, Indiana.

The AIERIT14-141 will be marketed by RITRON, Inc. as a model JMX-141.

The FCC designator for this unit is ...... FCC ID: AIERIT14-141

RITRON, Inc. will be manufacturing and marketing the AIERIT14-141 handheld transceiver on a continuing basis.

**STATEMENT**: OCCUPIED BANDWIDTH AND OUTPUT POWER

**FCC PART**: 2.1046 & 2.1049

MANUFACTURER: RITRON, INC.

505 West Carmel Drive

Carmel, IN 46032

MODEL: JMX-141

TYPE OF UNIT: VHF-FM Handheld Transceiver

FCC ID: AIERIT14-141

**DATE:** July 23, 2000

The JMX-141 is capable of supporting wide band voice modulation (20K0F3E) or narrow band voice modulation on a 12.5 kHz channel (11K25F3E). Power output ranges from 1 to 2 watts.

The JMX-141 is also capable of supporting a minimum of 4800 bits per second per 6.25 kHz of channel bandwidth on a narrow band 12.5 kHz channel (11K25F1D and 11K25F2D) per (90.203 (j)(3). Power output ranges from 1 to 2 watts.

TYPE OF EXHIBIT: STATEMENT OF CERTIFYING ENGINEER

**FCC PART**: 2.947

**MANUFACTURER**: RITRON, INC.

505 West Carmel Drive

Carmel, IN 46032

MODEL: JMX-141

TYPE OF UNIT: VHF-FM Handheld Transceiver

FCC ID: AIERIT14-141

**DATE:** June 29, 2000

I, Dennis Zimmerman have been working in the Engineering Department since October 1997 as a radio frequency Project Engineer. I have designed two way radios for the last 14 years.

I received a Bachelor's degree in Electrical Engineering from the University of Cincinnati in June 1977.

I hereby certify that all measurements and date herein were taken by me, that they were obtained using sound and accepted engineering principles, and that they accurately reflect the performance and characteristics of the units tested.

Signed:

Dennis Zimmerman – Project Engineer

7 Zimmenum

TYPE OF EXHIBIT: TEST EQUIPMENT LIST

**FCC PART:** 2.947 (d)

MANUFACTURER: RITRON, INC.

505 West Carmel Drive Carmel, IN 46032

MODEL: JMX-141

TYPE OF UNIT: VHF-FM Handheld Transceiver

FCC ID: AIERIT14-141

**DATE:** June 29, 2000

The measured data in this report was obtained using one or more of the following pieces of equipment. The particular equipment used in any one test is detailed in the procedure for that test.

| <u>ITEM</u>             | <b>MANUFACTURER</b>     | MODEL NO.  | SERIAL NO.     |
|-------------------------|-------------------------|------------|----------------|
| Communications Test Set | Hewlett-Packard         | HP8920A    | 3352A03633     |
| Communications Test Set | IFR                     | COM120B    | 500008863      |
| Spectrum Analyzer       | Hewlett-Packard         | 8559A      | 2010A 06979    |
| Power Supply            | BK/Precision            | 1730       | 263-023610     |
| Digital Oscilloscope    | Philips                 | PM-3335    | DM630034       |
| Dual Display Multimeter | Protek                  | 506        |                |
| Dipole Antenna          | Electro-Metrics         | BDA-25     | 8-101          |
| Log Periodic Antenna    | Electro-Metrics         | LP-25      | 8-102          |
| Microwave Test Antenna  | Polarad                 | CA-B       | 11-3           |
| Temperature Chamber     | Associated Laboratories |            | ELH-0.5-LC N/A |
| Thermocouple            | Omega                   | 7035-J-225 | 8504           |
| 10dB Attenuator         |                         | 50F-010    | N/A            |
| 20dB Attenuator         | Tenuline                | 8340-200   | 1544           |
| 30dB Attenuator         | Bird                    | 8306-N     | N/A            |
| RF Detector             | Microlabs/FXR           | XA-1040    | N/A            |

TYPE OF EXHIBIT: DESCRIPTION OF MEASUREMENT FACILITY

**FCC PART**: 2.948

MANUFACTURER: RITRON, INC.

505 West Carmel Drive

Carmel, IN 46032

MODEL: JMX-141

TYPE OF UNIT: VHF-FM Handheld Transceiver

FCC ID: AIERIT14-141

**DATE:** June 29, 2000

The Field Strength measurements filed with this application were made on a site certified by RITRON, Inc. Data pertaining to this site is on file with the FCC and is current.

This site is used exclusively by RITRON, Inc. and is utilized only for the RF Field Strength Measurements of equipment designed and manufactured by RITRON, Inc. It is NOT used for measurements by or for any other party on a contract basis or otherwise.