


TYPE OF EXHIBIT:	DESCRIPTION OF MEASUREMENT FACILITY
FCC PART:	2.948
IC PART:	RSS-212
MANUFACTURER:	RITRON, Inc.
MODEL:	RPM-460
TYPE OF UNIT:	UHF Mobile Transceiver
FCC ID:	AIERIT24-460
IC ID:	1084A-24460
DATE:	March 15, 2006

The ERP and field strength of spurious emissions measurements filed with this application were made on a site certified by RITRON, Inc. Data pertaining to this site are on file with the FCC and Industry Canada.

This site is used on a continuing basis exclusively by RITRON, Inc. and is utilized only for RF field strength measurements of equipment designed and manufactured by RITRON, Inc. It is not used for measurements by, or for, any other party on a contract basis or otherwise.

All other measurements were taken at RITRON's engineering laboratory in Carmel, IN.



Sam L. Dulaney
Chief Engineer
RITRON, Inc.

TYPE OF EXHIBIT: MANUFACTURER'S STATEMENT

FCC PART:

IC PART:

MANUFACTURER: RITRON, Inc.

MODEL: RPM-460

TYPE OF UNIT: UHF Mobile Transceiver

FCC ID: AIERIT24-460

IC ID: 1084A-24460

DATE: March 15, 2006

The RITRON model RPM-460 is a UHF mobile transceiver designed for operation on either 12.5 kHz channels or 25 kHz channels. Its output power is variable from 5.0 watts to 40.0 watts.

This product will be manufactured and marketed on a continuing basis in the United States of America by the applicant, RITRON, Inc. of Carmel, IN.

TYPE OF EXHIBIT: STATEMENT OF CERTIFYING ENGINEER

FCC PART: 2.947

IC PART:

MANUFACTURER: RITRON, Inc.

MODEL: RPM-460

TYPE OF UNIT: UHF Mobile Transceiver

FCC ID: AIERIT24-460

DATE: March 15, 2006

I, Sam L. Dulaney, am now, and have been for the past seven years employed as the Chief Engineer with RITRON, Inc. I have been employed in the two-way radio industry for the past 25 years. I received a BSEE degree from West Virginia University in 1978 and an MSEE degree from West Virginia University in 1980.

I hereby certify that all the measurements and data herein were taken by me, or under my direct supervision and that they were obtained using sound and accepted engineering principles and that they accurately reflect the performance and characteristics of the unit tested.

Further, I attest that manufacturing controls exist such that this data are representative of units which will be manufactured by RITRON.

Sam L. Dulaney

Sam L. Dulaney
Chief Engineer
RITRON, Inc.

TYPE OF EXHIBIT: STATEMENT CONCERNING SPECTRUM EFFICIENCY

FCC PART: 90.203(j)(3)

IC PART: RSS-119, Section 5.5.1

MANUFACTURER: RITRON, Inc.

MODEL: RPM-460


TYPE OF UNIT: UHF Mobile Transceiver

FCC ID: AIERIT24-460

IC ID: 1084A-24460

DATE: March 15, 2006

I Sam L. Dulaney, Chief Engineer for RITRON, Inc., certify that this product, DTX-254, meets a spectrum efficiency standard of one voice channel per 12.5 kHz of channel bandwidth.



Sam L. Dulaney
Chief Engineer
RITRON, Inc.

TYPE OF EXHIBIT: ANTI-DRUG ABUSE CERTIFICATION

FCC PART: 1.2002(b)

IC PART:

MANUFACTURER: RITRON, Inc.

MODEL: RPM-460


TYPE OF UNIT: UHF Mobile Transceiver

FCC ID: AIERIT24-460

IC ID: 1084A-24460

DATE: March 15, 2006

I, Sam L. Dulaney, certify that RITRON is not subject to a denial of Federal benefits, that include FCC benefits, pursuant to Section 5301 of the Anti-Drug Abuse Act of 1988, 21 U.S.C. 862 because of a conviction for possession or distribution of a controlled substance.



Sam L. Dulaney
Chief Engineer
RITRON, Inc.