

TYPE OF EXHIBIT: FCC LABEL-LOCATION

FCC PART: 2.1033(c)(11)

MANUFACTURER: RITRON, Inc.

MODEL: PT-150M


TYPE OF UNIT: VHF-MURS Handheld Transceiver

FCC ID: AIERIT29-150M


DATE: June 26, 2012



Location of FCC Label



PT-150M FCC/SERIAL LABEL
PN: 14200199
SCALE: 2:1



SCALE: 1:1



SCALE: 4:1



NOTICE!

SCALE: 4:1

TYPE SPECIFICATIONS:

1. **"VHF MODEL: PT-150M"**, **"FCC ID: AIERIT29-150M"**, **"Ph: 800-872-1872"**
Silver characters, Helvetica, 6 point, left align "VHF" and FCC"
2. **"S/No. :"** Silver characters, Helvetica, 4 point, left align with "VHF" and "FCC".
3. **"Restricted to occupational use.....control info."**
Silver characters, Helvetica, 4 point, center align within box outline area.
4. **"Built to Ritron, Inc. specification - Carmel, IN USA"**
Silver characters, Helvetica, 3.5 point, left align below box outline.
5. **"Assembled in China"** Silver characters, Helvetica, 3.5 point, right align below box outline.

MATERIAL SPECIFICATIONS:

1. **MATERIAL** - .0015 silver tamper-proof mylar perm P/S with .001 matte clear mylar overlay.
2. **ADHESIVE** - Part to have .002 thick "tamper proof" destructive adhesive (Scotch #467 or Engineering approved equivalent) with an easy to remove liner.
3. **GRAPHICS** - To be sub-surface printed on the matte side per Ritron art work definition (see type specifications above), registered to the part edge as shown in View A. Background color to be black.
4. **The area designated for the SERIAL NUMBER** will be silver, and is 0.55" x 0.10". Serial number characters are black, 8 point size. Serial number to be centered within the silver area.
5. The box outline area for the FCC RF Notice is 1.43" x 0.20", 0.25 pt. silver line. A vertical silver line, 0.25 pt., is located 0.275" from the left edge of the box to separate the NOTICE! symbol and the FCC RF warning text.
6. **NUMBER SERIALIZATION** to use hot stamp process on .0015" silver compucal material with bold black print.
7. **NOTICE!** symbol and **RITRON** logo provided on stat sheet, silver graphics.

NOTES:

1. Graphics to be registered to the edge of the label within +/- .010"
2. The RITRON logo graphic shown on this drawing is for reference only. Ritron to supply original artwork for RITRON logo graphic.
3. Number Serialization to start with R12345 with number incremented by one on each label.
4. Serial number box and RF warning box to be right aligned.
5. The FCC/Model label for the PT-150M will use the above materials/specifications or a RITRON approved equivalent.
6. Vendor will supply photoproofs for RITRON Engineering approval prior to manufacturing production labels.
7. No changes to label without RITRON engineering approval.

* FLEXmark is a registered trademark of FLEXcon Company, Inc.

TOLERANCES (EXCEPT AS NOTED)	REVISIONS			RITRON, INC.			
	NO.	DATE	BY	505 West Carmel Drive Carmel, IN 46032			
DECIMAL ±	1	06/08/12	MAP	PT-150M FCC/SERIAL LABEL			
FRACTIONAL ±	2			DRAWN BY	MAP	SCALE	2 : 1
ANGULAR ±	3			CHECKED		DATE	05/02/12
	4			TRACED		APPROVED	
	5			DRAWING NUMBER		14200199	REV
							B