




1366 Bordeaux Drive
Sunnyvale, CA 94089-1005
Tel: (408) 752-8166
Fax: (408) 752-8168

Data#: 124 File#: Mat0911.emi

Date: 09-09-2000 Time: 09:22:57



(Compliance)

Trace: 61

Ref Trace:

Report NO. : 000911B2 7.2
Test Engr : Thu Chan
Company : Mattel Mount Laurel NB
EUT : 49MHz Transmitter
Test Config: EUT only
Test Target: FCC Class B
Test Mode : Transmitting Mode
: 2-Position, Left Button
: RBW=3KHz, VBW=100KHz
: 15.235(b) Bandedge Measurement

Page: 1

	Freq	Over Limit
	MHz	dB
1	49.812	-0.19
2	49.908	-0.89

HP

MATTEL SEA ARROW 49TX 52
REF 86.4 DB μ V ATTEN 10 DB

1/3


MKR 49.859 MHz
73.50 DB μ V

10 DB/

OFFSET
-10.6
dB

DL
80.0
DB μ V

CORR'D



START 49.000 MHz
RES BW 3 KHZ

VBW 10 KHZ

STOP 50.000 MHz
SWP 200 msec

h_p

MATTEL SEA ARROW 49TX S2
REF 86.4 dBμV ATTEN 10 dB

2/3

MKR 49.810 MHz
39.60 dBμV

10 dB/

OFFSET
-10.6
dB


DL
40.0
dBμV

CORR'D

START 49.000 MHz
RES BW 3 KHz

VBW 10 KHz

STOP 50.000 MHz
SWP 200 msec



MATTEL SEA ARROW 49TX S2
REF 86.4 dB μ V ATTEN 10 dB

3/3


MKR 49.910 MHz
38.30 dB μ V

10 dB/

OFFSET
-10.6
dB

DL
40.0
dB μ V

CORR'D



START 49.000 MHz
RES BW 3 KHZ

VBW 10 KHZ

STOP 50.000 MHz
SWP 200 msec

